

UC-NRLF



B 3 883 877



HAND-LIST
OF
GENERA AND SPECIES
OF
BIRDS,

DISTINGUISHING THOSE CONTAINED

IN THE

BRITISH MUSEUM.

"

BY

G. R. GRAY, F.R.S. ETC.,

ASSISTANT KEEPER OF THE ZOOLOGICAL COLLECTIONS.

PART I.

ACCIPITRES, FISSIROSTRES, TENUIROSTRES,
AND DENTIROSTRES.

LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1869.


QL677
B69
V.1

BIOLOGY
LIBRARY

*Retain photo.
of rebound sec.
Dixon Buck
do not trim*


BIOLOGY
LIBRARY
G

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.



TO WHOM
APPROPRIATE

Chas W Richmond



BC

PREFACE.

THE object of this Hand-List is to give a complete List of all the Genera with their subdivisions; and also a comprehensive List of the species of Birds under the respective divisions to which they are supposed to belong.

The specific name in Antique (or thick) type exemplifies those species that are contained in the British Museum; whilst the Roman (or thin) type exhibits those species that are at present desiderata to the Collection.

The second or remaining part of the Hand-List is far advanced towards completion.

JOHN EDWARD GRAY.

May 10, 1869.

859548

THEY ARE

The object of this Handbook is to give a complete list
of all the names with their abbreviations, and also a sum-
mary of the names of those who have been the recipients
of the Order of St. Michael and St. George.

The names are arranged in alphabetical order, and
the names that are contained in the British Museum, which
are those for the Order of St. Michael and St. George, and
the names for the Order of St. Michael and St. George.

The names of the recipients of the Order of St. Michael and St. George
are arranged in alphabetical order.

JOHN EDWARD GRAY

TABLE OF GENERA AND SUBGENERA.

ACCIPITRES.

1. GYPAËTIDÆ.

1. Gypaëtinaë.

| | | |
|----|----------------|-----------|
| 1. | Gypaëtus | Page 1 |
|----|----------------|-----------|

2. VULTURIDÆ.

1. Vulturinaë.

| | | |
|----|-----------------|---|
| 2. | Vultur | 1 |
| 3. | Lophogyps | 2 |
| 4. | Otogyps | 2 |
| 5. | Gyps | 2 |

2. Sarcoramphinaë.

| | | |
|----|--------------------|---|
| 6. | Sarcoramphus | 3 |
| 7. | Cathartes | 3 |
| 8. | Catharista | 3 |
| 9. | ——? | 3 |

3. Neophroninaë.

| | | |
|-----|-------------------|---|
| 10. | Neophron | 4 |
| 11. | Necrosyrtes | 4 |

4. Gypohieracinaë.

| | | |
|-----|------------------|---|
| 12. | Gypohierax | 4 |
|-----|------------------|---|

3. FALCONIDÆ.

1. Polyborinaë.

| | | |
|-----|-------------------|---|
| 13. | Ibycter | 4 |
| 14. | Daptrius | 5 |
| 15. | Milvago | 5 |
| 16. | Senex | 5 |
| 17. | Phalcobœnus | 5 |
| 18. | Polyborus | 6 |

2. Buteoninaë.

| | | |
|-----|----------------------|---|
| 19. | Buteo | 6 |
| 20. | Gypoictinia | 7 |
| 21. | Craxirex | 7 |
| 22. | Tachytriorchis | 8 |

| | | |
|-----|--------------------|-----------|
| 23. | Leucopternis | Page 8 |
| 24. | Buteogallus | 9 |
| 25. | Spizigeranus | 9 |
| 26. | Urubitinga | 9 |
| 27. | Archibuteo | 9 |
| 28. | Butaquila | 10 |

3. Aquilinaë.

| | | |
|-----|---------------------|----|
| 29. | Aquila | 10 |
| 30. | Uroaëtus | 11 |
| 31. | Heteropus | 11 |
| 32. | Pteroaëtus | 11 |
| 33. | Pseudaëtus | 11 |
| 34. | Hieraaëtus | 12 |
| 35. | Spizaëtus | 12 |
| 36. | Pternura | 12 |
| 37. | Spizastur | 12 |
| 38. | Lophaëtus | 13 |
| 39. | ——? | 13 |
| 40. | Limnaëtus | 13 |
| 41. | Circaëtus | 14 |
| 42. | Harpyhalictus | 14 |
| 43. | Spilornis | 14 |
| 44. | Pandion | 15 |
| 45. | Polioaëtus | 15 |
| 46. | Poliornis | 15 |
| 47. | Pernopsis | 16 |
| 48. | Thrasaëtus | 16 |
| 49. | Morphnus | 16 |
| 50. | Haliaëtus | 16 |
| 51. | Thalassoaëtus | 16 |
| 52. | Cuncuma | 17 |
| 53. | Geranoaëtus | 17 |
| 54. | Helotarsus | 17 |
| 55. | Haliastur | 18 |

4. Falconinaë.

| | | |
|-----|---------------------|----|
| | Falco | |
| 56. | Hierofalco | 18 |
| 57. | Falco | 18 |
| 58. | Gennaia | 19 |
| 59. | ——? | 20 |
| 60. | Hypotriorchis | 20 |
| 61. | Dissodectes | 21 |
| 62. | Æsalon | 21 |

| | Page |
|------------------------|------|
| 63. Chicquera | 22 |
| 64. Polihierax | 22 |
| 65. Ieracidea | 22 |
| 66. Harpe | 22 |
| 67. Tinnunculus | 22 |
| 68. Erythropus | 23 |
| 69. Tichornis | 23 |
| 70. Pœcilornis | 23 |
| 71. Ierax | 24 |
| 72. Harpagus | 24 |
| 73. Spiziapteryx | 24 |

5. Milvinæ.

| | |
|--------------------------|----|
| 74. Baza | 25 |
| 75. Aviceda | 25 |
| 76. Pernis | 25 |
| 77. Henicopernis | 26 |
| 78. Machaerhamphus | 26 |
| 79. Milvus | 26 |
| 80. Hydroictinia | 26 |
| 81. Lophoictinia | 27 |
| 82. Nauclerus | 27 |
| 83. Chelictinia | 27 |
| 84. Rostrhamus | 27 |
| 85. Cymindis | 27 |
| 86. Regerhinus | 27 |
| 87. Elanus | 28 |
| 88. Gampsonyx | 28 |
| 89. Ictinia | 28 |
| 90. Nertus | 29 |

6. Accipitrinæ.

| | |
|--------------------------|----|
| 91. Astur | 29 |
| 92. Leucospiza | 29 |
| 93. Lophospiza | 30 |
| 94. Asturina | 30 |
| 95. Buteola | 30 |
| 96. Rupornis | 30 |
| 97. Geranospiza | 30 |
| 98. Micrastur | 31 |
| 99. — ? | 31 |
| 100. Herpetotheres | 31 |
| 101. Accipiter | 31 |
| 102. Cooperastur | 32 |
| 103. Hieraspiza | 33 |
| 104. Urospiza | 34 |
| 105. — ? | 34 |
| 106. Micronisus | 35 |
| 107. Tachyspiza | 35 |
| 108. Sclerospiza | 35 |
| 109. Kaupifalco | 36 |
| 110. Melierax | 36 |

7. Circinæ.

| | |
|-------------------------|----|
| 111. Circus | 36 |
| 112. Spilocircus | 36 |
| 113. Strigiceps | 37 |
| 114. Glaucopteryx | 37 |
| 115. Spizacircus | 37 |
| 116. Polyboroides | 38 |

4. SERPENTARIIDÆ.

1. Serpentariinæ.

| | |
|-------------------------|----|
| 117. Serpentarius | 38 |
|-------------------------|----|

ACCIPITRES Nocturni.

5. STRIGIDÆ.

1. Surninæ.

| | |
|-------------------------|----|
| 118. Surnia | 39 |
| 119. Nyctea | 39 |
| 120. Athene | 39 |
| 121. Tanioglaux | 39 |
| 122. Tanioptynx | 40 |
| 123. Smithiglaux | 40 |
| 124. Microglaux | 40 |
| 125. Hierocoglaux | 40 |
| 126. Spiloglaux | 41 |
| 127. Cephaloptynx | 41 |
| 128. Rabdoglaux | 41 |
| 129. Sceloglaux | 41 |
| 130. Ninox | 41 |
| 131. Glaucidium | 42 |
| 132. Microptynx | 42 |
| 133. Micrathene | 43 |
| 134. Speotyto | 43 |

2. Buboninæ.

| | |
|------------------------|----|
| 135. Bubo | 43 |
| 136. Huhua | 44 |
| 137. Urrua | 44 |
| 138. Nyctætus | 44 |
| 139. Nisuella | 44 |
| 140. Ascalaphia | 44 |
| 141. Pseudoptynx | 45 |
| 142. Ketupa | 45 |
| 143. Scotopelia | 45 |
| 144. Scops | 45 |
| 145. Lempijius | 46 |
| 146. Pisorhina | 46 |
| 147. Acnemis | 46 |
| 148. Ptilopsis | 46 |
| 149. Megascops | 46 |
| 150. Gymnasia | 47 |
| 151. Lophotrix | 47 |

3. Syrniinæ.

| | |
|----------------------|----|
| 152. Syrnum | 48 |
| 153. Ptnyx | 48 |
| 154. Bulaca | 49 |
| 155. Myrtha | 49 |
| 156. Ciccaba | 49 |
| 157. Macabra | 49 |
| 158. Gisella | 50 |
| 159. Pulsatrix | 50 |
| 160. Otus | 50 |
| 161. Nyctalops | 50 |
| 162. Rhinotrix | 51 |

| | Page |
|------------------------|------|
| 163. Pseudoscops | 51 |
| 164. Brachyotus | 51 |
| 165. Phasmaptynx | 51 |
| 166. Nyctala | 51 |

4. Striginæ.

| | |
|-------------------------|----|
| 167. Strix | 52 |
| 168. Glyphidiura | 52 |
| 169. Glaux | 53 |
| 170. Dactylostrix | 53 |
| 171. Megastrix | 53 |
| 172. Phodius | 53 |

1. PASSERES Fissirostres.

1. CAPRIMULGIDÆ.

1. Podarginæ.

| | |
|---------------------------|----|
| 173. Podargus | 53 |
| 174. Batrachostomus | 54 |
| 175. Oothrix | 55 |
| 176. Ægotheles | 55 |

2. Steatornithinæ.

| | |
|-----------------------|----|
| 177. Steatornis | 55 |
|-----------------------|----|

3. Nyctibiinæ.

| | |
|----------------------|----|
| 178. Nyctibius | 55 |
|----------------------|----|

4. Caprimulginaæ.

| | |
|--------------------------|----|
| 179. Caprimulgus | 56 |
| 180. Capripeda | 58 |
| 181. Hydropsalis | 58 |
| 182. Macropsalis | 58 |
| 183. Diplopsalis | 58 |
| 184. Tetroura | 58 |
| 185. Antrostomus | 58 |
| 186. Nyctiphrynus | 59 |
| 187. Stenopsis | 59 |
| 188. Siphonorhis | 60 |
| 189. Eleothreptus | 60 |
| 190. Nyctidromus | 60 |
| 191. Scortornis | 60 |
| 192. Macrodipteryx | 60 |
| 193. Cosmetornis | 61 |

5. Podagerinæ.

| | |
|--------------------------|----|
| 194. Podager | 61 |
| 195. Lurocalis | 61 |
| 196. Chordeiles | 61 |
| 197. Nyctiprogne | 62 |
| 198. Rhamphaoratus | 62 |
| 199. Eurostopodus | 62 |
| 200. Lyncornis | 62 |

2. CYPSELIDÆ.

1. Cypselinæ.

| | |
|----------------------|----|
| 201. Cypselus | 63 |
| 202. Cypsiurus | 64 |

| | Page |
|---------------------------|------|
| 203. Tachornis | 64 |
| 204. Panyptila | 64 |
| 205. Dendrochelidon | 64 |
| 206. Collocalia | 65 |

2. Chæturinæ.

| | |
|------------------------|----|
| 207. Chætura | 66 |
| 208. Hirundapus | 66 |
| 209. —? | 67 |
| 210. —? | 67 |
| 211. Pallenia | 67 |
| 212. Hemiprogne | 67 |
| 213. Acanthylops | 67 |
| 214. Nephocætes | 68 |

3. HIRUNDINIDÆ.

1. Hirundininaæ.

| | |
|---------------------------|----|
| 215. Hirundo | 68 |
| 216. Cecropis | 69 |
| 217. Lillia | 69 |
| 218. Hypurolepis | 69 |
| 219. Hylochelidon | 70 |
| 220. Lagenoplastes | 70 |
| 221. Uromitus | 70 |
| 222. Psalidoprocne | 70 |
| 223. Hemicecrops | 70 |
| 224. Phedina | 71 |
| 225. Petrochelidon | 71 |
| 226. Tachycineta | 71 |
| 227. —? | 71 |
| 228. Callichelidon | 72 |
| 229. Pygochelidon | 72 |
| 230. Atticora | 72 |
| 231. Neochelidon | 72 |
| 232. Notiochelidon | 72 |
| 233. Pristoptera | 73 |
| 234. Cheramæca | 73 |
| 235. Cotile | 73 |
| 236. Stelgidopteryx | 73 |
| 237. Ptyonoprogne | 73 |
| 238. Chelidon | 74 |
| 239. Delichon | 74 |
| 240. Progne | 74 |
| 241. Phæoprogne | 75 |
| 242. Tapera | 75 |

4. CORACIADÆ.

1. Coracianaæ.

| | |
|-----------------------|----|
| 243. Coracias | 75 |
| 244. —? | 75 |
| 245. Coraciura | 76 |
| 246. Eurystomus | 76 |
| 247. Cornopio | 76 |

2. Leptosominæ.

| | |
|----------------------------|----|
| 248. Leptosomus | 77 |
| 249. Brachypteracias | 77 |

| | Page | | Page |
|------------------------------------|------|------------------------------------|------|
| 250. Atelornis | 77 | 286. Nothrisceus | 86 |
| 251. — ? | 77 | 287. Hypnelus | 86 |
| 5. EURYLAIMIDÆ. | | 288. Chaunornis | 86 |
| 1. Eurylaiminæ. | | 289. Nyctalus | 86 |
| 252. Eurylaimus | 77 | 290. Monasa | 87 |
| 253. Serilophus | 78 | 291. Malacoptila | 87 |
| 254. Psarionus | 78 | 292. Nonnula | 88 |
| 255. Corydon | 78 | 293. Chelidoptera | 88 |
| 256. Cymbirhynchus | 78 | 10. ALCEDINIDÆ. | |
| 2. Calyptomeninæ. | | 1. Daceloninæ. | |
| 257. Calyptomena | 78 | 294. Dacelo | 89 |
| 6. TODIDÆ. | | 295. Choucalcyon | 89 |
| 1. Todinæ. | | 296. Cittura | 89 |
| 258. Todus | 79 | 297. Melidora | 89 |
| 7. MOMOTIDÆ. | | 298. Monachalcyon | 89 |
| 1. Momotinæ. | | 299. Tanysiptera | 90 |
| 259. Momotus | 79 | 300. Halcyon | 90 |
| 260. — ? | 80 | 301. Chelicutia | 91 |
| 261. Crybelus | 80 | 302. Entomobia | 91 |
| 261 ^a . Urospatha | App. | 303. Calialcyon | 91 |
| 262. Baryphthengus | 80 | 304. Hylcaon | 92 |
| 263. Eumomota | 80 | 305. Pelargopsis | 92 |
| 264. Prionirhynchus | 80 | 306. Cyanalcyon | 92 |
| 265. Hylomanes | 81 | 307. Sauropatis | 92 |
| 8. TROGONIDÆ. | | 308. Todiramphus | 93 |
| 1. Trogoninæ. | | 309. Caridagrus | 93 |
| 266. Trogon | 81 | 310. Astacophilus | 93 |
| 267. Aganus | 81 | 311. Actenoides | 93 |
| 268. Trogonurus | 82 | 312. Lacedo | 94 |
| 269. Hapalophorus | 83 | 313. Caridonax | 94 |
| 270. Pothinus | 83 | 314. Syma | 94 |
| 271. Temnotrogon | 83 | 315. Ceyx | 94 |
| 272. Priotelus | 83 | 316. Therosa | 95 |
| 273. Apaloderma | 83 | 316 ^a . Ceycopsis | App. |
| 274. Harpactes | 83 | 2. Alcedininæ. | |
| 275. Pyrotrogon | 84 | 317. Alcedo | 95 |
| 276. Duvaucelius | 84 | 318. Corythornis | 96 |
| 277. Oreskios | 84 | 319. Ispidina | 96 |
| 278. Apalharpactes | 84 | 320. Alcyone | 96 |
| 279. Pharomacrus | 84 | 321. Ceryle | 97 |
| 280. Tanypeplus | 85 | 322. Megaceryle | 97 |
| 281. Cosmurus | 85 | 323. Ichthyomus | 97 |
| 282. Leptuas | 85 | 324. Streptoceryle | 97 |
| 9. BUCCONIDÆ. | | 325. Chloroceryle | 97 |
| 1. Bucconinæ. | | 326. Amazonis | 98 |
| 283. Bucco | 85 | 11. MEROPIDÆ. | |
| 284. Tamatia | 85 | 1. Nyctiornithinæ. | |
| 285. Cyphos | 86 | 327. Nyctiornis | 98 |
| | | 328. Bucia | 98 |
| | | 329. Meropiscus | 98 |
| | | 330. Meropogon | 98 |
| | | 331. Bombylonax | 98 |
| | | 2. Meropinæ. | |
| | | 332. Merops | 99 |

| | Page |
|---------------------------|------|
| 333. Melittophas | 99 |
| 334. Blepharomerops | 99 |
| 335. Aërops | 99 |
| 336. Phlothrus | 99 |
| 337. Melittotheres | 100 |
| 338. Tethraërops | 100 |
| 339. Melittias | 100 |
| 340. Cosmaërops | 100 |
| 341. Sphecophobus | 100 |
| 342. Dirocercus | 100 |
| 343. Melittophagus | 101 |
| 344. Coccolearynx | 101 |

12. GALBULIDÆ.

1. Galbulinæ.

| | |
|--|------------|
| 345. Galbula | 101 |
| 346. Caucalias | 102 |
| 347. Urogalba | 102 |
| 348. Brachygalba | 102 |
| 349. Jacamaralcyon | 102 |
| 350. Galbalecyrhynchus | 102 |
| 335. Jacamerops | 102 |
| 351 ^a . ? Galbuloides | (note) 103 |

2. PASSERES Tenuirostres.

1. UPUPIDÆ.

1. Upupinæ.

| | |
|------------------|-----|
| 352. Upupa | 103 |
|------------------|-----|

2. Irrisorinæ.

| | |
|--------------------------|-----|
| 353. Irrisor | 103 |
| 354. Lamprolophos | 104 |
| 355. Cyanepops | 104 |
| 356. Scopelus | 104 |
| 357. Rhinopomastus | 104 |

3. Epimachinæ.

| | |
|--------------------------|-----|
| 358. Ptilornis | 104 |
| 359. Craspedophora | 105 |
| 360. Epimachus | 105 |
| 361. Seleucides | 105 |
| 362. Semioptera | 105 |
| 363. Falculia | 105 |

2. PROMEROPIDÆ.

1. Nectarininae.

| | |
|---------------------------|-----|
| 364. Nectarinia | 106 |
| 365. Cinnyrus | 106 |
| 366. Chalcomitra | 107 |
| 367. Chromatophora | 107 |
| 368. Anthodiaeta | 108 |
| 369. Adelinus | 108 |
| 370. Cyanomitra | 108 |
| 371. Leucochloridia | 108 |
| 372. Aidemonia | 108 |

| | Page |
|-----------------------|------|
| 373. Carmelita | 108 |
| 374. Panaola | 109 |
| 375. Hedydipna | 109 |
| 376. Mangusia | 109 |
| 377. Angladiana | 109 |
| 378. Cosmeteira | 109 |

2. Promeropinae.

| | |
|-------------------------|-----|
| 379. Promerops | 109 |
| 380. Æthopyga | 109 |
| 381. Anthobaphes | 110 |
| 382. Chalcostetha | 110 |
| 383. Hermotimia | 110 |
| 384. Chalcoptaria | 111 |

3. Arachnotherinae.

| | |
|--------------------------|-----|
| 385. Arachnothera | 111 |
| 386. Arachnoraphis | 111 |
| 387. —? | 111 |
| 388. Arachnechthra | 112 |
| 389. Cyrtostomus | 112 |
| 390. Leptocoma | 112 |
| 391. Anthreptes | 112 |
| 392. —? | 113 |

4. Drepaninae.

| | |
|--------------------------|-----|
| 393. Drepanis | 113 |
| 394. Vestiaria | 113 |
| 395. Himatione | 113 |
| 396. Hemignathus | 113 |
| 397. Moho | 114 |
| 398. Psittirostra | 114 |
| 399. Loxops | 114 |
| 400. Dicaeum | 114 |
| 401. Phenacistes | 115 |
| 402. Microchelidon | 115 |
| 403. —? | 115 |
| 404. Pachyglossa | 115 |
| 405. Piprisoma | 116 |
| 406. Pholidornis | 116 |
| 407. Prionochilus | 116 |
| 408. Anaimos | 116 |
| 409. Melanocharis | 116 |

3. CCEREVIDÆ.

1. Ccerebinæ.

| | |
|---------------------------|-----|
| 410. Ccereba | 116 |
| 411. Dacnis | 117 |
| 412. Polidacnis | 117 |
| 413. Eudacnis | 117 |
| 414. Ateleodaenis | 117 |
| 415. Hemidaenis | 118 |
| 416. Chlorophanes | 118 |
| 417. Diglossa | 118 |
| 418. Tephrodiglossa | 118 |
| 419. Pyrrhodiglossa | 119 |
| 420. Cyanodiglossa | 119 |
| 421. Melanodiglossa | 119 |
| 422. Diglossopsis | 119 |

| | | |
|------|-------------------|-----|
| 423. | Conirostrum | 119 |
| 424. | Spodiornis | 120 |
| 425. | Oreomanes | 120 |
| 426. | Certhiola | 120 |
| 427. | Glossiptila | 120 |

4. TROCHILIDÆ.

1. Phæthornithinæ.

| | | |
|------|------------------|-----|
| 428. | Phæthornis | 121 |
| 429. | Guyornis | 121 |
| 430. | Orthornis | 121 |
| 431. | Pygmornis | 122 |
| 432. | Momus | 122 |
| 433. | Eremita | 122 |
| 434. | Grypus | 123 |
| 435. | Eutoxeres | 123 |

2. Polytminæ.

| | | |
|------|------------------------|-----|
| 436. | Oreotrochilus | 123 |
| 437. | Polytmus | |
| | Campylopterus | 124 |
| 438. | Androdon | 124 |
| 439. | Platystylopterus | 124 |
| 440. | Sæpiopterus | 124 |
| 441. | Loxopterus | 124 |
| 442. | Pampa | 124 |
| 443. | Aphantochroa | 125 |
| 444. | Phæochroa | 125 |
| 445. | Eupetomena | 125 |
| 446. | Lampornis | 125 |
| 447. | Hypophania | 125 |
| 448. | Margarochrysis | 126 |
| 449. | Chalybura | 126 |
| 450. | Floresia | 126 |
| 451. | Glaucis | 126 |
| 452. | Threnetes | 126 |
| 453. | Sternoclyta | 127 |
| 454. | Colibri | 127 |
| 455. | Praxilla | 127 |
| 456. | Telesiella | 127 |
| 457. | Schistes | 127 |
| 458. | Leucochloris | 127 |
| 459. | Polytmus | 128 |
| 460. | Elvira | 128 |
| 461. | Smaragdites | 129 |
| 462. | Leucippus | 129 |
| 463. | —? | 129 |
| 464. | Urochroa | 129 |
| 465. | Cyanochloris | 129 |
| 466. | Eulampis | 130 |
| 467. | Sericotes | 130 |
| 468. | Thalurania | 130 |
| 469. | —? | 131 |
| 470. | Saucerottia | 131 |
| 471. | Emilia | 131 |
| 472. | Amazilis | 131 |
| 473. | Hemistilbon | 132 |
| 474. | Erythronota | 132 |
| 475. | Eupherusa | 133 |
| 476. | Chrysures | 133 |

| | | |
|------|--------------------|------|
| | | Page |
| 477. | Cyanomyia | 133 |
| 478. | Opisthoprora | 133 |
| 479. | Aithurus | 134 |
| 480. | Topaza | 134 |
| 481. | Florisuga | 134 |
| 482. | Microchera | 134 |
| 483. | Delattria | 134 |
| 484. | Calothorax | 135 |
| 485. | Thaumastura | 135 |
| 486. | Doricha | 135 |
| 487. | Manilia | 135 |
| 488. | Stellula | 135 |
| 489. | Rhodopis | 135 |
| 490. | Myrtis | 135 |
| 491. | Lafresnaya | 136 |
| 492. | Tonolaima | 136 |
| 493. | Trochilus | 136 |
| 494. | Archilochus | 136 |
| 495. | Docimastes | 136 |
| 496. | Eugenes | 136 |
| 497. | Eugenia | 137 |
| 498. | Heliodoxa | 137 |
| 499. | Leadbeatera | 137 |
| 500. | —? | 137 |
| 501. | Corinnes | 137 |
| 502. | Heliomaster | 138 |
| 503. | Oreopyra | 138 |
| 504. | Helianthea | 138 |
| 505. | Hypochrysis | 138 |
| 506. | Diphlogena | 138 |
| 507. | Pterophanes | 138 |
| 508. | Bourcieria | 139 |
| 509. | —? | 139 |
| 510. | Lampropygia | 139 |
| 511. | Conradinia | 139 |
| 512. | Celigena | 139 |
| 513. | —? | 139 |
| 514. | Heliangelus | 139 |
| 515. | Heliotrypha | 140 |
| 516. | Doryfera | 140 |
| 517. | Clytolæma | 140 |
| 518. | Phaiolaima | 140 |
| 519. | Lamprolaima | 140 |
| 520. | Aglæactis | 140 |
| 521. | Boissonneaua | 141 |
| 522. | Ramphimicron | 141 |
| 522. | Eupogonus | 141 |
| 524. | Lampropogon | 141 |
| 525. | Oxypogon | 141 |
| 526. | Oreonympha | 142 |
| 527. | Urosticte | 142 |
| 528. | Adælomyia | 142 |
| 529. | Phlogophilus | 142 |
| 530. | Anthocephala | 142 |
| 531. | Urolampra | 142 |
| 532. | Abeillia | 142 |
| 533. | Diotima | 143 |
| 534. | Metallura | 143 |
| 535. | Saphos | 143 |
| 536. | Cynanthus | 143 |

| | Page |
|----------------------------|------|
| 537. Lesbia | 143 |
| 538. Psalidopyrmina | 143 |
| 539. Discosura | 144 |
| 540. Steganurus | 144 |
| 541. Uralia | 144 |
| 542. Loddigesia | 144 |
| 543. Selasphorus | 144 |
| 544. Calypte | 144 |
| 545. Atthis | 145 |
| 546. Acestrura | 145 |
| 547. Chætocercus | 145 |
| 548. Heliactin | 145 |
| 549. Gouldia | 145 |
| 550. Popelairia | 146 |
| 551. Tryphæna | 146 |
| 552. Calliphlox | 146 |
| 553. Philodice | 146 |
| 554. Smaragdochrysis | 146 |
| 555. Lophornis | 146 |
| 556. Paphosia | 146 |
| 557. Telamon | 146 |
| 558. — ? | 147 |
| 559. Polemistria | 147 |
| 560. Sephanoides | 147 |
| 561. Chrysolampis | 147 |
| 562. Orthorhynchus | 147 |
| 563. Cephallepia | 148 |
| 564. Hylocharis | 148 |
| 565. Eucephala | 148 |
| 566. Panychlora | 148 |
| 567. — ? | 149 |
| 568. Prasites | 149 |
| 569. Chlorolampis | 149 |
| 570. — ? | 149 |
| 571. Chlorostilbon | 149 |
| 572. Mellisuga | 150 |
| 573. Sp. radinus | 150 |
| 574. Patagona | 150 |
| 575. Damophila | 150 |
| 576. Juliamyia | 150 |
| 577. Basilinna | 151 |
| 578. Avocettula | 151 |
| 579. Augastes | 151 |
| 580. Lamprurus | 151 |
| 581. Cyanophaia | 151 |
| 582. Circe | 151 |
| 583. Phæoptila | 152 |
| 584. Klais | 152 |
| 585. Phemonœ | 152 |
| 586. Eriocnemis | 152 |
| 587. Threptia | 152 |
| 588. Engyete | 152 |
| 589. Derbyomyia | 153 |
| 590. Heliothrix | 153 |

5. MELIPHAGIDÆ.

1. Myzomelinæ.

| | |
|-----------------------|-----|
| 591. Myzomela | 153 |
| 592. Cissomelas | 154 |

| | Page |
|----------------------------|------|
| 593. Entomophila | 154 |
| 594. Conopophila | 154 |
| 595. Certhionyx | 154 |
| 596. Gliciphila | 155 |
| 597. Stigmatops | 155 |
| 598. Acanthorhynchus | 155 |

2. Meliphaginæ.

| | |
|----------------------------|-----|
| 599. Meliphaga | 155 |
| 600. Ptilotis | 156 |
| 601. Stomioptera | 157 |
| 602. Lichenostomus | 157 |
| 603. Foulehaio | 157 |
| 604. Phylidonyris | 157 |
| 605. Meliornis | 157 |
| 606. Prosthemadera | 158 |
| 607. Anthornis | 158 |
| 608. Anthochaera | 158 |
| 609. Anellobia | 158 |
| 610. Chatoptila | 159 |
| 611. Leptornis | 159 |
| 612. Xanthotis | 159 |
| 613. Acanthagenys | 159 |
| 614. Pogonornis | 159 |
| 615. Philemon | 159 |
| 616. Tropicorhynchus | 160 |
| 617. Entomiza | 160 |
| 618. Manorina | 160 |
| 619. Myzantha | 160 |

3. Melithreptinæ.

| | |
|--------------------------|-----|
| 620. Melithreptus | 161 |
| 621. Plectoramphus | 161 |
| 622. Zosterops | 161 |
| 623. Malacirops | 164 |
| 624. Cyclopteros | 164 |
| 625. Spirops | 164 |
| 626. Orosterops | 164 |
| 627. Tephros | 164 |
| 628. Helaia | 164 |

6. ANABATIDÆ.

1. Furnariinæ.

| | |
|--------------------------|-----|
| 629. Furnarius | 164 |
| 630. Cinclodes | 165 |
| 631. Upucerthia | 166 |
| 632. Ochtorhynchus | 166 |
| 633. Lochmias | 166 |
| 634. Enicornis | 166 |
| 635. Limnornis | 166 |
| 636. Geositta | 166 |
| 637. Geobamon | 167 |
| 638. Geobates | 167 |

2. Sclerurinae.

| | |
|----------------------|-----|
| 639. Sclerurus | 167 |
|----------------------|-----|

3. Synallaxinae.

| | |
|-----------------------|-----|
| 640. Synallaxis | 168 |
|-----------------------|-----|

| | Page | | Page |
|------|--------------------------|-----|------|
| 641. | Anabates | 169 | |
| 642. | Sylviorthorhynchus | 169 | |
| 643. | Leptasthenura | 170 | |
| 644. | Bathmicercus | 170 | |
| 646. | Oxyurus | 170 | |
| 646. | Cranioleuca | 170 | |
| 647. | Phleocyptes | 170 | |
| 648. | Asthenes | 170 | |
| 649. | Melanopareia | 171 | |
| 650. | Certhiaxis | 171 | |
| 651. | Coryphistera | 171 | |
| 652. | Anumbius | 171 | |
| 653. | Anabacerthia | 171 | |
| 654. | Malacurus | 171 | |
| 655. | Phylidor | 172 | |
| 656. | Automolus | 172 | |
| 657. | Eusphenura | 173 | |
| 658. | Dendroma | 173 | |
| 659. | Thripophaga | 173 | |
| 660. | Pseudoclaptes | 173 | |
| 661. | Homorus | 174 | |
| 662. | Thripadectes | 174 | |
| 663. | Ancistrops | 174 | |
| 664. | Pseudoseisura | 174 | |
| 665. | Xenops | 174 | |
| 666. | Sphenops | 174 | |
| 667. | Anabasitta | 174 | |
| 668. | Anabatoides | 175 | |
| 669. | Heliobletus | 175 | |
| 4. | Oxyrhamphinae. | | |
| 670. | Oxyrhamphus | 175 | |
| 5. | Dendrocolaptinae. | | |
| 671. | Dendrocolaptes | 175 | |
| 672. | Xiphocolaptes | 176 | |
| 673. | Dendrexetastes | 176 | |
| 674. | Nasica | 176 | |
| 675. | Dendroplex | 177 | |
| 676. | Dendroornis | 177 | |
| 677. | Xiphorhynchus | 178 | |
| 678. | Drymornis | 178 | |
| 679. | Picolaptes | 178 | |
| 680. | Lepidocolaptes | 179 | |
| 681. | Dacryophorus | 179 | |
| 682. | Dendrocincia | 179 | |
| 683. | Dendromanes | 180 | |
| 684. | Sittasomus | 180 | |
| 685. | Margarornis | 180 | |
| 686. | Siptornis | 180 | |
| 687. | Glyphorhynchus | 181 | |
| 688. | Pygarrichus | 181 | |
| 6. | Sittinae. | | |
| 689. | Sitta | 181 | |
| 690. | Callisitta | 182 | |
| 691. | Dendrophila | 182 | |
| 692. | Hyperpes | 182 | |
| 693. | Sitella | 182 | |
| 694. | Acanthisitta | 183 | |
| 695. | Xenicus | 183 | |
| 7. | CERTHIIDÆ. | | |
| 1. | Certhiinae. | | |
| 696. | Certhia | 183 | |
| 697. | Caulodromus | 183 | |
| 698. | Salpornis | 184 | |
| 2. | Tichodrominae. | | |
| 699. | Tichodroma | 184 | |
| 700. | Climacteris | 184 | |
| 701. | Rhabdornis | 184 | |
| 8. | MENURIDÆ. | | |
| 1. | Menurinae. | | |
| 702. | Menura | 185 | |
| 2. | Orthonycinae. | | |
| 703. | Orthonyx | 185 | |
| 704. | Mohoua | 185 | |
| 9. | PTEROPTOCHIDÆ. | | |
| 1. | Pteroptochinae. | | |
| 705. | Hylactes | 186 | |
| 706. | Pteroptochos | 186 | |
| 707. | Acropternis | 186 | |
| 708. | Liosceles | 186 | |
| 709. | Triptorhinus | 186 | |
| 710. | Agathopus | 187 | |
| 711. | Seytalopus | 187 | |
| 712. | Meruxalis | 187 | |
| 713. | Rhinocrypta | 187 | |
| 10. | TROGLODYTIDÆ. | | |
| 1. | Troglodytinae. | | |
| 714. | Tesia | 188 | |
| 715. | Anura | 188 | |
| 716. | Troglodytes | 188 | |
| 717. | Thriothorus | 189 | |
| 718. | Pheugopedius | 189 | |
| 719. | Thryophilus | 190 | |
| 720. | Thryomanes | 190 | |
| 721. | Cistothorus | 190 | |
| 722. | Telmatodytes | 190 | |
| 723. | Hylemothous | 191 | |
| 724. | Donacobius | 191 | |
| 725. | Heleodytes | 192 | |
| 726. | Campylorhynchus | 192 | |
| 727. | Cyphorhinus | 193 | |
| 728. | Microcerculus | 193 | |
| 729. | Henicorhina | 193 | |
| 730. | Salpinetes | 194 | |
| 731. | Catharpes | 194 | |
| 732. | Odontorhynchus | 194 | |
| 733. | Cinnicerthia | 194 | |
| 2. | Tatarinae. | | |
| 734. | Tatare | 194 | |
| 735. | Hybristes | 194 | |

Page.

3. PASSERES Dentirostres.

1. LUSCINIDÆ.

1. Malurinæ.

| | | |
|------|---------------|-----|
| 736. | Orthotomus | 195 |
| 737. | Prinia | 195 |
| 738. | Franklinia | 196 |
| 739. | Horeites | 196 |
| 740. | Drymoipus | 196 |
| 741. | Suya | 197 |
| 742. | Drymoica | 197 |
| 743. | Cisticola | 200 |
| 744. | Graminicola | 201 |
| 745. | Hemipteryx | 201 |
| 746. | Burnesia | 201 |
| 747. | Catrisceus | 201 |
| 748. | Melocichla | 201 |
| 749. | Euprinodes | 201 |
| 750. | Stiphrornis | 201 |
| 751. | Hylia | 202 |
| 752. | Bæoscelis | 202 |
| 753. | Apalis | 202 |
| 754. | Eroessa | 202 |
| 755. | Bæocerca | 202 |
| 756. | Ellisia | 202 |
| 757. | Eremomela | 202 |
| 758. | Dryodromas | 203 |
| 759. | Camaroptera | 203 |
| 760. | Sylvietta | 203 |
| 761. | Calamanthus | 203 |
| 762. | Hylacola | 204 |
| 763. | Chthonicola | 204 |
| 764. | Malurus | 204 |
| 765. | Stipiturus | 204 |
| 766. | Amytis | 205 |
| 767. | Atrichia | 205 |
| 768. | Sphenura | 205 |
| 769. | Pycnoptilus | 205 |
| 770. | Chætornis | 205 |
| 771. | Cincloramphus | 205 |
| 772. | Megalurus | 205 |
| 773. | Sphencæacus | 206 |
| 774. | Poodytes | 206 |
| 775. | — | 206 |
| 776. | Laticilla | 206 |

2. Calamodytinæ.

| | | |
|------|----------------|-----|
| 777. | Calamodyta | 206 |
| 778. | Arundinax | 208 |
| 779. | Calamoherpe | 208 |
| 780. | Eparnetes | 208 |
| 781. | Psamathia | 208 |
| 782. | Dumeticola | 208 |
| 783. | Pseudoluscinia | 208 |
| 784. | Cettia | 209 |
| 785. | Bradypetetus | 209 |
| 786. | Phlexis | 209 |
| 787. | Calamodus | 209 |

| | | |
|------|------------|-----|
| 788. | Iduna | 209 |
| 789. | Luscinola | 210 |
| 790. | Potamodus | 210 |
| 791. | Locustella | 210 |
| 792. | Tribura | 210 |
| 793. | Ædon | 210 |
| 794. | Thamnobia | 211 |
| 795. | Pentholæa | 211 |
| 796. | —? | 211 |
| 797. | Thamnolæa | 211 |
| 798. | Pæoptera | 212 |
| 799. | Parinia | 212 |

3. Sylvianæ.

| | | |
|------|----------------|-----|
| 800. | Sylvia | 212 |
| | Thamnodus | 212 |
| 801. | Melizophilus | 212 |
| 802. | Alseceus | 212 |
| 803. | Erythroleuca | 213 |
| 804. | Sterparola | 213 |
| 805. | Sibilatrix | 213 |
| 806. | Monachus | 213 |
| 807. | Adophoneus | 213 |
| 808. | Philacantha | 214 |
| 809. | Epilais | 214 |
| 810. | Chloropeta | 214 |
| 811. | Asilus | 214 |
| 812. | Phyllopseuste | 215 |
| 813. | Acanthopneuste | 216 |
| 814. | Reguloides | 216 |
| 815. | Tickellia | 216 |
| 816. | Abrornis | 216 |
| 817. | Neornis | 217 |
| 818. | Horornis | 218 |
| 819. | Cryptolopha | 218 |
| 820. | Pindalus | 218 |
| 821. | Regulus | 218 |
| 822. | Sericornis | 218 |
| 823. | Acanthiza | 219 |
| 824. | Geobasileus | 219 |
| 825. | Gerygone | 219 |
| 826. | Pyrrholæmus | 220 |

4. Lusciniinæ.

| | | |
|------|---------------|-----|
| 827. | Luscinia | 220 |
| 828. | Ruticilla | 220 |
| 829. | Chaimarrornis | 221 |
| 830. | Adelura | 222 |
| 831. | Larviva | 222 |
| 832. | Callene | 222 |
| 833. | Notodola | 222 |
| 834. | Nemura | 222 |
| 835. | Tarsiger | 222 |
| 836. | Pogonocichla | 223 |
| 837. | Hodgsonius | 223 |
| 838. | Erythacus | 223 |
| 839. | Cyanecula | 223 |
| 840. | Calliope | 224 |
| 841. | Grandala | 224 |

| | | Page |
|------|--------------------|------|
| 5. | Saxicolinæ. | |
| 842. | Saxicola..... | 224 |
| 843. | Campicola..... | 225 |
| 844. | Cercomela..... | 226 |
| 845. | Dromolæa..... | 226 |
| 846. | Agricola..... | 227 |
| 847. | Myrmecocichla..... | 227 |
| 848. | Oreicola..... | 227 |
| 849. | Rhodophila..... | 227 |
| 850. | Pratincola..... | 227 |
| 851. | Petroica..... | 228 |
| 852. | Erythrodryas..... | 228 |
| 853. | Melanodryas..... | 229 |
| 854. | Amaurodryas..... | 229 |
| 855. | Pœcilotdryas..... | 229 |
| 856. | Myiomoira..... | 229 |
| 857. | Miro..... | 229 |
| 858. | Drymodes..... | 229 |
| 859. | Sialia..... | 229 |
| 860. | Origma..... | 230 |

6. Accentorinæ.

| | | |
|------|-------------------|-----|
| 861. | Accentor | 230 |
| 862. | Spermolegus | 230 |
| 863. | Tharrhaleus | 230 |

2. PARIDÆ.

1. Parinæ.

| | | |
|------|--------------------|-----|
| 864. | Parus..... | 231 |
| 865. | Pœcile | 232 |
| 866. | Cyanistes | 232 |
| 867. | Machlolophus | 233 |
| 868. | Lophophanes | 233 |
| 869. | Baeolophus | 233 |
| 870. | Melaniparus | 233 |
| 871. | Melanochlora | 234 |
| 872. | Psaltria | 234 |
| 873. | Psaltriparus | 234 |
| 874. | Auriparus | 234 |
| 875. | Orites | 234 |
| 876. | Suthora..... | 235 |
| 877. | Chlenasicus | 235 |
| 878. | Certhiparus | 235 |
| 879. | Sphenostoma | 235 |
| 880. | Xerophila | 235 |
| 881. | Parisoma | 235 |
| 882. | Ægithalopsis | 236 |

2. *Ægithalinæ*.

| | | |
|------|-------------------|-----|
| 883. | Ægithalus..... | 236 |
| 884. | Anthoscopus..... | 236 |
| 885. | Ægithaliscus..... | 236 |
| 886. | Cephalopyrus..... | 236 |
| 887. | Panurus..... | 236 |
| 888. | Sylviparus..... | 237 |
| 889. | Acanthiparus..... | 237 |

3. Polioptilinæ.

890. Polioptila 237

3. CHAMÆADÆ.

1. Chamæanæ.

891. Chamæa 238

4. MNIOTILTIDÆ.

1. Mniotiltinæ.

| | | |
|------|---------------------------|-----|
| 892. | Mniotilta | 238 |
| 893. | Compsothlypis | 238 |
| 894. | Protonotaria | 239 |
| 895. | Helminthophaga | 239 |
| 896. | Helmnitheros | 239 |
| 897. | Perissoglossus | 239 |
| 898. | Dendroica | 239 |
| 899. | Thaumasioptera ... (note) | 241 |

2. Trichadinæ.

| | | |
|------|-----------------|-----|
| 900. | Oporornis | 242 |
| 901. | Trichas | 242 |

3. Setophaginæ.

| | | |
|------|--------------------|-----|
| 902. | Setophaga | 242 |
| 903. | Myioborus | 243 |
| 904. | Cardellina | 243 |
| 905. | Ergaticus | 243 |
| 906. | Wilsonia | 244 |
| 907. | Euthlypis | 244 |
| 908. | Basileuterus | 244 |
| 909. | Idiotis | 245 |
| 910. | Myiothlypis | 245 |

5. MOTACILLIDÆ.

1. Motacillinæ.

| | | |
|------|--------------------|-----|
| 911. | Motacilla | 245 |
| 912. | Budytes..... | 246 |
| 913. | Calobates | 247 |
| 914. | Limonidromus | 248 |
| 915. | Grallina | 248 |
| 916. | Enicurus | 248 |
| 917. | Ephthianura | 248 |

2. Enicocichlinæ.

918. *Eniococichla*..... 249

3. Anthinæ.

| | | |
|------|------------------|-----|
| 919. | Anthus | 249 |
| 920. | Pediocorys | 250 |
| 921. | Notiocorys | 250 |
| 922. | Neocorys | 250 |
| 923. | Agrodroma | 250 |
| 924. | Cinædium | 251 |
| 925. | Pipastes | 251 |
| 926. | Spipola | 251 |
| 927. | Corydalis | 252 |
| 928. | Macronyx | 252 |
| 929. | — ? | 252 |

6. TURDIDÆ.

Page

1. Turdinæ.

| | | |
|------|---------------------|-----|
| 930. | Turdus | 253 |
| 931. | Psophocichla | 253 |
| 932. | Arceuthornis | 253 |
| 933. | Hylocichla | 253 |
| 934. | Oreocinclæ | 254 |
| 935. | Anthocinclæ | 255 |
| 936. | Merula | 255 |
| 937. | Cichloselys | 255 |
| 938. | Thoracocinclæ | 256 |
| 939. | Cichlodes | 256 |
| 940. | Hodoporus | 257 |
| 941. | Hesperocichla | 258 |
| 942. | Rhodinocichla | 258 |
| 943. | Semimerula | 258 |
| 944. | — ? | 258 |
| 945. | Myiocichla | 258 |
| 946. | Melanoptila | 258 |
| 947. | Catharus | 259 |
| 948. | Malacocichla | 259 |
| 949. | Margarops | 259 |
| 950. | Cichlherminia | 259 |
| 951. | Nesocichla | 259 |
| 952. | Geocichla | 259 |
| 953. | Chamaetlas | 260 |
| 954. | Monticola | 260 |
| 955. | — ? | 260 |
| 956. | Petrophila | 261 |
| 957. | Zoothera | 261 |
| 958. | Andromedon | 261 |
| 959. | Cichlopasser | 261 |
| 960. | Mimus | 261 |
| 961. | Scotiomimus | 262 |
| 962. | Oroscoptes | 262 |
| 963. | Melanotis | 262 |
| 964. | Spodesilaura | 262 |
| 965. | Mimocichla | 263 |
| 966. | Mimokitta | 263 |
| 967. | Harporhynchus | 263 |
| 968. | Methriopterus | 263 |
| 969. | Cinlocerthia | 263 |
| 970. | Ramphocinclæ | 264 |
| 971. | Myiophonus | 264 |
| 972. | Arrenga | 264 |
| 973. | Chætops | 264 |
| 974. | Bessonornis | 264 |
| 975. | Copsychus | 265 |
| 976. | Cercotrichas | 266 |
| 977. | Gervaisia | 266 |

7. HYDROBATIDÆ.

1. Hydrobatinæ.

| | | |
|------|-----------------|-----|
| 978. | Hydrobata | 266 |
|------|-----------------|-----|

8. EUPETIDÆ.

1. Eupetinæ.

| | | |
|------|---------------|-----|
| 979. | Eupetes | 267 |
| 980. | Ajax | 267 |

2. Mesitinæ.

| | | |
|------|---------------|-----|
| 981. | Mesites | 267 |
|------|---------------|-----|

9. PYCNONOTIDÆ.

1. Pycnonotinæ.

| | | |
|------|--------------------|-----|
| 982. | Microscelis | 268 |
| 983. | Microtarsus | 268 |
| 984. | Trachycomus | 268 |
| 985. | Pycnonotus | 268 |
| 986. | Rubigula | 269 |
| 987. | Meropixus | 269 |
| 988. | Kelaartia | 269 |
| 989. | Crocopsis | 269 |
| 990. | Ixos | 269 |
| 991. | Alcurus | 270 |
| 992. | Hemixus | 270 |
| 993. | — ? | 270 |
| 994. | Euptilosus | 270 |
| 995. | Otocompsa | 271 |
| 996. | Spizixos | 271 |
| 997. | Ixidia | 271 |
| 998. | Brachypodius | 271 |
| 999. | Apalopteron | 271 |

2. Phyllornithinæ.

| | | |
|-------|-----------------------|-----|
| 1000. | Phyllastrephus | 272 |
| 1001. | Hypsipetes | 272 |
| 1002. | Ixocinclæ | 272 |
| 1003. | Tylas | 273 |
| 1004. | Sibia | 273 |
| 1005. | Malacias | 273 |
| 1006. | Criniger | 273 |
| 1007. | Ixonotus | 274 |
| 1008. | Bæopogon | 274 |
| 1009. | Pyrhrurus | 275 |
| 1010. | Trichites | 275 |
| 1011. | Hypotrichas | 275 |
| 1012. | Xenocichla | 275 |
| 1013. | Bernieria | 275 |
| 1014. | Macrosphenus | 275 |
| 1015. | Trichophoropsis | 275 |
| 1016. | Iole | 275 |
| 1017. | Setornis | 275 |
| 1018. | Andropadus | 276 |
| 1019. | Yuhina | 276 |
| 1020. | Ixulus | 276 |
| 1021. | Myzornis | 276 |
| 1022. | Phyllornis | 276 |

3. Crateropodinæ.

| | | |
|-------|---------------------|-----|
| 1023. | Pomatorhinus | 277 |
| 1024. | Pomatostomus | 278 |
| 1025. | Merulanthus | 278 |
| 1026. | Orthorhinus | 278 |
| 1027. | Pterorhinus | 278 |
| 1028. | Xiphorhamphus | 278 |
| 1029. | Malacocircus | 279 |
| 1030. | Argya | 279 |

| | Page | | Page |
|-----------------------------|------|-----------------------------|------|
| 1031. Chatarrhæa | 279 | 1076. — ? | 291 |
| 1032. Layardia' | 279 | 1077. Broderipus | 291 |
| 1033. Acanthoptila | 280 | 1078. Baruffius | 292 |
| 1034. Cinclosoma | 280 | 1079. — ? | 292 |
| 1035. Crateropus | 280 | 1080. Xanthonotus | 292 |
| 1036. Isehyropodus | 281 | 1081. Mimeta | 293 |
| 1037. Hypergerus | 281 | 1082. Xanthomelus | 293 |
| 1038. Cichladusa | 281 | | |
| 1039. Garrulax | 281 | 2. Ptilonorhynchinae. | |
| 1040. Janthocincla | 282 | 1083. Sericulus | 293 |
| 1041. Thamnocataphus | 282 | 1084. Ptilonorhynchus | 293 |
| 1042. Gampsorhynchus | 282 | 1085. Ailuroedus | 294 |
| 1043. Trochalopteron | 282 | 1086. Chalmyderia | 294 |
| 1044. Pterocyclus | 282 | | |
| 1045. Leucodiotron | 283 | 13. PITTIDÆ. | |
| 1046. Actinodura | 283 | 1. Pittinae. | |
| 1047. Pellorneum | 283 | 1087. Pitta | 294 |
| 1048. Turnagra | 284 | 1088. Melanopitta | 295 |
| 1049. Grammatoptila | 284 | 1089. Hydromis | 296 |
| 1050. Psophodes | 284 | 1090. Phœnicocichla | 296 |
| | | 1091. Eucichla | 296 |
| 10. DICRURIDÆ. | | 1092. Iridipitta | 296 |
| 1. Dicrurinae. | | 1093. Erythropitta | 296 |
| 1051. Dicrurus | 284 | 1094. Philepitta | 297 |
| 1052. — ? | 285 | | |
| 1053. Musicus | 286 | 14. FORMICARIIDÆ. | |
| 1054. Edolius | 286 | 1. Formicariinae. | |
| 1055. Dissemurus | 286 | 1095. Grallaria | 297 |
| 1056. Dicranostreptus | 287 | 1096. Codonistris | 298 |
| 1057. Bhringa | 287 | 1097. Grallariola | 298 |
| 1058. Chibia | 287 | 1098. Hypsibemon | 298 |
| 1059. Chaptia | 287 | 1099. Pittasoma | 298 |
| 1060. Melanornis | 287 | 1100. Chamæza | 298 |
| 1061. Melanopepla | 288 | 1101. Formicarius | 299 |
| 1062. Bradornis | 288 | 1102. Phlegopsis | 299 |
| 1063. Sigelus | 288 | 1103. Rhopoterpe | 299 |
| 2. Ireninae. | | 1104. Myrmelastes | 299 |
| 1064. Irena | 288 | 1105. Gymnocichla | 300 |
| | | 1106. Heteroenemis | 300 |
| 11. ARTAMIDÆ. | | 1107. Hypoenemis | 300 |
| 1. Artaminae. | | 1108. Myrmoborus | 300 |
| 1065. Artamus | 289 | 1109. Myrmeciza | 301 |
| 1066. — ? | 290 | 1110. Corythopsis | 301 |
| 1067. — ? | 290 | 1111. Pithys | 302 |
| 1068. — ? | 290 | 1112. Gymnopathys | 302 |
| 1069. Cyanolanius | 290 | 1113. Conopophaga | 302 |
| 1070. Anais | 290 | | |
| 1071. Oriolia | 290 | 2. Formicivorinae. | |
| 1072. Pseudochelidon | 290 | 1114. Formicivora | 303 |
| 1073. Analcipus | 290 | 1115. Ellipura | 303 |
| | | 1116. Microrhopias | 304 |
| 12. ORIOLIDÆ. | | 1117. Terenura | 304 |
| 1. Oriolinae. | | 1118. Psilorhamphus | 304 |
| 1074. Sphecotheres | 291 | 1119. Cercomacra | 304 |
| 1075. Oriolus | 291 | 1120. Pyriglena | 305 |
| | | 1121. Percnostola | 305 |
| | | 1122. Herpsilochmus | 305 |

| | | |
|-------|--------------------|----------|
| 1123. | Myrmotherula | Page 306 |
| 1124. | Rhopias | 306 |
| 1125. | Myrmophila | 306 |
| 1126. | Ramphocœnus | 307 |

3. *Thamnophilinæ*.

| | | |
|-------|--------------------|-----|
| 1127. | Thamnophilus | 307 |
| 1128. | Batara | 308 |
| 1129. | Nisius | 308 |
| 1130. | Hypaedaleus | 308 |
| 1131. | Taraba | 308 |
| 1132. | — ? | 309 |
| 1133. | Erionotus | 309 |
| 1134. | Hylolophus | 310 |
| 1135. | Rhopocharis | 310 |
| 1136. | Pygoptila | 310 |
| 1137. | Cymbilaimus | 311 |
| 1138. | Dysithamnus | 311 |
| 1139. | Thamnomanes | 311 |
| 1140. | Thamnistes | 311 |
| 1141. | Neotantes | 311 |
| 1142. | Biatas | 311 |

15. *ÆGITHINIDÆ*.

1. *Leothrichinæ*.

| | | |
|-------|--------------------|-----|
| 1143. | Brachypteryx | 312 |
| 1144. | Drymochares | 312 |
| 1145. | Kelaartia | 312 |
| 1146. | Microcercus | 312 |
| 1147. | Leiothrix | 312 |
| 1148. | Mesia | 313 |
| 1149. | Siva | 313 |
| 1150. | Minla | 313 |
| 1151. | — ? | 313 |
| 1152. | Muscitrea | 313 |
| 1153. | Pteruthius | 313 |
| 1154. | — ? | 314 |
| 1155. | Cutia | 314 |
| 1156. | Leioptila | 314 |
| 1157. | Lioptilus | 314 |

2. *Ægithininæ*.

| | | |
|-------|---------------------|-----|
| 1158. | Timalia | 314 |
| 1159. | Timalides | 315 |
| 1160. | Dumetia | 315 |
| 1161. | Schœnicola | 315 |
| 1162. | Stachyris | 315 |
| 1163. | Erpornis | 315 |
| 1164. | Pycoris | 316 |
| 1165. | Mixornis | 316 |
| 1166. | Ægithina | 316 |
| 1167. | Malacopteron | 317 |
| 1168. | Kenopia | 317 |
| 1169. | Aleippe | 317 |
| 1170. | Macronus | 317 |
| 1171. | Cacopitta | 318 |
| 1172. | Trichastoma | 318 |
| 1173. | Napothera | 318 |
| 1174. | Drymocataphus | 318 |

| | | |
|-------|------------------|----------|
| 1175. | Turdinus | Page 319 |
| 1176. | Trichixos | 319 |
| 1177. | Alethe | 319 |
| 1178. | Illadopsis | 319 |

16. *MUSCICAPIDÆ*.

1. *Muscicapinæ*.

| | | |
|-------|----------------------|-----|
| 1179. | Peltops | 319 |
| 1180. | Monarcha | 320 |
| 1181. | Symposiachrus | 320 |
| 1182. | Arses | 320 |
| 1183. | Ophryzone | 321 |
| 1184. | Pomarea | 321 |
| 1185. | Metabolus | 321 |
| 1186. | Muscicapa | 321 |
| 1187. | Hedymela | 321 |
| 1188. | Muscicapula | 322 |
| 1189. | Alseonax | 322 |
| 1190. | Erythrosterina | 322 |
| 1191. | Newtonia | 323 |
| 1192. | Zanthopygia | 323 |
| 1193. | Hemipus | 323 |
| 1194. | Pycnosphys | 323 |
| 1195. | Hyliota | 323 |
| 1196. | Erythrocerus | 323 |
| 1197. | Micrœca | 323 |
| 1198. | Artomyias | 324 |
| 1199. | Hemichelidon | 324 |
| 1200. | Smithornis | 324 |
| 1201. | Megabias | 324 |
| 1202. | Cassinia | 324 |
| 1203. | Bias | 324 |
| 1204. | Cochoa | 324 |
| 1205. | Xenogenys | 325 |
| 1206. | Niltava | 325 |
| 1207. | Bainopus | 325 |
| 1208. | Cyornis | 325 |
| 1209. | Ochromela | 326 |
| 1210. | Cyanoptila | 326 |
| 1211. | Eumyias | 326 |
| 1212. | Stoporala | 326 |
| 1213. | Siphia | 326 |
| 1214. | Anthipes | 326 |
| 1215. | Nitidula | 327 |
| 1216. | Digenea | 328 |

2. *Myiagrînæ*.

| | | |
|-------|------------------------|-----|
| 1217. | Seisura | 327 |
| 1218. | Piezorhynchus | 327 |
| 1219. | Myiagra | 327 |
| 1220. | — ? | 328 |
| 1221. | Elminia | 328 |
| 1222. | Muscitodus | 329 |
| 1223. | Machaerirhynchus | 329 |
| 1224. | Platysteira | 329 |
| 1225. | Batis | 329 |
| 1226. | Dyaphorophya | 329 |
| 1227. | Myiophila | 330 |
| 1228. | Lanioturdus | 330 |

| | Page |
|-------------------------|------|
| 1229. Stenostira | 330 |
| 1230. Rhipidura | 330 |
| 1231. Leucocircæ..... | 331 |
| 1232. Muscylva | 332 |
| 1233. Sauloprocta | 332 |
| 1234. Chelidorynx | 332 |
| 1235. — ? | 332 |
| 1236. Tchitrea..... | 332 |
| 1237. Xeocephalus | 334 |
| 1238. Philentoma | 334 |
| 1239. Trochocercus..... | 334 |
| 1240. Todopsis | 334 |

3. Campephaginæ.

| | |
|---------------------------|-----|
| 1241. Pericrocotus | 334 |
| 1242. Campephaga | 335 |
| 1243. Crytes | 336 |
| 1244. Lobotos | 336 |
| 1245. Grauculus | 336 |
| 1246. Gazzola | 337 |
| 1247. Artamides..... | 337 |
| 1248. Ptiladera | 337 |
| 1249. Pteropodocys | 337 |
| 1250. Edolisoma | 337 |
| 1251. Volvocivora | 338 |
| 1252. — ? | 338 |
| 1253. Lalage | 338 |
| 1254. Pseudolalage..... | 339 |
| 1255. Symmorphus..... | 339 |
| 1256. Oxynotus | 339 |
| 1257. Cebilepyris..... | 340 |
| 1258. Cyanograucalus..... | 340 |

17. TYRANNIDÆ.

1. Attilinæ.

| | |
|-----------------------|-----|
| 1259. Attila | 340 |
| 1260. Casiernis | 341 |

2. Tæniopterinae.

| | |
|--------------------------|-----|
| 1261. Agriornis | 341 |
| 1262. Myiotheretes..... | 341 |
| 1263. Tænioptera | 342 |
| 1264. Hemipenthica | 342 |
| 1265. Pyrope | 342 |
| 1266. Oethoëca | 342 |
| 1267. Ochthodiata | 343 |
| 1268. Mecocerculus | 343 |
| 1269. Sayornis | 343 |
| 1270. Aulanax..... | 343 |
| 1271. Fluvicola | 343 |
| 1272. Suiriri | 344 |
| 1273. Knipolegus | 344 |
| 1274. Ada | 344 |
| 1275. Sericoptila..... | 344 |
| 1276. Arundinicola | 344 |
| 1277. Alectrurus..... | 345 |
| 1278. Yetapa | 345 |
| 1279. Lichenops | 345 |
| 1280. Gubernetes | 345 |

| | Page |
|---------------------------|------|
| 1281. Muscipipra | 345 |
| 1282. Copurus | 345 |
| 1283. Machetornis | 346 |
| 1284. Muscisaxicola | 346 |
| 1285. Lessonia | 347 |
| 1286. Muscigralla | 347 |
| 1287. Philotherus | 347 |

3. Platyrhynchinae.

| | |
|---------------------------|-----|
| 1288. Platyrhynchus | 347 |
| 1289. Todirostrum | 347 |
| 1290. Oncostoma | 348 |
| 1291. — ? | 348 |
| 1292. Muscylva | 349 |
| 1293. Orcheilus | 349 |
| 1294. Colopterus..... | 349 |
| 1295. — ? | 349 |
| 1296. Musciphaga | 349 |
| 1297. Phylloscartes | 350 |
| 1298. Euscarthmus..... | 350 |
| 1299. — ? | 350 |
| 1300. Culcivora | 350 |
| 1301. Habrura | 350 |
| 1302. Pogonotriccus | 350 |
| 1303. Leptotriccus | 350 |
| 1304. Stigmatura | 350 |
| 1305. Serpophaga | 351 |
| 1306. Anairetes | 351 |
| 1307. Cyanotis | 351 |

4. Elaininae.

| | |
|---------------------------|-----|
| 1308. Elainia | 351 |
| 1309. Myiozeta | 353 |
| 1310. Legatus | 353 |
| 1311. Sublegatus..... | 353 |
| 1312. Empidagra | 353 |
| 1313. Myiocapta..... | 354 |
| 1314. Rhyneocyclus | 354 |
| 1315. Ramphotrigon | 354 |
| 1316. Myiacleptes | 354 |
| 1317. Mionectes | 354 |
| 1318. Pipromorpha | 355 |
| 1319. Leptopogon | 355 |
| 1320. Capsiempis | 355 |
| 1321. Phyllosmyias | 355 |
| 1322. Ornithion | 355 |
| 1323. Myiophanistes | 356 |
| 1324. Campptostoma | 356 |
| 1325. Tyrannulus | 356 |
| 1326. Tyranniscus | 356 |
| 1327. Pitangus | 356 |
| 1328. Sirystes | 357 |
| 1329. Myiodynastes | 357 |
| 1330. Hypermitres..... | 357 |
| 1331. Kaupornis..... | 358 |

5. Tyranninae.

| | |
|--------------------------|-----|
| 1332. Megarhynchus | 358 |
| 1333. Muscivora..... | 358 |
| 1334. Hirundinea | 358 |

Page

| | | |
|-------|--------------------|-----|
| 1335. | Myiobius | 359 |
| 1336. | Planchesia..... | 359 |
| 1337. | Cephalanius | 359 |
| 1338. | Capnixus | 359 |
| 1339. | Cariornis | 359 |
| 1340. | Myiophobus | 360 |
| 1341. | Empidochanes | 360 |
| 1342. | Pyrocephalus | 360 |
| 1343. | Mitrephorus..... | 361 |
| 1344. | Empidonax | 361 |
| 1345. | Contopus | 361 |
| 1346. | Syrichtha | 362 |
| 1347. | Myionax | 362 |
| 1348. | Onychopterus | 362 |
| 1349. | Myiarchus..... | 363 |
| 1350. | Blacicus..... | 363 |
| 1351. | Empidias | 363 |
| 1352. | Empidonomus | 363 |
| 1353. | Tyrannus | 364 |
| 1354. | Dioces | 364 |
| 1355. | Laphyetes..... | 364 |
| 1356. | Satellus..... | 364 |
| 1357. | Melittarchus..... | 365 |
| 1358. | Milvulus | 365 |

18. AMPELIDÆ.**1. Ampelinæ.**

| | | |
|-------|--------------|-----|
| 1359. | Ampelis..... | 365 |
|-------|--------------|-----|

2. Ptilogonydinæ.

| | | |
|-------|-------------------|-----|
| 1360. | Ptilogonys..... | 366 |
| 1361. | Phainopepla | 366 |
| 1362. | Myiadestes | 366 |
| 1363. | Sericolius | 366 |
| 1364. | Turdampelis..... | 367 |
| 1365. | Platycichla | 367 |

19. COTINGIDÆ.**1. Tityrinæ.**

| | | |
|-------|---------------------|-----|
| 1366. | Tityra | 367 |
| 1367. | Erator | 367 |
| 1368. | Hadrostomus | 368 |
| 1369. | Platypsaris | 368 |
| 1370. | Pachyrhamphus..... | 368 |
| 1371. | Platyrhynchus | 369 |
| 1372. | Bathmidurus | 369 |
| 1373. | Callopsaris | 369 |

2. Cotinginæ.

| | | |
|-------|----------------------|-----|
| 1374. | Phibalura | 370 |
| 1375. | Cotinga | 370 |
| 1376. | Xipholena..... | 370 |
| 1377. | Carpodectes | 371 |
| 1378. | Orbignesiuss | 371 |
| 1379. | Porphyrolama | 371 |
| 1380. | Pipreola | 371 |
| 1381. | Euchlornis | 371 |
| 1382. | Pyrrhorhynchus | 371 |

Page

| | | |
|-------|------------------|-----|
| 1383. | Ampelion | 371 |
| 1384. | Heliochera | 372 |
| 1385. | Tijuca | 372 |

3. Lipanginæ.

| | | |
|-------|---------------------|-----|
| 1386. | Lipangus | 372 |
| 1387. | Laniocera | 372 |
| 1388. | Lathria | 372 |
| 1389. | Laniisoma | 373 |
| 1390. | Heteropelma | 373 |
| 1391. | ? Schiffornis | 373 |
| 1392. | Neopelma | 373 |
| 1393. | Heterocereus | 374 |

4. Gymnoderinæ.

| | | |
|-------|---------------------|-----|
| 1394. | Querula..... | 374 |
| 1395. | Hæmatoderus | 374 |
| 1396. | Pyroderus | 374 |
| 1397. | Gymnoderus..... | 374 |
| 1398. | Gymnocephalus | 374 |
| 1399. | Cephalopterus | 375 |
| 1400. | Casmarhynchus | 375 |
| 1401. | Arapunga | 375 |

5. Piprinæ.

| | | |
|-------|---------------------|-----|
| 1402. | Pipra..... | 375 |
| 1403. | Cercophana | 376 |
| 1404. | Chiroxiphia | 376 |
| 1405. | —? | 376 |
| 1406. | Cirrhhipipra | 376 |
| 1407. | Metopia | 376 |
| 1408. | Masius | 376 |
| 1409. | Machæropterus | 376 |
| 1410. | Lepidothrix | 377 |
| 1411. | Xenopipo | 377 |
| 1412. | Dixiphia | 377 |
| 1413. | Ceratopipra | 377 |
| 1414. | Corapipo | 377 |
| 1415. | Dasyncetopa | 378 |
| 1416. | Manacus | 378 |
| 1417. | Chloropipo | 378 |
| 1418. | Hemipipo | 378 |
| 1419. | Piprites..... | 378 |
| 1420. | Neopipo | 378 |
| 1421. | Metopothrix | 378 |
| 1422. | Ilicura | 379 |
| 1423. | Iodopleura | 379 |
| 1424. | Calyptura | 379 |

6. Rupicolinæ.

| | | |
|-------|-------------------|-----|
| 1425. | Phœnicircus | 379 |
| 1426. | Rupicola | 379 |

7. Phytotominæ.

| | | |
|-------|-----------------|-----|
| 1427. | Phytotoma | 380 |
|-------|-----------------|-----|

20. VIREONIDÆ.**1. Vireoninæ.**

| | | |
|-------|------------|-----|
| 1428. | Vireo..... | 380 |
|-------|------------|-----|

| | Page | | Page |
|---------------------------|------|----------------------------|------|
| 1429. Laniovireo | 381 | 2. Laniinæ. | |
| 1430. Vireosylvia | 381 | 1462. Collyrio..... | 390 |
| 1431. Vireonella..... | 382 | 1463. Fiscus | 391 |
| 1432. Neochloë | 382 | 1464. Leucometopon | 391 |
| 1433. Vireolanus | 382 | 1465. Laniellus | 391 |
| 1434. Chlorochroa | 382 | 1466. —? | 392 |
| 1435. Hylophilus | 382 | 1467. Hypocolius | 392 |
| 1436. Pachysylvia | 383 | 1468. Corvinella..... | 392 |
| 1437. Cyclarhis | 383 | 1469. Urolestes | 392 |
| 1438. Laletes | 384 | 1470. Enneoctonus..... | 393 |
| 2. Icteriinæ. | | 1471. Lanius | 393 |
| 1439. Icteria | 384 | 1472. Phoneus | 393 |
| 1440. Granatellus | 384 | 1473. Cephalophoneus | 394 |
| 1441. Teretistris..... | 384 | | |
| 3. Dulinæ. | | 3. Malaconotinæ. | |
| 1442. Dulus | 385 | 1474. Tephrodornis | 394 |
| 21. LANIIDÆ. | | 1475. Keroula | 394 |
| 1. Pachycephalinæ. | | 1476. Tephrolanius | 394 |
| 1443. Colluricincla..... | 385 | 1477. Myiolestes | 394 |
| 1444. Rectes | 385 | 1478. Fraseria | 394 |
| 1445. —? | 386 | 1479. Hypodes | 394 |
| 1446. Cracticus | 386 | 1480. Cuphopterus..... | 395 |
| 1447. Bulestes..... | 386 | 1481. Nilauis | 395 |
| 1448. Oreoica | 386 | 1482. Prionops | 395 |
| 1449. Falcunculus | 387 | 1483. Sigmodus | 395 |
| 1450. Pardalotus | 387 | 1484. Eurocephalus | 395 |
| 1451. Smicrorhis | 387 | 1485. Chaunonotus | 395 |
| 1452. Parmoptila | 387 | 1486. Vanga | 396 |
| 1453. Pachycephala | 387 | 1487. Xenopirostris | 396 |
| 1454. Psaltricephus | 389 | 1488. Laniarius | 396 |
| 1455. Timixos..... | 389 | 1489. Meristes | 396 |
| 1456. Pucherania | 389 | 1490. Malaconotus | 396 |
| 1457. Calicalicus | 389 | 1491. Dryoscopus | 397 |
| 1458. Hylocharis | 389 | 1492. Rhynchastatus | 397 |
| 1459. Eopsaltria..... | 389 | 1493. Tchagra | 398 |
| 1460. Chasiempis | 390 | 1494. Telophorus | 398 |
| 1461. Phæornis | 390 | 1495. Chlorophoneus..... | 398 |
| | | 1496. Pomatorhynchus | 398 |
| | | 1497. Psalter | 399 |

AVES.

Order I. ACCIPITRES, L.

Suborder I. ACCIPITRES DIURNI, V.

FAM. I. GYPAËTIDÆ, G. R. Gr. 1842.

Subfam. I. Gypaëtinaë, Bp. 1831.

Falconinaë, p., Boie, 1826.

1. GYPAËTUS, Storr. 1784.

Gyptus, Dum. 1806. Phene, Sav. 1809. "Gypaëtos, Ray,"
G. R. Gr. 1840.

Sw. C. of B. f. 184; G. of B. i. p. 2, pl. 1. f. 1; Reich. S. A. t. 98. f.

1. barbatus, L.; P. C. 431; Naum. Vög. t. 4, 5; Gould, B. E. pl. 4. S. Europe.

grandis, Storr.; barbarus, Gm.; ossifragus, Sav.
leucocephalus et melanocephalus, Meyer.
occidentalis, Schl.
altaicus, Gebl.
hemachalanus, Hutt.

Pyrenees, Sard.
Siberia.
Himalayas.

2. nudipes, Brehm; Rüpp. S. U. t. 1.

meridionalis, Keys. & Bl.; barbatus, p., G. R. Gr.
barbatus, var. meridionalis, Brehm.

Abyssinia.
Natal.

FAM. II. VULTURIDÆ, Vig. 1825.

Falconidæ, p., 1831, et Gypohieracidæ, 1859, Bp.
Cathartidæ, 1842, et Sarcoramphidæ, 1848, G. R. Gr.

Subfam. I. Vulturinaë, Bp. 1838.

Gypinaë, Bl. 1849.

2. VULTUR, Mæhr. 1752, nec L. 1748, sed p. 1756.

Ægyptius, Sav. 1809. Vultur b. Ægyptius, Nitzsch, 1840. Poly-
pteryx, Hodgs. 1844.

Sw. C. of B. f. 91; G. of B. i. p. 5, pl. 3. f. 2; Reich. S. A. t. 99. f.

a. VULTUR.

3. **monachus**, L.; *P. E.* 425; *Naum. Vög.* t. 1; *Gould, B. E.* pl. 2. S. Europe.
 cinereus, *Gm.*; niger, *Gm.*; arrianus, *Tem.*
 fuscus, *Brehm.* N. Africa.
 cupido, *Hodgs.* Himalayas,
 C. India.
3. b. **LOPHOGYPS**, *Bp.* 1854.
4. **chincou**, *Daud.*; *P. C.* 13; *Lev. O. A.* t. 12. S. Africa.
 occipitalis, *Burch.*; galericulatus, *Tem.* Abyssinia.
 eulophus, *Ehr.*
4. **OTOGYPS**, *G. R. Gr.* 1841.
Hemigyps, Hodgs. 1844. *Vultur, G. R. Gr.* 1840.
Sw. C. of B. f. 21; *G. of B.* i. p. 6, pl. 3. f. 3; *Reich. S. A. t.* 99. f.
5. **auricularis**, *Daud.*; *Lev. O. A.* t. 9. S. Africa, Eur.
 tracheliotus, *Forst.*; ægyptius, *Rüpp.* N. Africa.
6. ? **nubicus**, *H. Smith, Griff. An. Kingd.* i. pl. p. 64. „
 ægyptius, *Tem. P. C.* 407; auricularis, p., *G. R. Gr.*
 imperialis, *Tem. P. C.* 426.
7. **calvus**, *Scop.*; *P. C.* 2; *Gr. I. Ind. Z.* pl. 15. 2. India, Burmah.
 pondicerianus, *Gm.*
5. **GYPS**, *Sav.* 1809.
Vultur, Briss. 1760. *Gypolis, Agass.*
Vultur a. Gyps, Nitzsch, 1840.
G. of B. i. p. 6, pl. 3. f. 1; *Reich. S. A. t.* 100. f.
8. **fulvus**, *Gm.*; *P. E.* 426; *Naum. Vög.* t. 2. 338; *Gould, B. E.* pl. 1. S. & S.W. Eur.
 percnopterus et vulgaris, *Daud.*
 albicollis, *Linderm.*; fulvus, occidentalis et orientalis, *Schl.*;
 fulvus, β , *Blas.*
 indicus, *Tem. P. C.* 26. India, Burmah.
 fulvus indicus, *Schl.*
9. ? **Kolbii**, *Daud.*; *Lev. O. A.* t. 10. S. Africa.
 fulvus Kolbei, *Schl.*
10. **indicus**, *Scop.*; *G. R. Gr. & M. G. B.* pl. 3 (juv.). India, Nepal.
 tenuirostris et tenuiceps, *Hodgs.* Malayana.
 bengalensis, p., *Bp.*
11. **bengalensis**, *Lath.*; *P. C.* 26; *Gr. I. Ind. Z.* pl. 15; *Gould,*
B. As. pl. India.
 changou, *Daud.*; leuconotus, *Gr.*
12. **Rüppellii**, *Natt.*; *Rüpp. Atl.* t. 32. S. & N.E. Africa.
 vulgaris, *Bp.*; magnificus, *Müll.* White Nile.
 marmoratus, *Brehm.*; Kolbi, *Cretzs.*
 fulvus, γ , *Blas.*; Kolbii, juv., *Rüpp.*
 fulvus Rüppellii, *Schl.*; Rueppellii, *Pelz.*
13. ? **africanus**, *Salvad.* N. Africa.
 moschatus, *Würt.*; bengalensis, p., *Pelz.* Sennaar.

Subfam. II. **Sarcoramphinae**, *G. R. Gr.* 1844.

Vulturinae, p., *Bp.* 1838. Cathartinae, *Lafr.* 1839. Gryphinae, *Reich.* 1850.

6. SARCORAMPHUS, *Dum.* 1806.

Vultur, *L.* 1758-66.

Sarcoramphus, *Agass.* Cathartes, *Nitzsch*, 1840.

G. of B. i. p. 3, pl. 1. f. 4; *Reich. S. A. t.* 100. f. .

a. SARCORAMPHUS.

14. **gryphus**, *L.*; *P. C.* 133, 408, 494; *Voy. Bonite*, t. 2. N.W. America.
 cuntur, *Dum.*; condor, *Less.*
 magellanicus, *Shaw.*

7. b. CATHARTES, *Illig.* 1811.

Sarcoramphus, p., *Dum.*; Gypagus, *V.* 1816.

Sarcoramphus, *Cuv.* 1817, et *I. Geoffr.* 1854.

Gyparchus, *Glog.* 1842. Cathartes, p., *Nitzsch*, 1840.

Sw. C. of B. f. 181.

15. **papa**, *L.*; *P. E.* 428; *Lev. O. A. t.* 13; *Spix, A. B. t.* 1. S. & C. America.
 sacra, *Bartr.?* Florida?

8. CATHARISTA, *V.* 1816.

Vultur, *V.* 1807. Coragyps, *I. Geoffr.* 1854. Cathartes, p., *Nitzsch*, 1840.

Sw. C. of B. f. 182; *G. of B. i.* p. 4, pl. 1. f. 3; *Reich. S. A. t.* 99. f. .

a. CATHARISTA.

16. **atrata**, *Bartr.*; *Wils. A. O.* pl. 75. 2. S. of N. America.
 aura, p., *L.*; foetens, *Illig.*; iota, *Ord.* Costa Rica.
 urubu, *V. O. A. S. t.* 2. W. Indies.
 urbis incola, *Ricord*; urbicola et Ricordi, *Des Murs.* Haiti, St. Domingo.
 aura, *Spix, A. B. t.* 2; jota et brasiliensis, *Bp.* Brazil, N. of S. Am.
 atra brasiliensis, *Schl.* Chili.

9. b. — ?

Cathartes, *G. R. Gr.* 1840, et p. *Illig.* 1811.

Cathartes, p., *Nitzsch*, 1840.

17. **californiana**, *Shaw, Nat. Misc.* pl. 301; *P. C.* 31; *G. R. Gr. & M. G. B.* pl. 2. Calif., Oregon.
 columbianus, *Ord*; vulturinus, *Tem.*

18. **aura**, *L.*; *Wils. A. O.* pl. 75. 1; *V. O. A. S. t.* 2 bis. N. Amer., Calif.
 septentrionalis, *Max.*; iota, *Mol.* N. Mex., W. Ind.,
 Falk I.? Chili?

19. **Burroviana**, *Cass.*; *Elliot, B. N. A.* pl. Mex., L. Calif.
 urubitinga, p., ?, *Pelz.*

20. **urubitinga**, *Natt. & Pelz.*; *P. E.* 187? Brazil, Guiana.
 ruficollis, *Spix?*
 aura, *Max.*

Subfam. III. **Neophroninæ**, *G. R. Gr.* 1848.

Cathartinae, p., *G. R. Gr.* 1841. Neophrinae, *Cass.* 1849. Percnopterinæ, *Reich.* 1850.

10. NEOPHRON, *Sav.* 1809.

Falco, *L.* 1748, *nec* 1735. Percnopterus, *Rafin.* 1815.

Percnoptères, *Cuv.* 1817. Gypaëtos, *Bechst.*

Sw. C. of B. f. 183; *G. of B. i. p.* 3, pl. 1. f. 2; *Reich. S. A. t.* 99. f. .

a. NEOPHRON.

21. **percnopterus**, *L.*; *P. E.* 427, 429; *Naum. Vög. t.* 3; *Gould, B. E. pl.* 3.

Europe, Africa.

fulvus, *Bodd.*; leucocephalus et fuscus, *Gm.*; meleagris, *Pall.*; albicans, *Meisn.*

Madeira, Dal-
matia.

ægyptiacus, *Steph.*; albus, *Daud.*

22. **ginginianus**, *Daud.*; *Lath. H. B. pl.* 5.

India.

percnopterus, p., *auct.*

11. b. NECROSYRITES, *Glog.* 1842.

Cathartes, *Boie*, 1826, *nec Illig.* 1811.

Caprornis, *Kaup*, 1849.

23. **pileatus**, *Burch.*; *P. C.* 222.

S. & N. Africa.

monachus, *Tem.*; carunculatus, *Smith* (1829).

niger, *Less.*

Subfam. IV. **Gypohieracinæ**, *G. R. Gr.* 1844.

Racaminae, *G. R. Gr.* 1840.

12. GYPOHIERAX, *Rüpp.* 1835.

Racama, *Gr.* 1840. Recama, *Selys-Long.* 1862. Vultur b.

Ægyptius, p., *Nitzsch*, 1840.

G. of B. i. p. 7, pl. 3. f. ; *Reich. S. A. t.* 100. f. .

24. **angolensis**, *Gm.*; *Shaw, Lev. Mus. pl. p.* 153; *Jard. & S. I. O. pl.* 13; *G. R. Gr. & M. G. B. pl.* 4.

Africa.

hypoleucus, *Benn.*

FAM. III. **FALCONIDÆ**, *Leach, Vig.* 1825.Subfam. I. **Polyborinæ**, *Lafr.* 1839.

Aquilinæ, p., *Vig.* 1825. Falconinæ, p., *Bp.* 1838. Cymindinæ, p., *Sw.* 1837.

13. IBYCTER, *V.* 1816.

Ibicter, *Kaup*, 1845. Gymnops, p., *Spix*, 1824.

Sw. C. of B. f. 181, 182, 186 a; *G. of B. i. p.* 9; *Reich. S. A. t.* 98. f. .

a. IBYCTER.

25. **americanus**, *Bodd. P. E.* 417; *Gal. des Ois. t.* 6.

S. America.

aquilinus, *Gm.*; nudicollis, *Daud.*

Brazil.

formosus, ♂, *Lath.*; leucogaster, *V.*

formosus, *Pelz.*

formosus, ♀, *Lath.*; nudicollis, ♀, *Daud.*

Cayenne?, Brazil.

26. gymnocephalus, *Lafr.*

Bolivia.

14. *b. DAPTURIUS, V. 1816.*

Gymnops, Spix, 1824. Polyborus, Nitzsch, 1840.

Sw. C. of B. 186, b; G. of B. pl. 9. f. 1; Reich. S. A. t. 98. f.

27. ater, *V.*; *P. C. 37, 342; Gal. des Ois. t. 5.*

South America.

aterrimus, *Tem.*

28. fasciatus, *Spix, A. B. t. 4.*

Brazil.

15. MILVAGO, Spix, 1824.

Parasifalco, Less. 1837? Polyborus, p., Nitzsch, 1840.

Sw. C. of B. f. 103; G. of B. i. p. 9, pl. 5. f. 3; Reich. S. A. t. 98. f.

a. MILVAGO.

29. chimachima, *V.*; *Spix, A. B. t. 5, 4; Jard. & S. I. O. pl. 2.* Brazil.

degener, *Illig.*; ochrocephalus et strigilatus, *Spix.*

30. chimango, *V.*; *N. A. N. C. 1834, t. 6; G. R. Gr. & M.*

G. B. pl. 5.

Brazil, Chili.

pezoporus, *Meyen*; hyperstictus, *Gould.*

16. *b. SENEX, Gr. 1839.*

Ætotriorchis, Kaup, 1844.

Helotriorchis, Reich. 1850.

Reich. S. A. t. 98. f.

31. leucurus, *Forst.*; *P. C. 29, 192, 224; Jard. & S. I. O. pl. 5.* S. of S. America.

australis, *Gm.*; novæ-zealandiæ, *Tem.*

Falkland I.

ambustus, *Gm.*; antarcticus, *Less.*

plancus, ♀, *Forst.*

17. *c. PHALCObÆNUS, Lafr. 1837.*

Phalcobaenus, Kaup, 1844. Falcobænus, Less. 1839.

Reich. S. A. t. 98. f.

32. megalopterus, *Meyen, N. A. N. C. 1834, t. 8.* Chili, Bolivia.

montanus, *Lafr.*; *D' Orb. Voy. A. M. t. 2.*

crassirostris, *Pelz. Reise Novara, t. 1?*

33. albogularis, *Gould, Voy. Beagle, pl. 1.*

S. Patagonia.

megalopterus, p., *Schl.*

34. carunculatus, *Des Murs, Ibis, 1861, pl. 1.*

Ecuador.

megalopterus, p., *Sclat.*

18. POLYBORUS, V. 1816.Caracara, *Cuv.* 1817.*Sw. C. of B.* f. 187; *G. of B.* i. p. 10, pl. 5. f. 2; *Reich. S. A.* t. 98. f. .**35. tharus, Mol.; Spix, A. B. t. 3; Sw. Zool. Ill. n. s. pl. 2.**

Brazil.

brasiliensis, *Gm.*; vulgaris, *V.*

Str. of Magellan.

plancus, *Mill. Cemel. Ph.* pl. 17; cheriway, *Jacq.*Auduboni, *Cass.?*Florida, Texas,
Mexico.Subfam. II. **Buteoninæ, Sw. 1837.**Buteonina, *Vig.* 1825. Falconinæ, p., *Bp.* 1831. Thrasaëtina, p., *Bl.* 1849.**19. BUTEO, Cuv. 1799-1800.**Buses, *Cuv.* 1797-1798. Buteo, *b, Nitzsch,* 1840.*Sw. C. of B.* f. 109; *G. of B.* i. p. 11, pl. 5. f. 2; *Reich. S. A.* t. 95. f. .

a. BUTEO.

36. vulgaris, Bechst.; P. E. 419; Naum. Vög. t. 32, 33; Gould, B. E. pl. 14.

Europe.

buteo, *L.*; cinereus, *Gm.*; mutans et fasciatus, *V.*communis, *Cuv.*; pojana, *Savi*; eximius, *Brehm.*rufiventris, *Jerd. Ill. Ind. Orn.* pl. 27.India, Nepal,
Sikkim.**37. japonicus, Schl. F. J. t. 6.**

Japan, China.

vulgaris japonicus, *Schl.***38. plumipes, Hodgs.**

Nepal.

pygmæus, *Jerd.*; japonicus, p., *Bl.***39. desertorum, Daud.; Lev. O. A. t. 17.**

N.E. Africa.

cirtensis, *Lev.*; capensis, p., *Schl.*vulpinus, *Licht.*; anceps, *Brehm.*tachardus, *Bree, B. of Eur.* pl. p. 97.**40. capensis, Schl.**

S. & W. Africa.

Martini, *Bp.*; tachardus, p., *Hartl.*vulgaris, β , *Blas.*; minor, *Heugl.*vulgaris, var. capensis, *Pelz.***41. brachypterus, Pelz. Ibis, 1862, pl. 8.**

Madagascar.

Delalandi, *Des Murs*; tachardus, *Hartl.*desertorum, p., *Grandid.***42. ferox, Gm. Nov. C. Petr. xv. t. 10; Bree, B. of Eur. pl. p. 93.**

Europe.

atracanus, *Gm.*; hypoleucus, *Pall.*leucurus, *Naum.*rufinus, *Rüpp. Atl.* t. 29.

N. Africa.

longipes, *Würtl.*canescens, *Hodgs.*; longipes, *Jerd.*

N. & C. India.

rufinus, *Bl.*; "pectoralis, *V., Strickl.*

43. **augur**, Rüpp. *F. A. t.* 16, 17. N. Africa.
 hydrophilus, Rüpp.
 auguralis, *Salvad.*? (♂ immat., *Newt.*). E. Africa.
44. **jackal**, *Daud.*; *Lev. O. A. t.* 16. S. Africa.
20. *b. GYPOICTINIA*, *Kaup*, 1847.
 Gypsoictinia, *G. R. Gr.* 1849.
 Milvus, p., *Kaup*, 1851. *Gypsictinia*, *Reich.* 1850.
 Reich. S. A. t. 93. f. .
45. **melanosternon**, *Gould, B. A. i.* pl. 20. N. S. Wales, S. & W. Australia.
21. *c. CRAXIREX*, *Gould*, 1838.
 Accipiter, *V.* 1807.
 Pœcilopternis, *Kaup*, 1847.
 Pœcilopternis, *Bp.* 1849.
 Sw. C. of B. f. 110, *b.*
46. **borealis**, *Gm.*; *Wils. A. O.* pl. 52. 1, 2; *V. O. A. S. t.* 6 bis. 14; E. of N. America.
 Lemb. B. of Cuba, t. 1.
 aquilinus, *Bartr.*; *fulvus et americanus*, *ferrugineicaudus et*
 ruficaudus, *V.* Cuba, Jamaica.
 Leverianus et jamaicensis, *Gm.*
 ventralis, *Gould.*
 Harlani, *Aud.*?
47. **galapagoensis**, *Gould, Voy. Beagle*, pl. 2. Galapagos I.
 unicinctus, p., *Baird.*
48. **calurus**, *Cass.*; *Baird, B. N. A.* pl. 14. N.W. America.
 borealis, p., *Bryant.* New Mexico.
49. **montanus**, *Nutt.*; *Aud. B. A. i.* pl. 6. N.W. America.
 buteo, *Aud.*; *borealis*, p.?, *Baird.*
 Swainsoni, p., *Bp.*
50. **Swainsoni**, *Bp.*; *Faun. B. A.* pl. 27; *Baird, B. N. A.* pl. 12, 13. N. & N.W. Amer.
 vulgaris, *Rich. & Sw.*; *montanus*, p., *Coues.*
51. **fuliginosus**, *Selat. Trans. Z. S.* iv. pl. 62; *Baird, B. N. A.* New Mexico.
 pl. 15.
 oxypterus, p., *Baird.*
52. **elegans**, *Cass.*; *Baird, B. N. A.* pl. 2, 3. N.W. America,
 Mexico, Calif.
53. **lineatus**, *Gm.*; *Wils. A. O.* pl. 35. 1, & 53. 3. E. & N.W. Amer.
 hyemalis, *Wils.*; *buteoides*, *Nutt.* Scotland (?).
 fuscus, *V. O. A. S. t.* 5.
54. **pennsylvanicus**, *Wils. A. O.* pl. 54. 1. E. of N. America.
 latissimus, *Ord*; *platypterus*, *V.*
 Wilsonii, *Bp.*
55. **unicinctus**, *Tem.*; *Aud. B. A. i.* pl. 5; *Tsch. F. P. t.* 1. S. of U. States,
 Mexico, Veragua. Argentine Rep.,
 Bolivia.

56. *Cooperi*, *Cass.*; *Baird*, *B. N. A.* pl. 16. California.
borealis, p. ?, *Bryant*.
57. *Bairdii*, *Hoy*; *Cass. B. of Calif.* pl. 41. N. & N.W. Amer.
Swainsoni, p., *Bryant*.
58. *oxypterus*, *Cass.*; *Baird*, *B. N. A.* pl. 15. 2. New Mexico.
Swainsoni, p., *Bryant*.
59. *insignatus*, *Cass. Ill. B. of Calif.* pl. 31. California.
Swainsoni, p., *Bryant*.
- 22.** *d. TACHYTRIORCHIS*, *Kaup*, 1844.
Sw. C. of B. f. 110, a; *Reich. S. A. t.* 95. f.
60. *pterocles*, *Tem. P. C.* 56, 139. Brazil.
albicaudatus et leucurus, *V.*
tricolor, *Lafr.*; *albicauda*, *Less.*
61. *erythronotus*, *King*. Falkland I.
tricolor, *juv.*, *Lafr.* Bolivia.
braccata, *Meyen*, *N. A. N. C.* 1838, t. 8. Chili.
leucurus, *Lafr.*
62. *polysomus*, *Quoy & G. Voy. Uranie*, t. 14; *U. S. Expl. Exp.*
 pl. 3. 1. Falkland I.
unicolor, *D' Orb.*; *varius*, *Gould*.
63. *albonotatus*, *G. R. Gr.* Mexico.
erythronotus, p., *Bp.*; *abbreviatus*, *Licht.*
64. *leucops*, *G. R. Gr.* Galapagos I.
infuscatus, *Kaup*.
65. *zonocercus*, *Sclat. Trans. Z. S.* 1859, pl. 59; *Elliot*, *B. N. A.* Guatemala, Tri-
 pl. nidad, Arizona.
- 23.** *e. LEUCOPTERNIS*, *Kaup*, 1847.
Dædalion, *Vig.* 1824, *nec Sav.*
Pseudastur, *Bl.* 1848.
66. *melanops*, *Lath.*; *P. C.* 105. Brazil.
67. *Kuhlii*, *Bp.*; *Sclat. & S. Exot. Orn.* pl. 38. "
Kaupi, *Bp.*; *superciliaris*, *Pelz.*
68. *albicollis*, *Lath.*; *P. C.* 9. "
picatus, *Shaw*; *pœcilonotus*, *Cuv.* Mexico.
melanotus, *V.*
69. *scotopterus*, *Max.*; *P. C.* 437. Bogota.
lacernulatus, *Tem.* Brazil.
70. *policonotus*, *G. R. Gr.*; *Sclat. & S. Exot. Orn.* pl. 49. "
palliata, *Pelz.*
71. *Ghiesbreghtii*, *Dubus*, *E. O. t.* 1. Mexico.
pœcilonotus, p., *Bp.*

72. *princeps*, *Sclat. Pr. Z. S.* 1865, pl. 24. Costa Rica.
73. *semitlumbus*, *Lawr.*; *Sclat. & S. Exot. Orn.* pl. Panama.
- 24.** *f. BUTEOGALLUS*, *Less.* 1831.
Ichthyoborus, *Kaup*, 1845.
Busarellus, *Lafr.*? *Buteo b*, p., *Nitzsch*, 1840.
Reich. S. A. t. 95. f.
74. *æquinoctialis*, *Gm.*; *Lev. O. A.* t. 21. Cayenne.
buson, *Daud.*; *cathartoides*, *Less.*
75. *nigricollis*, *Lath.*; *Lev. O. A.* t. 20; *Spix, A. B.* t. 1^d. Brazil.
busarellus, *Daud.*; *melanobronchus*, *Shaw.*
leucocephalus, *V.*; *milvodes*, *Spix.*
æquinoctialis, p., *Kaup.*
- 25.** *g. SPIZIGERANUS*, *Kaup*, 1844.
Spizigeranus, *Agass.* *Hypomorphnus*, *Cab.* 1844. *Hypomorphnus*!, *G. R. Gr.* 1845.
76. *meridionalis*, *Lath.*; *P. C.* 25. Brazil.
rutilans, *Licht.*; *rufulus*, *V.*
buson, *Spix.*
- 26.** *h. URUBITINGA*, *Less.* 1837.
Morphnus a, *Nitzsch*, 1840. *Harpyia*, p., *Sw.*
77. *urubitinga*, *Gm.*; *P. C.* 55; *Spix, A. B.* t. 1^c. Brazil, Cayenne.
zonurus, *Shaw*; *picta*, *Spix.* W. Indies.
longipes, *Illig.*; *fulvus*, *V.*
brasiliensis, *Strickl.*
hemileucura, *Licht.*? Monte Video.
78. *anthracinus*, *Licht.* Carthagera.
mexicanus, *Dubus*; *solitaria*, *Bp.* Mexico, Peru.
unicinctus, p., *G. R. Gr.* Vera Paz, Guatemala.
79. *schistaceus*, *Sundev.*; *Trans. Z. S.* iv. pl. 58. Brazil, Cayenne.
ardesiaceus, *Licht.* Peru, Bolivia.
80. *Gundlachii*, *Cab.* Cuba.
anthracina, p.?, *Sclat.*
brasiliensis, p., *Poey*; *urubitinga*, p., *Lemb.*
- 27. ARCHIBUTEO**, *Brehm*, 1828.
Buteo, *Cuv.* 1817. *Triorchis*, *Kaup*, 1829, *nec Leach*, 1816.
Butaëtes, *Less.* 1831. *Buteo a*, *Nitzsch*, 1840.
G. of B. i. p. 12, pl. 5. f. 1; *Reich. S. A.* t. 95. f.
- a. ARCHIBUTEO.*
81. *lagopus*, *Gm.*; *Naum. Vög.* t. 34; *Gould, B. E.* pl. 15. Europe.
plumipes, *Daud.*; *Lev. O. A.* t. 18.
pennatus, *Cuv.*; *Lessoni*, *Smith.* S. Africa.

82. **St. Johannis**, *Gm.*; *Wils. A. O.* pl. 53. 1, 2, et 33. 1. E. of N. Amer.
spadiceus et novæ terræ, Gm.
lagopus et niger, Wils.; ater, V.
83. **ferrugineus**, *Licht.*; *G. R. Gr. & M. G. B.* pl. 6. Mexico.
regalis, G. R. Gr.; *californicus, Hutch.* W. of N. Amer.
St. Johannis, p., Bp.

28. *b. BUTAQUILA,*
Hemiaetus et Hemiaetos, Hodgs. 1844.

84. **asiaticus**, *Lath.* Thibet.
aquilinus et leucocephalus, Hodgs.; *strophiatius!, G. R. Gr.*
nec Hodgs.
85. **hemilasius**, *Tem. & Schl. F. J. t. 7.* Japan.
strophiatius, p. ?, Bp.
86. **hemiptilopus**, *Bl. Calc. Journ. N. H. 1847, pl. 3. 1.* Mongolian Reg.
griseogenys, Bl. ?; cryptogenys, Hodgs.

Subfam. III. **Aquilinæ**, *Sw. 1837.*

Aquilina, Vig. 1825. Falconinæ, p., Bp. 1831. Buteoninæ, p., et Accipitrinæ, p., Sw. 1837. Circaëtina, Thrasaëtina, et Haliaëtina, Bl. 1849.

29. AQUILA, *Barr. 1745.*

Falco, L. 1735-44 et 58. Falco, 1st div. Illig. 1811. Aquilla, 1839, et Aëtus, 1840, Nitzsch. Aëtus, Agass. G. of B. i. p. 13, pl 7. f. 1; Reich. S. A. t. 97. f. .

a. AQUILA.

87. **chrysaëtus**, *L.*; *P. E. 410, 409; Naum. Vög. t. 8, 9, t. 339;* N. & E. Europe.
Gould, B. E. i. pl. 6. C. Asia.
fulvus, L.; nobilis, Pall.; regia, Less. India.
daphænia, Hodgs. N. America.
canadensis, L.; Wils. A. O. pl. 55. 1.
niger et americanus, Gm.; fulvus, Wils.
melanaetus, L.; melanonotus, Lath.
fuscicapilla, Brehm?
Barthelemyi, Jaub. R. et M. de Z. 1852, t. 22?
88. **imperialis**, *Bechst.*; *Naum. Vög. t. 6, 7, t. 340; P. C. 151,* S. Europe.
152; Gould, B. E. i. pl. 5. N. Africa.
heliaca, Sav.; mogilnik, Strickl. W. and N. Asia.
chrysaëtus, Leisl. India.
bifasciata, Gr. I. Ind. Z. pl. 17. Himalayas.
nipalensis, Hodgs.; chrysaëtus, Jerd.
riparia, Würt.
89. **nævioides**, *Cuv.*; *P. C. 455; Ibis, 1865, pl. 5.* Africa.
rapax, Tem.; senegallus, Cuv.
albicans, Rüpp. F. A. t. 13.
choka, Smith; belisarius, Lev.
variegata, raptor, lestris et Adalberti, Brehm.

90. **fulvescens**, *Gr. I. Ind. Z.* pl. 16, 27, 29. India.
fusca et punctata, Gr.
vindhiana, Frankl.; nævioides, p., Bl.
91. **clanga**, *Pall.; Naum. Vög. t. 342.* 1, 2, & 346. C. S.E. Europe.
planga, V.; mogilnik, S. G. Gm.
nævnia, p., Naum.; fuscoater, Wodz.?
fusca, bifasciata et nævia, Brehm.
longipes, Horns. et Schill.?
nævioides, p., Schl.; orientalis, Cab.?
92. **nævnia**, *Gm.; Naum. Vög. t. 11; Hist. de l'Egypte, t. 1. 2;*
Gould, B. E. i. pl. 8. N. C. Europe.
melanaetos, Sav.; bifasciata, Hornsch. N. Africa.
fuscus, V. W. Asia.
vittata, Hodgs. India.
93. **Desmursii**, *Verr.; Trans. Z. S. iv. pl. 77.* Trop. Africa,
 Bissao.
94. *hastata, Less.* India.
punctatus, Jerd.; unicolor, Bl.
- 30.** *b. UROAËTUS, 1844,*
et Uraëtus, 1845, Kaup.
95. **audax**, *Lath.; P. C. 32; Gould, B. A. i. pl. 1.* Australia.
fucosus, Cuv.; albirostris, V.
cuneicaudatus, Brehm.
- 31.** *c. HETEROPUS, 1842,*
et Neopus, 1844, Hodgs. Onychaaëtus, 1844, et Onychaëtus,
1845, Kaup.
Ictinaëtus, Jerd. 1844. Onichoaëtus, Bp. 1849.
Reich. S. A. t. 97. f.
96. **malayensis**, *Reinw. P. C. 117; Schl. Valkv. t. 3. 1, 2; Pr.*
Z. S. 1868, pl. 34. Sunda Islands.
pernigra, Hodgs.; ovivorus, Jerd. India, Mergui.
malayana, Less. Celebes, Sula.
97. *Gurneyi, G. R. Gr. Pr. Z. S. 1860, pl. 169; Schl. Valkv.*
t. 9. 1, 2. Moluccas, Wai-
 giou, Aru,
 Gilolo, Morty,
 Batchian I.
- 32.** *d. PTEROAËTUS, Kaup, 1844.*
Pteraëtus, Reich. 1850.
Reich. S. A. t. 97. f.
98. **vulturina**, *Daud.; Lev. O. A. t. 6; Less. Cent. Zool. t. 38;*
Lefebvr. Voy. Abyss. t. 1 (5). Africa.
Verreauxii, Less.; niger, James.
leucoprymna, Licht.; cafer, Tem.
- 33.** *e. PSEUDAËTUS, Hodgs. 1844.*
Tolmaëtus, 1845, et Eutolmaëtus, 1848, Bl. Aquilastur, Brehm,
1860. Aquila, p., Nitzsch, 1840.

99. **Bonellii**, *Tem. P. C.* 288; *Naum. Vög.* t. 341; *Mem. Ac. Sc. Turin*, 37. t. 1; *Gould, B. E.* pl. 7. S. Europe.
 ducalis, *Licht.*; *intermedia*, *Bon.* W. Africa.
 fasciata, *V.*; *niveus*, *Jerd.* India.
 grandis, *nipalensis et rubriventris*, *Hodgs.*
34. *f. HIERAAËTUS*, 1844,
 Hieraëtus, 1845, *et Ieraëtus*, 1851, *Kaup.*
 Aquila, *Keys. & Bl.* 1840.
 Hieraëtus, *Bp.* 1849. *Hieracaëtus*, *Agass.* *Aquila*, p., *Nitzsch.*
 Reich. S. A. t. 97. f.
100. **pennata**, *Cuv.*; *P. C.* 33; *Naum. Vög.* t. 343; *Gould, B. E.* pl. 9. S. Europe.
 minuta, *Brehm.*
 dubius et Lessonii, *Smith.* Africa.
 longicaudata, *Heugl.*
 Wahlbergii, *Sundev.*; *Brehmii*, *Müll.*
 strophinata, *Hodgs.*; *milvoides*, *Jerd.* India.
101. *morphnoïdes*, *Gould, B. A. i.* pl. 2. Australia.
 pennatus, p., *Schl.* New S. Wales.
35. **SPIZAËTUS**, *V.* 1816.
 Falco, *L.* 1766 *nec* 1735. *Falco*, 3 div. *Gm.* 1788. *Plumipeda*,
 Flem. 1822. *Harpyia*, *Spir.* 1824, *nec Cuv.* *Aquila*, *Boie*, 1826.
 Spizaëtus, *Kaup*, 1851. *Spizaëtos*, *Hartl.* 1853. *Harpyia*, p., *Sw.*
 G. of B. i. p. 14, pl. 7. f. 2.
- a. SPIZAËTUS.*
102. **ornatus**, *Daud.*; *Lev. O. A.* t. 26; *V. Gal. des Ois.* t. 21. Brazil, Cayenne.
 Mauduytii, *Daud.*; *superbus.* Isth. of Panama.
 coronatus et fastuosa, *Shaw.*
 urutaurana, *Drap.*; *tyrannus*, *Tayl.*
 braccata, *Spir.* *A. B.* t. 3.
36. *b. PTERNURA*, *Kaup*, 1845.
 Pterura !, *G. R. Gr.* 1848.
 Morphnus b, *Nitzsch*, 1840.
103. **tyrannus**, *Max.*; *P. C.* 73. Surinam.
 braccatus, *Des Murs*, *I. O.* t. 67. Brazil.
 ornatus, p., *Schl.*
104. *Isidori*, *Des Murs*, *I. O.* t. 1. Bogota.
37. *c. SPIZASTUR*, *Less.* 1837.
 Spiziastur, *Kaup*, 1851.
105. **melanoleucus**, *V.*; *P. C.* 79; *Gal. des Ois.* t. 14. Cayenne.
 atricapillus, *Cuv.*; *atriceps*, *Kaup.*
 melanops, *Less.*

- 38.** *d. LOPHIAËTUS*, 1847,
et Morphnus, 1845, (*nec* Cuv.) Kaup.
 Harpyia, p., Sw.
106. **occipitalis**, Daud.; *Lev. O. A. t. 2.* S. Africa.
senegalensis, Daud. Madagascar.
- 39.** *e. — ?*
Spizaëtus, p., Kaup. *Aquila*, Boie, 1826.
107. **bellicosus**, Daud.; *Lev. O. A. t. 1*; *Smith, I. S. A. Z. pl. 42.* Africa.
armiger, Shaw; *bellicola*!, G. R. Gr.
108. **coronatus**, L.; *Edw. B. pl. 224*; *Smith, I. S. A. Z. pl. 40, 41.* Africa.
albescens, Daud.
109. **spilogaster**, Dubus. Abyssinia.
zonurus, Müll.; *leucostigma*, Heugl. Natal.
Ayresii, Gurn.; *Bonelli*, p., Brehm.
- 40.** *f. LIMNAËTUS*, Vig. 1831.
Nisaëtus, Hodgs. 1836. *Spizaëtus*, Sw. 1837. *Nisaëtus*, Agass.
Reich. S. A. t. 94. f.
110. **caligatus**, Raffl.; *Horsf. Zool. Res. pl. ; P. C. 134, 127*; *Java, Sumatra,*
Schl. Valkv. t. 6. 1, 2, 3, t. 8. 1, 2, 3. Malay P., Bur-
 mah, Borneo.
limnaëtus, Horsf.; *unicolor et niveus*, Tem.; *Horsfieldii*, Vig.
*cirrhatu*s, p., Kaup.
111. **cirrhatu**s, Gm.; *Jerd. I. Ind. Orn. pl. 1.* India, Ceylon.
limnaëtus, Vig.; *niveus*, Jerd.
pallidus, Hodgs.; *ceylonensis*, Gm.
strenuus, Jerd.; *caligatus*, p., Gurn.
cristatellus, Tem. P. C. 282.
*Latham*i, Tick.?; *cirrhatu*s, Jerd.
caligatus, var. A, Horsf.; *cirrhatu*s, p., Schl.
112. **nipalensis**, Hodgs. Himalayas.
pulcher, Hodgs.; *cirrhatu*s, p., Schl. Ceylon.
orientalis, Schl. F. J. t. 3. Japan, Formosa.
113. **albiniger**, Bl.; *Gould, B. As. pl. .* Malac., Tenasse.
borneonensis, G. R. Gr.; *nanus*, Wall. *Ibis*, 1868, pl. 1 (juv.). Borneo.
lanceolatus, p., Bp.; *cirrhatu*s, p., Schl.
114. **lanceolatus**, Tem.; *Schl. Valkv. t. 7. 1, 2, 3.* Celebes, Sula,
fasciolatus, Tem.; *cirrhatu*s, p., Schl. Borneo.
115. **Kienerii**, De Sparre, *Mag. de Zool.* 1835, t. 35. Hima., C. Ind.
albigularis, Tick. Java, Borneo.
cristatellus, Jard. & S. Ill. Orn. pl. 66. Aberdeen (?).
116. **philippensis**, Gurn. Philippine I.
Kieneri, p., Schl.
117. **andamanensis**, Tytl. Andaman I.
118. **africanus**, Cass. W. Africa.

41. CIRCAËTUS, V. 1816.Circaëtos, *Keys. & Bl.* 1840.Circaëtus, *Vig.**G. of B.* i. p. 16, pl. 7. f. 7; *Reich. S. A.* t. 96. f. . .*a. CIRCAËTUS.*

- 119.
- gallicus**
- ,
- Gm.*
- ;
- P. E.*
- 413;
- Naum. Vög.*
- t. 15;
- Gould, B. E.*
- i. pl. 24. 1.

brachydactyla, *Meyer*; leucopsis, *Bechst.*orientalis, *Brehm*; longipes, *Ill.*leucamphomma, *Borkh.*fasciatus, *Heugl.*

C. S. Europe.

Africa.

Indian archip.

Timor, Flores.

- 120.
- thoracicus**
- ,
- Cuv.*

pectoralis, *Smith.*

Africa.

121. ?
- cinereus**
- ,
- V. Gal. des Ois.*
- t. 12.

funereus, *Rüpp.*; circaëtus, *Tem.*pectoralis, *p., Sclat.*; thoracicus, *p., Hartl.*

W. Africa.

Sennaar, Abyss.

- 122.
- fasciolatus**
- ,
- G. R. Gr.*
- ;
- Ibis*
- , 1862, pl. 3.

thoracicus, *p., Hartl.*

Natal.

- 123.
- zonurus**
- ,
- Würt.*
- ;
- Ibis*
- , 1850, pl. 7.

cinereus, *Barr.*; melanotis, *Verr.*cinerascens, *Müll.*

White Nile.

Bissao.

- 124.
- Beaudouini**
- ,
- Verr. & Desm.*
- ;
- Ibis*
- , 1862, pl. 7.

Sennaar.

42. b. HARPYHALIETUS, Lafr. 1842.Harpyhaliaëtus, *G. R. Gr.* 1845.Urubitornis, *Verr.* 1856.

- 125.
- coronatus**
- ,
- V.*
- ;
- P. C.*
- 234.

Azaræ, *Kaup*; unifasciatus, *G. R. Gr.*Sellowii, *Max.*(Var.) solitarius, *Tsch. F. P.* t. 2.anthracina, *p.?, Schl.*

Brazil.

Parag., La Plata.

Peru.

43. c. SPILORNIS, G. R. Gr. 1840.Hæmatornis, *Vig.* 1831, *nec Sw.* 1824.Ophaëtus, *Jerd.* 1844. Hypaëtus, *Geoffr.* ?*Reich. S. A.* t. 96. f. . .

- 126.
- bacha**
- ,
- Daud.*
- ;
- Lev. O. A.*
- t. 15;
- Schl. Valkv.*
- t. 22.

bido, *Horsf.*spilogaster, *Bl.*; Elgini, *Tytl.*

Java, Borneo.

Ceylon.

Andamans.

- 127.
- cheela**
- ,
- Daud.*
- ;
- Gould, C. B.*
- pl. 1.

undulatus, *Vig.*; bacha, *Frankl.*nipalensis, *Hodgs.*albidus, *Tem. P. C.* 19; melanotis, *Jerd.*Hoya et orientalis, *Swinh.*

Ind., Borneo (?).

Nepal.

Assam, Burmah.

Isl. of Formosa.

- 128.
- holospilus**
- ,
- Vig.*
- ;
- G. R. Gr. & M. G. B.*
- pl. 7.

Philippine Isl.,
S. China.

129. **rufipectus**, *Gould, B. As. pl. ; Schl. Valkv. t. 23. 1, 2, 3.* Celebes.
bacha celebensis, *Schl.*

130. **sulaënsis**, *Schl. Valkv. t. 23. 4, 5, 6.* Sula.

44. PANDION, *Sav. 1809.*

Triorchis, *Leach, 1816.*

Balbusardus, *Flem. 1828.*

G. of B. i. p. 16, pl. 7. f. 5 ; Reich. S. A. t. 96. f. .

a. PANDION.

131. **haliaëtus**, *L. ; P.E. 414 ; Naum. Vög. t. 16 ; Gould, B.E. pl. 12.* N. C. Europe.
fluvialis, *Sav. ; balbusardus, Dum.* Africa.
ichthyaëtus, *Kaup ; albicollis, Brehm.*
indicus, *Hodgs.* India.

132. ? **carolinensis**, *Gm. ; Wils. A. O. pl. 37. 1 ; V. O. A. S. t. 4.* N. America.
cayanensis et arundinaceus, *Gm.* Antilles.
haliaëtus, *Wils. , piscatrix et americanus, V.*
haliaëtus, *p.*

133. **leucocephalus**, *Gould, B. A. i. pl. 6 ; Schl. Valkv. t. 3. 3.* Australia, Mol-
lucas, Ceram. 4048
N. Guinea, Mys.,
N. Caledonia,
Tonga Isl.

45. b. POLIOAËTUS, *Kaup, 1847.*

Ichthyaëtus, *Lafr. 1839, nec Kaup, 1829.*

Pontoaëtus, *G. R. Gr. 1845, nec Kaup.*

Ichthyaëtus, *Kaup, 1844.*

G. of B. i. p. 17, pl. 7. f. 9.

134. **ichthyaëtus**, *Horsf. Zool. Res. pl. 5 ; Schl. Valkv. t. 5. 1, 2.* Java, Bor., Bur.
plumbeus et bucaris, *Hodgs.* India.
lineatus et bicolor, *Gr.*
Horsfieldii, *Jerd.*

135. **humilis**, *Tem. Verhandl. t. 6 ; Schl. Valkv. t. 5. 3.*
nanus, *Bl.*

Sunda Isl., Ma-
lacca, Celebes.
Sandwich I.

136. **solitarius**, *Peale, U. S. Expl. Exp. pl. 4.*

46. POLIORNIS, *Kaup, 1844.*

Butastur, 1844, et Bupernis, 184 ? , *Hodgs.*

Valeria, *Boie.*

G. of B. i. p. 29, pl. 10. f. 2 ; Reich. S. A. t. 96. f. .

a. POLIORNIS.

137. **teesa**, *Frankl. ; Gr. I. Ind. Z. ii. pl. 30.*
Hyder, *Sykes.*

India.
Assam, Burmah,
Malayana.
Malacca.
Tenasserim.

138. **barbatus**, *Eyton.*
pygmæus, *Bl. ; trivirgatus, p. ?, Moore.*

139. **poliogenys**, *Tem. P. C.* 325; *Schl. Valkv.* t. 21. 2, 3. Japan, China.
pyrrhogenys!, *Schl.*; *indicus*, *Gm.*? Philip. I., Morty,
 Sanghir.
140. **liventer**, *Tem. P. C.* 438; *Schl. Valkv.* t. 21. 1. Indian archip.
pallidus, *Less.* Timor, Celebes.
47. *b. PERNOPSIS*, *Dubus*, 1850.
141. **rufipennis**, *Strickl. Pr. Z. S.* 1850, pl. 22. N. Africa.
erythropterus, *Dubus*; *pyrrhopterus*, *Sundev.*; *Mülleri*, *Heugl.*
48. **THRASAËTUS**, *G. R. Gr.* 1837.
Falco, 2 div. *Gm.* 1788. *Falco*, *Lath.* 1790.
Harpia, *V.* 1816. *Harpyia*, *Cuv.* 1817, *nee Ochsenh.* 1810. *No-*
throphontes, *Glog.* 1842.
Sw. C. of B. f. 185; *G. of B.* i. p. 15, pl. 7. f. 3; *Reich. S. A.*
 t. 96. f.
142. **harpyia**, *L.*; *P. C.* 14. British Guiana.
destructor, *Tem.*; *imperialis*, *calquin et regalis*, *Shaw*; *Jac-*
quini et cristata?, *Gm.*; *caracca*, *Gm.*
ferox, *Less.*; *maxima*, *V.*
49. **MORPHNUS**, *Cuv.* 1817.
Morphinus, *Flem.* 1822.
143. **guianensis**, *Daud.*; *Less. Tr. d' Orn.* t. 11. 2. British Guiana.
Sonnini, *Shaw*; *variegatus*, *V.*
cristatus, *Less.*
50. **HALIÆTUS**, *Sav.* 1809.
Aquila, *V.* 1807, *nee Mæhr.* 1752.
Haliæatus, 1824 *et Haliæetus*, 1825, *Vig.*
Haliætos, *Keys. & Bl.* 1840.
Haliæetus, *Thomp.* 1838.
Haliætus, *G. R. Gr.* 1845. *Aquila b.*, *Nitzsch*, 1840.
G. of B. i. p. 17, pl. 7. f. 8; *Reich. S. A.* t. 96. f.
- a. **HALIÆTUS.**
144. **albicilla**, *L.*; *P. E.* 112, 415; *Naum. Vög.* t. 12; *Gould,*
B. E. pl. 10. Europe.
albicauda, *ossifragus et melanaetos*, *Gm.*; *nisus*, *Sav.*
grœnlandicus, *Brehm.*
Steinbergii, *Holb.*
funereus, *A. Brehm.* Greenland.
 Egypt.
- 7742 145. **leucocephalus**, *L.*; *P. E.* 411; *Naum. Vög.* t. 344, 345;
Wils. A. O. pl. 36. 55, 2. N. America.
albicilla, *Pall.*; *pygargus*, *Daud.*
ossifragus, *Wils.*
Washingtoni, *Aud. B. A.* i. pl. 13. S. of N. Amer.
Washingtoniana, *Aud.*
51. *b. THALLASOÆTUS*, 1844,
Thallasaëtus, 1845, *Thalassaëtus*, 1847, *et Thallosaëtus*, 1851,
Kaup.

- Thalassiaëtus*, *Reich*. 1850.
Reich. S. A. t. 96. f. .
146. **pelagicus**, *Pall.*; *Kittl.*; *Kupf. der Vög.* t. 2. 1; *Elliot*,
B. N. A. pl. ; *Schl. F. J.* t. 4. Russian Amer.
leucopterus, *Tem.* *P. C.* 489. Japan.
imperator, *Kittl.*
52. c. **CUNCUMA**, *Hodgs.* 1837.
Pontoaëtus, 1844, *et* *Pontaëtus*, 1845, *Kaup*.
Blagus, *Bl.* 1849. *Aquila*, p., *Nitzsch*, 1840.
147. **leucoryphus**, *Pall.* S. & E. Europe.
deserticola, *Eversm.*; *leucoryphos*, *Gm.*
148. **Macei**, *Cuv.*; *P. C.* 8. 222; *Gr. I. Ind. Z.* pl. 19. N. India.
fulviventris, *V.*; *unicolor*, *Gr.*
albipes et lanceolatus, *Hodgs.*
albicilla, *Raffl.*; *sinensis*, *Gm.*?
leucoryphus, p., *Pelz.*
149. **leucogaster**, *Gm.*; *P. C.* 49; *Schl. Valkv.* t. 4. 1, 2. 5726
dimidiatus, *Raffl.*; *cultriunguis*, *Hodgs.* Sumatra, India,
sphenurus, *Gould*, *B. A. i.* pl. 3. Bur., Malaya.
maritimus, *Gm.*; *oceanica*, *Less.* Australia.
Java, New Irel.,
N. Guin., Aru.
150. **vocifer**, *Daud.*; *Lev. O. A. t.* 4; *Des Murs*, *I. O. t.* 8. Africa.
vocifera, *Dum.*; *clamans*, *Brehm*?
151. **vociferoides**, *Des Murs*, *I. O. t.* 7; *Poll. & V. D. F. de*
Madag. t. 15. Madagascar.
vocifer, var. *orientalis*, *Schl.*
vociferator, *Schl. & Poll.*
53. d. **GERANOÆTUS**, 1844,
et *Heteroaëtus*, 1845, *Kaup*. *Heteraëtus*, *Reich*. 1850. *Gera-*
naëtus, *Agass.*
Reich. S. A. t. 96. f. .
152. **melanoleucus**, *V.*; *P. C.* 302. S. America.
aguia, *Tem.*; *fuscescens*, *V.* E. Patagonia,
Chili.
54. **HELOTARSUS**, *Smith*, 1830.
Terathopius, *Less.* 1830. *Teratopius*, *Bl.* 1849.
G. of B. i. p. 18, pl. 7. f. 11; *Reich. S. A. t.* 98. f. .
153. **ecaudatus**, *Shaw*; *Lev. O. A. t.* 7, 8; *Lefev. Voy. Abyss.* t. 2. Africa.
typus, *Smith*; *brevicaudatus*, *Natt.*
brachyurus, *L. Brehm.*

154. *leuconotus*, *Würt.* Africa.
ecaudatus, p. ?

55. HALIASTUR, *Selby*, 1840.

- Halicæetus*, *Sw.* 1837. *Dentiger*, *Hodgs.* 1844.
Ictinoætus, *Kaup*, 1844. *Ictinaætus*, *Agass. nec Jerd.* *Milva-*
quila, *Burm.* 1850.
Sw. C. of B. f. 99, 196; *G. of B. i. p.* 18, pl. 7. f. 10; *Reich.*
S. A. t. 96. f.

155. *indus*, *Bodd.*; *P. E.* 416. India.

ponticerianus, *Gm.*; *rotundicauda*, *Hodgs.*
garuda, *Less.*

intermedius, *Gurn.*; *Schl. Valkv. t.* 4. 4.

- 5724 156. *leucosternus*, *Gould, B. A. i. pl.* 4; *Shaw, Nat. Misc. pl.*
 389; *V. Gal. des Ois. t.* 10.

girrenera, *V.*; *ponticerianus*, *Shaw.*

leucosternon, *Kaup*; *indus*, p., *Schl.*

leucosternus, var., *G. R. Gr.*; *Schl. Valkv. t.* 4. 3.

Philippine Isl.,

Malacca.

Java, Sumatra,

Flores, Bor.

New S. Wales,

New Guinea.

Aru, New Caledo.

Moluc., Celebes.

- 4680 157. *sphenurus*, *V. Gal. des Ois. t.* 15; *Gould, B. A. i. pl.* 5.
 7363 *canorus*, *Vig. & Horsf.*

Australia.

N. Caledonia.

Subfam. IV. **Falconinæ**, *Sw.* 1837.

Falconina et Accipitrina, p., *Vig.* 1825.

56. FALCO, *Mæhr.* 1752, *nec L.* 1735.

Hierofalco, *Cuv.* 1817.

Falco, 4 div., *Gm.* 1788.

Ierafalco, *Kaup*, 1851. *Rynchodon*, *Nitzsch*, 1840.

a. **HIEROFALCO.**

158. *candicans*, *Gm.*; *Naum. Vög. t.* 390. 1.

grœnlandicus, *Daud.*; *arcticus*, *Holb.*

fuscus, *Fab.*; *gyrfalco grœnlandicus*, *Schl.*

islandicus, *Aud.*; *sacer*, *Cass.*

Greenland.

N. Asia.

N. America.

159. *islandicus*, *Brün.*; *Schl. Tr. de Fauc. t.* 2; *Naum. Vög.*
t. 390. 2.

islandus, *Fab.*

gyrfalco islandicus, *Schl.*

candicans, var. β , *Blas.*

Iceland.

N. of N. Amer.

160. *gyrfalco*, *L.*; *Schl. Tr. de Fauc. t.* 3. 4; *Naum. Vög. t.* 391.

gyrfalco norwegicus, *Schl.*

candicans, var. γ , *Blas.*

Norway, Sweden.

161. *subniger*, *G. R. Gr. & M. G. B. i. pl.* 8.

S. Australia.

162. *hypoleucus*, *Gould, B. A. i. pl.* 7.

subniger, p. ?, *Bl.*

S. & W. Austral.

57. b. **FALCO**, *auct.*

Rynchodon, p., *Nitzsch*, 1840.

- Euhierax*, Webb & Berth. 1844.
Sw. C. of B. f. 95 b, 190; *G. of B. i. p. 19*, pl. 8. f. 1; *Reich. S. A. t. 94. f.* .
163. **peregrinus**, *L.*; *P. E.* 430, 421, 469; *Naum. Vög. t. 24*, 25; *Gould, B. E.* pl. 21. 4561.
communis, *L.* Europe.
 China, Formosa, Japan.
164. **calidus**, *Lath.*
micrurus, *Hodgs.* India.
peregrinus, *p., Schl. Valkv. t. 1.* Java, Sumatra.
165. **orientalis**, *Gm.*; *Edw. B.* pl. 3; *Wils. A. O.* pl. 76.
peregrinus, *Wils.*; *anatum*, *Bp.* Japan, Vancouver's I., Siberia, Kurile Islands.
peregrinus, var. β , *Blas.* N. America.
communis, *p., Poey?*; *peregrinus*, *p., Lemb.?* Cuba.
166. **nigriceps**, *Cass.*; *Baird, B. of N. A.* pl. xi. S. & W. of North America, Chili, ? S. of Magellan.
167. **melanogenys**, *Gould, B. A. i.* pl. 8. 1026
macropus, *Sw.*; *peregrinus*, var. γ , *Blas.* Australia.
168. **minor**, *Bp.*; *Lev. O. A. t. 28?* S. Africa.
frontalis, *Daud.?*; *galericulatus*, *Shaw?*
peregrinus, var. *capensis*, *Sundev.*
peregrinus, *Smith.*
communis minor, *Schl.*
peregrinus, var. ϵ , *Blas.*
169. **peregrinator**, *Sundev.*; *Jerd. I. Ind. O.* pl. 12. 28. India.
sultaneus, *Hodgs.*; *shaheen*, *Jerd.* Between Ceylon and Sumatra.
communis indicus, *Gm.* W. Asia.
peregrinus, var. δ , *Blas.*; *herbicola*, *Tick.*
ruber, *Schl.*
170. ? **radama**, *Verr.* Madagascar.
communis, var. *Schl. & Poll.*
minor, *Sclat.?*; *communis*, *p., Grandid.*
58. *c. GENNAIA*, *Kaup*, 1847.
Hierofalco, *Boie*, 1826. *Rynchodon*, *p., Nitzsch*, 1840.
171. **lanarius**, *L.*; *Naum. Vög. t. 23*; *Schl. Tr. Fauc. t. 6.* Sweden, Dalinat.
Feldeggii, *Schl.* Greece.
lanarius, *p., Bp.*
tanypterus, α , *Blas.*
172. **cervicalis**, *Licht.*; *P. C.* 324. S. Africa.
biarmicus, *Tem.*; *peregrinoides*, *Smith.* Abyssinia.
tanypterus, δ , *Blas.*
lanarius capensis, *Schl.*

173. **babylonicus**, *Selat. & Irby, Ibis*, 1861, t. 7. Oude, Babylon.
peregrinator, Horsf. Greece, Persia.
lanarius græcus, p., Schl. Nepal.
peregrinodes, Frisch; venerata, Würt.
174. **barbarus**, *L.; Ibis*, 1859, t. 6; *P. C.* 479. N. Africa, Nubia.
puniceus, Lev.; peregrinoides, Tem. Holland.
tanypterus, β, Blas.
lanarius, p., Pelz.
175. *tanypterus, Licht.; Schl. Abhand.* t. 12, 13. S.E. Europe.
lanarius nubicus, Schl. Nubia.
59. *d — ?*
176. **saker**, *Schl. Tr. de Fauc.* t. 5; *Naum. Vög.* t. 23. 1, 2. E. & S.E. Europe.
lanarius, Pull.; sacer, Schl. Egypt.
cherrug, Gr.; milvipes, Hodgs. Nepal.
177. **jugger**, *Gr. I. Ind. Z.* pl. 26; *Gould, B. As.* pl. India.
lugger, Jerd.; thermophilus, Hodgs. Scinde, Punjab.
178. **polyagrus**, *Cass.; Ill. B. of Calif.* pl. 16. W. of N. Amer.
mexicanus, p., Pelz, et p.? Schl. Oregon, Califor.
179. ? *mexicanus, Licht.* Mexico.
- 60. HYPOTRIORCHIS**, *Boie*, 1826.
- Falco, Boie*, 1822. *Dendrofalco, G. R. Gr.* 1840. *Rhynchodon*,
p., Nitzsch.
G. of B. i. p. 20, pl. 8. f. 2.
- a. HYPOTRIORCHIS.*
180. **subbuteo**, *L.; P. E.* 432; *Naum. Vög.* t. 26; *Gould, B. E.* Europe, Greece.
pl. 22. N. Asia, India,
barletta, Daud. Himalayas.
2196. 181. **lunulatus**, *Lath.; Gould, B. A. i.* pl. 10; *Schl. Valkv.* Australia, Tas-
t. 2. 4, 5, 6. mania.
frontatus, Gould. Amboina, Ceram,
longipennis, Sw. Flores.
subbuteo frontatus, Schl.
- 17567 182. **severus**, *Horsf.; P. C.* 128; *Schl. Valkv.* t. 2. 2, 3. Java, Malay pe-
Aldrovandi, Tem.; guttatus, G. R. Gr. ninsula.
rufipedoides, Hodgs. Celebes, Philip-

Nepal, Salwatty.
183. **Cuvieri**, *Smith; Tijdschr. Dierk.* i. t. 5. S. & N. Africa.
Boschii, Schl. Gold Coast.

184. **rufigularis**, *Daud.*; *Don. Nat. Rep.* pl. 45. S. America.
thoracicus, Tem.; *cucullatus, Sw.* Mexico, Texas,
auranticulus, Bp.? Panama, Trin.
185. **aurantius**, *Gm.*; *P. C.* 348. Brazil.
dieroleucus, Tem.
aurantius, ♀, Kaup; *rufigularis, p., G. R. Gr.*
186. **religiosus**, *Tem.* Ceram.
severus, var. nigra, Bp.
- 61.** *b. DISSODECTES, Sclat. 1864.*
Rhynchodon, p., Nitzsch.
187. **Dickinsonii**, *Sclat. Ibis*, 1864, pl. 8. Shiré River, S.E.
zoniventris, p., G. R. Gr. Africa.
188. **ardesiacus**, *V.*; *P. C.* 330; *Lev. O. A.* t. 29? W. Africa.
concolor, Tem.; *tibialis, Daud.*?
ardesiacus, Bp.
189. **concolor**, *Tem. (non Pl.)*; *Poll. & V. D. Faun. de Madag.*
t. 12. 1. Africa, Spain.
arcadicus, Bp.; *cyanostolus et gracilis?, Brehm*; *eleonora et*
horus, Heugl.; *schistaceus, Ehr.*
ardesiacus, p., Hartl. Madagascar.
190. **eleonora**, *Gené, Mem. Ac. Taur.* 1840, t. 1. 2. S. Europe.
arcadicus, Lind.; *dichrous, Erhard.* Sardinia, Greece.
plumbeus, Brehm. Africa.
concolor, p., Ver. & Murs.
191. *zoniventris, Peters.* E. Africa.
- 62.** *c. ÆSALON, Kaup, 1829.*
Astur, Boie, 1826, nec Lacép.
Hypotriorchis, p., Boie, 1828.
Lithofalco, Blas.; *Rhynchodon, p., Nitzsch.*
192. **æsalon**, *L.*; *P. E.* 447, 468; *Naum. Vög.* t. 27; *Gould, B. E.*
pl. 24. N. Eur., Persia.
lithofalco, Gm.; *smirillus, Sav.* China.
regulus, Pall.; *sibericus, Shaw.* N.W. India.
cæsius, Meyer.
193. **columbarius**, *L.*; *V. O. A. S.* t. 11; *Wils. A. O.* pl. 15. 3. N. America.
intermixtus, Daud.; *temerarius, Nutt.* Mexico.
Auduboni, Blackw.; *æsalon, ♀, Sw.* N. of S. America.
194. **femoralis**, *Tem. P. C.* 121, 343; *Baird, B. of N. A.* pl. 1. S. America.
cyanescens, V.; *thoracicus, Licht.* Mexico.

elegans, Sw.; *hæmorrhoidalis*, Hahn.
aurantius, Heerm.

E. Patagonia.

63. *d. CHICQUERA*, Bp. 1854.

Turamtia, Bl. 1863.

195. *chicquera*, Daud.; Gould, C. B. pl. 2.
typus, Bp.

India.

196. *ruficollis*, Sw.; Lev. O. A. t. 30; B. of W. Afr. pl. 2.
chicqueroides, Smith?
chicquera, p., Schl.; *ruficapillus*, Würt.
macrodactylus, Sw.

W. Africa.

Abyssinia.

64. *e. POLIHIERAX*.

Poliohiërax, 1847, et *Poliojërax*, 1851, Kaup.

197. *semitorquatus*, Smith, I. S. A. Z. pl. 1.

S. Africa.

198. ? *castanonotus*, Heugl. Ibis, 1861, pl. 12.
semitorquatus, p., Heugl. Orn. N.E. Afr. t. 1.

Abyssinia.

65. IERACIDEA, Gould, 1837.

Hieracidea, Strickl. 1841. *Jeracidea*, Kaup, 1844.

G. of B. i. p. 20, pl. 8. f. 4; Reich. S. A. t. 94. f.

a. IERACIDEA.

- 3720 199. *berigora*, Vig.; Gould, B. A. i. pl. 11.
berigora, *a. orientalis*, Schl.

New S. Wales,
Tasmania,
S. Australia.

200. *occidentalis*, Gould, B. A. i. pl. 12.
berigora, *b. occidentalis*, Schl.

S. & W. Austra.

66. *b. HARPE*, Bp. 1855.

201. *novæ zealandiæ*, Gm.; Voy. Pôle Sud, t. 1. 1.

New Zealand.

harpe, Forst.; *australis*, Homb. & J.

Auckland Isl.

brunneus, p., Pelz.

202. *brunneus*, Gould.

New Zealand.

ferox, Peale.

67. TINNUNCULUS, V. 1807.

Falco, Sav. 1809. *Cerchneis*, Boie, 1826.

Ægyptius, Kaup, 1829, nec Sav. 1809.

Falcula, Hodgs. 1837. *Rhynchodon*, p., Nitzsch.

G. of B. i. p. 21, pl. 8. f. 3; Reich. S. A. t. 94. f.

a. TINNUNCULUS.

203. *alaudarius*, Gm.; P. E. 401. 411; Naum. Vög. t. 30; Gould,
B. E. pl. 26.

Europe.

tinnunculus, L.; *brunneus*, Bechst.

Palestine, Pers.

fasciatus, Retz.

rufescens, Sw.; *rupicolæformis*, Würt.

Africa.

rufipes, Brehm.

- interstinctus, *McClell.*
japonicus, *Schl. F. J.* t. 1. India.
Japan, N. China.
204. **rupicolus**, *Daud.*; *Lev. O. A.* t. 35. S. Africa.
capensis, *Shaw.*
205. **rupicoloides**, *Smith, I. S. A. Z.* pl. 87. S. Africa.
206. **punctatus**, *Cuv.*; *P. C.* 45; *Poll. & V. D. F. de Madag.* t. 11. 3. Maurit., Madag.
207. **Newtoni**, *Gurn. Ibis*, 1863, pl. 2; *Poll. & V. D. F. de Ma-*
dag. t. 11. 1, 2. Madagascar.
punctatus, *Pelz.*; *gracilis*, *Newt.*
punctatus, *p.*, *Schl.*
208. **moluccensis**, *Schl. Valkv.* t. 1. 3, 4, 5; *Voy. Pôle Sud*, t. 1. 2. Moluc., Ceram. 1365
Timor, Celebes,
Java, Flores,
Borneo.
saturatus, *Bl.*? Australia. 7361
209. **cenchroides**, *Vig.*; *Gould, B. A. i.* pl. 13. N.E. Africa.
immaculatus, *Brehm.*
210. **alopex**, *Heugl. Ibis*, 1861, pl. 4. N.E. Africa.
211. **gracilis**, *Less.*; *Des Murs, I. O.* t. 25; *Poll. & V. D. F. de*
Madag. t. 11. 4, 5. Seychel., Madag.
punctatus, *p.*, *Schl.*
212. **atratus**, *Bl.* Burmah.

68. *b. ERYTHROPUS*, *Brehm*, 1828.

- Pannychistes*, 1829, et *Pannychestes*, 1847, *Kaup.* *Pannychistes*,
Bp. 1849. *Rhynchodon*, *p.*, *Nitzsch.*
213. **vespertinus**, *L.*; *P. E.* 431; *Naum. Vög.* t. 28; *Gould, B.*
E. pl. 23. S.E. & S. Eur.
rufipes, *Beseke*; *erythrurus*, *Rafin.*
214. **amurensis**, *Radde*; *Ibis*, 1868, pl. 2. Amur, Nepal.
vespertinus, *p.*, *G. R. Gr.* S.E. Afr., Natal.
vespertinus, var. *amurensis*, *Radde.* River Shiré.

69. *c. TICHORNIS*, *Kaup*, 1844.

- Rhynchodon*, *p.*, *Nitzsch.*
215. **Cenchrus**, *Naum. Vög.* t. 29; *Gould, B. E.* pl. 27. S. & S.E. Europe.
tinnuncularius, *V.* India, N. Africa.
tinnunculoides, *Tem.* Great Britain?
Naumannii, *Fleisch.*
xanthonyx, *Natt.*

70. *d. PÆCILORNIS*, *Kaup*, 1844.

- Paecilornis*, *Bp.* 1849.
216. **sparverius**, *L.*; *P. E.* 444, 465; *Wils. A. O.* pl. 16. 1, 32. 2. N. Amer., Mex. 1703.
gracilis et isabellinus, *Sw.* Brazil, British
Fraseri, *Bp.* Guiana.

217. **cinnamominus**, *Sw.* S. America.
sparverius, p., *Schl.* Chili, Patagonia.
218. **dominicensis**, *Gm.*; *Fras. Z. T. pl.* ; *Voy. Cuba*, t. 1. Cuba.
sparveroides, *Vig.*; *sparverius*, *Lemb.*
mercurialis et plumbiceps, *Würt.*
ferrugineus, *Sauss.*; *sparverius*, p., *Schl.*
219. **IERAX**, *Vig.* 1824, *nec Leach*, 1816.
Hierax, *Cuv.* 1829; *Ierax et Zerax*, *Kaup*, 1851. *Rhynchodon*,
p., *Nitzsch.*
G. of B. i. p. 21, pl. 8. f. 6; *Reich. S. A. t.* 94. f. .
219. **cærulescens**, *L.*; *Edw. B.* pl. 108; *P. C.* 97; *Horsf. Zool.* Java, Sumatra,
Res. pl. .; *Schl. Valkv. t.* 2. 1; *V. Gal. des Ois. t.* 18. Borneo.
fringillarius, *Drap.* Malacca.
malaccensis, *Strickl.*; *melanoleucus*, *Moore.*
220. **eulolmos**, *Hodgs.* Nepal, Sikkim.
bengalensis, *Bl.* Assam, Arracan.
cærulescens bengalensis, *Schl.*
221. **erythrogenys**, *Vig.*; *Fras. Z. T. pl.* Philippine Isl.
bengalensis, p., *Bl.*; *sericeus*, p., *Pelz.*
222. **sericeus**, *Kittl. Mem. Ac. Peters.* 1835, t. 1. "
Gironnieri, *Eyd. Voy. Bonite*, t. 1. N. China.
erythrogenys, ♀, *Kaup.*
223. **melanoleucus**, *Bl.* Assam.
bengalensis, p., *Bp.*
72. **HARPAGUS**, *Vig.* 1824.
Bidens, *Spir.* 1824. *Diodon*, *Less.* 1831, *nec L.* 1766. *Diplo-*
don, *Nitzsch*, 1840.
Sw. C. of B. f. 191; *G. of B. i.* p. 22, pl. 8. f. 5; *Reich. S. A.*
t. 94. f. .
- a. HARPAGUS.
224. **bidentatus**, *Lath.*; *P. C.* 38; *Spir.* *A. B. t.* 6. 7. Brazil.
rufiventris et albiventris, *Spir.*; *brasiliensis*, *Less.*
225. **diodon**, *Tem. P. C.* 198; *Spir.* *A. B. t.* 8. "
femoralis et cinerascens, *Spir.*; *brasiliensis*, p., *Less.*
73. b. SPIZIAPTERYX, *Kaup*, 1851.
Hemierax, *Burm.* 1861.
226. **circumcinctus**, *Kaup, Ibis*, 1862, pl. 2. Chili.
punctipennis, *Burm.*

Subfam. V. *Milvinæ*, *Bp.* 1838.

- Milvina*, *Buteonina*, p., *Aquilina*, p., *et Accipitrina*, p., *Vig.* 1825.
Cymindina, p., *Buteonina*, p., *et Accipitrina*, p., *Sw.* 1837.
Falconina, p., 1831, *et Buteonina*, p., 1838, *Bp.* *Pernina*,
Elanina et Haliaëtina, p., *Bl.* 1849.

74. BAZA, *Hodgs.* 1836.Lophotes, *Less.* 1831, *nec Giorna*, 1803.Lepidogenys, *Gr.* 1839. Hyptiopus, *Hodgs.* 1841. Lophastur,
Bl. 1842.*Sw. C. of B.* f. 192; *G. of B. i.* p. 23, pl. 9. f. 6; *Reich. S. A.*
t. 95. f. .

a. BAZA.

227. **lophotes**, *Cuv.*; *P. C.* 10. India.
cristatus, *V.*; indicus, *Less.*; Latham, *Gr.*
syama, *Hodgs.*
228. **Reinwardtii**, *Müll. Verhandl.* t. 5. 2; *Schl. Valkv.* t. 27. Celeb., Amboina,
1, 2, 3. Bouru, Ceram,
Timor.
229. **rufa**, *Schl. Verhandl.* t. 5. 1; *id. Valkv.* t. 27. 4, t. 28. 1, 2, 3. Gilolo.
Reinwardtii, p., *Schl.* Batchian.
230. **magnirostris**, *G. R. Gr.*; *Schl. Valkv.* t. 28. 4, 5. Philippine Isl.
crassirostris, *Kaup*; *Reinwardtii*, p., *Schl.* Sula, N. Celebes.
231. **subcristata**, *Gould, B. A. i.* pl. 25. New S. Wales, 7025
Reinwardtii, p., *Bl.* N. Australia.
232. **sumatrensis**, *Lafr.* Java, Sumatra.
Jerdoni, Bl. Borneo.
233. **stenozona**, *G. R. Gr.* N. Guinea, Aru.
Reinwardtii, p., *Wall.* Salvatti.

75. b. AVICEDA, *Sw.* 1837.Avicida!, *G. R. Gr.* 1841. Ichthierax, *Bp.* 1849.Hyptiopus, p., *Sundev.**Sw. C. of B.* f. 193; *G. of B. i.* p. 23, pl. 9. f. 2.

234. **Verreauxii**, *Lafr.* S. Afr., P. Natal.
caffer, *Sundev.*; buteoides, *Verr.*
piscator, *Gm.?*; cuculoides, p., *Schl.*
235. cuculoides, *Sw. B. of W. Afr. i.* pl. 1. W. Africa.
236. madagascariensis, *Smith*; *Poll. & V. D. F. de Madag.* t. 16. Madagascar.
Verreauxii, p., *Hartl.*
cuculoides, juv., *Bp.*

76. PERNIS, *Cuv.* 1817.Buteo, *Boie*, 1826?. Pernes (Pternis) et Pterochalinus, *Glog.*
1842.*G. of B. i.* p. 24, pl. 9. f. 3; *Reich. S. A.* t. 95. f. .

a. PERNIS.

237. **apivorus**, *L.*; *P. E.* 420; *Naum. Vög.* t. 35, 36; *Gould,*
B. E. pl. 16. Europe.
poliorhynchus, *Bechst.*; variabilis, *Kock.*

- dubius, *Sparrm.*; incertus, *Lath.*
 lacertarius, *Pall.*; communis, *Cuv.*
238. **tachardus**, *Daud.*; *Lev. O. A.* t. 19. S. Africa.
 madagascariensis, *Smith.* Madagascar.
 capensis, p., *Tem. & Schl.*; apivorus, p., *Hartl.*
239. **cristatus**, *Cuv.*; *P. C.* 44; *Schl. Valkv.* t. 25, 26; *Schl. Verhandl.* t. 7. Java, Sumatra.
 ptilorhynchus, *Tem.*; maculosa, *Less.*
 Elliottii, *James*; bharatensis, *Hodgs.* India.
 torquata et ruficollis, *Less.*; *Des Murs, I. O.* t. 13, 14.
 var. celebensis, *Schl. Valkv.* t. 24. 3. Celebes.
240. brachypterus, *Bl.* Mergui.
- 77.** b. HENICOPERNIS, *G. R. Gr.* 1859.
 Dædalion (nec Sav.) et Dædalia?, *Bp.* 1854.
241. longicauda, *Less. & Garn. Voy. Coqu.* t. 10. N. Guin., Waigi.,
 Aru, Mysol, Ké, Ceram.
- 78. MACHAERHAMPHUS**, *Westerm.* 1851.
 Macheiramphus, *Schl.* Machaerhamphus, *Bl.* Macherhamphus, *Hartl.* 1853.
 Strigonyx, *Gurn.* 1867.
242. **alcinus**, *Westerm. Bidjr. Dierk.* t. . (Malacca?)
 Anderssoni, *Gurn. Trans. Z. S.* 1867, pl. 29. Damaraland, S. Africa.
- 79. MILVUS**, *Cuv.* 1799-1800.
 Milans, *Cuv.* 1797-98. Milvus, a, *Nitzsch*, 1840.
G. of B. i. 24, pl. 9, f. 8; *Reich. S. A.* t. 93, f. .
- a. MILVUS.
243. **regalis**, *Bp.*; *P. E.* 422; *Naum. Vög.* t. 31. 1; *Gould, B. E.* pl. 28. Europe.
 milvus, *L.*; austriacus, *Gm.*
 ictinus, *Sav.*; castaneus et russicus, *Daud.*; jaicensis, *Lepeck.*;
 vulgaris, *Flem.*
 ruber, *Brehm.*
- 4563 244. **govinda**, *Sykes; Gr. I. Ind. Z.* pl. 18; *Gould, B. As.* pl. . India.
 cheela, *Jerd.*; lineatus, *Gr.*; indicus, *Hodgs.*
 ater, *Bl.*
 melanotis, *Tem. & Schl. F. J.* t. 5. Japan, China, Formosa.
- 80.** b. HYDROICTINIA, *Kaup*, 1844.
 Milvus, p., *Nitzsch*, 1840, et *Kaup*, 1851.
Reich. S. A. t. 93, f. .
245. **migrans**, *Bodd.*; *P. E.* 472; *Naum. Vög.* t. 31. 2; *Gould, B. E.* pl. 29. Europe.
 ater, *Gm.*; niger, *Br.*; atolius, *V.*
 fuscoater, *Mey.*; milvus, *Pall.*
 atra, *Kaup.*

246. **affinis**, Gould, *B. A. i.* pl. 21; *Schl. Valkv.* t. 20. 1. Aust., Tasmania, 728
Timor, Celebes.
S.E. Europe.
Africa.
Madagascar.
Mayotte.
247. **ægyptius**, Gm.; *Lev. O. A. t.* 22.
Forskahlii, Gm.
parasitus, Daud.
parasiticus, Lath.
isuroides, Würt.
- 81.** *c. LOPHOICTINIA*, Kaup, 1847.
Reich. S. A. t. 93. f. .
248. **isurus**, Gould, *B. A. i.* pl. 22. New S. Wales. 5123
pacificus, Lath. ? S. Australia.
- 82. NAUCLERUS**, Vig. 1825.
Milvus, V. 1807, *nec Cuv.* 1799-1800.
Elanoides, G. R. Gr. 1848. *Milvus*, a, p., *Nitzsch.*
G. of B. i. p. 24, pl. 9. f. 9; *Reich. S. A. t.* 93. f. .
- a. NAUCLERUS.*
249. **furcatus**, L.; *V. O. A. S. t.* 10; *Wils. O. A.* pl. 51. 3. S. of N. America.
yetapa, V. Texas, England.
- 83.** *b. CHELICTINIA*, Less. 1843.
Chelidopteryx, 1844, *et Cypselopteryx*, 1851, Kaup. *Milvus*,
Boie, 1826.
250. **Riocouri**, V.; *P. C.* 85; *V. Gal. des Ois.* t. 16. W. Africa.
- 84. ROSTRHAMUS**, Less. 1831.
Cymindes, Spix, 1824.
Cymindis, Boie, 1826, *nec Cuv.* 1817.
Sw. C. of B. f. 106; *G. of B. i.* p. 25, pl. 9. f. 10; *Reich. S. A.*
t. 98. f. .
251. **sociabilis**, V.; *Spix, A. B. t.* 2; *P. C.* 61, 231; *Baird, B.*
of N. A. pl. 65. Brazil, Florida.
hamatus, Ill.; *leucopygus*, Spix.
niger, Less.; *tæniurus*, Cab.
- 85. CYMINDIS**, Cuv. 1817, *nec Latr.* 1806.
Leptodon, Sundev. 1836.
Cymindis, Flem. 1822. *Odontriorchis*, Kaup, 1844.
G. of B. i. p. 25; *Reich. S. A. t.* 95. f. .
- a. CYMINDIS.*
252. **cayanensis**, Gm.; *P. E.* 473; *P. C.* 204, 270. N. of S. America.
cyanopus, V.; *palliatius*, Max.
monachus, cinereus, *et griseus*, V.
buteonides, Less.
- 86.** *b. REGERHINUS*, Kaup, 1845.
Cymindis, Sw. 1837. *Cymindis*, p., *Nitzsch.*
Sw. C. of B. f. 104; *G. of B. i.* pl. 9. f. 7; *Reich. S. A. t.* 95. f. .

253. **uncinatus**, *Ill.*; *P. C.* 104, 115. Guiana.
 cuculoides, *Sw.*
 ? *vittacaudus*, *Max. & Pelz.* Brazil.
254. **megarhynchus**, *Kaup*; *Casteln. Voy.* t. 1. Peru.
 Wilsoni, p., *Verr.* (?).
255. *Wilsoni*, *Cass. Journ. Ac. Phil.* 1847, pl. 7. Cuba.
 uncinatus, p., *Lemb.*; *cayanensis*, p., *Poey.*
256. *Pucherani*, *Ledd.* Trinidad.
 uncinatus, p. ?
257. *boliviensis*, *Burm.* Int. of Bolivia.
- 87. ELANUS**, *Sav.* 1809.
 Milans, *Boie*, 1822. *Elanoides*, *V.* 1818.
 Sw. C. of B. f. 105; *G. of B.* i. p. 25, pl. 9. f. 5; *Reich. S. A.* t. 93. f.
 (*Ictinia*!).
258. **melanopterus**, *Daud.*; *Lev. O. A.* t. 36, 37; *Naum. Vög.*
 t. 347; *Gould, B. E.* pl. 31. Africa.
 cæsius, *Sav.* Europe.
259. **minor**, *Bp.* India.
 vociferus et sonniensis, *Gm.* ?
 melanopterus, p., *Jerd.* Nepal.
260. **intermedius**, *Schl. Valkv.* t. 24. 2, 3. Java, Borneo.
 axillaris, *Tem.*; *hypoleucus*, p., *Wall.*
- 2048 261. **axillaris**, *Lath.*; *Gould, B. A.* i. pl. 23. Australia.
 melanopterus, *Vig.*; *notatus*, *Gould.*
262. **scriptus**, *Gould, B. A.* i. pl. 24. Int. S. Australia.
- 7671 263. **leucurus**, *V.*; *P. C.* 319; *Bp. A. O.* pl. 11. 1. S. & W. of U. S.
 dispar, *Tem.*; *melanopterus*, *Bp.* Haiti.
264. *hypoleucus*, *Gould, B. As.* pl. Celebes, Amboina.
- 88. GAMPSONYX**, *Vig.* 1825.
 Chondrohierax, *Less.* 1847?
 Sw. C. of B. f. 188; *G. of B.* i. p. 26, pl. 9. f. 4; *Reich. S. A.* t. 93. f.
 (*Elanus*!).
265. **Swainsoni**, *Vig.*; *G. R. Gr. & M. G. B.* pl. 9. Brazil.
 torquatus, *Cuv.*; *rufifrons*, *Max.*
 Holmi, *Sundev.*
- 89. ICTINIA**, *V.* 1816.
 Nertus, p., *Boie*, 1828.
 Sw. C. of B. f. 194.

a. *ICTINIA*.

266. **mississippiensis**, *Wils. A. O.* pl. 25. 1; *Gal. des Ois.* t. 17. N. America.
 ophiophagus, *V.*; *plumbeus*, *Aud.* Texas, New Mex.

90.

b. NERTUS, Boie, 1826.

Poecilopteryx, Kaup, 1844. Paecilopteryx, Bp. 1849. Milvus,
b, p., Nitzsch.

Sw. C. of B. f. 97; G. of B. i. p. 26, pl. 9. f. 1.

267. plumbeus, V. O. A. S. t. 10 bis; P. C. 180.

S. America.

cenchris, V.

Subfam. VI. Accipitrinæ, Sw. 1837.

Accipitrina, Vig. 1825. Falconinæ, p., Bp. 1831. Circinæ, p.,
Bl. 1849.

91. ASTUR, Lacép. 1800-01.

Autours, Cuv. 1797-98. Dædalion, Sav. 1809. Sparvius,
V. 1816. Aster, Sw. 1837. Phabotypus, Glog. 1842.

Sw. C. of B. f. 98, 195; G. of B. i. p. 27, pl. 10. f. 3; Reich.
S. A. t. 94. f. .

a. ASTUR.

268. palumbarius, L.; P. E. 418, 461, 423; Naum. Vög. t. 17, 18;
Gould, B. E. pl. 17.

gentilis, L.

marginatus, Lath.; albescens, Bodd.

gallinarius, Gm.; aster, Pall.

paradoxus, C. L. Brehm.

Europe.

Nepal.

Himalayas.

269. atricapillus, Wils. A. O. 52. 3; P. C. 495.

N. America.

regalis, Tem.; pictum, Less.

palumbarius, p.

270. melanoleucus, Smith, I. S. A. Z. pl. 18.

Africa.

Smithii, Kaup.

apoxypterus et hypoxanthus, Licht.?

271. Verreauxii, Schl.

melanoleucos, Hartl.; Temminckii, Pel.

leucomelas, Würt.?

C. & W. Africa.

272. radiatus, Lath.; Gould, B. A. i. pl. 16.

New S. Wales.

Calei, Vig. et Horsf.; testaceus, V. Ern.

N. Australia.

273. spectabilis, Schl. Tijdschr. Dierk. i. t. 6.

Gold Coast.

274. macrourus, Tem. & Hartl.

"

275. tibialis, Verr.

W. Africa.

92.

b. LEUCOSPIZA, 1844,

et Leucospiza, 1851, Kaup.

276. novæ-hollandiæ, Gm.; White's Journ. Bot. B. pl. ;
Gould, B. A. i. pl. 15; Schl. Valkv. t. 11. 3.

albus, Shaw; navius, V.; candidum, Less.

leucaetus, Forst.; novæ-hollandiæ, albino, Gould.

New S. Wales. 4699.

Tasm., S. Austr.

New Guinea.

277. **Rayi**, *Vig. et Horsf.* ; *Gould, B. A. i.* pl. 14.
clarus, *Lath.?* ; novæ hollandiæ, p., *Gould.* New S. Wales.
- 93.** c. *LOPHOSPIZA*, 1844,
et Lophospizia, 1851, *Kaup.*
278. **trivirgatus**, *Cuv.* ; *P. C.* 303 ; *Schl. Valkv.* t. 10.
cristatus, *G. R. Gr.* Sunda Islands.
Java, Borneo,
Sumat., Phil. I.
279. **indicus**, *Hodgs.* s.
rufitinctus, *McClell.* ; palumbarius, *Jerd.* ; anceps, *Tem.* India.
trivirgatus indicus, *Schl.* Himalayas, Ceyl.
280. **griseiceps**, *Schl. Valkv.* t. 11. 1, 2 ; *Ibis*, 1862, pl. 5.
trivirgatus, juv., *Bp.* Celebes.
- 94.** d. *ASTURINA*, *V.* 1816.
Astur, p., *Nitzsch.*
Reich. S. A. t. 94. f. ?
281. **nitidus**, *Lath.* ; *P. C.* 294 ; *Baird, B. N. A.* pl. 64 ; *V. Gal.*
des Ois. t. 20. S. America.
cinereus, *V.* ; striolatus, *Cuv.* New Mexico.
282. **plagiatus**, *Licht.* Vera Paz, Guate-
mala, Mexico.
283. **leucorrhous**, *Quoy & G. Voy. Uranie*, t. 13. Caraccas, Brazil.
- 95.** e. *BUTEOLA*, *Dubus*, 1855.
284. **brachyura**, *V.* ; *Isis*, 1847, t. 2, 15.
melanoleucus, *Less.* ; albifrons, *Kaup.* S. America.
abbreviatus, p., *Sclat.* Brazil.
285. **Cabanisii**, *Schl.* Mexico, Guiana.
abbreviatus, ♀, *Licht.*
minutus, *Natt. & Pelz.* Cayenne, Brazil,
Para.
- 96.** f. *RUPORNIS*, *Kaup*, 1844.
Nisus, *Less.* 1831.
286. **magnirostris**, *Gm.* ; *P. E.* 464 ; *P. C.* 86.
macrorhynchus, *Natt. & Pelz.* Cayenne, Costa
Rica, Caraccas.
287. **insectivorus**, *Spir.* *A. B.* t. 8^a. Brazil.
magnirostris, p. Guatemala, Mex.
288. **Pucherani**, *Verr.* Monte Video.
gularis, *Licht.* ; magnirostris, p., *D' Orb.* Buenos Ayres,
Bolivia.
- 97. GERANOSPIZA**, 1847.
Geranopus et Geranospizia, 1851, *Kaup.* *Ischnosceles*, *Strickl.*
1844, *nec Burm.* 1842. *Ichnoscelis*, *G. R. Gr.* 1849.
G. of B. i. p. 28, pl. 10. f. 6 ; *Reich. S. A.* t. 94. f. .

289. *gracilis*, Tem. P. C. 91.

cærulescens, V.
Wiedii brasiliensis, Gr.
aterrimus, Licht.; *nigra*, Dubus.
 ? *hemidactylus*, Tem. P. C. 3.

E. Brazil, Buenos Ayres.
 Island of Puna.

Brazil.

98. MICRASTUR, G. R. Gr. 1841.

Brachypterus, Less. 1837, nec Kugel. 1794.
Carnifex, Less. 1842, nec Sundev. 1836.
Climacocercus, Cab. 1844. *Herpetotheres*, p., Kaup, 1845.
Climacourus, 1849, et *Rhyncomegas*, 1853, Bp.
G. of B. i. p. 28, pl. 10. f. 1.

a. MICRASTUR.

290. *brachypterus*, Tem. P. C. 141, 116.

semitorquatus et melanoleucus, V.; *leucomelas*, Ill.; *naso*!, Less.

Brazil, Bahia.

Mexico.

291. *Mirandollei*, Schl.

macrorhynchus, Natt. & Pelz.

Surinam.

Brazil, E. Peru.

99.

b. — ?

Micrastur, Bp. 1854.
Reich. S. A. t. 98. f. .

292. *ruficollis*, V.; P. C. 92.

xanthothorax, Tem.

Guiana, Brazil.

293. *leucauchen*, Max.; P. C. 306.

xanthothorax, p., G. R. Gr.

Brazil.

294. *gilvicollis*, V.

? *concentricus*, Ill.

Brazil, Columb.

Mexico?

295. *castanilius*, Bp.; *Selat. & S. Ex. Orn.* pl. 18.

S. America.

296. *guerilla*, Cass. *Journ. Ac. Phil.* 1848, pl. 40.

Mexico, Jalapa.

297. *zonothorax*, Cab.

New Granada.

100. HERPETOTHERES, V. 1818.

Physta, V. 1816. *Macagua*, Less. 1831.
Cachinna, Flem. 1822.
G. of B. i. p. 15, pl. 7. f. 4.

298. *cachinnans*, L.; V. *Gal. des Ois.* t. 19; *Spix, A. B. t.* 3 a.

herpetotheres, G. R. Gr.

Guiana, Mexico.

Bolivia.

101. ACCIPITER, Br. 1760.

Eperviers, 1798-99, et *Nisus*, 1799-1800, Cuv.
Ierax, Leach, 1816. *Nisuides*, Poll. *Astur*, p., Nitzsch.
G. of B. i. p. 28, pl. 10. f. 4; *Reich. S. A. t.* 94. f. .

a. ACCIPITER.

299. *nisus*, L.; P. E. 467, 412; *Naum. Vög.* t. 20, 21; *Gould, B. E.* pl. 18.

accipiter, Ray; *striatus*, Frisch.

Europe.

N. Africa.

- communis, *Cuv.*; fringillarius, *Kaup.*
 nisosimilis, *Tick.*; subtypicus, *Hodgs.*
 Dussumierii, *Jerd.* India, Persia.
 Japan.
300. **rufiventris**, *Smith*, *I. S. A. Z.* pl. 93; *P. C.* 496. S. & N. Africa.
 exilis, *Tem.*; perspicillaris, *Rüpp.*
 fringillarius, p., *Kaup.*
 fringillarius rufiventris, *Schl.*
301. **tachiro**, *V.*; *Lev. O. A. t.* 27; *P. C.* 377, 420. S. Africa.
 polyzonos, *Tem.*
 unduliventer, *Rüpp. F. A. t.* 18. 1. N.E. Africa.
 erythrocnemius et satrapa, *Licht.*
302. **Toussenelli**, *Verr.* W.Afr., Gaboon.
 poliopareius, *Heugl.*?
303. **Stevensoni**, *Gurn. Ibis*, 1863, pl. 11. China.
304. **fuscus**, *Gm.*; *Wils. A. O.* pl. 46. 1; *P. C.* 67. N. America.
 pennsylvanicus, *Wils.*
 Cooperi, ♀, *Kaup*; velox, *Wils.*
 Malfini, juv., *Less.*; lineatus, striatus, et ardosiacus, *V.*; frin-
 gillarius, p., *Kaup.*
305. **erythrocnemius**, *G. R. Gr.*; *Sclat. & S. Ex. Orn.* pl. 17. Brazil.
 fuscus, p.?, *Schl.*; nisoides, *Cuv.* Bolivia.
 striatus, *D' Orb.*
 ferrugineus, *Licht.*
 erythrocnemis, *Sclat. & S.*
306. **ventralis**, *Sclat. & S. Ex. Orn.* pl. 13. New Granada.
 erythrocnemis, p., *Sclat.*
307. **chionigaster**, *Kaup*; *Sclat. & S. Ex. Orn.* pl. 14. Coban.
 erythrocnemius, p., *Sclat. & S.*
308. **madagascariensis**, *Verr.* Madagascar.
 fringillarius, p., *Kaup.*
 Francesii, ♀ or juv., *Schl.* (!)
 Lantzii, *Verr. R. et M. de Zool.* 1866, t. 18; *Poll. & V. D. F.*
de Madag. t. 13.
309. **zonarius**, *Tem.*; *Des Murs, I. O. t.* 61. W. Africa.
 polyzonos, *Less.*; macrocelides, *Tem.*
 tachiro, p., *G. R. Gr.*
310. **Hartlaubii**, *Verr.* "
 guttatus, *Heugl.*?
311. **fringilloides**, *Vig.* Cuba.
 fuscus, p., *Lemb.*
- 102.** b. COOPERASTUR, *Bp.* 1854.
312. **Cooperi**, *Bp.*; *A. O.* pl. 10. 1. N. America.
 Stanleyi, *Aud.*; Beskii, *Licht.* W. of Rocky M.
 pileatus, juv., *Kaup.*

313. ? **mexicanus**, *Sw.*
fuscus, p. ?, *G. R. Gr.*
 Mexico, New Mexico, California.
314. **chilensis**, *Ph. & Landb.*; *Sclat. & S. Ex. Orn.* pl. 37.
erythrocnemia et pileatus, p., *G. R. Gr.*
Cooperi, p., *Pelz.*
 Chili, Str. of Magellan.
315. **pileatus**, *Max.*; *P. C.* 205.
variatus, *Cuv.*
Cooperi, p., *Kaup.*
 Brazil, Cayenne. Str. of Magellan.
316. **guttatus**, *V.*
pileatus, *Lafr.*
 Bolivia.
317. **poliogaster**, *Tem.*; *P. C.* 264, 265.
 Brazil, Bolivia.
318. **bicolor**, *V.*; *Sclat. & S. Exot. Orn.* pl. 69.
sexfasciatus, *Sw.*; *dynastes*, *Bp.*
pileatus, p., *et erythrocnemis*, p., *Sclat.*
 Guaiana, Guat. Bogota.
319. *Gundlachi*, *Laur.*
pileatus et Cooperi, *Lemb.*
Cooperi, p., *Cab.*
 Cuba.
- 103.** *c. HIERASPIZA*, 1844.
et Jeraspizia, 1851. *Teraspiza*!, 1867, *Kaup.* *Hieracospiza*, *Agass.*
Pr. Z. S. 1867, f. 1, p. 171.
320. **tinus**, *Lath.*; *G. R. Gr. & M. G. B.* pl. 10.
subniger et minutus, *V.*
Malfini (adult), *Less.*; *collaris*, *Laur.*
Fontainieri, *Verr. & Des M.*
superciliosus, *L. ?*; *Kaup.*
 S. America. Veragua. New Granada.
321. **collaris**, *Kaup*; *Ibis*, 1860, pl. 6.
 New Granada.
322. **virgatus**, *Tem.*; *P. C.* 109; *Schl. Valkv.* t. 12. 1-4; *Jerd.*
Ind. Orn. pl. 4.
Brissonianus, *Shaw.*
Dussumieri, *Sykes*; *besra et fringillarius*, *Jerd.*
affinis, *Hodgs.*; *minutus*, *Less.*; *Delafonii*, *H. Smith.*
gularis, *Schl. F. J.* t. 2.
nisoides, *Bl.*
 Java, Sumatra, Timor. India. Japan. Malacca penins.
323. **minullus**, *Daud.*; *Lev. O. A.* t. 34.
binotatus, *Licht.*
 S. Africa.
324. **pectoralis**, *Cuv.*; *Ibis*, 1861, pl. 10.
 S. America.
325. **rhodogaster**, *Schl. Valkv.* t. 12. 5, 6.
virgatus rhodogaster, *Schl.*
 Celebes.
326. **erythropus**, *Tem.*
minullus, p., *Hartl.*
 Seneg., Guinea.

104.

d. UROSPIZA, 1845.

Urospiza, 1848, et Uraspiza, 1867, Kaup.

Pr. Z. S. 1867, f. 5. p. 175, et f. 4, C. p. 174.

- XX 327. *torquatus*, Cuv.; P. C. 43, 93; Schl. Valkv. t. 17.
 cruentus, Gould, B. A. i. pl. 18. N. Austr., Timor.
 Ternate, Celebes.
328. *sylvestris*, Wall.; Schl. Valkv. t. 17. 3. 5.
 torquatus, p., Kaup. Flores, Sumbava,
 Java.
- 2193 329. *cirrhocephalus*, Lath.; Gould, B. A. i. pl. 19.
 nisus et melanops, Lath.?
 torquatus, Vig. & Horsf.; australis, Less.
 tricolor, V.; macrodactylus, Tem. Australia.
 Moluccas.
 New Caledonia.
- 2362 330. *approximans*, Vig. & Horsf.; Gould, B. A. i. pl. 17.
 radiatus, Cuv.; fasciatus, Vig. & Horsf. N. S. Wales, Tas-
 mania, S. Austr.
 Timor, New
 Caledonia.
- 28 331. *rufitorques*, Peale; U. S. Expl. Exp. pl. 2. 2; Voy. Pôle
 Sud, t. 2. 2. Feejee Islands.
 hyiogaster, p., Bp.
 erythrauchen, p.?, Kaup.
 cruentus, p., Finsch & Hartl.
332. *haplochrous*, Scat. Ibis, 1859, pl. 8. New Caledonia.
333. *sulaënsis*, Schl. Valkv. t. 16. 3, 4. Sula, Ceram?
334. *erythrauchen*, G. R. Gr.; Schl. Valkv. t. 13. 1, 3, 4. E. Gilolo, Ceram,
 Morty, Batc. I.
335. *rubricollis*, Wall. Pr. Z. S. 1863, pl. 4; Schl. Valkv. t. 13. 2. Bouru, Morty,
 Ceram, Gilolo.
336. *poliocephalus*, G. R. Gr.; Ibis, 1860, pl. 10. New Guinea,
 Aru, Kei, Sal-
 watty.
- 105.** e. — ?
- Erythrospiza, Kaup, 1867, nec Bp. 1830.
 Pr. Z. S. 1867, fig. 3. p. 173, et fig. 4, A, B, p. 174.
337. *trinotatus*, Tem.; Schl. Valkv. t. 19. 1-3. Celebes.
338. *griseogularis*, G. R. Gr.; Schl. Valkv. t. 14. 1, 2, t. 15.
 1, 2, 3, t. 16. 1, 2. Gilolo.
 cruentus, p., Schl. Ternate, Batchi-
 an, Morty.
 E. Gilolo.
339. ? *æquatorialis*, Wall.; Schl. Valkv. t. 14. 3, 4. Morty, Salwatty.
 griseogularis, p., Kaup. Batchian, Gilolo.
 cruentus, p., Finsch & Hartl. Waigiou.
340. *iogaster*, Tem.; Voy. Pôle Sud, t. 2. 1; Schl. Valkv. t. 18. Celebes.
 hyiogaster, Bp.

341. *Muelleri*, *Wall.* Waigiou, Gilolo.
griseocularis, p., *Kaup.*
cruentus, p., *Schl.*

106. MICRONISUS, *G. R. Gr.* 1840.

Nisastur, *Bl.* 1844. *Melierax*, *Boie*, 1855. *Astur*, p., *Nitzsch.*

a. MICRONISUS.

342. *gabar*, *Daud.*; *Lev. O. A. t.* 33; *P. C.* 122, 140. Africa.
erythrorhynchus, *Sw.*; *leucorrhous*, *V.* Portugal.
nilotica, *Sundev.*; *gabarinus*, *Sundev.*?
343. *niger*, *V.*; *Gal. des Ois. t.* 22; *Gould, Syn. A. B. pl. f.* (head). S. Africa.
gabab, var., *Kaup*; *carbonarius*, *Licht.* Madagascar.
Banksii, *Tem.*
344. *sphenurus*, *Rüpp. S. U. t.* 2; *Bree, B. of Eur. pl.* . app. Abyssinia.
Rüppellii, *Kaup*; *guttatus*, *Heugl.*
badius, p., *Schl.*
brachydactylus, *Sw.* W. Africa.
345. *polyzonoides*, *Smith, I. S. A. Z. pl.* 11. S. Africa.
erythropus, p., *Schl.*; *sphenurus*, p., *G. R. Gr.* Damaraland?
346. *brevipes*, *Severz. Bull. S. Imp. Mosc.* 1850, t. 1. 2. Athens, Damasc.
sphenurus, p., *Gurn.* S. Russia.
Gurneyi, *Bree, B. of Eur. pl.* app.
347. *badius*, *Gm.*; *P. C.* 308, 336; *Bree, B. Eur. pl.* app. India, Ceylon.
Brownii, *Shaw*; *Dussumieri*, *Tem.* Siam, Europe.
dukhunensis, *Sykes*; *fringillanoides et scutarius*, *Hodgs.*; *bi-*
fasciata, *Peale.*
manillensis, *Meyen.*

107. b. TACHYSPIZA, 1844,

et Tachyspiza, 1851, *Kaup.*
Hypotriorchis, p., *Boie*, 1828.
Pr. Z. S. 1867, f. 2, p. 172.

348. *soloënsis*, *Horsf. P. C.* 110, 129; *Schl. Valkv. t.* 19. 4-6. Java, Celebes.
cuculoïdes, *Tem.*; *minutus*, *Less.* Philip. I., Bat-
chian I., N. Chi-
na, New Guinea.

108. c. SCELOSPIZA, 1847,

et Scelospiza, 1851, *Kaup.*
Nisuides, *Poll.* 1866.

349. *Francesii*, *Smith; Ibis*, 1864, pl. 7; *Poll. & V. F. D. Ma-* Madagascar,
dag. t. 14. Joanna I.
350. *Moreli*, *Poll.*; *Poll. & V. D. F. de Madag. t.* 12. 3. Madagascar.
Lantzii, p.?, *Newt.*
351. *Brutus*, *Poll.*; *Poll. & V. D. F. de Madag. t.* 12. 2. Mayotta.
D 2

109. *d. KAUPIFALCO, Bp. 1854.**Asturina, Hartl. & Finsch, 1869.*

352. **monogrammicus**, *Tem. P. C. 314; Sw. B. of W. Afr. pl. 4.* W. Africa.
musicus, Hartl.

110. MELIERAX, G. R. Gr. 1840.*G. of B. i. p. 30, pl. 10. f. 5.*

353. **musicus**, *Daud.; Lev. O. A. t. 27.* S. Africa.
canorus, Thunb.; cantans, Kaup.
354. **polyzonus**, *Rüpp. F. A. t. 15. 1.* N.E. Africa.
musicus, p., G. R. Gr. Gambia.
355. ? **metabates**, *Heugl.* White Nile.

Subfam. VII. **Circinæ, Bp.**

Buteonina, p., Vig. 1825. Buteoninæ, p., Sw. 1837. Falconinæ,
p., 1831, et Polyborinæ, p., 1849, Bp.

111. CIRCUS, Lactp. 1800-1801.*Pygargus, Koch, 1816.**Sw. C. of B. f. 107; Reich. S. A. t. 93. f.**a. CIRCUS.*

356. **æruuginosus**, *L.; P. E. 460, 424; Naum. Vög. t. 37, 38;*
Gould, B. E. pl. 32. C. & S. Europe.
rufus, Gm.; arundinaceus, Bechst. N. Africa.
Krameri, Kram.; palustris et rufus, Br.
indicus, Lath.; variegatus, Sykes. India.
Sykesi, Less.
byzantina, Bp.
357. **ranivorus**, *Daud.; Lev. O. A. t. 23.* S. Africa.
358. **assimilis**, *Jard. & S. Ill. Orn. pl. 51; Gould, B. A. pl. 26.* New S. Wales.
Jardinei, p., Schl. S. Australia.
359. **approximans**, *Peale.* Feejee Islnds.
Wolfii, Gurn. Pr. Z. S. 1865, pl. 44. New Caledonia.
assimilis, p., Verr. & Des Murs. New Zealand.
360. **spilonotus**, *Kaup; Ibis, 1863, pl. 5.* Philippine I.,
 I. of Formosa.
361. *Maillardii, Verr.; Ibis, 1863, pl. 4.* I. of Bourbon.
melanoleucus, Hartl. Joanna.
362. **macroscelis**, *A. Newt.* Madagascar.

112. *b. SPILOCIRCUS, Kaup, 1847.**Reich. S. A. t. 93. f.*

363. **Jardinii**, *Gould, B. A. i. pl. 27; Schl. Valkv. t. 20. 2, 3.* New S. Wales,
Tasmania.
assimilis, p., Schl. Celebes.

113. *c. STRIGICEPS, Bp. 1831.*

Circus, Cuv. 1817.

G. of B. i. p. 32, pl. 11. f. 1; Reich. S. A. t. 93. f.

364. **cyaneus**, *L.; P. E. 480, 459, 443; Naum. Vög. t. 38, 39;*
Gould, B. E. pl. 33.

C. Europe. 4562

bohemicus, albicans, griseus, et montanus, Gm.; cinereus et
rubiginosus, H. Poseg.; strigiceps, Nils.

Himalayas.

variabilis, Pall.; gallinarius, Sav.

pygargus, L. Cuv.

365. **hudsonius**, *L.; Wils. A. O. pl. 51. 2; Bp. A. O. pl. 12; Faun.*
B. A. pl. 29.

N. America. 7669

uliginosus, variegatus, albidus, et Buffoni, Gm.; europogistus,
Bosc.

California, Cuba.

cyaneus, var. americanus, Sw.

cyaneus, p., Kaup.

366. **melanoleucus**, *Gm.; Lev. O. A. t. 32.*

Bengal, Nepal.

367. **maurus**, *Tem. P. C. 461.*

S. Africa.

Lalandii, Smith; ater, G. R. Gr.

368. **cinereus**, *V.; Voy. Uranie, t. 15, 16.*

S. America.

histrionicus, Quoy & G.

acoli, (V.) Kaup; frenatus, Ill.

campestris, ? V.

114. *d. GLAUOPTERYX, 1844,*

Glaucopterix, 1845, et Pterocircus, 1851, Kaup.

Reich. S. A. t. 93. f.

369. **cinereus**, *Mont.; Naum. Vög. t. 40; V. Gal. des Ois.*
t. 13; Gould, B. E. pl. 35.

C. & S. Eur.

Montagui, V.; cinerascens, Flem.

cinerarius et cinereus, Mont.

ater, V. (var.)

nipalensis et pallidus, Hodgs.

Himalayas.

370. **pallidus**, *Sykes; Gould, B. E. pl. 34; Naum. Vög. t. 348.*

C. S. E. Eur., S.
and W. Africa,
India, China.

Swainsoni, Smith, I. S. A. Z. pl. 43, 44.

æquipar, Cuv.; Feldegg, Bruch.

albescens, Less.; dalmaticus, Rüpp.

herbæcola, Tick.; superciliaris, Smith.

acoli, V. ?; cinereus pallidus, Schl.

115. *e. SPIZACIRCUS, 1845,*

et Spiziaticircus, 1851, Kaup.

Reich. S. A. t. 93. f.

371. **macropterus**, *V.; P. C. 22.*

S. America.

palustris, Max.; superciliaris, Less.

Patagonia, Mal-
donado.

leucophrys, albicollis et maculosa ?, *V.*; Gouldi, *Bp.*
megaspilus, *Gould*; *G. R. Gr. & M. G. B.* pl. 11.

372. poliopterus, *Tsch. F. P.* t. 3.

Peru, La Plata.

116. POLYBOROIDES, *Smith*, 1830.

Gymnogenys, *Less.* 1830.

G. of B. i. p. 31, pl. 11. f. 2; *Reich. S. A.* t. 98. f.

373. capensis, *Smith*, *I. S. A. Z.* p. 81, 82.

S. W. & N. Afr.

typus, *Smith*; *Malzakii*, *Verr.*

radiatus, p., *Gurn.*

374. radiatus, *Scop.*; *Sonn. Voy.* t. 103; *P. C.* 307.

Madagascar.

madagascariensis, *Daud.*

gymnogenys, *Tem.*

FAM. IV. SERPENTARIIDÆ, *Selys*, 1842.

Gypogeranidæ, *Steph.* 1825.

Subfam. I. Serpentariinæ, *G. R. Gr.* 1855.

Gypogeraninæ, *Bp.* 1849. *Circinæ*, p., *G. R. Gr.* 1840.

117. SERPENTARIUS, *Cuv.* 1797-98.

Falco, 1 div., *Gm.* 1788. Sagittarius, *Vosm.* 1767. Secretarius, *Dum.* 1806.

Gypogeranus, *Ill.* 1811. *Ophiotheres*, *V.* 1816.

G. of B. i. p. 31, pl. 11. f. 3; *Reich. S. A.* t. 93. f.

375. reptilivorus, *Daud.*; *Lev. O. A.* t. 25; *P. E.* 721.

S. Africa.

serpentarius, *Gm.*; secretarius, *Scop.*

africanus, *Shaw.*

capensis, gambensis et philippensis, *Ogilby.*

W. Afr., Philippine Isl. (?).

Suborder II. ACCIPITRES NOCTURNI.

FAM. V. STRIGIDÆ, *Leach.*

Strixidea, *Lafr.* 1837.

Subfam. I. Surninæ, *Bp.* 1838.

Noctuina, *Vig.* 1825. Buboninæ, p., et Atheninæ, *Bl.* 1849.

Atheninæ, Nycteininæ et Striginæ, p., *Cass.* 1849.

118. SURNIA, *Dum.* 1806.Syrnia, *Steph.* 1826.*G. of B.* i. p. 33, pl. 12. f. 1; *Reich. S. A. t.* 92. f. ; *Trans.*
Z. S. iv. pl. 56. 6.

- 376.
- ulula**
- ,
- L.*
- ;
- P. E.*
- 463;
- Naum. Vög.*
- t. 42;
- Gould, B. E.*
- pl. 45; N. Europe, N.
-
- Wils. A. O.*
- pl. 50. 6. America.

caparoch, *Müll.*; nisoria, *Bechst.*; hudsonia, *Gm.*doliata, *Pall.*; funerea, *Lath.*arctica, *Sparrm.*; borealis, *Less.***119. NYCTEA**, *Steph.* 1825.Strix, 2 div., *Gm.* 1788. Noctua, *Brehm*, 1828.Syrnium, 1829, et Surnia, 1851, *Kaup.*Nyetia, *Sw.* 1837.*G. of B.* i. p. 34, pl. 12. f. 2; *Reich. S. A. t.* 92. f. .

- 377.
- nivea**
- ,
- Daud.*
- ;
- P. E.*
- 458;
- Naum. Vög.*
- t. 41;
- Gould, B. E.*
-
- i. pl. 43;
- Wils. A. O.*
- pl. 23. 1. N. Europe.

nyctea, *L.*; candida, *Lath.* N. America.erminea, *Shaw*; arctica, *Bastr.*cinerea, *Steph.***120. ATHENE**, *Boie*, 1822.Carine, *Kaup*, 1829. Noctua, *Sav.* 1809, *nec Fab.* 1776.*G. of B.* i. p. 34, pl. 12. f. 3; *Reich. S. A. t.* 92. f. ; *Trans.**Z. S.* iv. pl. 56. 3, 4.

a. ATHENE.

- 378.
- noctua**
- ,
- Retz.*
- ;
- P. E.*
- 439;
- Naum. Vög.*
- t. 48. 1;
- Gould,*
-
- B. E.*
- pl. 48. C. S.W. Europe.

passerina, *Tem.*; veterum, *Licht.*Vidgli, *Brehm*; nudipes, *Nils.*psilodactyla et indigena, *Brehm.*

- 379.
- glaux**
- ,
- Sav.*

persica, *V.*; numida, *Lev.*meridionalis, *Risso*; pharaonis, *Müll.*nilotica, *Würt.*; noctua, var. β , *Blas.*

S. Europe.

N. Africa.

- 380.
- bactriana**
- ,
- Hutt.*

nudipes et gymnopos, *Hodgs.*; persicus, p., *Bl.* Thibet.

- 381.
- brama**
- ,
- Tem. P. C.*
- 68.

indica, *Frankl.*; tarayensis, *Hodgs.* India.**121.** b. TÆNIOGLAUX, *Kaup*, 1848.

- 382.
- castanoptera**
- ,
- Horsf.*
- ;
- P. C.*
- 98.

spadicea, *Reinw.* Java.

- 383.
- castanonota**
- ,
- Bl.*

castanoptera, *Bl.* Ceylon.

- 384.
- radiata**
- ,
- Tick.*

erythroptera, *Gould*; perlineata, *Hodgs.*undulata, *Bl.* India.

- 385.
- cuculoides**
- ,
- Vig.*
- ;
- Gould, C. B.*
- pl. 4.

auribarbis, *Hodgs.* Nepal, China.

386. *malabarica*, *Bl.*
castanoptera, p., *Jerd.* India.
387. *Whitelii*, *Bl.* Japan.
388. *superciliaris*, *V.*; *P. C.* 21.
Sonneratii, *Tem.*; *rufescens*, p., *Bl.*
Pollenii, *Poll. & V. D. F. de Madag.* t. 17. Pondicherry?
Malacca, Java?
Madagascar.
- 122.** c. *TENIOPTYNX*, *Kaup*, 1848.
Glaucidium, *Bl.*
389. *Brodiei*, *Burt.*
tubiger et badia, *Hodgs.*; *Brodiaei*, *Pelz.* Himalayas.
390. *sylvatica*, *Müll.* Sumatra.
391. *pardalota*, *Swinhoe.* I. of Formosa.
- 123.** d. *SMITHIGLAUX*, *Bp.* 1854.
392. *capensis*, *Smith*, *I. S. A. Z.* pl. 33. S. Africa.
393. ? *leucopsis*, *Hartl. Abh. d. naturw. Ver. in Hamb.* 1852, t. 1. St. Thomas I.,
W. Africa.
- 124.** e. *MICROGLAUX*, *Kaup*, 1848.
Nyctipetes, *Sw.* 1837.
Sw. C. of B. f. 199; *Reich. S. A.* t. 92. f. .
394. *perlata*, *V.*; *Lev. O. A.* t. 284.
licua, *Licht.*; *perlata capensis*, *Schl.* S. Africa.
395. *occipitalis*, *Tem. P. C.* 34.
perlata, *Schl.*; *licua*, *Licht. (Verz).* W. Africa.
N.E. Africa.
- 125.** f. *HIEROCOGLAUX*, 1848,
Ieraglaux et Zeraglaux, 1851, *Kaup.*
Ieroglaux, *Bp.* 1854.
Trans. Z. S. iv. pl. 56. 7.
5109. 396. *connivens*, *Lath.*; *Gould, B. A.* i. pl. 34.
frontata, *Less.*; *fortis*, *Gould.* E. & W. Austr.
Var. Cape York.
4573. 397. *strenua*, *Gould, B. A.* i. pl. 35.
rufa, *Gould, B. A.* i. pl. 36 (juv.). N.E. Australia.
N. Australia.
398. *Franseni*, *Schl.* Waigiou.
399. *aruensis*, *Schl.* Aru.

126. *g. SPILOGLAUX, Kaup, 1848.*

400. **boobook**, *Lath.*; *Gould, B. A. i. pl. 32.*
bubuk, Kaup.
Var.

Austra., Tasma. *7360*

Port Essington.

401. **maculata**, *Vig. & H.*; *Gould, B. A. i. pl. 33.*

Austra., Tasma.

402. **marmorata**, *Gould.*

S. Australia.

403. **novæ zealandiæ**, *Gm.*; *Voy. Astrol. t. 2. 2.*
fulva, Forst.; *zealandica, Quoy & G.*

New Zealand. *1367*

404. **guteruhi**, *Mill.*

Timor.

405. **theomacha**, *Bp.*

New Guinea.

127. *h. CEPHALOPTYNX, Kaup, 1851.*

406. **punctulata**, *Quoy & G. Voy. Astrol. t. 1. 1.*

Celebes.

128. *i. RABDOGLAUX**et Rhodoglaux, Bp. 1854.*

407. **squamipila**, *Bp.*

Ceram.

408. **hantu**, *Mill.*

Bouru.

409. **hypogramma**, *G. R. Gr.*

Batchian, Gilolo.

410. **humeralis**, *Homb. & J. Voy. Pôle Sud, t. 4. 1.*

New Guinea.

411. **variegata**, *Quoy & G. Voy. Astrol. t. 1. 2.*

New Ireland.

412. **Jacquenoti**, *Bp.*; *Voy. Pôle Sud, t. 3. 1.*
æniata, Homb. & J.

Salomon I.

413. **florensis**, *Wall.*

Flores.

414. **ochracea**, *Schl.*

Celebes.

415. **rufostrigata**, *G. R. Gr.*

E. Gilolo.

416. **Forsteri**, *Hartl.*

Tonga I.

bakkamma, Forst.

Tanna.

129. *j. SCELOGLAUX, Kaup, 1848.*

417. **albifacies**, *G. R. Gr.*; *Gould, B. A. Suppl. pl.*

New Zealand.

130. *k. NINOX, Hodgs. 1837.**Ctenoglaux, Kaup, 1851.*

418. **hirsuta**, *Tem. P. C. 289.*
malayensis, Eyton?

Ceylon.

Malacca?

419. **lugubris**, *Tick. Madr. Journ. Lit. & Sc. 1837, pl. 14.*
nipalensis et jeridius, Hodgs.
scutellata, p., Gr.

India.

420. **borneensis**, *Bp.* Borneo.
hirsuta borneonensis, *Schl.*
hirsuta, *p.*, *Schl.*
421. **japonica**, *Schl. F. J. t. 9 B.* Japan, China.
hirsuta japonica, *Schl.*
scutellata, *p.*, *Horsf. & M.*
422. **philippensis**, *Bp.* Philippine I.
hirsuta philippensis, *Schl.*
423. *affinis*, *Tytl.* Andaman I.
424. *madagascariensis*, *Bp.* Madagascar.
hirsuta, *Smith.*
425. *scutellata*, *Raffl.* Sumatra.
- 131.** *l. GLAUCIDIUM, Boie, 1826.*
Phalænopsis, *Bp. 1854.*
426. **nana**, *King*; *G. R. Gr. & M. G. B. pl. 12.* Str. of Magellan.
ferruginea, *Cab.* Chili.
leucolaima, *Homb. & J. Voy. Pôle Sud, t. 4. 2, 3.*
427. **infuscata**, *Tem. P. C. 344.* Brazil.
passerinoides, *Tem.*; *pumila*, *Less.*
jardinei, *Bp.?* Guatemala.
428. **ferruginea**, *Max.*; *P. C. 199.* Brazil.
infuscatus, *p.*, *Sclat. & S.*
429. **pumila**, *Licht.*; *P. C. 39.* „
minutissima, *Max.*
ferox, *V.*
430. **phalænoides**, *V. O. A. S. t 15.* Antilles.
ferruginea, *p.*, *Cass.*; *infuscatus*, *p.*, *Sclat. & S.* Trinidad.
431. **siju**, *D' Orb. Voy. Cuba, t. 3.* Cuba.
havanensis, *Licht.*; *sigu*, *Sclat.*
432. *ocellata*, *Homb. & J. Voy. Pôle Sud, t. 3. 2.* Chili.
bubuk, *p.*, *Kaup.*
- 132.** *m. MICROPTYNX, Kaup, 1851.*
Glaucidium, *Brehm, 1828, et p. Boie, 1826.*
433. **passerina**, *L.*; *Lev. O. A. t. 46*; *Bree, B. E. pl. app.* N. Europe.
pusilla, *Daud.*; *acadica*, *Tem.* Africa.
pygmæa, *Bechst.*
434. **gnoma**, *Wagl.*; *Aud. B. Am. i. pl. 30.* California.
infuscatum, *Cass.*; *californicum*, *Sclat.*; *eluta*, *Natt.*; *passerinoides*, *Aud.* Mexico, Oregon.

133. *n. MICRATHENE, Coues, 1866.*435. *Whitneyi, Coues; Elliot, B. N. A. pl.*

Arizona Territory.

134. *o. SPEOTYTO, Glog. 1842.**Pholeoptynx, Kaup, 1848.*436. *cunicularia, Mol.; P. C. 46.*

Chili.

grallaria, Tem.; patagonica, Peale.

Brazil, Peru.

*urucurea, Less.?*437. *hypogæa, Bp. A. O. pl. 7. 2.*

N.W. America.

socialis, Gamb.

Mexico, Texas.

*cunicularia, Say, et p. G. R. Gr.*438. *domingensis, Müll.*

St. Domingo.

dominicensis, Gm.; cunicularia, p., V.

Nevis, W. Indies.

439. *fusca, V.; P. C. 46.*

Antilles.

*Maugei, Tem.*Subfam. II. **Buboninæ, Bp. 1838.***Bubonina, Vig. 1825. Surniinae, p., Bp. 1850.***135. BUBO, Dum. 1806.***Strix, L. 1735-66. Feliceps, Barr. 1745.**Asio, Briss. 1760, & Sw. 1837. Bubotus, Rafinq. 1815.**Heliaptex, Sw. 1837. Aibryas, Glog. 1842.** *Megaptynx et Pachyptynx, Bp. 1854.**Sw. C. of B. f. 198; G. of B. i. p. 37, pl. 13. f. 3; Reich. S. A. t. 91. f.**a. BUBO.*440. *maximus, Sibb.; P. E. 435; Naum. Vog. t. 44; Gould, B. E. pl. 37.*

C. S. Europe.

*bubo, L.; atheniensis, Daud.**scandiacæ, L.; maximus, var. β, Blas.*

N.E. Europe.

*microcephala, Leach; europæa, Less.**cinerea, Gm.; G. R. Gr. & M. G. B. pl. 13.**sibiricus, Licht.; Susem. Vog. Eur. t. 44.**turcomanus, Ehrenb.*441. *capensis, Daud.; Lev. O. A. t. 40; Smith, I. S. A. Z. t. 70.*

S. Africa.

*africana, Steph.; maximus, p., Kaup.*442. *virginianus, Gm.; Edw. B. pl. 60; Wils. A. O. pl. 50. 1.*

N. America. 7674.

*pinicola, V.**var. atlanticus, pacificus et crassirostris, Cass.?**var. arcticus, Sw. Faun. B. A. pl. 30.**subarcticus, Hoy?*

California.

*crassirostris, V. O. A. S. t. 19.**macrorhyncha, Tem. P. C. 62?*443. *magellanicus, Gm.; P. E. 385.*

S. America.

nacurutu, V.; virginianus, p., Schl.

136.

b. HUHUA, 1837,

Etoglaux, 1841, *et* Aëtoglaux, 1844, *Hodgs.*
Ptiloskelos, *Tick.* 1859.444. *orientalis*, *Horsf.*; *P. C.* 174, 229.

Java, Sumatra.

streptans, *Tem.*; sumatra, *Raffl.**orientalis minor*, *Schl.*

Bangka.

445. *nipalensis*, *Hodgs. Madr. Journ.* 1831, pl. 1.

N. India.

pectoralis, *Jerd.*; *orientalis*, p., *Bl.**Amherstii*, *Tick.***137.**

c. URRUA, 1837,

et Mesomorpha, *Hodgs.* 1841.446. *bengalensis*, *Frankl.*; *Gould, C. B.* pl. 3.

India, Ceylon.

caveria, *Hodgs.*

Affghanistan.

447. *coromanda*, *Lath.*; *Gr. I. Ind. Z.* pl. 20.

India.

umbrata, *Bl.***138.**d. NYCTAETUS, *Glog.* 1842.*Bubo a*, p., *Nitzsch.* *Nyctaetos*, *Bp.*448. *lacteus*, *Tem. P. C.* 4.

W. Afr., Seneg.

sultaneus, *Less.*

N. Africa?

449. *fasciolatus*, *Tem.*; *Proc. Z. S.* 1863, pl. 33; *Schl. Handb.*
Dierk. t. 1. 11.

Gold Coast.

poensis, *Fras.*450. *Verreauxii*, *Bp.*

S. Africa.

lacteus, *Gr.*; *lacteus*, p., *Schl.*451. *leucostictus*, *Tem.*

Gold Coast.

139.e. NISUELLA, *Bp.* 1854.*Trans. Z. S.* iv. pl. 57. 5.452. *maculosus*, *V.*; *P. C.* 50; *Gal. des Ois. t. 23 bis.*

S. Africa.

africana, *Tem.*; *nisuella*, *Smith.**gracilis*, *Less.**Dilloni*, *Des Murs*; *Lefebv. Voy. en Abyss. t. 3.*453. *cineraceus*, *Guer.*; *Ferr. & Gal. Voy. Abyss. t. 2*; *Lefebv.*
Voy. Abyss. t. 4.

N.E. Africa.

abyssinicus, *Dubus.**selenotis*, *Wurt.**africanus*, p., *Kaup.*454. *madagascariensis*, *Smith*; *Arch. du Mus.* 1844, t. 23.

Madagascar.

140.f. ASCALAPHIA, *I. Geoffr.* 1830.*Otus*, *Cuv.*455. *ascalaphus*, *Sav. Hist. de l'Egypte*, t. 3. 2; *P. C.* 57;
Gould, B. E. pl. 38.

N. Africa.

Savignyii, *I. Geoffr.*

S. Europe.

141. *g. PSEUDOPTYNX*, *Kaup*, 1848.456. **philippensis**, *G. R. Gr.*; *Schl. De Dier.* fig. , p. 10. Philippine Isl.**142. KETUPA**, *Less.* 1831.*Cultrunguis*, *Hodgs.* 1836. *Ketupa*!, *G. R. Gr.* 1840. *Bubo*,
β, *Nitzsch*, 1840.*G. of B.* i. p. 38, pl. 13. f. 1; *Reich. S. A.* t. 91. f. ; *Trans.*
Z. S. iv. pl. 57. 6, 7.*a. KETUPA.*457. **ceylonensis**, *Gm.*; *P. C.* 20; *Gr. I. Ind. Z.* pl. 31.India, Ceylon,
Bur., China.
Palestine.*Hardwickii*, *Gr.*; *Leschenaultii*, *Tem.*
dumeticola, *Tick.*; *nigripes*, *Hodgs.*458. **flavipes**, *Hodgs. T. A. S. B.* v. fig. p. 364.

Himalayas.

459. **javensis**, *Less.*; *P. C.* 74.

Java.

ketupa, *Horsf.*; *ceylonensis*, *Tem.*
javanensis, *Schl.***143.** *b. SCOTOPELIA*, *Bp.* 1849.*Megapelia*, *Kaup*, 1851, *nec* 1836.*Scotoglaux*, *Heine*, 1860.460. **Peli**, *Tem.*; *Schl. Handb. Dierk.* t. 1. 10; *Ibis*, 1859, pl. 15. W. & S. Africa.
typica, *Bp.***144. SCOPS**, *Sav.* 1809, *nec* *Mæhr.* 1752.*Ephialtes*, *Keys. & Bl.* 1840 (*nec* *Schrank*, 1802).*Bubo*, p., *Boie*, 1822.*G. of B.* i. p. 38; *Reich. S. A.* t. 91. f.*poliozona* *H. S. A.* *Reich. S. A.* t. 91. f. 1593*a. SCOPS.*461. **zorca**, *Gm.*; *P. E.* 436; *Naum. Vög.* t. 43. 3; *Gould, B. E.*
pl. 41.

S. Europe.

Scops, *L.*; *Giu, Scop.*; *europæus*, *Less.**pulchella*, *Pall.*; *Aldrovandi*, *Flem.**ephialtes*, *Sav.**longipennis*, *Kaup*; *striolata*, *Ekren.*

N. Africa.

462. **capensis**, *Smith.*

S. & W. Africa.

senegalensis, *Sw.*; *ephialtes*, var., *G. R. Gr.**latipennis*, *Kaup.**zorca africanus*, *Schl.**fazoglensis*, *Wirt.*463. **japonicus**, *Tem. & Schl. F. J.* t. 9.

Japan.

bakkamæna, *Bl.*; *scops japonicus*, *Schl.*464. **sunia**, *Hodgs.*; *Jerd. I. Ind. Orn.* pl. 41.

India, Ceylon.

pennata, *Hodgs.*; *Aldrovandi et spilocephala*, *Bl.*; *zorca*, p.?,
Bp. Himalayas, Bur-
mah.*zorca asiaticus*, *Schl.*465. **elegans**, *Cass.*

Japan?

466. **sylvicola**, *Wall.*

Flores.

467. *kamtchatchensis*, *Verr.* Kamtschatka.
 468. *novæ zealandiæ*, *Schl. & Bp.* New Zealand.
 469. *Hendersoni*, *Cass.* Angoli.
 470. *rutilus*, *Puch. Arch. du Mus.* 1844, t. 22. Madagascar.
 menadensis, var. *Schl. & Poll.*; *sunia*, var. *rufus*, *Bl.* Mayotta.
 madagascariensis, *Grandid.*
- 145.** *b. LEMPIJIUS*, *Bp.* 1854.
471. *lempiji*, *Horsf.*; *P. C.* 99. Java, Borneo.
 noctula, *Reinw.*; *javanicus*, *Less.* Sumatra.
 472. *lettia*, *Hodgs.* N. India.
 griseus, *Jerd.*; *lettoides*, *Bl.* E. Ghats.
 lempiji, p., *G. R. Gr.*; *semitorques*, p.?, *Schl.*
 sagittatus, p.?, *Bp.*; *indicus*, *Gm.*?
473. *semitorques*, *Schl. F. J.* t. 8. Japan, China.
 lettia, p., *Swinh.*; *lempiji*, p., *Bl.* I. of Formosa.
 474. ? *megalotis*, *G. R. Gr.* (juv.). Manilla.
 475. *sagittatus*, *Cass. Journ. Ac. Phil.* ii. pl. 12. 2. Malacca.
 semitorques, p.?, *Schl.*; *lettoides*?, *Jerd.*
 476. *rufescens*, *Horsf.* Java.
 superciliaris, p., et "*sagittatus*, *Cass.*," *Bl.*
 477. *mantis*, *Müll.* Borneo.
 rufescens, p., *Bl.*; *manadensis*, p., *Kaup.* Celebes.
- 146.** *c. PISORHINA*, 1848,
 et *Psilorhina*, 1849, *Kaup.*
478. *manadensis*, *Quoy & G. Voy. Astrol.* t. 2. 2. N. Celebes.
 479. *magicus*, *Müll.* Amboina, Celeb.
 480. *leucospila*, *G. R. Gr.* Batchian, Gilolo,
 magicus, p., *Schl.* Bouru, Morty,
 Ternate, Celeb.
- 147.** *d. ACNEMIS*, 1848,
 et *Aenemis*, 1851, *Kaup.*
481. *gymnopodus*, *G. R. Gr.* India (?).
 zorca asiaticus, p.?, *Schl.*
 sagittatus, p.?, *Bp.*
- 148.** *e. PTILOPSIS*, *Kaup.* 1848.
482. *leucotis*, *Tem. P. C.* 16. W. Africa.
- 149.** *f. MEGASCOPS*, *Kaup.* 1848.
 G. of B. i. pl. 13. f. 2.
483. *asio*, *L.*; *Wils. A. O.* pl. 19. 1, & 42. 1; *P. C.* 80. N. America.
 nævia, *Gm.*; *striata*, *V.*; *ocreata*, *Licht.*

484. **brasiliana**, *Gm.*; *Spir.* *A. B.* t. 9. 10. Cayenne, Brazil.
choliba, *V.*; *brasiliensis*, *Tem. & Schl.*; *decussata*, *Licht.*
crucigera et undulata, *Spir.*
atricapilla, *Cuv. P. C.* 145.
485. ? **portoricensis**, *Less*; *Des Murs*, *I. O.* t. 26. Porto Rico, Trin.
brasilianus, *p.*, *Schl.* New Granada.
486. ? **usta**, *Sclat.*; *Trans. Z. S.* iv. pl. 61. Ega, Sarayaca.
brasiliensis, *var.*, *Sclat. & S.*
487. **lophotes**, *Less.* Cayenne?
atricapillus, *p.*, *Kaup.*
488. **Watsoni**, *Cass. Journ. Ac. Phil.* ii. pl. 12. 1. Venezuela.
lophotes, *Pucher.* Surinam.
489. **flammeola**, *Licht.*; *Pr. Z. S.* 1868, p. 57. fig. (foot); *Sclat.*
& S. Exot. Orn. pl. 50. Mexico.
490. **trichopsis**, *Wagl.* „
491. **psilopoda**, *V. O. A. M.* t. 22. Antilles.
nudipes, *V. nec Daud.* Isl. of St. John.
492. **Kennicotti**, *Elliot.* Sitka.
493. **argentina**, *Licht.* Monte Video.
Watsonii, *p.?*, *Schl.*
494. **barbarus**, *Sclat. & S. Exot. Orn.* pl. 51. Guatemala.
495. **M'Callii**, *Cass.*; *Baird, B. of N. A.* pl. 39. W. & S.W. Amer.
Maccallii, *Aliq.*; *flammeola*, *p.?*, *Schl.*
trichopsis, *p.*, *Sclat. & S.*
- 150.** *g. GYMNASIA*, *Bp.* 1851.
Athene, *Boie*, 1826. *Gymnoglaux*, *Cab.* 1855.
496. **nudipes**, *Daud.*; *V. O. A. S.* t. 16. St. Croix, St.
Newtoni, *Lawr.*; *Ibis*, 1859, pl. 1. Thomas.
Porto Rico, St.
Domingo.
Cuba.
497. **Lawrencei**, *Sclat. & S. Pr. Z. S.* 1868, pl. 29.
nudipes, *Lemb. Voy. Cuba*, t. 4. 2.
nudipes, *p.*, *V.?*
- 151.** *h. LOPHOSTRIX*, *Less.* 1837.
498. **cristatus**, *Daud.*; *Lev. O. A.* t. 43. N. of S. Amer.
griseata, *Lath.*
499. **Stricklandi**, *Sclat. & S.*; *Contr. Orn.* 1848, pl. . C. America.
cristata, *var. Strickl.*; *griseata*, *Griff. An. Kingd.* i. pl. ?

Subfam. III. **Syrniinæ**, *G. R. Gr.* 1845.

Syrnina et Asionina, *Vig.* 1825. Ululinæ, *Bp.* 1838. Buboninae, *p., Bl.* 1849.

152. SYRNIUM, *Sav.* 1809.

Strix, *Cuv.* 1799, 1800. *Strix*, *Briss.* 1760.

Aluco, *Kaup*, 1829, *nec Flem.* 1822.

Ulula, *Barr.* 1745, *et Cuv.* 1817.

Scotiaptix, *Sw.* 1837. *Scotioptex*, *Agass.*

G. of B. i. p. 39, pl. 14. f. 2; *Reich. S. A.* t. 92. f. ; *Trans. Z. S.* iv. pl. 57. 9, 10.

a. SYRNIUM.

500. **aluco**, *L.*; *P. E.* 441. 437; *Naum. Vög.* t. 47; *Gould, B. E.* pl. 47. N. Europe.
stridula, *L.*; *sylvatica*, *Shaw.*
ululans, *Sav.*
501. **nivicolum**, *Hodgs.* N. India.
502. **Woodfordi**, *Smith, I. S. A. Z.* pl. 71. S. Africa.
503. **lapponicum**, *Retz.*; *Naum. Vög.* t. 349; *Gould, B. E.* pl. 42. N. Europe.
barbatum, *Pall.*; *microphthalma*, *Tyzensk.*
cinereum, *p., Bp.*
504. **cinereum**, *Gm.*; *Faun. Bor.-Amer.* pl. 31. N. America.
acclimator, *Bartr.*; *fuliginosa*, *Shaw.*
505. **nebulosum**, *Forst.*; *Wils. A. O.* pl. 33. 2; *Gould, B. E.* pl. 46. „
varius, *Bartr.*; *chichietli*, *Gm.*; *fernandina*, *Shaw.* N. Europe.
506. **fulvescens**, *Sclat. & S.* Guatemala.
nebulosum, *p., Salv.*
507. **occidentale**, *Xantus*; *Baird, B. N. A.* pl. 66. Port Tejou.
508. **rufipes**, *King.* Str. of Magellan.
fasciatus, *p., Bp.*
509. **hylophilum**, *Tem. P. C.* 373. Brazil.
510. **umbrinum**, *Heugl.* N.E. Africa.
511. **fasciatum**, *Des Murs, I. O.* t. 37. Chili.
hypophila, *p., Bp.*; *rufipes*, *p.?, Sclat. & S.*
- 153.** b. **PTYNX**, *Bl.* 1840, *nec Mæhr.* 1752.
512. **uralense**, *Pall.*; *P. C.* 27; *Naum. Vög.* t. 42; *Gould, B. E.* pl. 44. C. E. Europe.
liturata, *Petz.*; *macroura*, *Natt.*
macrocephala, *Meism.*
513. **fulvescens**, *Tem. & Schl. F. J.* t. 10. Japan.
rufescens, *Tem.* (letterpr.).

- 154.** *c. BULACA*, 1837,
et Meseidus, 1841, *Hodgs.* *Meseides*, *G. R. Gr.* 1845. *Mesides*,
Agass.
514. **indrancee**, *Sykes*. S. India, Ceylon.
monticola, *Jerd.*; *lacteus*, p., *Bp.* Malay penin.
newarense, p., *G. R. Gr.*
515. **newarense**, *Hodgs.*; *G. R. Gr.* & *M. G. B.* pl. 14. Himalayas.
indrancee, p., *Schl.*
516. **sinense**, *Lath.*; *Gr. I. Ind. Z.* pl. 21. India, Ceylon.
orientalis, *Shaw.*
517. **caligatum**, *Swinhoe*. I. of Formosa.
indrancee?, *Swinhoe.*
518. **ocellatum**, *Less.* S. Asia.
sinensis, p., *Schl.*
- 155.** *d. MYRTHA*, *Bp.* 1853.
519. **leptogrammicum**, *Tem. P. C.* 525. Borneo.
520. **seloputo**, *Horsf.*; *P. C.* 230. Java.
pagodarum, *Tem.*
521. **sumatranum**, *Bp.* Sumatra.
myrtha, *Bp.*; *leptogrammica*, var., *Schl.*
- 156.** *e. CICCABA*, *Wagl.* 1831.
522. **huhula**, *Daud.*; *Lev. O. A. t.* 41; *Spir.*, *A. B. t.* 10^a. Brazil.
lineata, *Shaw.*
523. **spilonotum**, n. sp.? Bogota.
524. **albomarginatum**, *Spir.*, *A. B. t.* 10^a. Brazil.
huhula, p., *Kaup.*
525. **nigrolineatum**, *Sclat. Trans. Z. S.* iv. pl. 63. S. Mexico.
- 157.** *f. MACABRA*, *Bp.* 1853?
526. **albitarse**, *G. R. Gr.*; *Trans. Z. S.* iv. pl. 60. S. America.
hylophilum, p., *Kaup.*
527. **suinda**, *V.* Paraguay.
dominicensis, *Cab.*; *cayanense*, juv., *Kaup.*
polygrammicum, p., *G. R. Gr.*
528. **albogulare**, *Cass. Journ. Ac. Phil.* iv. pl. 4. Bogota, Columb.
albopunctata, *G. R. Gr.*; *macabrum*, *Bp.* Mexico.
529. **virgatum**, *Cass. Journ. Ac. Phil.* iv. pl. 3. Mexico, Carac.
squamulata et chrysosticta, *Licht.*
zonocercum, *G. R. Gr.*; *cayannense*, p., *Kaup.*
lineatum, *Laur.* New Granada.
530. **polygrammicum**, *G. R. Gr.* Brazil.
fasciata, p.; *cayannense*, p., *Kaup.*
531. **cayanense**, *Gm.*; *P. E.* 442. Cayenne.
fasciata, p., *Kaup.*; *cayannensis*, *Aliq.*

532. *fasciatum*, V. N. of S. America.
cayannense, p., Kaup.

533. *superciliare*, Natt. Brazil.

158. g. GISELLA, Bp. 1854.
Nyctalatinus, Kaup, 1854.

534. *Harrisii*, Cass. Journ. Ac. Phil. 1848, pl. 5. Brazil.
gisella, Bp. Bogota.
albipunctatus, Kaup?

535. *Lathamii*, Bp. — ?

159. h. PULSATRIX, Kaup, 1848.

536. *torquatum*, Daud.; Lath. Syn. pl. 107; Lev. O. A. t. 42, 44. Guiana.
personata, Daud.; *perspicillata*, Lath.
larvata et superciliosa, Shaw.

537. *melanonotum*, Tsch. F. P. t. 4. Peru.
melanota, Tsch.

538. *pulsatrix*, Max. Brazil.
major, Bp.; *torquatum*, ♀, Kaup.
melanotus, Pucher.

160. OTUS, Cuv. 1729–1800. nec Barr. 1745.

Bubo, Sav. 1809, nec Dum. 1806.

Asio, Sw. 1831, nec Briss. 1760.

Ægoli, Keys. & Bl. 1840, nec Kaup, 1829.

G. of B. i. p. 39, pl. 14. f. 3; Reich. S. A. t. 91. f.

a. OTUS.

14952 539. *vulgaris*, Flem.; P. E. 29; Naum. Vög. t. 45. 1; Gould, B. E. Europe.
 pl. 39. India.
otus, L.; *europæus*, Steph.
communis, Less.; *albicollis*, Daud.

7675 540. *americanus*, Gm.; Wils. A. O. pl. 51. 1. N. America.
Wilsonianus, Less.; *vulgaris*, Aud.
otus, Wils.; *vulgaris americanus*, Schl.

541. *zonurus*, G. R. Gr. Mexico.

542. *melanotus*, Heugl. N.E. Africa.

161. b. NYCTALOPS, Wagl. 1832.

543. *stygius*, Wagl.; Arch. du Mus. 1844, t. 24. St. Paul.
communis, var. *brasiliensis*, Less.

544. *signapa*, D' Orb. Voy. Cuba, t. 2. Cuba.
melanopis, Licht.; *stygius*, p., Kaup.

545. *midas*, Licht. Monte Video.

- 162.** c. RHINOSTRIX, 1848.
Rhinoptynx et Rhenoptynx, 1851, *Kaup*.
546. **mexicanus**, *Gm.*; *V. O. A. S.* t. 20. Mexico.
clamator, *V.*; *maculosa*, *Max.*
longirostris, *Spir.*, *A. B.* t. 9^a. Brazil.
- 163.** d. PSEUDOSCOPI, *Kaup*, 1848.
547. **grammicus**, *Gosse*, *Ill. of B. of Jam.* pl. 4. Jamaica.
548. **macrurus**, *Kaup*. Mexico.
- 164.** e. BRACHYOTUS, *Gould*, 1837.
Reich. S. A. t. 91. f.
549. **brachyotus**, *L.*; *P. E.* 438; *Naum. Vög.* t. 45. 2; *Gould*, 12800 4000
B. E. pl. 40. N.C. Europe.
ulula et accipitrina, *Gm.* India.
ægolius, *Pall.*; *caspia*, *Shaw.* N. Africa.
tripennis, *Schr.*; *brachyura*, *Nils.* N. China.
palustris, *Smies.*
palustris europæus, *Bp.*
550. **Cassinii**, *Brew.*; *Wils. A. O.* pl. 33. 3. N. America.
brachyotus, *Wils.*; *brachyotus*, p., *Schl.* Greenland.
palustris americanus, *Bp.* Cuba.
551. **galapagoensis**, *Gould*, *Voy. Beagle*, pl. 3. Galapagos.
brachyotus, p.?, *Schl.* Chili, Bolivia.
552. ? **sandwichensis**, *Blox.* Sandwich I.
brachyotus, *Peale.*
- 165.** f. PHASMAPTYNX, 1848,
et Phasmoptynx, 1851, *Kaup*.
Phasmatoptynx, *Bp.* 1854.
553. **capensis**, *Smith*, *I. S. A. Z.* pl. 67. S. & N.E. Africa.
helvolus, *Licht.*
abyssinicus, *Guér.*; *Ferr. & Gal. Voy. Abyss.* t. 3.
candida, p., *Kaup*.
tingitanus, *Bp.* (var. a). S. Spain.
- 166. NYCTALA**, 1828, *et Nyctale*, 1831, *Brehm*.
Ægoli, *Kaup*, 1829.
Scotophilus, *Sw.* 1837, *nec Leach*, 1822.
G. of B. i. p. 40, pl. 14. f. 1; *Reich. S. A.* t. 92. f.
554. **funerea**, *L.*; *Edw. B.* pl. 228; *Naum. Vög.* t. 43. 1, 2; *Gould*
B. E. pl. 49? N. Europe.
noctua, *Teng.*; *Tengmalmi*, *Gm.*
dasyptus, *Bechst.*; *passerina*, *Pall.*
555. **Richardsoni**, *Bp.*; *Faun. Bor.-Amer.* pl. 32. N. America.
Tengmalmi, *Rich.*; *funerea*, p., *Kaup*.
556. **acadica**, *Gm.*; *Lath. Syn.* pl. 5. 2; *Wils. A. O.* pl. 34. 1. ,
acadiensis, *Lath.*; *passerina*, *Wils.* Oregon, Calif.
Dalhousiei, *Hall*, MS.

557. *albifrons*, *Shaw, Nat. Misc.* pl. 171; *Cass. B. Calif.* pl. 11. N.W. America
frontalis, *Licht.*; *Kirtlandii*, *Hoy.* Wisconsin,
acadica, p., *Bp.* Canada.

Subfam. IV. **Striginæ**, *Bp.* 1838.

Strigina, *Vig.* 1825.

167. STRIX, *Sav.* 1809, *nec L.* 1735.

Aluco, *Flem.* 1822. *Hybris*, *Nitzsch*, 1840.

Stridula, *Sel. Longch.* 1842.

Eustrinx, *Webb & Berth.* 1844.

Sw. C. of B. f. 197; *G. of B.* i. p. 41, pl. 15. f. 2; *Reich. S. A.*
t. 92. f. ; *Trans. Z. S.* iv. pl. 57. 8.

a. **STRIX.**

558. *flammea*, *L.*; *P. E.* 440; *Naum. Vög.* t. 47; *Gould, B. E.* pl. 36. C. S. Europe.
splendens, *Licht.*; *guttata et Kirchhoffii*, *Brehm.* N. Africa.
559. *africana*, *Bp.* S. Africa.
flammea, *Poll. & V. D.* Madagascar.
560. *indica*, *Bl.* Nepal.
javanica, *Jerd.*; *flammea*, p., *Gould.*
561. *poensis*, *Fras.* W. & S. Africa.
affinis, *Bl.*
562. *javanica*, *Gm.* Java.
delicatula, p., *Kaup.*
- 1692a. 563. *delicatula*, *Gould, B. A.* i. pl. 31. Australia.
flammea, p., *Vig. & Horsf.*; *javanica*, p., *Kaup.*
1692. 564. *lulu*, *Peale.* Navigators Isl.
delicatula, p., *G. R. Gr.*; *Forsteri*, *Hartl.*
Bakkamuna, *Forst.*; *Forsteri*, *Bp.* Tonga Islands.
flammea, p., *Schl.* Feejee Islands.
565. *pratincola*, *Bp.*; *Wils. A. O.* pl. 50. 2. N. America.
flammea, *Wils.*; *americana*, *Aud.* Mexico.
flammea americana, *Schl.*
566. *punctatissima*, *G. R. Gr. Voy. Beagle*, pl. 4. Galapagos I.
567. *glaucops*, *Kaup.* Jamaica.
568. *thomensis*, *Hartl.*; *Müll. Beitr.* t. 15. W. Africa.
Santi Thomæ, *Kaup.* I. St. Thomas.
569. *Walleri*, *Diggles, Orn. of Austr.* pl. . Australia.
570. *Rosenbergii*, *Schl.* Celebes.
571. *amaurota*, v. *Mart.* Philippine I.

168. b. **GLYPHIDIURA**, *Reich.* 1850.

Strigymnhemipus, *Des Murs*, 1852.

Reich. S. A. t. 92. f. .

572. *perlata*, *Licht.*; *P. C.* 432.

furcata, *Tem.*

flammea americana, *Schl.*

Brazil.

Cuba.

Jamaica.

169.c. GLAUX, *Bl.* 1848.Scelostrix, *Kaup*, 1851.Glaucostrix, *Bp.* 1854.

573. **candida**, *Tick.*; *Jerd. I. Ind. O.* pl. 30.
longimembris, *Jerd.*

India.

574. **punctata**, *Licht.*; *Smith, I. S. A. Z.* pl. 45.
capensis, *Smith.*

S. Africa.

575. **pithecops**, *Swinhoe.*

Isl. of Formosa.

170.d. DACTYLOSTRIX, *Kaup*, 1851.

576. **novæ hollandiæ**, *Steph.*; *Gould, B. A. i.* pl. 29.
personata et cyclops, *Gould.*

Australia.

577. **castanops**, *Gould, B. A. i.* pl. 28.

Tasmania.

578. **Haasti**, *Buller.*

New Zealand,
Canterbury.**171.**e. MEGASTRIX, *Kaup*, 1848.

579. **tenebricosa**, *Gould, B. A. i.* pl. 30.

New S. Wales.

172. PHODILUS, *I. Geoffr.* 1830.Pholidus!, *G. R. Gr.* 1840. Phodilas!, *Kaup*, 1851.*G. of B. i.* p. 41, pl. 15. f. 1; *Reich. S. A. t.* 92. f. .

580. **badius**, *Horsf. Zool. Res.* pl. ; *P. C.* 318.

Java.

581. **nepalensis**, n. sp.

Nepal.

badius, p., *Hodgs.*Order II. PASSERES, *L.*Tribe I. FISSIROSTRES, *Cuv.*

Subtribe I. FISSIROSTRES NOCTURNÆ.

FAM. I. CAPRIMULGIDÆ, *Vig.* 1825.

Ampelidæ, p., et *Hirundinidæ*, p., *Bp.* 1831. *Coraciadæ*, p., *Cab.*
1847.

Subfam. I. Podarginæ, *G. R. Gr.* 1840.Steatorniinæ, p., *G. R. Gr.***173. PODARGUS**, *Cuv.* 1829.*G. of B. i.* p. 44, pl. 16. f. 1; *Reich. S. A. t.* 90. f. .

582. **strigoides**, *Lath.*; *Jard. & S. I. Orn.* pl. 88; *Gould, B. A.*
ii. pl. 3.

New S. Wales. 29.

podargus, *Desm.*; australis, *Steph.*

cinereus, *V.*; humeralis, *Vig. & Horsf.*
 gracilis, *Lath.*; gigas, *Nitzsch*?

583. **Cuvieri**, *Vig. & H.*; *Gould, B. A.* ii. pl. 4. Tasmania, S. Australia.
 584. **megacephalus**, *Lath.* New S. Wales, Australia.
 Stanleyanus, Vig. & H.
 585. **brachypterus**, *Gould.* W. Australia.
 macrorhynchus, Gould.
 7528 586. **phalænoides**, *Gould, B. A.* ii. pl. 5. N. Australia,
 Vincendonii, Jacq. & P. Voy. Pôle Sud, t. 21. 1? Port Essington.
 587. **papuensis**, *Quoy & G. Voy. Astrol.* t. 13. New Guinea,
 Waig., Salw., Aru, Cape York.
 588. **ocellatus**, *Quoy & G. Voy. Astrol.* t. 14. New Guinea,
 Aru, Salwatti.
 589. **marmoratus**, *Gould.* Cape York, New Guinea.
 590. **superciliaris**, *G. R. Gr. Pr. Z. S.* 1861, pl. 42. Waigiou.
 591. **plumiferus**, *Gould, B. A.* ii. pl. 6. New S. Wales.

174. **BATRACHOSTOMUS**, *Gould*, 1838.

Podargus, Boie, 1826. *Bombycistomus, Horsf.* *Bombycistomas*,
Hay, 1841. *Bombycistoma, Bl.* 1842.
G. of B. i. p. 45, pl. 16. f. 3; *Reich. S. A.* t. 90. f. .

a. **BATRACHOSTOMUS.**

592. **javanensis**, *Horsf. Zool. Res.* pl. 6; *P. C.* 159. Java, Borneo.
 cornutus, Tem.
 593. **moniliger**, *Bl.* S. India, Ceylon.
 javanensis, p., Jerd.
 594. **stellatus**, *Gould.* Java.
 javanensis, p., Bp.
 595. **stictopterus**, *Cab.* Malacca.
 596. **crinifrons**, *Tem.* Gilolo.
 stellatus?, *p., Moore.*
 597. **psilopterus**, *G. R. Gr.* Batchian I.
 crinifrons, p., Wall.
 598. **auritus**, *Vig.*; *Griff. An. Kingd.* ii. pl. p. 114; *Gould,*
 I. A. pl. . Sunda Islands.
 Fullertoni, Hay.
 599. **affinis**, *Bl.*; *Schl. Handl. Dierk.* t. 2. 15. Malacca.
 parvulus, Tem. Sumatra.

175. *b. OTOTHRIX*, *G. R. Gr.* 1859.

600. *Hodgsoni*, *G. R. Gr.*; *Pr. Z. S.* 1859, pl. 152. Nepal.
affinis, *p.*, *et cornutus*, *Bl.*

176. ÆGOTHELES, *Vig. & H.* 1825.

Egotheles, *Less.* 1831.

G. of B. i. p. 45, pl. 16. f. 4; *Reich. S. A.* t. 90. f. .

- 572 601. *novæ hollandiæ*, *Lath.*; *White's Voy.* pl.; *Gould, B. A.* Australia, Tas-
 ii. pl. 1. mania.
cristatus, *Shaw*; *vittatus*, *Lath.*
lunulatus, *Jard.*; *australis*, *Sw.*
602. *leucogaster*, *Gould, B. A.* ii. pl. 2. N.W. Australia,
 Port Essington.
603. *Wallacei*, *G. R. Gr.* New Guinea.
brachyurus, *v. Rosenb.* (apud *Schl.*).
argus, *v. Rosenb.* (apud *Hartl.*). Aru.

Subfam. II. *Steatornithinæ*, *Bp.* 1849.

Podarginae, *p.*, 1840, *et Steatorninae*, 1846, *G. R. Gr.*

177. STEATORNIS, *Humb.* 1817?

Podargus, *p.*, *Bp.* 1831.

G. of B. i. p. 44, pl. 16. f. 2; *Reich. S. A.* t. 90. f. .

604. *caripensis*, *Humb.*; *Ann. du Mus.* 1834, t. 15; *Schl. De* Caripé, Vene-
Dier. fig. p. 116. zuela.
steatornis, *Humb.* Trinidad, Bogota.

Subfam. III. *Nyctibiinæ*, *Cab. & H.* 1860.

Steatorninae, *p.*, *Cab.* 1847.

Podarginae, *p.*, *Sclat.* 1866.

178. NYCTIBIUS, *V.* 1816.

Caprimulgus, *Lath.* 1790. *Nyctornis*, *Nitzsch*, 1840. *Ibijus*,
Rafing. 1815? *Nycticorax*, *Mähr.* 1752?

G. of B. i. p. 46, pl. 16. f. 5; *Reich. S. A.* t. 90. f. .

605. *grandis*, *Gm.*; *P. E.* 325; *Jard. & S. I. O.* pl. 89; *G. R. Gr.* Cayenne, S.E.
& M. G. B. pl. 16. Brazil.
maximus, *Shaw*; *Mus. Lev.* pl. 9.

606. *æthereus*, *Max.* S.E. Brazil.
longicaudatus, *Max.*

607. *longicaudatus*, *Spir, A. B.* t. 1. Brazil, R. Japu-
æthereus, *p.*, *Max.*, *Cab. & H.* ara, E. Peru.

608. **jamaicensis**, *Gm.*; *Lath. Syn.* pl. 57; *Gould, I. A.* pl. . Jamaica.
 pectoralis, Gould. Guatemala.
 cornutus, V.; *urutau, Lafr.* Ecuador, E. Peru,
 Parag., Brazil.
 609. *bracteatus, Gould*; *P. E.* 735 ?; *Sclat. & S. Ex. Orn.* pl. 20. New Granada,
 rufus, Cab. Br. Guiana.
 ? *furcatus, Cuv.*; ? *longicaudatus, D' Orb.*
 610. *pallidus, Gosse.* Jamaica.
 jamaicensis, p.?
 611. *leucopterus, Max.*; *Des Murs, I. O. t.* 49, 50. S.E. Brazil.
 *

Subfam. IV. **Caprimulginae**, *Sw.* 1831.

179. CAPRIMULGUS, *L.* 1756-66.

Hirundo, Klein, 1759, *et p.*, *L.* 1735.

Nyctichelidon, Renn. 1831.

Sw. C. of. B. f. 65; *G. of B. i.* p. 47, pl. 17. f. 5; *Reich. S. A.*
t. 90. f. .

a. CAPRIMULGUS.

612. **europæus**, *L.*; *P. E.* 193; *Naum. Vög.* t. 148; *Gould, B.*
E. pl. 51. Europe.
 maculatus et vulgaris, V.; *punctatus, Wolf & M.* Arabia, Egypt.
 caprimulgus, Pall.
 613. **Smithi**, *Bp.*; *Smith, I. S. A. Z.* pl. 102. S. Africa.
 europæus, Smith; *capensis, Verr.*
 614. **ruficollis**, *Tem.*; *Wern. Icon.* t. . S.W. Europe, N.
 rufitorques et rufitorquatus, V. Afr., Palestine.
 torquatus, Brehm.
 615. **ægyptius**, *Licht.*; *P. C.* 379. N.E. Africa.
 isabellinus, Tem.; *ægyptiacus, Aliq.*
 fasciatus, Hempr. & E.?
 616. **tamaricis**, *Tristr.*; *Ibis*, 1866, pl. 11. Palestine.
 617. **tristigma**, *Rüpp. S. U.* t. 3. N.E. Africa.
 poliocephalus!, *Rüpp.*
 618. **lentiginosus**, *Smith, I. S. A. Z.* pl. 101. S. Africa, Da-
 tristigma, p., Cass. maraland.
 619. **rufigena**, *Smith, I. S. A. Z.* pl. 100. S. & W. Africa,
 pectoralis, p., Strickl. & S.; *damarensis, Strickl. & S.?* Damaraland.
 620. **pectoralis**, *Cuv.*; *Lev. O. A. t.* 49. S. Africa.
 africanus, Steph.; *atrovarius, Sundev.*
 asiaticus, V.

* 178^a. *Selochusa, G. R. Gr.* 1841.

fornicatus, V.; *Lev. O. A. t.* 47, 48.
est fictitia Avis, Bp.

S. Africa!

621. **mossambicus**, *Peters*.
mozambiquus, *Cab*. Mozambique.
Tette.
622. **madagascariensis**, *Sganz*. Madagascar.
623. **Fossii**, *Verr*. Gaboon.
624. **indicus**, *Lath*.
cinerascens, *V*.; saturator, *Hodgs*. (var.). India.
Nepal.
625. **asiaticus**, *Lath*.; *Gr. I. Ind. Z.* pl. 34. 2. India.
626. **albonotatus**, *Tick*.
gangeticus et macrurus, *Bl*.
nipalensis, *Hodgs*.; bimaculatus, *Peale*. "
627. **mahrattensis**, *Sykes*; *Jerd. I. Ind. O.* pl. 24; *Gould, B.*
As. pl. "
arenarius, *Bl*.
628. **monticola**, *Frankl*.
gymnopus, *Hodgs*. "
629. **griseatus**, n. sp.? Philippines.
630. **spilocircus**, *G. R. Gr*.
macrourus et atripennis, *Jerd*.; mahrattensis, *Bl*. Madras.
Ceylon.
631. **Kelaarti**, *Bl*.
indicus, *Jerd*. Ceylon, India.
632. **jotaka**, *Tem. & Schl. F. J.* t. 12, 13.
dytiscivorus, *Swinh*.; Swinhoi, *Bl*. Japan, China.
R. Amur.
633. **macrurus**, *Horsf*.; *Gould, B. A.* ii. pl. 9. Java, Lombok, 1022
Australia, Ce-
ram, Gilo., &c.
Aru, Dorey, N.
G., Waigiou.
634. **Schlegelii**, n. sp.?
macrurus, p., *G. R. Gr*. Java, Sumatra.
Borneo.
635. **affinis**, *Horsf*.
europæus, *Raffl*.; bisignatus, *Tem*.
arundinaceus, *Homb. & J. Voy. Pôle Sud*, t. 21. 2? "
636. **assimilis**, *G. R. Gr*. "
637. **manillensis**, *G. R. Gr*. Manilla.
638. **poliocephalus**, *Rüpp. S. U.* t. 4.
tetrastigma!, *Rüpp*. N.E. Africa.
639. **nubicus**, *Licht*.; *Rüpp. Atl.* t. 6.
infuscatus, *Rüpp*. N.E. Africa.
Natal.
640. **eximius**, *Rüpp*.; *P. C.* 398. Sennaar, Nubia,
Kordofan.
641. **Welwitschii**, *Bocage*. Angola.
642. **concretus**, *Tem*. Ashanti.
643. **binotatus**, *Tem*. W. Africa.
644. **fulviventris**, *Hartl*. "

645. *stictomus*, *Swinhoe*. China, I. of For-
mosa.
646. *papuensis*, *Schl*. Salwatti, New
Guinea.
647. *pallidus*, *Hartl*. Sumatra.
648. *Württembergii*, *v. Müll*. Sennaar.

180. *b. CAPRIPEDA*, *Verr.* 1857.

649. *natalensis*, *Smith, I. S. A. Z.* pl. 99. S. Africa, Port
Natal.

181. *c. HYDROPSALIS*, *Wagl.* 1832.

Psalurus, *Sw.* 1837. *Hydropsalia*, *G. R. Gr.* 1840.
Pydrosalis, *Less.* 1847. *Hydropsallis*, *Reich.* 1850.
Reich, S. A. t. 90. f. .

650. *torquatus*, *Gm.*; *P. C.* 157; *Journ. Ac. Phil.* ii. pl. 14. 4. Brazil.
furcifer, *V.*; *psalurus*, *Tem.*; *Azaræ*, *Wagl.* Parag., Bolivia.
fissicaudis, *Merr.*; *grandis*, *Licht.*
macropterus, *Sw.*; *boliviensis*, *G. R. Gr.*
manurus, *V.?*; *sphenurus*, *V.* Bahia.
651. *pallesens*, *Pelz.* Brazil.
pallesenssee!, *Pelz.*; *furcifer*, *V.?*

182. *d. MACROPSALIS*, *Sclat.* 1866.

652. *lyra*, *Gould*; *Journ. Ac. Phil.* ii. pl. 14. 2. New Granada.
653. *segmentatus*, *Cass.*; *Journ. Ac. Phil.* ii. pl. 14. 3. New Granada,
Ecuador.
654. *forcipatus*, *Nitzsch*; *Journ. Ac. Phil.* ii. pl. 14. 1. S.E. Brazil.
limbata, *Cass.*; *forcipatus*, *Burm.*
creagra, *Bp.?*
655. *ypanemæ*, *Pelz.* Brazil.

183. *e. DIPLOPSALIS*, *Sclat.* 1866.

656. *trifurcatus*, *Natt.* Peru, Ucayali.
657. *climacocercus*, *Tsch. F. P.* t. 6. 1. Peru.
trifurcatus, *p.?*, *Sclat.*
658. *Schomburgkii*, *G. R. Gr.* British Guiana.

184. *f. TETROURA*, *Less.* 1843.

Hydropsalis psaluri, *Bp.*

659. *enicurus*, *V.* Paraguay.
cordicilla, *Merr.*; *cayennensis*, *p.?*, *Cass.*

185. *g. ANTROSTOMUS*, *Gould*, 1838.

660. *carolinensis*, *Gm.*; *Wils. A. O.* pl. 54. 2; *V. O. A. S.* t. 25. N. America.
lucifugus, *Bartr.*; *rufus*, *V.* Cuba.
brachypterus, *Steph.*

661. **vociferus**, *Wils. A. O.* pl. 41.
virginianus et clamator, *V.*
vociferans, *Koenig, Warth.* E. of U. States.
S. Mexico, Guat-
temala.
662. **Nuttallii**, *Aud. B. A.* vii. pl. 495. Pacific Coast,
Kansas, Ari-
zona, Texas.
Bahia.
663. **ornatus**, *Sclat.*; *Pr. Z. S.* 1866, pl. 45.
serico-caudatus, p., *Sclat.*
664. cubanensis, *Lawr.* Cuba.
vociferus, p., *Gundl.*
665. serico-caudatus, *Cass. Journ. Ac. Phil.* ii. pl. 13. Venez., Brazil.
666. macromystax, *Wagl.* S. Mexico.
vociferus, p.?, *Cass.*
667. dominicus, *Bp.* St. Domingo.
668. californianus, *Bp.* California.
asiaticus, p.?, *Cass.*
669. rufus, *Bodd.*; *P. E.* 735. Cayenne.
670. rutilus, *Burm.* Para, Brazil.
cortapua, *Natt.*; rufus, p., *Sclat.*
- 186.** h. NYCTIPHRYNUS, *Bp.* 1857.
671. ocellatus, *Tsch. F. P. t.* 5. 2. Peru.
brasiliensis, *Max. et p. Cab.* S.E. Brazil.
- 187.** i. STENOPSIS, *Cass.* 1851.
672. cayennensis, *Gm.*; *P. E.* 760. Cayenne.
cayanus, *Lath.*; odontopteron, *Less.*
odonpteron, *Bp.*; cayanensis, *Hartl.*
leopetes, *Jard. & S. I. O.* pl. 87. Tobago, Parag.
673. longirostris, *Bp.*; *Tsch. F. P. t.* 5. 1; *U. S. Expl. Exp.* pl. 13. 1. Chili.
bifasciatus, *Gould*; decussatus, *Tsch.*
andinus, *Phil. & Landb.* Peru.
674. nigrescens, *Cab.*; *G. R. Gr. & M. G. B.* pl. 17. British Guiana.
semitorquatus, *G. R. Gr.* New Granada.
675. maculicaudus, *Lawr.*; *Pr. Z. S.* 1866, pl. 46. Brazil, Bolivia?
676. ruficervix, *Sclat. Pr. Z. S.* 1866, pl. 14. New Granada.
677. reticulatus, *G. R. Gr.* Brazil.
678. parvulus, *Gould*; *Pr. Z. S.* 1866, pl. 13. La Plata.
mixtus, p., *Licht.*
679. platurus, *Natt. & Pelz.* S. Brazil.
680. leucurus, *V.* Paraguay.
candicans, *Natt. & Pelz.* S. Brazil.
cayanensis, p., *Cass.*

681. *Langsdorfi*, *Pelz.* E. Brazil.
candicans, juv. aut ♀?, *Pelz.*
682. *æquicaudatus*, *Peale.* Peru.
parvulus, p., *Cass.*; *conterminus*, *Peale.*
- 188.** *j. SIPHONORHIS*, *Sclat.* 1861.
Nyctidromus, p., *Cass.*
683. *americanus*, *L.*; *Sloane, Jamaica*, pl. 255, i.; *P. Z. S.* 1861,
 fig. (caput), p. 78. Jamaica.
- 189. ELEOTHREPTUS**, *G. R. Gr.* 1840.
Amblypterus, *Gould*, 1837, *nec Agass.* 1833.
Amplipterus!, *Wieg.* *Heleothreptus*, *Sclat.* 1866.
G. of B. i. p. 48, pl. 17. f. 1; *Reich. S. A. t.* 90. f. .
684. *anomalus*, *Gould, I. A.* pl. 1. Demerara.
- 190. NYCTIDROMUS**, *Gould*, 1838.
Nyctidromus, *Aliq.* *Eucapripodus*, 1843, *et* *Lucapripodus*,
 1847, *Less.*
G. of B. i. p. 48, pl. 17. f. 4; *Reich. S. A. t.* 90. f. .
685. *albicollis*, *Gm.*; *Gould, I. A.* pl. 2. Guiana, Ucayali.
guianensis, *Gm.*; *americanus*, *Cass.* Bolivia.
Derbyanus, *Gould*; *affinis*, *G. R. Gr.*?
laticaudatus, *Drap.*
686. *grallarius*, *Max.* Brazil.
americanus, p., *Cab. & H.*
albicollis, p., *Sclat.*
- 191. SCORTORNIS**, *Sw.* 1837.
Scortornis, *G. R. Gr.* 1840. *Climacurus*, *Glog.* 1842.
G. of B. i. p. 51, pl. 18. f. 3; *Reich. S. A. t.* 90. f. .
687. *longicaudus*, *Steph.*; *Lath. Hist. B.* pl. 114; *Gal. des*
Ois. t. 112. W. Africa.
climacurus, *V.*
climacteris, *Sw.*; *climacturus*!, *G. R. Gr.*
macrocerus et longissimus, *Würt.*
688. *Finschii*, n. sp.? E. Africa.
689. *trimaculatus*, *Sw.* W. Africa.
- 192. MACRODIPTERYX**, *Sw.* 1837.
Stelidopteryx, *Glog.* 1842.
Macrodypteryx, *Bp.* 1849. *Macrodipterix*, *Cass.* 1851.
G. of B. i. p. 51, pl. 18. f. 1; *Reich. S. A. i. t.* 90. f. .
- a. MACRODIPTERYX.
690. *longipennis*, *Shaw, Nat. Misc.* pl. 265; *Sw. B. W. Afr.*
 i. pl. 5. Africa.
macrodipterus, *Afz.*; *africanus*, *Sw.*
691. *condylopterus*, *Heugl.* C. Africa.

193. *b. COSMETORNIS, G. R. Gr. 1840.**Semeiophorus, Gould, 1838, nec Wagl. 1830.*

- 692.
- vexillarius**
- ,
- Gould, I. A. pl. 3; Ibis, 1864, pl. 2.*
-
- longipennis, p., Schl.; Spekii, Sclat. MS.*

Red Sea, Madag.
E. & W. Africa.

693. ?
- Burtoni**
- ,
- G. R. Gr.*

Fernando Po.

Subfam. V. **Podagerinæ, G. R. Gr. 1847.***Caprimulginae, p., Cab.***194. PODAGER, Wagl. 1832.***Proïthera, Sw. 1837. Podarger, Aliq.**G. of B. i. p. 52.**a. PODAGER.*

- 694.
- nacunda, V.; P. C. 182.**
-
- diurnus, Max.; campestris, Licht.*

S.E. Brazil.
Paraguay, Brit.
Guiana, Boliv.,
Argent. Rep.**195.** *b. LUROCALIS, Cass. 1851.**Urocolus, Cab. & H. 1860.**G. of B. i. pl. 18. f. 2; Reich. S. A. t. 90. f. .*

- 695.
- Nattererii, Tem. P. C. 107.**
-
- brachyurus, Nordm.*

S.E. Brazil.

- 696.
- semitorquatus, Gm.; P. E. 734; G. R. Gr. & M. G.**
-
- B. pl. 18.*

*Gouldii, G. R. Gr.*Cayenne.
S. Brazil.**196. CHORDEILES, Sw. 1831.***Chordeilus, G. R. Gr. 1840. Chordedilus, 1861, et Chordediles,*
*1847, Cab.**G. of B. i. p. 49, pl. 17. f. 2; Reich. S. A. t. 90. f. .**a. CHORDEILES.*

- 697.
- virginianus, Gm.; O. A. S. t. 24; Wils. A. O. pl. 40.**
-
- popetue, V.*
-
- americanus, Wils.*
-
- Wiederspergii, Reich. All. deuts. N. Zeit. 1846, t. 5.*

N. & C. Amer.
Brazil.

- 698.
- texensis, Lawr.; Baird, B. N. A. pl. 44.**
-
- sapiti, p., Cass.; brasiliensis, Lawr.*

Texas, Mexico.
Guatemala.

- 699.
- rupestris, Spix, A. B. t. 2.**

Braz., Rio Negro,
Low. Ucayali.

- 700.
- pusillus, Gould.**
-
- brasiliensis, p., Pelz.*

Bahia.
S.E. Brazil.

- 701.
- minor, Cab.**
-
- Gundlachii, Lawr.; virginianus, Lemb.*

Cuba.
Jamaica.

- 702.
- Henryi, Cass.; Baird, B. N. A. pl. 17.**

Utah, New & S.
Mexico.

703. *brasiliensis*, *Gm.*; *Petiv.* pl. 59. 1. Brazil.
variegatus, *V.*; *jaspideus*, *Merr.*
noitibo, *V.*?; *guianensis*, *p.*, *Hartl.*
semitorquatus, *p.*, *Max.*
704. ? *hirundinaceus*, *Spix*, *A. B.* t. 3. 1. "
acutipennis, *p.*, *Sclat.*?
brasiliensis, *p.*?, *Pelz.*
- 197.** *b. NYCTIPROGNE*, *Bp.* 1857.
Chordeiles (*Podochætes*), *Sclat.* 1866.
705. *leucopygus*, *Spix*, *A. B.* t. 3. 2. "
leucopterus, *p.*, *Bp.*; *leucopygius*, *Bp.*
706. *minutus*, *Natt.* "
rufulus, *Lafr.*
- 198.** *c. ? RAMPHAORATUS*, *Bp.* 1857.
Microhynchus, *Less.* 1847, *nec Meig.* 1825.
707. *acutipennis*, *Bodd.*; *P. E.* 732. Cayenne.
acutus, *Gm.*; *semitorquatus*, *Max.*
sapiti, *Natt.*; *labeculatus*, *Jard.* Tobago, S.E.
Brazil.
708. *stenopterus*, *Natt.* & *Pelz.* Bahia.
709. ? *peruvianus*, *Peale*; *F. P.* t. 6. 2. Peru.
pruniosus et semitorquatus, *Tsch.*
acutipennis, *p.*, *Cass.*; *exilis*, *Less.*
- 199. EUROSTOPODUS**, *Gould*, 1837.
Eurystopodus, *Wieg.*
G. of B. i. p. 49, pl. 17. f. 3; *Reich. S. A.* t. 90. f.
- a. EUROSTOPODUS.*
710. *guttatus*, *Vig. & H.*; *Gould*, *B. A.* ii. pl. 8. Australia.
711. *albigularis*, *Vig.*; *Gould*, *B. A.* ii. pl. 7; *P. C.* 410. N.S. Wales, Aru.
albigmaculatus, *Cuv.*; *mysticalis*, *Tem.*
brachyurus, *v. Rosenb.* (*apud Hartl. nec Schl.*).
- 200.** *b. LYNCORNIS*, *Gould*, 1838.
712. *cerviniceps*, *Gould*, *I. A.* pl. 4. Burmah.
713. *macrotis*, *Vig.*; *Gould*, *I. A.* pl. 5. Philippine I.
Var. N. China.
714. *Temminckii*, *Gould*, *I. A.* pl. 6. Borneo.
pulcher, *Hay*; *imberbis*, *Tem.* Sunda I., Penang.
715. *macropterus*, *Tem.* Celebes.
716. *borneensis*, *Wall.* MS. Borneo.

Subtribe II. FISSIROSTRES DIURNÆ.

FAM. I. CYPSELIDÆ, *Cab.* 1847.Hirundinidæ, p., *Vig.* 1825.Subfam. I. Cypselinæ, *Bp.* 1838.201. CYPSELUS, *Illig.* 1811.*Apus*, *Scop.* 1777, *nec Schæff.* 1756.*Micropus*, *Wolf & M.* 1810. *Brachypus*, *Mey.* 1815.*Sw. C. of B. f.* 292 a; *G. of B. i. p.* 53, pl. 19. f. 2; *Reich. S. A. t.* 87. f. .

a. CYPSELUS.

717. *apus*, *L.*; *P. E.* 542. 1; *Naum. Vög. t.* 147. 2; *Gould, B. E. pl.* 53. 1.
murarius, *Tem.*; *vulgaris*, *Steph.*
niger, *Leach*; *barbatus*, *Tem.*
aterrimus, *Heugl.*?
dubius, *Antin.*?
Eur., N. & E. Afr.
W. Asia, India.
C. Africa.
718. *unicolor*, *Jard. & S. I. O. pl.* 83.
murarius, *Heinck.*
Madeira.
Abyss., Madag.
719. *melba*, *L.*; *Edw. B. pl.* 27; *Naum. Vög. t.* 147. 1; *Gould, B. E. pl.* 53. 2.
alpinus, *Scop.*
S.W. Eur., Palestine, W. Asia, India, Greece.
720. *gutturalis*, *V.*; *Lev. O. A. t.* 243.
gularis, *Steph.*; *Layardi, Tristr.*
S. Africa.
721. *caffer*, *Licht.*; *P. C.* 460. 1.
hottentotus, *Lafr.*
pygargus, *Tem.*; *leucorhea*, *Smith.*
abyssinicus, *Heugl.*
? *leucorrhous*, *Steph.*; *Lev. O. A. t.* 244. 1.
nigra, *V.*; *Levaillantii*, *v. Müll.*
melba, p., *Cab. & H.*
S. Africa.
Natal.
Damaraland.
Nubia, Abyss.
722. *affinis*, *Gr. I. Ind. Zool. pl.* 35. 2.
nepalensis, *Hodgs.*; *montanus*, *Jerd.*
abessynicus, *Streub.*; *Streubelii*, *Hartl.*
India, Nepal.
Kumaon.
Abyssinia.
723. *galilæensis*, *Antin.*
abessynicus, p., *Streub.*; *affinis*, p., *Selat.*
Palestine.
724. *subfurcatus*, *Bl.*
affinis, var., *Strickl.*; *leucorrhous*, *Müll.*
leucopygialis, *Cass. Pr. A. Phil. v. pl.* 13. 1.
Malac., Penang.
S. Chi., For., Jav.
Sumatra.
725. *acuticaudus*, *Bl.*
Nepal.
726. *palmarum*, *Gr. I. Ind. Z. pl.* 35. 1.
batassiensis, *Gr.*; *balassiensis*!, *Gr.*
India, Ceylon.
Assam, Burmah.

727. **pacificus**, *Lath.*; *Gould, B. A.* ii. pl. 11.
australis, Gould.
vittatus, Jard. & S. I. O. pl. 39.
apus, var. β , *Pall.*; *caffer*, p., *Radde.*
 New S. Wales.
 Ca. York, China.
 Formo., Penang.
 Siberia.
728. *æquatorialis, Müll. Orn. d'Afr.* t. 7.
Rüppellii, Heugl. ?
 Abyssinia.
729. *abyssinicus, Licht.*
affinis, Hartl.; *fuliginosus, Verr.*
 N.E. Africa.
730. *infumatus, Sclat.*
 Borneo.
731. *leuconyx, Bl.*
 N.W. Himalayas,
 Malab., Bootan.
- 202.** *b. CYPISIURUS, Less.* 1843.
732. **parvus**, *Licht.*; *P. C.* 460. 2.
ambrosiacus, Tem.
ambrosiaca, Gm.?; *Briss. Orn.* ii. t. 45. 4?
unicolor, Hartl.
 Egypt, Nubia.
 Cape of G. H.
 Blue Nile, W. Afr.
 Fernando Po,
 Comoro I.,
 Zanzi., Madag.
- 203.** *c. TACHORNIS, Gosse*, 1847.
Cypselus, B., Sclat.
Reich. S. A. t. 87. f. .
733. **phœnicobius**, *Gosse, Ill. B. Jam.* pl. 9; *Voy. Cuba*, t. 7. 4.
Iradii, Lemb.
 Jamaica.
 Cuba.
734. **squamatus**, *Cass.*; *P. Z. S.* 1865, pl. 33.
marginipennis, Natt.
 British Guiana.
 Brazil.
735. **andicolus**, *Lafr.*; *D'Orb. Voy. A. M.* t. 42. 2.
 Bolivia.
736. *montivagus, D'Orb. Voy. A. M.* t. 42. 1.
 Bolivian Andes.
- 204.** *d. PANYPTILA, Cab.* 1847.
Pseudoprocne, Streub. 1848.
Panyptilus!, *G. R. Gr.* 1849.
Reich. S. A. t. 87. f. .
737. **cayanensis**, *Gm.*; *P. F.* 725. 2.
 Cayenne, Bra-
 zil, Bahia.
738. **melanoleucus**, *Baird, B. N. A.* pl. 18. 1.
saxatilis, Woodh.; = "*niger, Gm., Baird.*"
 New Mexico.
 Guatemala.
739. *Santi hieronymi, Salv. P. Z. S.* 1863, pl. 23.
 Vera Paz.
- 205. DENDROCHELIDON, Boie**, 1828.
Macropteryx, 1832, et *Macropterus, Sw.*
Pallestre, Less. 1837. *Palaestra, Agass.*
Hemiprocne Chelidonia, Streub. 1848, nec *Nitzsch*, 1840.
Sw. C. of B. f. 292, c; *G. of B.* i. p. 54, pl. 19. f. 1; *Reich. S.*
A. t. 87. f. .
740. **Klecho**, *Horsf.*; *P. C.* 83. 1; *Gould, B. As.* pl.; *Schl. De*
Dier. fig. p. 114.
longipennis, Tem.; *urbica, Raffl.*
 Java, Sumatra.
 Malay penins.

741. **coronata**, *Tick.*; *Gould, B. As. pl.*
longipennis, Jerd.; *velatus, Less.*
schisticolor, Bp.
 Nepal, C. India,
 Ceylon.
742. **Wallacei**, *Gould, B. As. pl.*
 Celebes, Sula.
743. **comata**, *Tem.*; *P. C. 268*; *Gould, B. As. pl.*
 Philip. I., Siam,
 Timor, Celebes,
 Borneo, Sumat.
 New Guin., Aru, *157 153*
 Molucc., Celeb.,
 Ceram, Morty,
 Batchian, Gilo-
 lo, Waigiou.
 S. Afr.?, India?
744. **mystacea**, *Less. Voy. Coqu. t. 12*; *Gould, B. As. pl.*
745. ? **cristata**, *V.*; *Lev. O. A. t. 247.*
- 206. COLLOCALIA**, *G. R. Gr. 1840.*
Salanganes, I. Geoffr. 1836. Colocalia, Gould.
Callosalia, Van der Hoeven, 1856.
Hemiprocone, Cypseloides, Salangana, Streub. 1848.
G. of B. i. p. 54, pl. 19. f. 3; *Reich. S. A. t. 87. f. .*
746. **nidifica**, *G. R. Gr.*; *Lath. H. B. pl. 113.*
esculenta, Osbeck? *fuciphaga, Thunb. Act. Holm. 33, t. 4*;
gelatinosa, Streub.?
var. brevirostris, M. Clell.; *unicolor, Jerd.*
concolor, Bl.
nidifica, var.
nidifica?, Garn.; *ualensis, Streub.?*
nidifica, Freyc.
 Java, Sumatra.
747. **Linchi**, *Horsf.*; *Reise Novara, t. 2. 2.*
fuciphaga, Horsf.; *esculenta, Bernst.*
fucivora, Streub.; *malaisia, Streub.?*
 Andaman Isl.
 India, Ceylon.
 Siam.
 Born., Louisiade,
 Celeb., Timor.
 Caroline Isl.
 Marianne Isl.
748. **troglodytes**, *G. R. Gr. & M. G. B. pl. 19.*
philippina, Streub.?
 Philippine Isl.
749. **hypoleuca**, *G. R. Gr.*
esculenta, p., Wall.; *viridinitens, G. R. Gr. MS.*
 Aru, Mysol, N.
 Guinea, Celeb.
750. **spilura**, *G. R. Gr.*
hypoleuca, p., G. R. Gr.; *esculenta, Wall. nec L.*
 Batchian Isl.
751. **neglecta**, *G. R. Gr.*
esculenta, var., Less.; *esculenta, Bp.*; *esculenta, p., Wall.*
 E. Timor.
752. **francica**, *Gm.*; *P. E. 544. 2.*
virescens, V.; *spodiopygius, p.?, Cass.*
fuciphaga, p., Wall.
 Isle of France.
 Madagascar.
753. **spodiopygia**, *Peale, U. S. Expl. Exp. pl. 49. 5.*
 Feejee, Navig. I. *1691*
754. **leucopygia**, *Wall.*
Linchi, Verr. & Des Murs; *troglodytes, Bp.*
 New Caledonia.
755. **uropygialis**, *G. R. Gr.*
leucopygia, p., Wall.
 New Hebrides.

- 4054 756. *vanikorensis*, Quoy & G. Voy. *Astrol.* t. 12. 3.
fuciphaga, p. ?, *Bp.*; *inquietus*, *Kittl.* I. Vanikoro,
 Feej.I., Pelew I.
757. *affinis*, *Beav.* Andaman I.
linchi, p., *Bl.*
758. ? *Forsteri*, *Hartl.* Otaheite, Marque-
peruvianus, p., *Forst.*; *cinerea*, p., *Gm.* sas.
fuciphaga, p., *Bp.*; *spodiopygia*, p. ?, *Finsch & Hartl.*
759. ? *leucophæa*, *Peale.* Tahiti.
cinerea, *Cass.*; *fuciphaga*, p., *Wall.*
vanicorensis, p., *Finsch & H.*

Subfam. II. Chæturinæ, *Sclat.* 1865.

207. CHÆTURA, *Steph.* 1825.

- Acanthylis*, *Boie*, 1826. *Pelaspie*, *I. Geoffr.*
Uranteris, *Glog.* 1842.
Acanthura et Chætura, *Guild.* 1827. *Chætura*, *a*, *Sclat.*
Acanthyllis, *Agass.*
Sw. C. of B. f. 292, b; *G. of B.* i. p. 55, pl. 19. f. 4; *Reich. S.*
A. t. 87. f. .

a. CHÆTURA.

760. *pelaspia*, *L.*; *Wils. A. O.* pl. 39. 1. E. of N. Am. to
acutus, *Tem.* Rocky Mounts.
761. *Vauxii*, *Towns.*; *Baird, B. N. Am.* pl. 18. 2. W. of N. Amer.,
 Puget's Sd. to
 Calif., Mexico,
 Guatemala.
762. *poliura*, *Tem.*; *P. E.* 726. 2. Cayenne.
cinereicauda, *Cass. Pr. Ac. Phil.* 1852, pl. 13. 2. Brazil.
pelaspia, *Max.*; *oxyura*, *Burm.*; *brachyura*, *Jard.* ? Tobago.
763. *spinicauda*, *Tem.*; *P. E.* 726. 1. Cayenne.
pelaspia, var., *Lath.*
764. *rutila*, *V.*; *Ibis*, 1860, pl. 3. Guatemala.
Robini, *Less.*; *brunneitorques*, *Lafr.*
765. *brachycerca*, *Sclat. P. Z. S.* 1867, pl. 34. Upper Amazon.
brachycerea !, *Hartl.* Xeberos.
766. *Sclateri*, *Pelz.* Brazil, Chami-
 curos.
767. *cinereiventris*, *Sclat. P. Z. S.* 1863, pl. 14. 1. S.E. Brazil.
acutus, *Max.*; *spinicauda*, *Burm.*
768. *acuta*, *Gm.*; *P. E.* 544. 1. Martinique.
769. *oxyura*, *V.* Paraguay.
pelaspia, p., *Max.*

208. b. HIRUNDAPUS, *Hodgs.* 1836.

- Chætura*, *Sw.* 1837. *Hirundinapus et Chætura*, *a*, p., *Sclat.*

770. **caudacuta**, *Lath.*; *Sw. Zool. Ill. n. s. pl.* ; *Gould, B. A.* New S. Wales,
ii. pl. 10. Tasmania.
fusca et australis, Steph.
macropterus, Sw.; *ciris, p., Bl.*
771. **nudipes**, *Hodgs.*; *Mag. de Zool.* 1840, t. 20. Nepal.
leuconotus, Deless.; *fusca, p., et ciris, p., Bl.*
caudacuta, p., Jerd.
772. **ciris**, *Pall.* China, Dauria.
caudacuta, p.?, Sclat. Amur.
- 209.** c. —.
Chætura, β, Sclat.
773. **Sabini**, *Gr.* W. Africa, Sierra Leone.
leucopygia, Boie; *bicolor, Gr.* Fernando Po.
Sabinei, Hartl.
774. **Cassini**, *Sclat. Pr. Z. S.* 1863, pl. 14. 2. W. Africa.
Hartlaubii, Jard.; *Sabinei, p., Cass.* Gaboon.
775. **Grandidieri**, *Verr. N. Arch. du Mus.* 1867, t. . E. coast of Madagascar.
Coquerellii, Poll. MS.
- 210.** d. —.
Chætura, γ, Sclat.
776. **sylvatica**, *Tick.* N. & C. India.
Sabinei, p., Tick.; *coracinus, p.?, Bl.*
777. **coracina**, *Müll.*; *Schl. Handl. Dierk. t. 2.* 14. Borneo, Sumat.
leucopygialis, Bl. Pinang.
- 211.** e. PALLENIA, *Bp.* 1857.
Pallene, Less. 1837, *nec Meig.* 1823.
Chætura, α, p., Sclat.
778. **gigantea**, *v. Hass.*; *P. C.* 364. Java.
caudacuta, Bl. India, Ceylon.
var. celebensis, Sclat. Celebes.
- 212.** f. HEMIPROCNE, *Nitzsch*, 1840.
Chætura, b, Sclat.
779. **zonaris**, *Shaw*; *P. C.* 195; *V. Gal. des Ois. t.* 120. S. America.
albicollis, V.; *collaris, Max.*; *torquatus, Licht.* Jama., St. Domi.
albicincta, Cab.
780. **biscutata**, *Natt.*; *Sclat. Pr. Z. S.* 1865, pl. 34. Brazil.
zonaris, var.?, Sclat.
781. **semicollaris**, *De Sauss.*; *Sclat. & S. Exot. Orn. pl.* Mexico.
- 213.** g. ACANTHYLOPS, *Bp.* 1857.
Pallenis, Reich. 1850, *nec Lap.* 1836.
Hemiprocne, Cypseloides, Senex, Streub. 1848.

Cypseloides, *a*, *Sclat.* 1866.

Reich. S. A. t. 87. f. .

782. *fumigatus*, *Natt.*

S.E. Brazil.

783. *senex*, *Tem. P. C.* 397.

Temminckii, *Streub.*

"

214. *h.* NEPHOCETES, *Baird*, 1858.

Cypseloides, *b* (Nephœcetes), *Sclat.* 1866.

784. *niger*, *Gm.*; *Gosse, Ill. B. Jam.* pl. 10; *Elliot, B. N. A.* pl. . Jamaica, Cuba.

785. *borealis*, *Kenn.*

N.W. America.

nigra, *p.*, *Baird.*

FAM. II. HIRUNDINIDÆ, *Leach.*

Subfam. I. *Hirundininae*, *Sw.* 1831.

215. HIRUNDO, *L.* 1735-66.

Cecropis, *p.*, *Boie*, 1826.

Sw. C. of B. f. 293; *G. of B.* i. p. 57, pl. 19. f. 7; *Reich. S. A.* t. 87. f. .

a. HIRUNDO.

786. *rustica*, *L.*; *P. E.* 543. 1; *Naum. Vög.* t. 383. 2; *Gould, B. E.* pl. 54.

domestica, *Brehm*; *albifrons*, *Rüpp.*

jewan, *Sykes*; *javanica*, *Hodgs.*

panayana, *Gm.*; *gutturialis*, *Scop.*

Europe, Palest.

Africa, Natal.

Ind., Malac., Pinang, Tenas., Burmah.

Philip. I., Suma., Born., China,

Celeb., Bat. I. S. Africa, Natal.

787. *albigula*, *Bp.*; *Contr. Orn.* 1849, pl. 17.

albigularis, *Strickl.*; *rufifrons*, *Less. nec V.*

788. *horreorum*, *Bart.*; *V. O. A. S. t.* 30; *Wils. A. O.* pl. 38. 1, 2.

rufa, *V.*; *americana*, *Wils.*; *rustica*, *Aud.*

N. Amer., Green., C. America.

W. Indies.

789. *cahirica*, *Licht.*; *Descr. del' Egypte*, t. 4. 4; *Naum. Vög.* t. 383. 1.

Savignyi, *Leach*; *Riocourii*, *Audouin.*

Boissonneauti, *Tem.*; *castanea*, *Less.*

rustica orientalis, *Schl.*; *rustica*, β , *Blas.*

rustica, var., *Hartl. & F.*

S.E. Europe.

N.E. Africa.

790. *Tytleri*, *Jerd.*

rustica, var., *p. ?*, *Hartl. & F.*

Bengal.

791. *andamanensis*, *Tytl.*

Andaman I.

792. *lucida*, *Verr. & Hartl.*

W. Africa.

793. *rufifrons*, *V.*; *Lev. O. A. t.* 245. 2.

Seneg., Sennaar, S. Nubia.

794. *angolensis*, *Bocage.*

W. Africa.

216. *b. CECROPIS, Boie, 1 div. 1826.*Acropis! *Reid & Hahn, 1835.*

795. **cucullata**, *Bodd.*; *P. E.* 723. 2; *Lev. O. A. t.* 245. 1. S. Africa.
capensis, Gm.; *rufula, p., Tem.*
796. **senegalensis**, *L.*; *P. E.* 310; *Gould, B. E.* pl. 55; *Sw. B. W. Afr.* pl. 6. W. Africa.
rufula, Gould. Abyssinia.
797. **puella**, *Tem.*; *Rüpp. S. U. t.* 6; *Ferr. & Gal. Voy. Abyss.* t. 10. N. Africa.
striolata, Rüpp.; *abyssinica, Guér.*
798. **hyperythra**, *Bl.*; *Gould, B. As.* pl. Ceylon.
799. **Gordoni**, *Jard.* W. Africa.
melanocrissus, Jard. nec Rüpp. Fantee.
800. *Korthalsii, Bp.* — ?
abyssinica, juv. ?, Schl.
801. *striolata, Tem.*; *Schl. Handl. Dierk. t.* 1. 13. Java.
rusticoides, Kuhl.
802. *semirufa, Sundev.* Caffraria.
803. *Montieri, Hartl.*; *Ibis, 1862, pl.* 11. Angola.
804. *badia, Cass.* Malacca ?
- 217.** *c. LILLIA, Boie, 1859.*
805. **daurica**, *L.*; *Naum. Vög. t.* 383. 4; *Gould, B. As.* pl. Siberia.
alpestris, Pall. Zoogr. t. 30. 2. N.E. Asia, Pales.
806. **erythropygia**, *Sykes*; *Gould, B. As.* pl. India, Ceylon.
nipalensis, Hodgs.; *europygia, Tick.*
daurica, p., Jerd.
807. **melanocrissa**, *Rüpp. S. U. t.* 5. E. & W. Africa.
rufula, p., Bp. Abyssinia.
808. *rufula, Tem.*; *Naum. Vög. t.* 383. 3; *Gould, B. As.* pl. Africa.
duarica, p., Savi; *alpestris, p., Hartl.*; *capensis, Duraz.*
alpestris, β, Blas. S. Europe.
809. ? *japonica, Tem. & Schl. F. J. t.* 11. Japan.
rufula, p., Tem.
alpestris japonica, Tem.
810. *domicella, Hartl. & F.* Kasamanse.
melanocrissus, Hartl.

218. *d. HYPUROLEPSIS, Gould, 1868.**Herse, Less. 1837, nec Oken, 1815.*

- 3618 811. **tahitica**, *Gm.*; *Lath. Syn.* pl. .
 pyrrholæma, *Forst.*; *tahitensis*, *Boie*.
 taitensis, *Less*.
 subfusca, *Gould*. Society Islands.
- 2117 812. **frontalis**, *Quoy & G. Voy. Astrol.* t. 12. 1.
 neoxena, *Gould, B. A. ii.* pl. 13.
 javanica, *Vig. & H.* Feejee Isl., New
 Hebrides.
 New Guin., Aru.
 Austral., Tasma.
 Redcar Island.
5582. 813. **javanica**, *Sparrm. M. C.* t. 100; *P. C.* 83. 2. Java, Lombock,
 Celebes.
 Ceylon, Pinang.
 Neilgherries.
814. **domicola**, *Jerd.*
 javanica, *p., Hartl. & F.*
815. **fretensis**, *Gould.* W. Australia.
 rustica, *p.?, Hartl. & F.* Torres Straits.
816. **frenata**, *Bl.* S. India.
219. *e. HYLOCHELIDON*, *Gould, 1865.*
- 7250 817. **nigricans**, *V.*; *Gould, B. A. ii.* pl. 14. Australia. ✓
 pyrrhonota, *Vig. & H.*; *arborea*, *Gould.* Aru.
220. *f. LAGENOPLASTES*, *Gould, 1865.*
- 4671 818. **ariel**, *Gould, B. A. ii.* pl. 15. Australia, Aru.
819. **fluvicola**, *Jerd.*; *Gould, B. As.* pl. India.
 empusa, *Gould, MS.*
221. *g. UROMITUS*, *Bp. 1854.*
 Ubromitus!, *Hartl. 1857.*
820. **filifera**, *Steph.*; *Lath. H. B.* pl. 113; *Gould, B. As.* pl. India.
 filicaudata, *Frankl.* N.W. Himala.
 erythrocephala, *Gm.?*; *indica*, *Gm.?* Cashmere.
821. **ruficeps**, *Licht.* Abyssinia.
 Cranchii, *Leach*; *Smithii*, *Cranch.* Isl. off Chisalla I.
 filifera, *p.?, Hartl.*; *filicaudata*, *Rüpp.*
 Anchietæ, *Bocage.*
822. **atrocærulea**, *Sundev.* Natal, Lower
 Caffraria.
222. *h. PSALIDOPROCNE*, *Cab. 1850.*
823. **holomelas**, *Sundev.*; *Pr. Ac. Phil.* 1850, pl. 12. 2. S. & W. Africa.
 hamigera, *Cass.*; *cypselina*, *Cab.*
824. **melbina**, *Verr.* Gaboon.
825. ? **velox**, *V.*; *Lev. O. A. t.* 244. 2. S. Africa.
 velocifera, *Aliq.*
826. ? **cypseloides**, *Heugl.* C. Africa.
223. *i. HEMICECROPS*, *Bp. 1857.*
827. **leuccsoma**, *Sw.* W. Africa.
828. **spilodera**, *Sundev.* Caffraria.

829. **nigrita**, *G. R. Gr. & M. G. B.* pl. 20. W. Afr., Fantee.
830. **obscura**, *Tem.* W. Africa.
831. **nitens**, *Cass.* ”
832. **dimidiata**, *Sundev.* S. Africa.
scapularis, *Cass. Pr. Ac. Phil.* 1852, pl. 12. 3. E. Africa.
leucosoma, *Grill.*
833. ? **griseopygia**, *Sundev.* S. Africa, Natal.
- 224.** *j. PHEDINA*, *Bp.* 1855.
834. **borbonica**, *Gm.*; *P. E.* 544. 2, var. ?; *Coqu. Alb. de la Réunion*, fig. 2. Isle of France.
 var. *madagascariensis*, *Hartl.* Isle of Bourbon,
 Madagascar.
- 225.** *k. PETROCHELIDON*, *Cab.* 1850.
835. **melanogastra**, *Sw.* Mexico.
Swainsoni, *Sclat.*
836. **lunifrons**, *Say*; *Bp. A. O.* pl. 7. 1. N. America. 7672.
fulva, *Bp.*
republicana, *Aud.*; *opifex*, *Clint.*
837. **pœciloma**, *Gosse.* Jamaica.
fulva, p., *Bp.*
838. *Alfredi*, *Hartl.*; *Ibis*, 1868, pl. 4. Cape of G. Hope.
lunifrons, p., *Layard.*
839. **ruficollaris**, *Peale.* Peru.
840. **americana**, *Gm.*; *P. E.* 724. Brazil.
pyrrhonota, *V.*; *platensis*, *Steph.* Paraguay.
erythrogaster, p., *G. R. Gr.*
cyanopyrrha, *V.*
- 226.** *l. TACHY CINETA*, *Cab.* 1850.
Petrochelidon, a, *Sclat.* *Chelidon*, *Boie*, 1826, nec 1822.
Hirundo, p., et *Tachycineta*, a, *Baird*, 1865.
841. **thalassina**, *Sw.*; *Aud. B. A. i.* pl. 49. Mexico.
viridis, *Licht.* W. & C. Amer.,
 Guatemala.
- 227.** *m. — ?*
Tachycineta, b, *Baird*, 1865.
842. **bicolor**, *V.*; *Wils. A. O.* pl. 38. 3; *V. O. A. S. t.* 31. N. America.
viridis, *Wils.*; *leucogaster*, *Steph.* California.
843. **albiventer**, *Bodd.*; *P. C.* 546. 2. Cayen., Guiana.
leucoptera, *Gm.*; *albiventris*, *Pelz.* Brazil, Bolivia.
844. **æquatorialis**, *Lawr.* Upper Amazon.
845. **albilineata**, *Lawr.* C. America.
littorea, *Salv.*; *leucoptera*, *Lawr.* Panama.
846. ? **maculata**, *Bodd.*; *P. E.* 546. 1. Cayenne.
leucoptera, var., *Lath.*

847. *leucorrhœa*, *V.*
leucopyga, *Licht.*; *frontalis*, *Gould.*
Gouldii, *Cass.*; *frontata*, *Boie.*
leucorrhœa, *Burm.*
Paraguay.
Brazil, La Plata.
Monte Video.
Parana.
848. *Meyeni*, *Cab.*; *Nov. Act.* 1834, t. Suppl. 10.
leucopyga, *Meyen nec Licht.*; *leucorrhœa*, *p., Lafr.*
leucopygia, *Gould.*
Chili.
Patagonia.
- 228.** *n. CALLICHELIDON*, *Bryant*, 1865.
Hirundo, *p., Baird.*
849. *euchrisea*, *Gosse, Ill. B. of Jam.* pl. 12.
var. dominicensis, *Bryant.*
Jamaica.
St. Domingo.
850. *cyaneoviridis*, *Bryant.*
Bahamas.
- 229.** *o. PYGOCHELIDON*, *Baird*, 1865.
Petrochelidon, *a, Sclat.* *Atticora*, *p., Baird.*
851. *cyanoleuca*, *V.*; *P. C.* 209. 1.
melampyga, *Licht.*; *minuta*, *Max.*
var. montana, *Baird.*
Paraguay, Chili,
Patagonia.
Bolivia, Argent.
Rep., Brazil,
Costa Rica.
Andes of S. Amer.
Ecuador.
852. *murina*, *Cass.*
cinerea, *Gm.??*; *cyanophæa*, *Cab.*
cinerea, *Sclat.*
Andes of S. Amer.
Ecuador.
853. *andicola*, *Lafr.*
Bolivia, Tinta,
Peru.
854. *melanoleuca*, *Max.*; *P. C.* 209. 2.
Brazil.
855. *patagonica*, *Lafr.*
hemipyga, *Burm.*; *viridi alba*, *Lafr.*
Patagonia.
Chili.
856. *peruviana*, *Gm.*
peruviana major, *Tsch.*
Peru.
- 230. ATTICORA**, *Boie*, 1844.
Atticora, *Gould.* *Actocora*, *Agass.*
G. of B. i. p. 58, pl. 19. f. 5; *Reich. S. A.* t. 87. f. .
a. ATTICORA.
857. *fasciata*, *Gm.*; *P. E.* 724. 2.
Cayenne, Rio Negro.
- 231.** *b. NEOCHELIDON*, *Sclat.* 1862.
Microchelidon, *Sclat.* 1861, *nec Reich.*
Atticora, *p., Baird.*
858. *fucata*, *Tem. P. C.* 161. 1.
brasiliانا, *Lafr.*
Paraguay, Brazil.
Argentine Rep.,
La Plata.
859. *tibialis*, *Cass.*
Panama to Bra-
zil, New Gran.
- 232.** *c. NOTIOCHELIDON*, *Baird*, 1865.
Cotyle, *Boie*, 1826, *nec* 1822. *Atticora*, *p., Baird.*
860. *pileata*, *Gould.*
cyanoleuca, *juv., Cab.*
Panama.
Guatemala.

233. *d. PRISTOPTERA, Bp. 1857.*

861. *albiscapulata*, Boie; Rüpp. F. A. t. 39. 2. Abyssinia.
pristoptera, Rüpp.; *typica*, Bp.

862. *albiceps*, Sclat. Pr. Z. S. 1864, pl. 14. E. Africa.

234. *e. CHERAMŒCA, Cab. 1850.*

863. *leucosternon*, Gould, B. A. ii. pl. 12. New S. Wales, 7579
 S. & W. Aust.

235. COTILE, Boie, 1822.

Cotyle, p., Boie, 1826. Biblis, Less. 1837.

G. of B. i. p. 59, pl. 19. f. 6; Reich. S. A. t. 89. f. .

a. COTILE.

864. *riparia*, L.; P. C. 543. 2; Naum. Vög. t. 146. 3, 4; Gould, E. Eur., India.
B. E. pl. ; Aud. B. A. i. pl. 50. N. Africa, Green-
cinerea, V. land, Bermuda,
 Great Antilles.

865. *sinensis*, Gr. I. Ind. Z. pl. 35. 3. N. India.
brevicaudata, McClell.; *minuta*, Hodgs.

866. *subsoccata*, Hodgs. Nepal.
sinensis, p., G. R. Gr.

236. *b. STELGIDOPTERYX, Baird, 1858.*

867. *serripennis*, Aud. B. A. i. pl. 51. N. America, C.
 Mexico.

868. *ruficollis*, V. La Plata.
flavigastra, V.; *hortensis*, Licht. Brazil.
jugularis, Max.; *flaviventer*, Less. Paraguay.

869. *fulvipennis*, Sclat. Mexico.
serripennis, p., et *flavigastra*, p., Sclat. Guatemala.

870. *uropygialis*, Lawr. Ist. of Panama.
flavigastra, p., et *ruficollis*, p., Sclat. Esmeraldas,
 Ecuador.

871. *fulvigula*, Baird. Costa Rica.

237. *c. PTYONOPROGNE, Reich. 1850.*

Cotyle, p., Boie, 1826.

Reich. S. A. t. 87. f. .

872. *rupestris*, Scop.; Naum. Vög. t. 146. 1, 2; Gould, B. E. pl. 56. S. Europe.
rupicola, Hodgs.; *inornata*, Jerd. India, W. Africa.
montana, Gm. Palestine.

873. *concolor*, Sykes. India, Behar.

874. *fuligula*, Licht.; Lev. O. A. t. 246. 1. S. Africa.
rupestris, p., Tem.; *fulva*, Bp.; *torquata*, Boie.
capensis, Less.; *hyemalis*, Forst.

875. *cincta*, Scop.; P. E. 723. 1. ,,
torquata, Gm.

876. **obsoleta**, *Cab.* N.E. Africa.
rupestris, *Rüpp.*
877. **paludicola**, *V.*; *Lev. O. A. t.* 246. 2. S. Africa.
palustris, *Steph.*; *paludibula*, *Bp.*
878. **minor**, *Cab.* N.E. Africa.
paludibula, *Rüpp.*
879. *eques*, *Hartl.* Prince's Island.

238. CHELIDON, *Boie*, 1822.

Hirundo, *Cuv.* 1817.

G. of B. i. p. 60, pl. 19. f. 9; *Reich. S. A. t.* 87. f. .

a. CHELIDON.

880. **urbica**, *L.*; *P. E.* 542. 2; *Naum. Vög. t.* 145. 2; *Gould*,
B. E. pl. 57. Eur., India, N.
Afr., Lebanon.
Amoor.
881. *lagopoda*, *Pall.*
urbica, *p.*, *Bp.*
882. *Blakistoni*, *Swinhoe.* Japan.
urbica, *p.*, *Blak.*
883. *dasypus*, *Tem.* Borneo.
albigena, *Heugl.?*
884. *cashmeriensis*, *Gould.* Cashmere.

239. *b.* DELICHON, *Hodgs.* 1854.

885. **nipalensis**, *Hodgs. Pr. Z. S.* 1854, pl. 63; *Gould, B. As. pl.* . Nepal.

240. PROGNE, *Boie*, 1826.

Progne, *DesMurs*, 1852.

G. of B. i. p. 59, pl. 19. f. 8; *Reich. S. A. t.* 87. f. .

a. PROGNE.

886. **purpurea**, *L.*; *P. E.* 722; *Wils. A. O.* pl. 39. 2. N. America.
subis, *L.*; *violacea*, *Gm.* Brazil, Bolivia.
cærulea et versicolor, *V.* Argentine Rep.
ludoviciana, *Cuv.*; *chalybea*, *Max.*
887. **chalybæa**, *Gm.*; *P. E.* 545. 2. Guiana.
purpurea, *p.*, *Lafr.*
888. **elegans**, *Baird.* Buenos Ayres.
purpurea, *p.*, *Gould.* Brazil.
889. **concolor**, *Gould, Voy. Beagle*, pl. 5. Galapagos I.
modesta, *Gould.*
890. **furcata**, *Baird.* Chili.
modesta, *p.*, *G. R. Gr.*
891. **dominicensis**, *Gm.*; *V. O. A. S. t.* 28, 29. W. Indies, Porto
Rico.
albiventris, *V.* St. Domingo.

892. *leucogaster*, *Baird*.
dominicensis, *Sclat*.
chalybæa, p., *Cab*.
 S. Mexico to Ist.
 of Darien.
 C. America.
893. *domestica*, *V*.
purpurea, p., *D' Orb*. ; *chalybea*, p., *Max*.
 S. America.
 Paraguay, Brazil.
894. *cryptoleuca*, *Baird*.
purpurea, p., *D' Orb*.
 Cuba, Florida?
- 241.** *b. PILEOPROGNE*, *Baird*, 1865.
Progne, p., *Cab*.
895. *fusca*, *V*.
tapera, p., *Burm*.
 Paraguay, Boliv.
 Argentine Rep.
- 242.** *c. TAPERA*, *Bp*. 1857.
Phæoprogne, p., *Baird*.
896. *pascuum*, *Max*.
 ? *tapera*, *L*. ; *Briss. Orn.* ii. t. 45. 3.
tapera, *Cab*.
 S. Brazil.
 Rio Grande.

FAM. III. CORACIADÆ, *G. R. Gr.* 1845.

Oriolidæ, p., *Boie*, 1826. *Todidæ*, p., *Corvidæ*, p., *et Buceridæ*,
 p., *Vig*. 1825. *Ampelidæ*, p., 1831, *Bp*.

Subfam. I. *Coracianæ*, *G. R. Gr.* 1840.

Coraciana, *Vig*. 1825.

243. CORACIAS, *L.* 1758-66, *nec* 1735.

Galgulus, *Briss.* 1760, *nec Barr.* 1745.

Coratius!, *Reid & Hahn*, 1835.

Sw. C. of B. f. 289, c; *G. of B.* i. p. 61, pl. 20. f. 2; *Reich.*
S. A. t. 34. f.

a. CORACIAS.

897. *garrula*, *L.* ; *P. E.* 486; *Naum. Vög.* t. 60; *Gould, B. E.* pl. 60. C. & S. Europe,
 Madagascar,
 I. St. Thomas,
 Egypt, Arabia,
 Persia, Natal.
 N. E. Africa.
 Damaraland.
898. *pilosa*, *Lath.* ; *Lev. Parad.* t. 28, 29.
crinita, *Shaw* ; *nævia*, *Licht.* ; *nuchalis*, *Sw.*
Levaillantii, *Tem.* ; *indica*, p., *G. R. Gr.*
nævia, p., *Wagl*.
899. *Temminckii*, *V.* ; *Lev. Prom.* t. D.
Urvillei, *Quoy & G. Voy. Astrol.* t. 16.
papuensis, *Quoy & G.* ; *pileata*, *Reinw.*
 Celebes, Sula.
- 244.** *b. —.*
Galgulus, *Reich.* 1852, *nec Barr.*

900. **indica**, *L.*; *Edw. B.* pl. 326. India.
bengalensis, L.; *P. E.* 285. Nepal.
naevius, V.; *indica*, var. *bengalensis, Reich.*
901. **affinis**, *McClell.*; *G. R. Gr. & M. G. B.* pl. India.
assamensis, McClell. Burmah.
indica, p., G. R. Gr.
902. *viridis, Cuv.*; *Lev. Parad.* t. 31. India.
- 245.** c. *CORACIURA, Bp.* 1854.
903. **cyanogastra**, *Cuv.*; *Lev. Parad.* t. 26; *Sw. B. W. Afr.* pl. 13. W. Africa.
cyanogaster, V.
904. **caudata**, *L.*; *P. E.* 88; *DesMurs, I. O.* t. 28. S.W. & E. Africa.
angolensis, Shaw; *natalensis, Licht.* Natal.
905. **abyssinia**, *Bodd.*; *P. E.* 626; *Lev. Parad.* t. 25. S. Africa.
abyssinica et senegalensis?, Gm. Abyssinia.
leucocephalus, Müll.?; *senegalla, Lath.?* Arabia.
albifrons, Shaw; *caudata, V.*

246. EURYSTOMUS, 1816,*et Eurysthomus*, 1825, *V.**Colaris, Cuv.* 1817.

Sw. C. of B. f. 289, *b*; 5 pt. f. 69; *G. of B. i. p.* 62, pl. 21. f. 3;
Reich. S. A. t. 34. f. .

a. **EURYSTOMUS.**

906. **orientalis**, *L.*; *P. E.* 619; *V. Gal. des Ois.* t. 111; *Lev. Parad.* t. 36?. India, Ceylon.
cyanicollis et fuscicapillus, V. Malayana, Bor.
calornyx, Hodgs. Lombock, China.
907. **pacificus**, *Lath.*; *Gould, B. A. ii.* pl. 17. N. S. W., V. D.
orientalis, Vig. & H.; *australis, Sw.* Land, Waigiou.
Aru, N. Guinea.
908. **azureus**, *G. R. Gr.* Batchian I.

247.b. **CORNOPIO**, *Cab. & H.* 1859.*Eurystomus, Bp.* 1854.

909. **gularis**, *V.*; *Lev. Prom.* t. 56; *Jard. & S. I. O.* pl. 109. W. Africa.
collaris, Vig.
910. **glaucurus**, *Müll.*; *P. E.* 501; *Lev. Parad.* t. 34. Africa.
madagascariensis, Gm. Madagascar.
violaceus, V.
911. *afer, Lath.*; *Lev. Prom.* t. 35. W. Africa.
rubescens et purpurascens, V.
orientalis, Rüpp.; *viridis, Wagl., juv.*

Subfam. II. **Leptosominæ**, *Bp.* 1850.Cuculinæ, p., *Bp.* 1831.**248. LEPTOSOMUS**, *V.* 1816.*Leptosoma*, *Bp.* 1849. *Courols*, *Cuv.* 1817.*Crombus*, *Reich.* 1849.*G. of B.* app. p. 22, pl. Suppl. 186. f. 7; *Reich. S. A.* t. 50. f. .912. **discolor**, *Herm.*; *P. E.* 587, 588; *Lev. O. A.* t. 226, 227;*V. Gal. des Ois.* t. 40.

Madagascar.

afer, *Gm.*; africanus, *Steph.*; viridis, *V.*crombec, *Less.*; madagascariensis, *Reich.***249. BRACHYPTERACIAS**, *Lafr.* 1834.*Chloropygia*, *Sw.* 1837.*G. of B.* i. p. 61, pl. 21. f. 1; *Reich. S. A.* t. 34. f. .a. **BRACHYPTERACIAS.**913. **leptosoma**, *Less. Ill. de Zool.* t. 22; *Mag. de Zool.* 1834, t. 31.collaris, *Pucher.*

"

250. b. **ATELORNIS**, *Pucher.* 1846.*Brachypteracias*, *Reich.* 1849.*Corapitta*, *Bp.* 1854.914. **pittoides**, *Lafr. Mag. de Zool.* 1834, t. 32; *Ibis*, 1862, pl. 9.

"

251. c. —.*Atelornis*, *Bp.* 1854.915. **squamigera**, *Lafr.*; *Des Murs, I. O.* t. 39.

"

FAM. IV. **EURLAIMIDÆ**, *Selys*, 1842.*Todidæ*, p., *Vig.* 1825. *Oriolidæ*, p., *Boie*, 1826. *Coraciadæ*, p., *Cab.* 1847.Subfam. I. **Eurylaiminæ**, *Sw.* 1837.**252. EURYLAIMUS**, *Horsf.* 1820.*Platyrrhynchus*, *V.* 1825. *Eurylæmus*, *Strickl.**Sw. C. of B.* f. 144; *G. of B.* i. p. 65.a. **EURLAIMUS.**916. **javanus**, *Horsf.*; *P. C.* 130, 131; *Gould, B. As.* pl.javanicus, *Horsf.*; *Horsfieldii*, *Tem.*

Var.

Java, Sumatra. 130

Moalmaza.

917. **ochromelas**, *Raffl.*; *P. C.* 261; *Gould, B. As.* pl.ochromelus, *Raffl.*; cucullatus, *Tem.**Rafflesii*, *Less.*

Sumatra, Java. 128

253.

b. SERILOPHUS, Sw. 1837.

Serolophus, Agass. Sericolophus, Reich. 1850.

Reich. S. A. t. 34. f.

918. **lunatus**, Gould, Trans. Z. S. i. pl. 25; Gould, B. As. pl. Tenasserim.
lunulatus, Sw. Rangoon.

919. **rubropygius**, Hodgs.; G. R. Gr. & M. G. B. pl. 23; Gould, B. As. pl. Nepal.
lunatus, Horsf.

254.

c. PSARISOMUS, Sw. 1837.

Crossodera, Gould, 1837. Raya, 1839, Simus, 1841, et Simornis, 1844, Hodgs. Psarosomus, Agass.

920. **Dalhousiæ**, James.; Gould, I. A. pl. ; id. B. As. pl. Himalayas.
seriogula et nipalensis, Hodgs.
psittacinus, Müll.; P. C. 598. Sunda Islands.

255.

d. CORYDON, Less. 1828.

Eurylaimus, Wagl. 1827.

G. of B. i. pl. 22. f. 3; Reich. S. A. t. 34. f. (Cymbirhynchus!).

- 124 921. **sumatranus**, Raffl.; P. C. 297; Gould, B. As. pl. Sumatra.
corydon, Tem.; Temminckii, Less.

256. CYMBIRHYNCHUS, Vig. 1831.

Cymborhynchus, Agass. Erolla, Less. 1831.

Cymbyrhynchus, Eyton, 1839.

G. of B. i. p. 66, pl. 22. f. 4; Reich. S. A. t. 34. f. (Eurylaimus!).

- 129 922. **macrorhynchus**, Gm.; Lath. Syn. pl. 30; P. C. 154. Sumatra.
nasutus, Lath.; ornatus, Desm. Java, Borneo.
lemniscatus, Raffl.; nasica, Less. Malacca.
Var.

923. **affinis**, Bl.; Gould, B. As. pl. Arac., Siam, Cambodia, Tenasser.

Subfam. II. **Calyptomeninæ.****257. CALYPTOMENA**, Raffl. 1820.

Calyptomina, Sw. 1837. Calyptomeina!, G. R. Gr. 1840.

Calyptomene, Reich. 1850. Calyptomena, Bp. 1854.

Sw. C. of B. f. 221, a; G. of B. i. p. 275, pl. 67. f. 1; Reich. S. A. t. 63. f.

- 113 924. **viridis**, Raffl.; P. C. 216; Horsf. Zool. Res. pl. Sumat., Borneo.
Rafflesii et caudacuta, Sw. Java.

FAM. V. **TODIDÆ**, *Vig.* 1825.Colopteridæ, p., *Cab.* 1847.Subfam. I. **Todinæ**, *G. R. Gr.* 1841.**258. TODUS**, *L.* 1766.Alcedo, p., *L.* 1758.*Sw. C. of B.* f. 228 c; *G. of B.* i. p. 63, pl. 22. f. 1.; *Reich. S.*
A. t. 48. f. .925. **viridis**, *L.*; *V. O. A. S. t.* 56; *Gosse, Ill. B. Jam.* pl. 14. Jamaica, Antilles.926. **mexicanus**, *Less.*; *Dict. Sc. N. t.* 32. 1. Mexico.
viridis, *Dict.*927. **multicolor**, *Gould, Ic. Av.* pl. ; *Voy. Cuba*, t. 22. Cuba.
viridis, *Vig.*
portoricensis, *Less.*; *cyanogenys*, *Sagra*. Porto Rico.
hypochondriacus, *Bryant*.928. **angustirostris**, *Lafr.* St. Domingo.
multicolor, p., *Sclat.*; *dominicensis*, p., *Sallé*.929. **subulatus**, *Gould*; *G. R. Gr. & M. G. B.* pl. 22. ,
dominicensis, *Lafr.*; *P. E.* 585. 1, 2?FAM. VI. **MOMOTIDÆ**, *Selys*, 1842.Buceridæ, p., *Vig.* Rhamphastidæ, p., *Boie*, 1826. Prionitidæ,
Bp. 1849.Subfam. I. **Momotinæ**, *G. R. Gr.* 1840.Prionitinæ, *Cab.* 1847.**259. MOMOTUS**, *Briss.* 1760.Rhamphastos, p., *L.* Momots, *Lacép.* 1800-1.Baryphonus, *V.* 1816. Prionites, *Ill.* 1811.Momota, *Shaw*. Merula, *Moehr.* 1752.*G. of B.* i. p. 67.a. **MOMOTUS**.930. **brasiliensis**, *Lath.*; *P. E.* 370; *Lev. Parad.* t. 37, 38. N. of S. America,
momota, *L.*; *cianocephalus*, *V.* E. Peru, Braz.931. **subrufescens**, *Sclat.* Santa Martha.
parvirostris, *Bp.* ? Cartagena.932. **bahamensis**, *Sw.*; *Jard. & S. I. O.* pl. 45. Bahama.
Swainsoni, *Sclat.* Tobago, Trinid.

933. *æquatorialis*, *Gould*. Ecuador.
grandis, *Lafr*.
934. *microstephanus*, *Sclat*. New Granada.
brasiliensis, *p.*, *Sclat*.
935. *Nattereri*, *Sclat*. Bolivia.
brasiliensis, *Lafr*. ? Brazil.
- 260.** *b.* —.
Prionites, *Cab. & H.* 1859.
936. *cæruleiceps*, *Gould*; *Baird*, *B. N. A.* pl. 46. S. Mexico.
cæruleicephalus, *Jard. & S. I. O.* pl. 42.
subhutu, *Less.*; *cæruleiceps*, *Sclat*.
937. *Lessoni*, *Less.*; *Des Murs*, *I. O. t.* 62. C. America.
momotus et psalurus, *Bp.*
- 261.** *c.* *CRYBELUS*, *Cab. & H.* 1859.
Momotus, *Bp.*, 1854.
938. *mexicanus*, *Sw.*; *Jard. & S. I. O.* pl. 23; *Sw. Zool. Ill.* S. Mexico.
n. s. pl. 81.
Martii, *Jard. & S.*
939. *Martii*, *Spir*, *A. B. t.* 60. New Granada.
semirufus, *Sclat*. Brazil, Ecuador.
940. *castaneiceps*, *Gould*. Guatemala.
- 262.** *d.* *BARYPTHENGUS*, *Cab. & H.* 1859.
Baryphonus, *Bp.* 1854.
G. of B. i. pl. 22. f. 5; *Reich. S. A. t.* 48. f. .
941. *cyanogaster*, *V. Gal. des Ois.* t. 190. Paraguay, Brazil.
tutu, *Ranz.*
Levaillantii, *Less.*; *Lev. Prom. suppl. t. B.*
942. *melanocholicus*, *Cab. & H.* Buenos Ayres ?
943. ? *ruficapillus*, *V.*; *Lev. Parad.* t. 39. Peru.
Dombeyanus, *Rantz*; *Dombeyi*, *Less.*
rubricapillus, *Steph.*; *tutu*, *Less.*
- 263.** *e.* *EUMOMOTA*, *Sclat.* 1857.
Spathophorus, *Cab.* 1859.
944. *superciliaris*, *Sandb.*; *Jard. & S. I. O.* pl. 18; *Schl. De* C. America.
Dier. fig. p. 55.
superciliosus, *Sw.*; *apiaster*, *Less.*
yucatanensis, *Cabot*.
- 264.** *f.* *PRIONIRHYNCHUS*, *Sclat.* 1857.
Crypticus, *Sw.* 1837, *nec Latr.* 1817.
Reich. S. A. t. 48. f. .

945. **platyrhynchus**, *Leadb.*; *Jard. & S. I. O.*, pl. 106. E. Peru, Bolivia.
Martii, Tsch.
946. **carinatus**, *Du Bus*; *Pr. Z. S.* 1857, pl. 128. Guatemala.
- 265.** *g.* **HYLOMANES**, *Licht.* 1838.
Reich. S. A. t. 48. f.
947. **momotulus**, *Licht. Abh. Ac. Berl.* 1838, t. 4; *G. R. Gr. & M. G. B.* pl. 24. Mexico.
948. **gularis**, *Lafr.*; *Jard. Contr. Orn.* 1849, pl. Guatemala.

FAM. VII. **TROGONIDÆ**, *Sw.* 1831.Bucconidæ, p., *Boie*, 1826. Cuculidæ, p., ? *Vig.* 1825,Subfam. I. **Trogoninæ**, *Bp.* 1849.Bucconinæ, p., *Bp.* 1831.**266. TROGON**, *Mæhr.* 1752, et *L.* 1766.

Curucujus, *Bp.* 1854. *Troctes*, *Cab. & H.* 1863.
G. of B. i. p. 69.

a. **TROGON.**

949. **curucui**, *L.*; *P. E.* 452, 737; *Gould, Trog.* pl. 18. Cayenne.
melanurus, Sw.; *nigricaudatus, Gould.* Brazil.
strigilatus, Spix.
950. **macrurus**, *Gould, Trog.* pl. 17. Carthagera.
951. **Massena**, *Gould, Trog.* pl. 16. Guatem., Hondu.
952. **calthratus**, *Salv.* Veragua.
953. **mesurus**, *Cab. & H.* Ecuador.
melanurus?, *Selat.*
954. **Hoffmanni**, *Cab. & H.* Costa Rica.
- 267.** *b.* **AGANUS**, *Cab. & H.* 1863.
Trogon, Bp. 1854. *Agames!*, *Hartl.* 1864.
955. **caligatus**, *Gould. Trog.* pl. 7. Guatemala,
 Carthagera.
956. **aurantius**, *Spix, A. B. t.* 36. Brazil.
chrysogaster, Sw.
957. **viridis**, *L.*; *P. E.* 765, 766; *Gould, Trog.* pl. 10, 11. „
strigilatus, Gm.; *violaceus, Spix.*
Leverianus, Shaw; *albiventer, Cuv.*
melanopterus, Sw.

958. **melanocephalus**, *Gould, Trog.* pl. 12. Mex., Honduras.
959. **braccatus**, *Cab. & H.* Mexico.
caligatus, *G. R. Gr.*; *violaceus*, *Pelz.*
960. **Ramonianus**, *Dev. & Des M.* Pampa, Ucayali,
 Chamicuros.
 Ecuador.
961. *lepidus*, *Cab. & H.*
caligatus, *Sclat.*
962. *meridionalis*, *Sw.*; *Gould, Trog.* pl. 9. Trinid., Cayenne.
sulphureus, *p.*, *Gould*; *violaceus*, *C. & H.* Brazil.
963. *Devillei*, *Cab. & H.* Santa Maria.
meridionalis, *p.*, *Dev. & Des M.* Amazon.
964. *crissalis*, *Cab. & H.* Bahia.
 ? *meridionalis*, *p.*, *Pelz.*
965. *concinus*, *Lawr.* New Granada.
caligatus, *Lawr.*
966. *venustus*, *Cab. & H.* "
heliothrix, *Bp.?*; *melanopterus*, *Sclat.*
viridis, *Sclat.*
967. *citreolus*, *Gould, Trog.* pl. 13. Mexico.
chrysogaster, *Sw.?*; *capistratum*, *Less.*
- 268.** *c. TROGONURUS*, *Bp.* 1854.
Trogon, *Cab. & H.* 1863.
G. of B. i. pl. 25. f. 1; *Reich. S. A. t.* 88. f.
968. **collaris**, *V.*; *Lev. Cour.* t. 6; *Gould, Trog.* pl. 5. Cayenne.
curucui, *Mar.*; *auratus*, *Sw.* Brazil.
castaneus, *Spix*; *rosalba*, *Cuv.* Ucayali.
elegans et erythrinus, *Licht.*
969. **mexicanus**, *Sw. Zool. Ill.* pl. 82, 83; *Gould, Trog.* pl. 12. Mexico.
Morgani, *Sw.*; *glocitans*, *Licht.* Vera Paz.
capistratus, *Less.?*
970. **elegans**, *Gould, Trog.* pl. 3. Guatemala.
personatus, *Hartl.*; *mexicanus*, *p.*, *Baird.* Mexico.
auriceps ♀, *Hartl.*
971. **ambiguus**, *Gould, Trog.* t. 4. "
mexicanus, *Baird, B. of N. A.* pl. 40.
972. **puella**, *Gould*; *Dubus, E. O.* t. 5. Guatemala.
xalapensis, *Du Bus*; *Luciana*, *Less.* Mexico.
973. **personatus**, *Gould.* Brazil.
collaris, *p.*, *Sclat.* New Granada.
974. *Eytoni*, *Fras.* Rio Janeiro.
975. *exoptatus*, *Cab. & H.* Venezuela.

976. *virginalis*, *Cab. & H.*
collaris, p., *Selat.* Ecuador.
977. *propinquus*, *Cab. & H.*
personatus, p., *Selat.* "
978. *heliothrix*, *Tsch.*
assimilis, *Gould.* Peru.
979. *erythronotus*, *Müll.* Mexico.
- 269.** *d.* *HAPALOPHORUS*, *Cab. & H.* 1863.
980. *variegatus*, *Spix, A. B. t.* 37. Brazil.
purpuratus, *Sw. B. Braz. pl.* 63, 64.
981. *surucua*, *V.; Gould, Trog. pl.* 15. Paraguay.
leucurus, *Sw.* Brazil.
- 270.** *e.* *POTHINUS*, *Cab. & H.* 1863.
982. *atricollis*, *V. Gal. des Ois. t.* 31; *P. E.* 195, 736; *Gould, Trog. pl.* 8. "
rufus, *Gm.; lepturus*, *Sw.*
scalaris, *Licht.*
983. *tenellus*, *Cab. & H.*
atricollis, p., *Salv.* " Veragua.
984. *aurantiiventris*, *Gould.*
Sallæi, *Bp.* " S. Mexico.
985. *sulphureus*, *Spix, A. B. t.* 38. N. Brazil.
986. *chrysochlorus*, *Natt. & Pelz.* Brazil (Ypanema).
- 271.** *f.* *TEMNOTROGON*, *Bp.* 1854.
Tmetotrogon, *Cab. & H.* 1863.
987. *roseigaster*, *V.; Lev. Cour. t.* 13; *Gould, Trog. pl.* 20. Haiti.
domicellus, *Sw.; rhodogaster*, *Tem.*
- 272. PRIOTELUS**, *G. R. Gr.* 1840.
Trogon, *Boie*, 1826. *Temnurus*, *Sw.* 1837, *nec Less.* 1831.
Prionotelus, *Reich.* 1850.
G. of B. i. p. 70, *pl.* 25. f. 5; *Reich. S. A. t.* 88. f. .
988. *temnurus*, *Tem. P. C.* 326; *Gould, Trog. pl.* 19. Cuba.
albicollis, *Sw.; silens*, *Würt.*
- 273. APALODERMA**, *Sw.* 1837.
Hapaloderma, *Agass.*
G. of B. i. p. 70, *pl.* 25. f. 4; *Reich. S. A. t.* 88. f. .
989. *narina*, *V.; Lev. Cour. t.* 10, 11; *Gould, Trog. pl.* 26; *Lev. S. Africa, Abyssinia.*
O. A. t. 228, 229.
- 274. HARPACTES**, *Sw.* 1837.
Hapalurus, *Reich.* 1850.
G. of B. i. p. 70, *pl.* 25. f. 3; *Reich. S. A. t.* 88. f. .

a. HARPACTES.

990. **fasciatus**, *Gm.*; *Gould, Trog.* pl. 31; id. *B. As.* pl. malabaricus, *Gould.* India.
- 123 991. **kasumba**, *Raffl.*; *P. C.* 321; *Gould, Trog.* pl. 29; id. *B. As.* pl. Sumatra.
fasciatus, Tem.; *Temminckii, Gould.*
kondea, Cuv.; *Duvaucelii, Vig.*
flagrans, Kuhl.
992. **Diardi**, *Boie*; *P. C.* 541; *Gould, Trog.* pl. 30; id. *B. As.* pl. Malac., Sumatra.

275. b. PYROTROGON, *Bp.* 1854.

993. **ardens**, *Tem.* *P. C.* 404; *Gould, Trog.* pl. 35; id. *B. As.* pl. Philippine I.
rhodiosternus, Peale.
994. **Hodgsoni**, *Gould, Trog.* pl. 34; id. *B. As.* pl. Nepal.
erythrocephalus, p., Gould.
995. **erythrocephalus**, *Gould, Trog.* pl. 33. Sumatra.
flagrans, Müll. Bor., Rangoon, Pegu.

276. c. DUVAUCELIUS, *Bp.* 1854.

996. **rutilus**, *V.*; *P. C.* 291; *Lev. Cour.* t. 14; *Gould, B. As.* pl. Sumatra.
cinnamomeus et Duvaucelii, Tem. Borneo.
kasumba, juv., Raffl.
997. **orphophæus**, *Cab. & H.*; *Gould, Trog.* pl. 32. Malacca.
Duvaucelii, Gould.

277. d. ORESKIOS, *Bp.* 1854.

Orescius, Cab. & H. 1863.

- 121 998. **oreskios**, *Tem.* *P. C.* 181; *Gould, Trog.* pl. 36; id. *B. of As.* pl. Java.
Gouldii, Sw. Burmah.
999. ? **gigas**, *V.*; *Lev. Cour.* t. 12; *Gould, Trog.* pl. 28. Moluccas?
Temminckii, Cuv.; *Cuvieri, Sw.*

278. e. APALHARPACTES, *Bp.* 1854.

Hapalarpactes, Cab. & H. 1863.

1000. **Reinwardtii**, *Tem.* *P. C.* 124; *Gould, Trog.* pl. 27; id. Java.
B. As. pl. Malacca.
sulphureus, Begbie.
1001. **Mackloti**, *Müll. Tijdsch. Nat. Gesch.* 1835, t. 8. 1; *Gould, B. As.* pl. Sumatra.
Reinwardtii, p., Horsf. & M.

279. PHAROMACRUS, *De la Llave*, 1801.

Calurus, Sw. 1837. *Calliurus, Agass.*

G. of B. i. p. 71, pl. 25. f. 2; *Reich. S. A.* t. 88. f. .

a. PHAROMACRUS.

1002. **mocinna**, *Llave*; *P. C.* 372; *Gould, Trog.* pl. 21. Guatemala.
paradiseus, Bp.; *resplendens, Gould.*
pavoninus, Tem.; *pavonius, Glog.*
micinno, Cab. & H.

280. b. TANYPEPLUS, *Cab. & H.* 1863.
Cosmurus, Bp. 1854.

1003. **pavoninus**, *Spix, A. B. t.* 35; *Gould, Trog.* pl. 23. Peru, Brazil.
 1004. **auriceps**, *Gould*; *G. R. Gr. & M. G. B.* pl. 25. New Granada.
 1005. **fulgidus**, *Gould, Trog.* pl. 24; *Schl. Handl. Dierk.* t. 3. 36. Bogota, Venezu.
pavoninus, Tem.
 1006. **heliactin**, *Cab. & H.* Ecuador.
auriceps, p., Sclat.

281. c. COSMURUS, *Reich.* 1850.
Antisianus, D'Orb. 1836.
Reich. S. A. t. 88. f.

1007. **antisianus**, *Lafr. Mag. de Zool.* 1837, t. 85; *Gould, Trog.* pl. 22. Bogota.
pulchellus, Gould; *peruvianus, Gould, MS.*
antisinensis, D'Orb.

282. d. LEPTUAS, *Cab. & H.* 1863.
 1008. **neoxenus**, *Gould, Trog.* pl. 25. Mexico.

FAM. VIII. **BUCCONIDÆ**, *Cab.* 1862, et
p. Boie, 1826.

Halcyonidæ, p. ?, *Vig.* *Cuculidæ*, p., *Cab.* 1847. *Tamatiadæ*,
Bl. 1849.

Subfam. I. **Bucconinæ**, *Bp.* 1831.
Tamatianæ, *G. R. Gr.* 1840.

283. BUCCO, *L.* 1776.
Capito, Tem. 1820.
G. of B. i. p. 73.

a. Bucco.

1009. **collaris**, *Lath.*; *P. E.* 395; *Lev. Parad.* t. 42. Cayenne.
capensis, L.; *strigilatus, Less.*

284. b. TAMATIA, *Cuv.* 1797-98.
Notharchus, Cab. & H. 1862.
Reich. S. A. t. 45. f.

1010. **macrorhynchus**, *Gm.*; *P. E.* 689; *Lev. Parad.* t. 39. Hondur., Brazil.
 1011. **pectoralis**, *G. R. Gr. & M. G. B.* pl. 26. S. America.

1012. **Swainsoni**, *G. R. Gr.*; *Sw. Zool. Ill.* pl. 99. Brazil.
macrorhynchus, *Sw.*
1013. **Ordi**, *Cass.* Venezuela, Ega,
 Brazil.
1014. **hyperrhynchus**, *Sclat. Pr. Z. S.* 1855, pl. 105. Upper Amazon.
macrorhynchus, *Sclat. et p. Schl.*
giganteus, *Pelz.* Para.
1015. **Dysoni**, *Sclat.* C. America.
macrorhynchus, *p., Sclat.*; *gigas*, *Bp.?*
1016. *leucoerissus*, *Sclat.* Ecuador.
albicrissus, *Cab. & H.*; *macrorhynchus*, *p., Schl.*
1017. *napensis*, *Sclat.* Rio Napo.
- 285.** *c. CYPHOS*, *Spir.* 1824.
Argicus, *Cab. & H.* 1862.
Cyphus, *Agass.*
1018. **macroductylus**, *Spir.* *A. B.* t. 39. 2. Brazil.
cyphos, *Wagl.*
- 286.** *d. NOTHRISCUS*, *Cab. & H.* 1862.
1019. **tectus**, *Bodd.*; *P. E.* 688. 2; *Lev. Parad.* t. 40. Cayenne.
melanoleucus, *Gm.* Rio Negro.
1020. **picatus**, *Sclat.* Amazon.
tectus, *p., Schl.* Chamicuros.
1021. **subtectus**, *Sclat.* Ecuador.
- 287.** *e. HYPNELUS*, *Cab. & H.* 1862.
Chaunornis, *Bp.* 1854.
G. of B. i. pl. 26. f. 1.
1022. **bicinctus**, *Gould.* Trinidad.
bitorquatus, *Sw.* Venezuela.
1023. *ruficollis*, *Licht.* New Granada.
gularis, *Lafr.*
- 288.** *f. CHAUNORNIS*, *G. R. Gr.* 1841.
Capito, *Boie*, 1826. *Bucco*, *Gm.* 1788.
Nyctactes, *Strickl.* 1841, *nec Glog.* 1827.
Tamatia, *Sw.* 1837.
1024. **tamatia**, *Gm.*; *P. E.* 746. 1; *Lev. O. Parad.* t. 41. Guiana.
maculata, *Cuv.*; *variegatus*, *Dum.* Brazil.
vulgaris, *Drap.*
1025. **pulmentum**, *Bp.*; *Pr. Z. S.* 1855, pl. 106. E. Peru.
- 289.** *g. NYCTALUS*, *Cab. & H.* 1862.
Nyctactes, *Bp.* 1854.
Sw. C. of B. f. 289, *c.*

1026. **maculatus**, *Gm.*; *Lev. Parad.* suppl. t. F; *Sw. B. Braz.* pl. 9. Brazil.
somnolentus, *Licht.*
1027. **striatipectus**, *Sclat.* Bolivia.
flammulatus, *Bp.*?
1028. **chacura**, *V.*; *P. C.* 94. Brazil.
melanotis, *Tem.*; *leucotis*, *Sw.*
1029. **radiatus**, *Sclat. Pr. Z. S.* 1853, pl. 50. New Granada.
ruficervix, *Bp.*
1030. **striolatus**, *Natt. & Pelz.* Brazil.
1031. **lanceolatus**, *Dev.* Peru.

290. MONASA, *V.* 1816.

Barbacous, *V.* *Lypornix*, *Wagl.* 1827.
Seotocharis, *Glog.* 1827. *Monastes*, *Nitzsch*, 1840.
Monaste, *Cab.* 1847. *Monassa*, *Sw.* 1837.
Sw. C. of B. f. 290, b; *G. of B.* i. p. 74; *Reich. S. A. t.* 45. f.

a. MONASA.

1032. **nigra**, *Müll.*; *P. E.* 512; *Lev. O. Parad.* t. 44. Cayenne.
atra, *Bodd.*; *tranquilla*, *australis et cinerea*, *Gm.*
calcarata, *Lath.*; *affinis*, *Shaw.*
1033. **morphæa**, *Hahn*; *Spix, A. B.* t. 43. 1; *V. Gal. des Ois.* t. 36. Brazil.
personata, *V.*; *leucops*, *Licht.*; *albifrons*, *Spix.*
1034. **nigrifrons**, *Spix, A. B.* t. 43. 2. " Bolivia.
unicolor, *Wagl.*
1035. **flavirostris**, *Strickl.*; *Contr. Orn.* 1850. pl. Bogota.
axillaris, *Lafr.*
1036. **peruviana**, *Bp. & Verr.* Upper Amazon.
1037. **grandior**, *Sclat. & S.* Costa Rica.
1038. **pallescens**, *Cass. Pr. Ac. Phil.* 1864, pl. 4. New Granada,
Panama.

291. b. MALACOPTILA, *G. R. Gr.* 1841.

Lypornix, 2 div., *Wagl.* 1827. *Bucco*, *V.* 1823.
Lypornix, *Sw.* 1837.
Sw. C. of B. f. 290, a; *G. of B.* i. pl. 26. f. 3.

1039. **rufa**, *Spix, A. B.* t. 40. 1. Brazil.
senilis, *Popp.* Upper Amazon
1040. **torquata**, *Hahn, Ausl. Vög.* t. 5; *Spix, A. B.* t. 40. 2. Brazil.
fuscus, *Licht.*; *striatus*, *Spix.*
1041. **fusca**, *Gm.*; *Lev. O. Parad.* t. 43. Cayenne.
torquatus, *juv.*, *Wagl.*; *inornata*, *Sclat.*
unitorques, *Du Bus.* Brazil.

1042. *adspersa*, *Sclat.* Venezuela.
1043. *veræ-pacis*, *Sclat. & S.* Vera Paz.
1044. *nigrifusca*, *Sclat.* Bogota.
fusca, *Sclat.*
1045. *fulvogularis*, *Sclat.* Bolivia.
pyrrholæmus, *Bp.?*
1046. *substriata*, *Sclat. Pr. Z. S.* 1853, pl. 51. New Granada.
1047. *æquatorialis*, *Cab. & H.* Ecuador.
panamensis, *Sclat.*
1048. *panamensis*, *Lafr.* Panama.
1049. *costaricensis*, *Cab.* Costa Rica.
1050. *inornata*, *Du Bus.* Guatemala.
1051. *blacica*, *Cab.* Peru.
blazika!, *Hartl.*
1052. *mystacalis*, *Lafr.* New Granada.
1053. *castanea*, *J. Verr. R. et M. de Zool.* 1866, pl. 19. Santa Fé.
- 292.** *c. NONNULA*, *Sclat.* 1853.
Scotocharis, *Bp.* 1854.
1054. *rubecula*, *Spix, A. B. t.* 39. 1; *P. C.* 323. 2. Brazil.
phaioleucus et rufalbinus, *Tem.*
1055. *frontalis*, *Sclat.* Bogota, Upper
Ucayali.
1056. *ruficapilla*, *Tsch. F. P. t.* 24. 1. Upper Amazon.
- 293. CHELIDOPTERA**, *Gould*, 1836.
Monasa, *Boie*, 1826. *Lypornix*, 3 div., *Wagl.* 1827.
Brachypetes, *Sw.* 1837.
Sw. C. of B. f. 291; *G. of B. i. p.* 75, pl. 26. f. 2; *Reich. S. A.*
t. 45. f. .
1057. *tenebrosa*, *Pall.*; *P. E.* 505; *P. C.* 323. 1; *Lev. O. Parad.*
t. 46. Brazil.
tenebrio, *Tem.*
1058. *albipennis*, *Bp.* Venezuela,
Cumana.
1059. *brasiliensis*, *Sclat.* S.E. Brazil.
tenebrosa, *Max.*

FAM. IX. **ALCEDINIDÆ**, Bp. 1838.

Halcyonidæ, Vig. 1825.

Subfam. I. **Daceloninæ**, Bp. 1849.

Alcedininæ, p., Bp. 1831. Halcyoninæ, ? G. R. Gr. 1840.

294. DACELO, Leach, 1816.Alcedo, Lath. 1790. Paralcyon, 1827, et Nycticeyx, 1842, Glog.
G. of B. i. p. 77; Reich. S. A. t. 33. f. .

a. DACELO.

1060. **gigas**, Bodd.; P. E. 663; V. Gal. des Ois. t. 188; Gould,
B. A. ii. pl. 18.

New S. Wales. 2203
S. Australia.gigantea, Lath.; fusca, Gm.; australe, Less.
undulata, Scop.; Sonn. Voy. t. 106.

1061. **Leachii** (Lath.), Vig. & H.; Gould, B. A. ii. pl. 19.

N. Australia. 2203a

1062. **cervina**, Gould, B. A. ii. pl. 20; Voy. Pôle Sud, t. 23. 1.
cervicalis, Kaup; Salussii, Homb. & J.

,,

295. b. **CHOUCALCYON**, Less. 1831.Chouacalyon!, G. R. Gr. 1847.
Sauromarptis, Cab. & H. 1859.
G. of B. i. pl. 27. f. 1.

1063. **Gaudichaudi**, Quoy & G. Voy. Uranie, t. 25; Schl.
Vög. Ned. Ind. t. 4. 2, 3; Sharpe, Alced. pl. 18.

New Guinea,
Waig., Guebe,
Mysol, Ceram.

1064. **Tyro**, G. R. Gr. Pr. Z. S. 1858, pl. 133; Schl. Vog. Ned.
Ind. t. 4. 4; Gould, B. As. pl.; Sharpe, Alced. pl. 19.
Gaudichaudi, p., Schl.

Aru.

296. c. **CITTURA**, Reich. 1851.

1065. **cyanotis**, Tem. P. C. 262; Schl. Vog. Ned. Ind. t. 6. 1, 2;
Sharpe, Alced. pl. 10.
sanghierensis, juv., Finsch.

Celebes.
"Sumatra," Tem.

1066. **sanghierensis**, Schl.; Pr. Z. S. 1868, pl. 27; Sharpe, Alced.
pl. 9.

Sanghir.

297. d. **MELIDORA**, Less. 1831.

1067. **macrorhyncha**, Less. Voy. Coqu. t. 31 bis. 2; Schl. Vog.
Ned. Ind. t. 4. 1; Sharpe, Alced. pl. 25.
euphrasia, Less.

New Guinea.

298. e. **MONACHALCYON**, Reich. 1851.

1068. **princeps**, Reich.; Schl. Vog. Ned. Ind. t. 7. 1-3.
monachus, Tem.; cyanocephala, Forst.

Celebes, Ceram.
Ternate.

299. TANYSIPTERA, Vig. 1823.Pyrrhocorax, *Mæhr.* 1742?*G. of B. i.* p. 78, pl. 27. f. 3; *Reich. S. A. t.* 33. f. .

1069. **dea**, *L.*; *P. E.* 116; *Schl. Vog. Ned. Ind. t.* 13. 3? Ternate.
1070. **margaretta**, *Heine*; *Schl. Vog. Ned. Ind. t.* 13. 2. Batchian, Gilolo,
Isis, G. R. Gr.; *dea, Müll.?*; *dea, p., Schl.*
1071. **galatea**, *G. R. Gr.*; *Schl. Vog. Ned. Ind. t.* 13. 1, t. 15. 2. New Guinea,
dea, Less.; *dea, p., Schl.* Waigiou, Aru.
1072. **nympha**, *G. R. Gr.*; *Sharpe, Alced.* pl. 19. Philippine I.?
dea, p., Schl. N.W. of New Guinea.
1073. **sabrina**, *G. R. Gr. Pr. Z. S.* 1860, pl. 170; *Schl. Vog. Ned. Ind. t.* 14. 4, 5? Kaisa, Batchian.
1074. **nais**, *G. R. Gr.* Amboina.
1075. **hydrocharis**, *G. R. Gr.*; *Schl. Vog. Ned. Ind. t.* 15. 4. Aru.
1076. **sylvia**, *Gould, B. A.* suppl. pl. Cape York.
1077. **doris**, *Wall.*; *Schl. Vog. Ned. Ind. t.* 14. 1, 2, 3, & t. 15. 3. Morty Island.
sabrina, p., Schl.
1078. **acis**, *Wall.* Ceram.
nais, var., Schl.
1079. **Rosenbergii**, *Kaup.* New Guinea.
1080. **Riedelii**, *J. Verr.*; *N. Arch. du Mus.* ii. t. 3. 1. Celebes.

300. HALCYON, Sw. 1821.Entomothera, *Horsf.* 1820? Entomophila, *Leach?*Paralcyon, *Glog.* 1842.*Sw. C. of B. f.* 290, d; *G. of B. i.* p. 79; *Reich. S. A. t.* 33. f. .*a. HALCYON.*

1081. **senegalensis**, *L.*; *P. E.* 594; *Sw. Ill. Zool.* pl. 27. W. Africa, Natal.
1082. **cinereifrons**, *V. Gal. des Ois.* t. 187. ,,
torquata, Sw.; *malembica, Shaw.*
1083. **semicærulea**, *Forsk.*; *Rüpp. Wirbelth.* t. 21. Arabia, N.E. Afr.
cancrophaga, Forst.; *senegalensis, p., G. R. Gr.*
1084. **leucocephala**, *Müll.*; *P. E.* 356. 2; *Sw. B.W. Afr.* pl. 12. W. Africa.
senegalensis, var. ♂, Gm.; *erythrogaster, Tem.*
rufiventer, Sw.; *Swainsoni, Smith.*
semicærulea, p., G. R. Gr.
1085. **erythrorhyncha**, *Gould.* Cape Verd Isl.
1086. **badia**, *Verr.*; *Sharpe, Alced.* pl. 20. Gaboon,
cancrophaga, Strickl.
1087. **dryas**, *Hartl.*; *Sharpe, Alced.* pl. 4. W. Afr., St. Thomas, Prince's I.

1088. *senegaloides*, *Smith, I. S. A. Z.* pl. 63; *Sharpe, Alced.* pl. 26. S. Africa.
irrirata, *Cab.*
1089. *cancrophaga*, *Bodd.*; *P. E.* 334. Senegal.
canthopaga binnia *Marquess*
- 301.** *b. CHELICUTIA*, *Reich.* 1851.
Halcyon, *Bp.* 1850. *Pagurothera*, *Cab. & H.* 1859.
1090. *Chelicuti*, *Stanl.*; *Rüpp. Atl.* t. 28, b. Abyssinia.
pygmæa, *Kretzs.*; *striolata*, *p.*, *Hartl.*
1091. *variegata*, *V.* Natal.
striolata, *Licht.*
1092. *fuscicapilla*, *Lafr. Mag. de Zool.* 1833, t. 18. S. Africa.
Vaillantii, *Tem.*
1093. *damarensis*, *Strickl.* Damaraland.
1094. *orientalis*, *Peters.* Mozambique.
- 302.** *c. ENTOMOBIA*, *Cab. & H.* 1859.
Entomothera, *Reich.* 1851, *nec Horsf.*
Halcyon, *Bp.* 1854, *nec Sw.*
1095. *smymensis*, *L.* Asia Minor.
arabica, *Hempr.*
fusca, *Bodd.*; *P. E.* 894; *Gould, B. As.* pl.
smymensis, var. γ , *Gm.*
smymensis, *Sykes*; *albigularis*, *Bl.*
Malacca.
India, Ceylon.
1096. *gularis*, *Kuhl*; *P. E.* 232; *Gould, B. As.* pl. Philippine I.
rufirostris, *Ill.*; *smymensis*, *Kittl.* China.
ruficollis, *Sw.*; *melanoptera*, *Tem.*
1097. *pileata*, *Bodd.*; *P. E.* 673; *Gould, B. As.* pl.; *Sharpe,*
Alced. pl. 3. Sumatra, Borneo.
atricapilla, *Gm.*; *brama*, *Less.* Malacca, Tenas.
puella, *Kreling.*; *albiventer*, *Scop.* Ceylon, India,
Andam. I. &c.
1098. *cyaniventris*, *V.*; *P. C.* 135; *Schl. Vog. Ned. Ind.* t. 9.
3, 4; *Gould, B. As.* pl. Java.
melanoptera, *Horsf.*
omnicolor, *Tem.*; *multicolor*, *Kaup.*
- 303.** *d. CALIALCYON*, *Bp.* 1850.
Callialcyon, *Reich.* 1851. *Callalcyon*, *Bp.* 1854.
1099. *coromandeliana*, *Scop.*; *Sonn. Voy.* t. 118. India.
coromanda, *Lath.*; *lilacina*, *Sw.* Tenasserim.
coromandelicus, *Vig.* Sumatra.
coromanda minor, *Tem. & Schl. Vog. Ned. Ind.* t. 8. 1. Java.
calipyga, *Hodgs.*; *varia*, *Eyton.* Borneo.
1100. *Schlegeli*, *Reich.* Japan.
coromanda major, *Tem. & Schl.*
1101. *rufa*, *Wall.* Celebes, Sula.

304. *e. HYLCAON, Reich. 1851.*

1102. **melanorhyncha**, *Tem. P. C. 391; Schl. Vog. Ned. Ind. t. 2. 1.* Celebes.

305. *f. PELARGOPSIS, Glog. 1842.*

Rhamphalcyon, *Reich. 1851. Halcyon, Boie, 1826.*

1103. **capensis**, *L.; P. E. 590.* India.
leucocephala, McClell.; gural, Pears.
brunniceps, Jerd.
1104. **javana**, *Bodd.; P. E. 757; Schl. Vog. Ned. Ind. t. 2. 2, 3, 4.* Java, Borneo.
leucocephala, Gm.; javanica, Shaw. Malacca.
1105. **amauroptera**, *Pears.* India, Burmah.

306. *g. CYANALCYON, Verr. 1854.*

- 2208 • 1106. **Macleayi**, *Jard. & S. I. O. pl. 110; Gould, B. A. ii. pl. 24.* New S. Wales.
unicinctus, Gould. W. Australia.
1107. **diops**, *Tem. P. C. 272; Schl. Vog. Ned. Ind. t. 11. 3, 4.* Celebes, Ternate,
 Batch., Gilolo.
1108. **lazuli**, *Tem. P. C. 500; Schl. Vog. Ned. Ind. t. 12. 1, 2.* Amboina, Gilolo,
 Batch., Ceram.
1109. **leucopygia**, *Verr.* Solomon Islds.
1110. *Jacquiniti, G. R. Gr.* Tonga Island.
diophthalmo rufoventris, Homb. & Jacq.
Hombroni et Macleayi, p., Cass.
1111. **lazulina**, *Bp.* — ?

307. *h. SAUROPATIS, Cab. & H. 1859.*

G. of B. i. pl. 27. f. 4; Schl. t. 10. 1.

- 2209 • 1112. **sancta**, *Vig. & H.; Gould, B. A. ii. pl. 21.* Australia.
sacra, Steph.; chlorocephala, var., Less. Loyalty I.
australasiæ, Cass. Norfolk I.
1113. **vagans**, *Less.; Voy. Ereb. & Terr. pl. 1.* New Zealand.
chlorocephala, var. γ, Less.; cyanea, Forst.
1114. **sordida**, *Gould, B. A. ii. pl. 23.* N. Australia.
1115. **Grayi**, *Cab. & H.* Aru.
sordida, var., G. R. Gr. Louisiade I.
- 4049 • 1116. **chloris**, *Bodd.; P. E. 783. 2; Schl. Vog. Ned. Ind. t. 10. 3, 4.* India, Malacca.
collaris, Scop.; chlorocephala, Gm. Sunda I.
abyssinica, Pelz. Philippine I.
- 8055 • 1117. **pyrrhopygia**, *Gould, B. A. ii. pl. 22.* New S. Wales,
 S. & W. Austr.
1118. **australasiæ**, *V.; Schl. Vog. Ned. Ind. t. 10. 2.* Lomb., Timor.
coronata, Müll.
1119. **superciliosa**, *G. R. Gr.; U. S. Expl. Exp. pl. 16. 2.* Tonga I.
superciliaris, Reich.; vitiensis, p., Peale.
collaris, var. A, Forst.; sacra, p., Finsch & Hartl.

1120. **vitiensis**, *Peale, U. S. Expl. Exp.* pl. 16. 1.
tuta, *Peale, l. c.* pl. 15. 1; *Cassini, Finsch & H.*
superciliosa, p., *G. R. Gr.* Feejee I.
- 1121. **Reichenbachii**, *Hartl.*
cinnamomina, p., *G. R. Gr.*; collaris, var. 11, *Forst.?* Marquesas. 44
1122. **ruficeps**, *Cuv.*
cinnamomina, p.?, *Cab.* New Ireland.
1123. **cinnamomina**, *Sw. Zool. Ill.* pl. 67. Mariannes. 40/3
1124. **Julia**, *Reich.*
coronata, p., *G. R. Gr.*; Grayi, *Schl.*
sacra, p., *Hartl.* New Hebrides.
1125. **nigrocyanea**, *Wall. Pr. Z. S.* 1862, pl. 19. N.W. of New Guinea.
1126. **funebis**, *Forst.*; *Schl. Vog. Ned. Ind.* t. 11. 2. Celebes, Gilolo.
1127. **saurophaga**, *Gould, Voy. Sulph.* pl. .; *Schl. Vog. Ned.* New Guinea. 159/2
Ind. t. 11. 3, 4.
- cyanoleuca, *Tem.*; albicilla, p., *Schl.* New Ireland,
Mysol, Louisi-
ade Isl.
1128. *Forsteni*, *Tem.*; *Schl. Vog. Ned. Ind.* t. 11. 1. Celebes.
1129. albicilla, *Cuv.* Mariannes, La-
drone, Pelew
Islands.
- 308.** *i.* **TODIRAMPUS**, *Less.* 1828.
Halcyon, *Sw.* 1837. *Coporhamphus*, *Glog.* 1842.
- 1130. **sacra**, *Gm.*; *U. S. Expl. Exp.* pl. 42. 1.
collaris, *Forst.* Society I.
Sandwich I. 2224
- 1131. **tuta**, *Gm.*
cyanea, *Forst.* Society I. 7946
New Caledonia.
1132. **venerata**, *Gm.*; *Mem. Soc. H. N. Paris*, iii. t. 12.
divinus, *Less.*; tuta, *G. R. Gr.*
nullitorques, *Peale, U. S. Expl. Exp.* pl. 18. 1. Society I.
Friendly I.
Samoan I.
- 1133. **recurvirostris**, *Lafr.*; *U. S. Expl. Exp.* pl. 45.
platyrostris, *Gould*; minima, *Peale.* „ 33
- 309.** *j.* **CARIDAGRUS**, *Cab. & H.* 1859.
Paralcyon, *Bp.* 1850, *nec Glog.* 1827.
1134. **concreta**, *Tem. P. C.* 846; *Schl. Vog. Ned. Ind.* t. 8. 2, 3. Sumatra, Java,
Borneo.
- 310.** *k.* **ASTACOPHILUS**, *Cab. & H.* 1859.
Actenoides, p., *Hartl.* 1855.
1135. **Lindsayi**, *Vig.*; *Voy. Bonite*, t. 7; *G. R. Gr. & M. G.*
B. pl. 27. Philippine I.
Lessoni, *Vig.*
- 311.** *l.* **ACTENOIDES**, *Hombr.* 1853.
1136. *Hombroni*, *Bp.*; *Voy. Pôle Sud*, t. 23. 2.
variegatus, *Pucher.* Mindanao.

312.m. LACEDO, *Reich.* 1851.Carcineutes, *Cab. & H.* 1859.

1137. **pulchella**, *Horsf.*; *P. C.* 277; *Schl. Vog. Ned. Ind.* t. 5. 1, 2; *Sharpe, Alced.* pl. 2.

buccoides, *Tem. P. C.* 586.

Sunda I.

Malacca, Mer-
gui, Burmah.

1138. **melanops**, *Tem.*; *Schl. Vog. Ned. Ind.* t. 5. 3, 4; *Sharpe, Alced.* pl. 15.

Borneo.

313.n. CARIDONAX, *Cab. & H.* 1859.

1139. **fulgida**, *Gould, B. As.* pl.; *Schl. Vog. Ned. Ind.* t. 9. 1; *Sharpe, Alced.* pl. 1.

Flores, Lombook.

314.o. SYMA, *Less.* 1828.Lyma!, *Selby*, 1840.*Reich. S. A.* t. 33. f. .

1140. **torotoro**, *Less. Voy. Coqu.* t. 31 bis. 1; *Schl. Vog. Ned. Ind.* t. 6. 3, 4; *Sharpe, Alced.* pl. 21.

syma, *Müll.*; *Lessonia*, *Sw.*

New Guinea.

Aru, Mysol, Wai-
giou.

1141. **flavirostris**, *Gould, B. A.* suppl. pl.; *Sharpe, Alced.* pl. 22.
torotoro, p., *Schl.*

Cape York, N.
Australia.**315. CEYX**, *Lacép.* 1800-1801.Alcedo, 2 div., *Tem.* 1820.*G. of B. i.* p. 79, pl. 27. f. 1; *Reich. S. A.* t. 33. f.

1142. **tridactyla**, *L.*; *Pall. Spic. Zool.* t. 2. 1; *Sonn. Voy.* t. 32; *P. E.* 778. 2; *Schl. Vog. Ned. Ind.* t. 16; *Sharpe, Alced.* pl. 23.

rubra, *Bodd.*; *purpurea et erythaca*, *Gm.*luzoniensis, *Steph.*microsoma, *Burt.*

India, Ceylon.

Penang.

Sumatra, Philip-
pines.

1143. **rubra**, *Müll.*; *Jard. & S. I. O.* pl. 55. 2; *Schl. Vog. Ned. Ind.* t. 16; *Sharpe, Alced.* pl. 13.

Sunda I., Malac.

tridactyla, var., *Shaw*; tridactyla, *Jard. & S.*rufidorsa, *Strickl.*

1144. **melanura**, *Kaup*; *Sharpe, Alced.* pl. 14.

frontalis, *Kaup, MS.*

Luzon, Manilla.

1145. **lepida**, *Tem. P. C.* 595. 1; *Schl. Vog. Ned. Ind.* t. 16. 4, 5; *Sharpe, Alced.* pl. 11.

S. & S.W. N. Gu.,
Amboi., Ceram.

1146. **Wallacei**, *Sharpe, Alced.* pl. 6; *Schl. Vog. Ned. Ind.* t. 16. 3?

Sula.

lepida, *Wall.*

1147. **cajeli**, *Wall. Pr. Z. S.* 1863, pl. 5; *Schl. Vog. Ned. Ind.* t. 16. 3; *Sharpe, Alced.* pl. 5.

Bouru, Mata-
bella.

1148. **uropygialis**, *G. R. Gr.*; *Sharpe, Alced.* pl. 30.

Batchian, Gilolo,
Ternate.

1149. **Dillwynni**, *Sharpe*; *Reich. Handb. Alced.* t. 403 b, f. 3389.
tridactyla, *Reich.*; rufidorsa, *Selat.*

Labuan.

316. *b. "THEROSA, Müll.," Bp. 1849.**Ceyx et Ceux, Müll.*1150. *solitaria, Tem. P. C. 595. 2; Schl. Vog. Ned. Ind. t. 3. 2; Sharpe, Alced. pl. 12.**solitaris, Müll.**meninting, Less.*N. Guinea, Aru,
Mysol, Ceram.Subfam. II. **Alcedininæ, G. R. Gr. 1840.**Halcyoninæ, *p., Sw.***317. ALCEDO, L. 1756.***Ispida, L. 1735.**Sw. C. of B. f. 290, e; G. of B. i. p. 81, pl. 28. f. 3; Reich. S. A. t. 33. f. .**a. ALCEDO.*

1151. *ispida, L.; P. E. 77; Naum. Vog. t. 144; Gould, B. E. pl. atthis, Gm.; ægyptia, V. Pallasii, Reich.* Europe, Egypt.
Red Sea.
Russia.
1152. *bengalensis, Gm.; Edw. B. pl. 11; Gould, B. As. pl. hispidioides, Less; japonica, Bp.* India.
Japan, Formosa,
China.
1153. *euryzona, Tem.; Schl. Vog. Ned. Ind. t. 1. 1, 2. nigricans, Bl.; cærulea, Bp.* Java, Sumatra.
1154. *meninting, Horsf.; P. C. 239. 2; Schl. Vog. Ned. Ind. t. 2. 2, 3. asiatica, Sw.; bengalensis, var., Gm.* Java, Malacca.
Lombok.
1155. **Verreauxi**, *De la Berg, Rev. et M. de Zool. 1851, t. 9.* Borneo.
1156. *molluccensis, Bl.; Schl. Vog. Ned. Ind. t. 1. 4, 5. minor molluccensis, Schl.* Moluccas, Celeb. 1557
New Ireland.
1157. *sondaica, Reich.; Schl. Vog. Ned. Ind. t. 1. 3. minor, Schl.* Borneo, Java,
Flores, Timor.
1158. *beryllina, V.; P. C. 239. 1; Schl. Vog. Ned. Ind. t. 3. 1. biru, Horsf.; cærulescens, V.* Java, Sumatra.
Lombok, Timor.
1159. *quadribrachys, Tem.; Contr. Orn. 1850, pl.* W. Africa, Natal.
1160. *semitorquata, Sw. Zool. Ill. pl. 151; Rüpp. S. U. t. 7. azureus, Less.* N. Africa, Shoa.
1161. *cyanopectus, Lafr.; Contr. Orn. 1850, pl.; Sharpe, Alced. pl. 31. cincta, Jard.* Philippine I.
1162. *philippensis, Gould; Sharpe, Alced. pl. 24.* "

1163. *grandis*, *Bl.* Darjeeling,
Sikhim.
1164. *senegalensis*, *Hartl.* Senegal.
- 318.** *b. CORYTHORNIS*, *Kaup*, 1848.
Alcedo, *L.* 1766.
1165. *galerita*, *Müll.*; *P. E.* 356. 1. N. & E. ? Africa.
nigra, *Bodd.*; *cæruleocephala*, *Gm.*
cycnocephala, *Shaw.*
nais, *Kaup.* Gaboon.
1166. *cristata*, *L.*; *P. E.* 756. 1; *Rüpp. Wirbelth.* t. 24. 2. S. Africa.
cyanostigma, *Rüpp.* Abyssinia.
1167. *Hartlaubi*, n. sp. ? Ashanti.
cristata, *p.*
1168. *vintsioides*, *Eyd. & Gerv. Mag. de Zool.* 1836, t. 74. Madagascar,
Gambesi and
Shiré River.
cristata, *p.*, *L. ?*; *Edw. B.* pl. 336 ? Johanna, Ma-
yotta. W. Africa.
1169. *leucogaster*, *Fras. Zool. Typ.* pl. 32; *Sharpe, Alced.* pl. 28.
- 319.** *c. ISPIDINA*, 1848,
et Ipsidina !, *Kaup.*
1170. *picta*, *Bodd.*; *P. E.* 783. 1; *G. R. Gr. & M. G. B.* pl. 28; S.&W.Afr., Natal.
Sharpe, Alced. pl. 29. Abyssinia.
cærulea, *Gm.*; *capistrata et pusilla*, *Shaw.*
ultramarina, *Daud.*; *nutans*, *V.*
cyanotis, *Sw.*
"natalensis, *Smith*," *Layard.*
1171. *coronata*, *Smith.* S. & W. Africa.
nitida, *Kaup*; *picta*, *Reich.*
picturata, *Schl.*
1172. *madagascariensis*, *L.*; *P. E.* 778. 1; *Sharpe, Alced.* pl. 27. Madagascar.
rufulus, *Lafr.*
1173. *ruficeps*, *Hartl.* W. Africa.
1174. *Lecontei*, *Cass.* "
- 320. ALCYONE**, *Sw.* 1837.
Halcyone, *Agass.*
G. of B. i. p. 82, pl. 28. f. 2; *Reich. S. A. t.* 33. f.
- 5698 1175. *azurea*, *Lath.*; *Gould, B. A. ii.* pl. 25. Australia.
tribrachys, *Shaw*; *cyanea*, *Less.*
australis, *Sw.*
1176. *pulchra*, *Gould.* N. Australia.
azurea, *p.*, *Schl.*; *Lessonii*, *Cass.* New Guin., Aru.
1177. *diemenensis*, *Gould.* Tasmania.
azurea, *p.*, *Schl.*

1178. *affinis*, *G. R. Gr.*; *Schl. Vög. Ned. Ind.* t. 3, 4. Batchian.
azurea, p., *Schl.*
1179. *pusilla*, *Tem. P. C.* 595. 3; *Gould, B. A.* ii. pl. 26. N. Austr., New
Guin., Aru,
Mysol.
- 321. CERYLE**, *Boie*, 1828.
Alcedo, Illig. 1811. *Ispida, Sw.* 1837, *nec L.* 1735.
G. of B. i. p. 82; *Reich. S. A.* t. 33. f. .
- a. CERYLE.
1180. *rudis*, *L.*; *P. E.* 62, 716. S.E. Europe.
bicincta et bitorquata, Sw. N.E. Africa.
1181. *varia*, *Strickl.* India.
rudis, Sykes; *leucomelanura, Reich.*
rudis, p., *Schl.*
1182. ? *tricolor*, *V.* Senegal.
- 322.** b. MEGACERYLE, *Kaup*, 1848.
G. of B. i. pl. 28. f. 1.
1183. *guttata*, *Vig.*; *Gould, C. B.* pl. 5. Nepal.
1184. *lugubris*, *Tem. P. C.* 548; *F. J.* t. 38 b. Japan.
guttata, p., *G. R. Gr.*
- 323.** c. ICHTHYNOMUS, *Cab.* 1859.
Megaceryle, Reich. 1851, *nec Kaup.*
1185. *maxima*, *Pall.*; *P. E.* 679; *Sw. B. W. Afr.* pl. 11. W. Africa.
guttata, Bodd.; *afra, Shaw*; *gigantea, Sw.* Abyssinia, Natal.
- 324.** d. STREPTOCERYLE, *Bp.* 1854.
Alcedo, Illig. 1811.
1186. *torquata*, *L.*; *P. E.* 284. Brazil, Bolivia.
cyanea et cinerea, V. Argent. Rep.
cassia, Reich. Peru.
1187. *alcyon*, *L.*; *P. E.* 715; *Wils. A. O.* pl. 23. 1; *Sharpe,* N. & C. Ameri- 7698
Alced. pl. 7. ca, Antilles.
ludoviciana, Gm.; *jaguacati, Dum.* Jamaica, St. Do-
guacu, V.; *domingensis, Reich.* ? mingo.
1188. *stellata, Meyen, N. A. N. C.* xvi. suppl. t. 14. Chili.
torquata, Tsch.
- 325.** e. CHLOROCERYLE, *Kaup*, 1849.
1189. *amazona*, *Lath.* Brazil, Bolivia.
vestita, Dum.; *rubescens, V.* Argent. Rep.
leucosticta et amazona, Reich.; *amazonia, Cab.*
1190. *americana*, *Gm.*; *P. E.* 591; *Baird, B. N. A.* pl. 45. Brazil, Texas,
viridis, V.; *brasiliensis, Gm.* Guatemala,
chalcites, Reich. Boliv., Peru.

1191. *Cabanisi*, *Reich.*; *Sharpe, Alced.* pl. 16. S. of U. States,
americana, p., *Tsch.*; *americana*, p., *Cass.* C. America,
W. of S. Am.

326. *f. AMAZONIS, Reich.* 1854.

1192. *inda*, *L.*; *Edw. B.* pl. 325; *P. E.* 592; *Sharpe, Alced.* pl. 32. Brazil.
viridirufa, *Bodd.*; *surinamensis et bicolor*, *Gm.*; *indica*, *Drap.* C. America.
1193. *superciliosa*, *L.*; *Edw. B.* pl. 245; *P. E.* 756. 2, 3; *Sharpe, Alced.* pl. 8. Demerara, Brit.
superciliosa, *Reich.* Guiana, Brazil,
C. America.

FAM. X. **MEROPIDÆ**, *Leach.*

Subfam. I. **Nyctiornithinæ**, *Cab. & H.* 1859.

Meropinæ, p., *G. R. Gr.* 1840.

327. NYCTIORNIS, *Sw.* 1831.

Alcemerops, *I. Geoffr.* 1832.

G. of B. i. p. 87, pl. 30. f. 2; *Reich. S. A. t.* 34. f.

a. NYCTIORNIS.

1194. *amictus*, *Tem. P. C.* 310; *Sw. Zool. Ill.* pl. 56. Sumatra, Born.
1195. *malaccensis*, *Cab.* Malacca.
amictus, *Reich.*; *amictus*, p., *Schl.* Burmah.

328. *b. BUCIA*, 1836,

et Napophila, 1841, *Hodgs.*

1196. *Athertoni*, *Jard. & S. Ill. Orn.* pl. 58. India.
cærulea, *Sw.*; *Amherstiana*, *Royle.* Assam, Arakan.
nipalensis, *Bl.*; *meropina*, *Hodgs.* Tenasserim.
cyanogularis, *Jerd.*; *paleazureus*, *Less.*; *assamensis*, *McClell.*

329. *c. MEROPISCUS*, *Sundev.* 1849.

1197. *gularis*, *Shaw, Nat. Misc.* pl. 337; *G. R. Gr. & M. G. B.* W. Africa.
pl. 30.
1198. *Mulleri*, *Cass. Journ. Ac. Phil.* 1860, pl. 49. 2. W. Africa.

330. *MEROPOGON*, *Bp.* 1850.

1199. *Forsteni*, *Tem.*; *Schl. De Dierk.* fig. p. 53. Celebes.

331. *BOMBYLONAX*, *Heine*, 1859.

Archimerops, *Hartl.* 1859.

Pogonomerops, *Cass.*

1200. *Breweri*, *Cass. Journ. Ac. Phil.* 1861, pl. 49. 1. Camar., W. Afr.

Subfam. II. *Meropinæ*, *Bp.* 1831.**332. MEROPS**, *L.* 1756.Ispida, *L.* 1744. *Apiaster*, *Briss.* 1760.*Sw. C. of B. f.* 289, *a*; *G. of B. i. p.* 85, *pl.* 30. *f.* 1; *Reich. S.**A. t.* 34. *f.* .*a. MEROPS.*

1201. **apiaster**, *L.*; *P. E.* 938; *Naum. Vög.* t. 143; *Lev. Guép.* Eur., N.&W.Afr.,
t. 1. 2. Palestine, Arab.
schaeghagha, *Forsk.*; *chrysocephalus*, *Gm.* Egypt, Cashmere.
galilæus, *Hasselq.*; *hungariæ*, *Brehm.*

333. *b. MELITTOPHAS*, *Reich.* 1852.

1202. **bicolor**, *Bodd.*; *P. E.* 252; *Lev. Guép.* t. 12. Sumatra, Java.
badius, *Gm.*; *castaneus*, *Lath.* Borneo.
sumatranus, *Raffl.*; *Latreillei*, *V.*
cyanopygius, *Less.*; *hypoglaucus*, *Reich.*
americanus, *Müll.*

1203. **chlorolæmus**, *n. sp.?* —?

334. *c. BLEPHAROMEROPS*, *Reich.* 1852.

1204. **superciliosus**, *L.*; *P. E.* 259; *Lev. Guép.* t. 19. Madagascar.
ruficapillus, *V.*; *Vaillianti*, *Bp.* Port Natal.
Bonnelli, *Lev.*
1205. ? **ægyptius**, *Forsk.*; *Descr. de l'Egypte*, t. 4. 3; *Lev. Guép.* E.&S.E. Europe.
t. 6. 16. N. Africa.
persica, *Pall.*; *Savignyi*, *Cuv.*
ruficollis, *V.*; *superciliosus*, *Licht.*
1206. ? **Savignyi**, *Sw. B. of W. Afr.* pl. 7; *Lev. Guép.* t. 6 bis. S. & W. Africa.
ægyptius, *Bp.*; *longicauda*, *V.*
chrysocercus, *Cab.*

1207. **philippinus**, *L.*; *P. E.* 57. Philippine Isl.
philippensis, *Tem.*

1208. **Daudini**, *Cuv.*; *Lev. Guép.* t. 14; *Gould, B. As.* pl. India, Ceylon.
cyanorrhous, *Tem.*; *javanicus*, *Horsf.* Java, Flores,
typicus, *Hodgs.*; *philippinus*, *p.*, *G. R. Gr.* Lomb., Timor.

335. *d. AËROPS*, *Reich.* 1852.

1209. **albicollis**, *V.*; *Lev. Guép.* t. 9; *Sw. Zool. Ill.* pl. 76. W. Africa.
Cuvieri, *Licht.*; *Savignyi*, *Sw.* Nile below Khar-
toun.

336. *e. PHLOTHRUS*, *Reich.* 1852.

1210. **viridis**, *L.*; *Edw. B.* pl. 183; *Lev. Guép.* t. 10, 11. India. 6411
torquatus, *Lath.*; *Lamarekii*, *Cuv.*
orientalis, *Lath.*; *ferrugineiceps*, *Hodgs.*
indicus, *Jerd.*; *citrinella*, *V.*

1211. **viridissimus**, *Sw.*; *P. E.* 740. W.&N.E.Africa.
 viridis, *p.* Isle of France.
 ægyptius, *Licht.*; *viridis*, *Rüpp.*
1212. **cyanophrys**, *Cab.* Arabia.
- 337.** *f.* MELITTOTHERES, *Reich.* 1852.
1213. **nubicus**, *Gm.*; *P. E.* 649; *Lev. Guêp.* t. 3. W., S., & N.E. Af.
 cæruleocephalus, *Lath.*
 superbus, *Penn.*
1214. **nubicoides**, *Des Murs*, *I. O.* t. 35. Africa.
 natalensis, *Reich.*
- 338.** *g.* TEPHRAËROPS, *Reich.* 1852.
1215. **malembicus**, *Shaw*, *Nat. Misc.* pl. 701; *Lev. Guêp.* t. 5; W. Africa.
 Ann. du Mus. ii. t. 62. 1.
 bicolor, *Daud.*
 nubicus, *p.*
- 339.** *h.* MELITTIAS, *Cab. & H.* 1859.
 Urica, *Bp.* 1854.
1216. **quinticolor**, *V.*; *Lev. Guêp.* t. 15. 18; *Sw. Zool. Ill.* t. 8. India, Sunda I.
 urica, *Horsf.*; *erythrocephala*, *Bl.* Tenasserim.
 Leschenaultii, *V.*
- 340.** *i.* COSMAËROPS, *Cab. & H.* 1859.
 Urica, *p.*, *Bp.* 1854.
1217. **ornatus**, *Lath.*; *Lev. Guêp.* t. 4; *Gould*, *B. A.* ii. pl. 16. Australia.
 Thouini et tenuipennis, *Dum.* Moluccas.
 melanurus, *Lewin*, *B. N. Holl.* pl. 18. Lomboek.
1218. **cærulescens**, *n. sp.?* N. Guin., Mysol.
 ornatus, *p.*, *G. R. Gr.* Ceram?
- 341.** *j.* SPHECOPHOBUS, *Reich.* 1852.
1219. **angolensis**, *Gm.*; *Briss. Orn.* t. 44. 1; *Lev. Guêp.* t. 7. E. Africa.
 Sommini et variegatus, *V.*
 cyanipectus, *Verr.*; *erythropterus*, *Rüpp.*
1220. **Lafresnayi**, *Guér.*; *Des Murs*, *I. O.* t. 34; *Ferr. & Gal.* N.E. Africa.
 Voy. en Abyss. t. 15.
 Lefebvrei, *Des Murs*; *Lefebv. Voy. en Abyss.* t. 5.
 variegatus, *p.*, *Schl.*
- 342.** *k.* DICROCERCUS, *Cab. & H.* 1859.
 Tachymerops, *Fitz.* 1864.
 Melittophagus, *Bp.* 1854.
1221. **hirundinaceus**, *V.*; *Lev. Guêp.* t. 8; *Sw. B. W. Afr.* W., N.E., & S.
 pl. 10. Africa.
 taiva, *Cuv.*; *chrysolaimus*, *Jard.*
 azuror, *Less.*; *furcatus*, *Stanl.*

343. MELITTOPHAGUS, Boie, 1828.*G. of B. i.* p. 86, pl. 30. f. 3; *Reich. S. A. t.* 34. f.1222. **pusillus**, Müll.; *P. E.* 318; *Lev. Guêp. t.* 17.

N.E. & S. Africa

bicolor, *Bodd.*; erythropterus, *Gm.*minutus, *V.*; pusillus, *Sw.*variegatus, *Rüpp.*; minulus, *Cuv.*1223. **collaris**, *V.*; *Kittl. Kupf. der Vög. t.* 7. 2.

W. Africa.

erythropterus, p., *Schl.*Sonnini, p. ?, *Bp.***344.** COCCOLARYNX, Reich. 1852.*Spheconax, Cab. & H.* 1859.1224. **Bullocki**, *V.*; *Don. Nat. Rep.* pl. 137; *Lev. Guêp. t.* 20.

,,

cyanogaster, *Sw. B. of W. Afr.* pl. 8.1225. **Bullockioides**, *Smith, I. S. A. Z.* pl. 9.

S. Africa.

albifrons, *Cab.*; *Smithii, Schl.*; *Bullockioides, Reich.*1226. **frenatus**, *Hartl.*; *Reich. Handb. t.* 450. 3250-51.

N.E. Africa.

Bullockii, Rüpp.; *Bullockii, p., Schl.*1227. **Boleslavskii**, *Pelz.*

Sudan.

frenatus, p. ?, Hartl. & F.

FAM. XI. GALBULIDÆ, Cab. 1847.

Haleyonidæ, p., Vig. 1825.

Subfam. I. Galbulinæ, G. R. Gr. 1841.

345. GALBULA, Moehr. 1752.*G. of B. i.* p. 83, pl. 28. f. 5; *Reich. S. A. t.* 34. f.

a. GALBULA.

1228. **viridis**, *Lath.*; *P. E.* 238; *Lev. Jac. t.* 47, 48, 49.

Cayenne.

galbula, L.; *rubricollis, Steph.*

Brazil.

*viridicauda, Sw.*1229. **rufoviridis**, *Cab.*

,,

viridis, V.; *maculicauda, Sel.**ruficauda, Sw.*1230. **ruficauda**, *Cuv.*; *Lev. Jac. t.* 50; *V. Gal. des Ois. t.* 29.

Venez., Tobago.

macroura, V.; *leptura, Sw.*

Cartheg., Brazil.

1231. **cyanicollis**, *Cass. Pr. Ac. Phil. v.* pl. 7.

Para, Rio Negro.

cyanopogon, Cab.; *albirostris, Burm.*

Brazil.

1232. **tombacea**, *Spix, A. B. t.* 58.

,,

cyanescens, Dev. ?

Peruvian Andes.

1233. **fuscicapilla**, *Selat. P. Z. S.* 1855, pl. 77.

New Granada.

*tombacea, Selat.*1234. **albirostris**, *Lath.*; *Lev. Jac. t.* 51.

Guiana, Brazil.

flavirostris, V.

1235. *castaneopectus*, n. sp. ? Amazon, Quito.
1236. *chalcocephala*, Dev.; *Voy. Casteln.* t. 9. 2. Peru, Rio Negro.
quadricolor, Verr.
1237. *melanogenia*, *Selat. Contr. Orn.* 1853, pl. 90. C. America.
- 346.** *b. CAUCALIAS*, Cab. & H. 1863.
1238. *leucogaster*, V.; *Lev. Guêp.* suppl. t. 11; *G. R. Gr. & M. G. B.* pl. 29. Guiana.
albiventris, Cuv.; *albiventer*, Sw. Brazil.
1239. *chalcothorax*, *Selat.* Quito, Ecuador.
- 347.** *c. UROGALBA*, Bp. 1854.
Urocex, Cab. & H. 1863.
Chalcophanes, *Reich.* 1853, *nec Wagl.* 1827.
1240. *paradisea*, L.; *P. E.* 271; *Lev. Jac.* t. Cayenne.
1241. *amazonum*, *Selat.* Brazil.
paradisea, p., Cab. & H.
- 348.** *d. BRACHYGALBA*, Bp. 1854.
Brachycex, Cab. & H. 1863. *Brachygalbula*!, *Selat.* 1862.
1242. *lugubris*, Sw. Upper Amazon.
inornata, *Selat.*; *alboventer*, Bp.
chalcoptera, *Reich.*; *albiventris*, Less.?
1243. *albogularis*, *Spir.*, *A. B.* t. 57. 1. Rio Janeiro, R. Javari.
1244. *melanosterna*, *Selat.* Brazil, Bolivia.
1245. *Göeringi*, *Selat. & S.* Venezuela.
- 349.** *e. JACAMARALCYON*, Cuv. 1829.
Aleyon, *Spir.* 1824. *Galbula*, *Boie*, 1826.
Halcyon, *Agass.* *Cauax*, Cab. 1847.
Reich. S. A. t. 34. f.
1246. *tridactyla*, *Pall.*; *Lev. Guêp.* suppl. t. 4; *Spir.*, *A. B.* t. 57. 2. Brazil.
ceyceides, *Such*; *armata*, Sw.
brasiliensis, *Less.*
- 350. GALBALCYRRHYNCHUS**, 1845, *et*
Jacamamaralcyonides, 1849, *Des Murs*.
Cauccias, Cab. 1851. *Aleyonides*, *Reich.* 1852.
Galbalecyorhynchus!, *G. R. Gr.* 1849.
1247. *leucotis*, *Des Murs*, *I. O.* t. 17. Bogota.
- 351. JACAMEROPS**, Cuv. 1829.
Lamprotila, Sw. 1837. *Lamproptila*, *Agass.*
G. of B. i. p. 84, pl. 28. f. 4; *Reich. S. A.* t. 34. f.
1248. *grandis*, *Gm.*; *Lev. Jac.* t. 54. Brazil.
jacamarici, *Shaw*, *Nat. Misc.* pl. 83
platyrhyncha, Sw.

1249. Isidori, *Dev. Casteln. Voy.* t. 10.

grandis, var., *Des Murs*.

E. Peru.

Tribe II. TENUIROSTRES, *Cuv.*

FAM. I. UPUPIDÆ, *Bp.* 1838.

Promeropidæ, p., *Sw.* Certhiadæ, p., *Boie*, 1826. Paradiseidæ, p., *Cab.* 1851.

Subfam. I. Upupinæ, *Bp.* 1831.

352. UPUPA, *L.* 1735-66.

Hupupa, *Bonn.*

G. of B. i. p. 89, pl. 31. f. 2; *Reich. S. A.* t. 41. f. .

1250. *epops*, *L.*; *P. E.* 52; *Lev. Prom.* t. 22; *Naum. Vög.* t. 142; *Gould, B. E.* pl. 238.

vulgaris, *Pall.*; *maculigera*, *Reich.*; *bifasciata*, *Brehm.*
indica, *Hodgs.*

Europe, India.

Assam, Hima.,

Cashmere, Pa-

lest., Bagdah,

Upp. Burmah?

W. Africa.

1251. *senegalensis*, *Sw.*

epops, var., *Sw.*

Fernando Po.

1252. *minor*, *Shaw*; *V. O. D.* t. 2; *id. Gál. des Ois.* t. 184; *Jard. & S. I. O.* pl. 142.

africana, *Licht.*; *cristatella*, *V.*
capensis, *Sw.*

S. Africa.

Caffraria.

1253. *nigripennis*, *Gould.*

minor, *Sykes*; *senegalensis*, *Bl.*
indica, *Reich.*; *epops*, *Burgess.*
? *ceylonensis*, *Reich.*

S. & C. India.

Ceylon.

1254. ? *major*, *Brehm.*

Egypt.

1255. *decorata*, *Hartl.*

Angola.

1256. *marginata*, *Peters.*

madagascariensis, *Bp.* ?

Madagascar.

1257. ? *longirostris*, *Jerd.*

Burmah.

1258. ?? *monolophos*, *Wagl.*; *Lev. Prom.* t. 9. (tail imperf. or artificial).

S. Africa.

Subfam. II. Irrisorinæ, *Bl.* 1849.

Promeropinæ, *G. R. Gr.* 1840.

353. IRRISOR, *Less.* 1831.

Promerops, *Boie*, 1826.

G. of B. i. p. 90.

*351^a. *Galbuloides*, *Des Murs*, 1851.

Boersii, *Ranz.*; *Lev. Jac.* t. 53. (*Avis fictitia*.)

S. America.

a. IRRISOR.

1259. **erythrorhynchus**, *Lath.*; *Lev. Prom.* t. 1-3. S. & N.E. Africa.
viridis, Licht.; *capensis, Less.*; *erythrorhynchus, V.*
? Stricklandii, Bp. Damaraland.
1260. **senegalensis**, *V.*; *G. R. Gr. & M. G. B.* pl. 31. W. Africa.
melanorhynchus, Licht. Abyssinia.
1261. **Bollei**, *Hartl.* Ashanti.
1262. *caudacutus, V.*; *Lev. Prom.* t. 8, 9. Madagascar.
obscurus, Wagl.
1263. *sibilator, V.*; *Lev. Prom.* t. 10. S. Africa.
sibilatrix, Wagl.
- 354.** b. **LAMPROLOPHOS**, *Des Murs*, 1853.
Lamprocephalus, Reich. 1854.
1264. *lamprolophos, Wagl.*; *Lev. Prom.* t. 11, 12. „
Levaillanti, Reich.
- 355.** c. **CYANEOPOPS**, *Reich.* 1853.
1265. *cæruleus, Shaw, Nat. Misc.* pl. 985; *V. Ois dor.* t. 9. „
indica, Lath.
1266. *? cyaneus, V.*; *Lev. Prom.* t. 7. Africa.
cæruleus, p., Wagl.
- 356.** d. **SCOPTELUS**, *Cab. & H.* 1859.
Irrisor, Bp. 1854. *Iridoptilus, Fitz.* 1864.
1267. **aterrimus**, *Steph.* W. & E. Africa.
pusillus, Sw.; *unicolor, Wagl.*
cyanomelas, Rüpp.?
- 357.** e. **RHINOPOMASTUS**, *Smith*, 1828.
Rhinopomastes, Cab. 1847.
G. of B. i. pl. 31. f. 1; *Reich. S. A.* t. 41. f.
1268. **cyanomelas**, *V.*; *Lev. Prom.* t. 5, 6; *Zool. Journ.* iv. pl. 1. N.E. Africa.
purpurea, Burch.; *purpurascens*!, *Cab.*; *purpuratus, Sw.* Damaraland.
Smithii, Jard.; *Levaillantii, Less.*
1269. **minor**, *Rüpp. S. U.* t. 8. Shoa.
1270. *Cabanisi, De Fil.* White Nile
icterorhynchus, Heugl.

Subfam. III. **Epimachinæ**, *G. R. Gr.* 1848.

Promeropinae, p., et Upupinae, p., G. R. Gr. 1840.

358. PTILORNIS, *Sw.* 1825.

Ptilorhis, Cab. 1851. *Epimachus, p. G. R. Gr.*

a. PTILORNIS.

1271. *paradisea*, Sw.; *Voy. Coqu.* t. 28; *Less. O. Parad.* t. 29, 30; *Gould, B. A.* iv. pl. 100. New S. Wales.
regius, Less.; Brisbani, Wils.

1272. *Victoriae*, Gould, *Pr. Z. S.* 1849, pl. 12; *id. B. A.* suppl. pl. Cape York.

359. b. CRASPEDOPHORA, G. R. Gr. 1840.

1273. *magnificus*, V.; *Lev. Prom.* t. 16; *G. R. Gr. & M. G. B.* pl. 32. New Guinea. 13662.
splendidus, Steph.
?major, Schl. ?; *Gould, B. A.* suppl. pl. Cape York.
Alberti, G. R. Gr. MS.

360. EPIMACHUS, Cuv. 1817.

Cinnamolegus, Less. 1835.

G. of B. i. p. 94, pl. 31. f. 4; *Reich. S. A.* t. 41. f.

a. EPIMACHUS.

1274. *maximus*, Scop.; *P. E.* 638, 639; *Lev. Prom.* t. 13-15. New Guinea.
magna, Gm.; *speciosa et striata*, Bodd.; *papuensis et superba*,
Lath.

361. b. SELEUCIDES, Less. 1835.

Nematophora, G. R. Gr. 1840.

Ptilornis, Reich. 1850.

1275. *albus*, Blumenb.; *Lev. Prom.* t. 17; *V. Gal. des Ois.* t. 185. Salwatti.
nigricans, Shaw; *violacea*, Bechst.
candida, Forst.; *resplendescens*, V.
acanthylis, Less. New Guinea.

362. c. SEMIOPTERA, G. R. Gr. 1859.

1276. *Wallacei*, G. R. Gr.; *Gould, B. A.* suppl. pl.; *Ibis*,
1860, pl. 2. Batchian
Var. G

363. FALCULIA, I. Geoffr. 1836.

G. of B. i. p. 91, pl. 31. f. 3; *Reich. S. A.* t. 41. f.

1277. *palliata*, I. Geoffr. *Mag. de Zool.* 1836, t. 49; *Poll. & V. D.*
F. de Madag. t. 33; *Schl. De Dierk.* fig. p. 188. Madagascar.

FAM. II. **PROMEROPIDÆ**, *Vig.* 1825.Cinnyridæ, *Vig.* 1825. Nectarinidæ, *Boie*, 1826.Subfam. I. **Nectarininæ**, *G. R. Gr.* 1840.**364. NECTARINIA**, *Ill.* 1811.*Curruca*, *Moehr.* 1752.*Mellisuga*, 1816, *et* *Cinnyris*, 2 div., 1818, *V.**Cinnyris*, 2 div., *Cuv.* 1817.*G. of B. i.* p. 97, pl. 33. f. 4; *Reich. S. A.* t. 41. f. (Anthreptes!).

a. NECTARINIA.

1278. **famosa**, *L.*; *P. E.* 83. 1; *Lev. O. A.* t. 289, 290. S. Africa.
formosa, *Bp.*; *cinerea*, *Gm.*

365. b. CINNYRIS, *Cuv.* 1817, *et* *Cab.* 1850.*Soui-manges*, *Cuv.* 1797-98.*Sw. C. of B.* f. 288. 1.

1279. **splendida**, *Shaw*; *V. O. D.* t. 82; *Lev. O. A.* t. 295. 1. W. Africa.
splendens et bombycinus, *V.*
coccinigastra, *Lath.*; *lucidus*, *Less.*
nitida, *Bechst.*

1280. **habessynica**, *Hempr. & Ehr. Symb. Phys.* t. 4. Abyssinia.
gularis, *Rüpp. Atl.* t. 31. 2.
purpuratus, *Kittl. Kupf.* t. 28. 1; *porphyreocephala*, *Heugl.?*

1281. **afra**, *L.*; *Edw. B.* pl. 347. 1; *Lev. O. A.* t. 300; *V. O. D.* t. 10. E. & S. Africa.
erythrogastra, *Shaw*; *smaragdinus et pectoralis*, *V.*

1282. **chalybea**, *L.*; *Edw. B.* pl. 265; *P. E.* 246. 3; *Sw. Zool. Ill.* pl. 95. S. & W. Africa.

1283. **bifasciata**, *Shaw*; *V. O. D.* t. 24. S. Africa, Natal.
nitens, *V.*; *mariquiensis*, *Smith.* Damaraland.

1284. **fusca**, *V.*; *Lev. O. A.* t. 296. Angola, Damaraland, Somanly.

1285. **Anderssonii**, *Strickl.* Damaraland, Natal.
talatala, *Smith*; *Andersonii*, *Reich.*

1286. **Jardinei**, *Verr.* Gaboon.

1287. **osea**, *Bp.*; *Gould, B. As.* pl. Jericho.

1288. **canora**, *Scop.*; *Sonn. Voy.* t. 116. 2. S. Africa.
viridis, *Lath.*; *scarlatina*, *Sparrm. M. C.* t. 58.

1289. **virescens**, *V. O. D.* t. 34. Africa.

1290. **fasciata**, *Jard.* W. Africa.

1291. **Johannæ**, *Verr.* Gaboon.

1292. *albiventris*, *Strickl. Contr. Orn.* 1852, pl. Somanli.
1293. *sovimanga*, *Gm.*; *Briss. Orn.* iii. t. 32. 2, 3; *V. O. D. t.* 18, 19. Madagascar.
madagascariensis, *Lath.*
1294. *erythrocerca*, *Heugl.* C. Africa.
Gonzenbachi, *Bianc.*; *erythroceria*!, *Hartl. & F.*
1295. *erythrothorax*, *V.* Angola.
1296. *phæothorax*, *Hartl.* Ashanti.
1297. *rubescens*, *V.* Congo.
1298. *ænea*, *V.*; *Lev. O. A. t.* 297. S. Afr., Ceylon?
1299. *Perreini*, *V.* Congo, Angola.
1300. *gabonica*, *Hartl.* Gaboon.
1301. *Coquerellii*, *Verr.* Mayotta.
1302. *seychellensis*, *Hartl.* Seychelles I.
Dussumieri, *Newt.*
1303. *comorensis*, *Peters.* Joanna I.
1304. *ludvicensis*, *Bocage.* W. Africa.
- 366.** *c. CHALCOMITRA*, *Reich.* 1854.
Cinnyris, p., *Cab.*
1305. *amethystina*, *Shaw*; *V. O. D. t.* 5, 6. Africa.
auratifrons, *V.*; *aurifrontalis*, *Bechst.*
aurifrons, *Licht.*
1306. *senegalensis*, *L.*; *Briss. Orn.* iii. t. 34. 2; *V. O. D. t.* 8, 9; E. & W. Africa.
Kittl. Kupf. Vög. t. 28. 2.
discolor, *V.*; *acis et natalensis*, *Antin.*
1307. *gutturalis*, *L.*; *Briss. Orn.* iii. t. 33. 3; *P. E.* 573. 3; Natal.
Jard. Nect. pl. 12; *Contr. Orn.* 1849, pl.
natalensis, *Jard.*
1308. ? *Bianconi*, *Hartl. Contr. Orn.* 1849, pl. S.E. Africa.
discolor, *Bianc.*; *natalensis*, var. *zanzibar*, *Jard.*
gutturalis, p., *Hartl.* Zanzibar.
1309. *cruentata*, *Rüpp. S. U. t.* 9. Abyssinia.
proteus, *Rüpp.*
1310. *Adelberti*, *Gerv. Mag. de Zool.* 1833, t. 19. W. Africa.
eboensis, *Thoms.* Fernando Po.
1311. *angolensis*, *Less. Ill. Orn. n. s. pl.* 48. W. Africa.
Stangeri, *Jard.*
1312. *venusta*, *Shaw*; *V. O. D. t.* 79. "
quinticolor, *Less.*; *parvula*, *Jard.*
pusilla, *Sw.*; *leucogaster*, *V.*
- 367.** *d. CHROMATOPHORA*, *Reich.* 1854.
1313. *superba*, *V. O. D. t.* 22. "
sougnimbindus et sanguineus, *Less.*

368. *e. ANTHODIETA, Cab. 1850.*Tephrolæma, *Heine, 1860.*1314. *collaris, V.; Lev. O. A. t. 299.*

Africa.

1315. *subcollaris, Reich.; Jard. Nect. pl. 6.*

W. Africa.

*collaris, Jard.*1316. *chloropygia, Jard. Nect. pl. 3.*

,,

*chalybea, Sw.*1317. *hypodilus, Jard.*

Fernando Po.

*hypodelos, Reich.*1318. *cyanolæma, Jard.*

,,

1319. *tephrolæma, Jard.*

,,

369. *f. ADELINUS, Bp. 1854.*Elæocerthia, *Reich. 1854.*Mangusia, *Bp.*1320. *olivacea, Smith.*

S. Africa, Natal.

1321. *obscura, Jard. Ill. Orn. n. s. pl. 51.*

Fernando Po.

1322. *Verroxi, Smith, I. S. A. Z. pl. 57; Jard. Nect. pl. 9.*

S. Africa.

1323. *Reichenbachii, Hartl.*

Gaboön.

1324. *Hartlaubii, Verr.*

Angola.

370. *g. CYANOMITRA, Reich. 1854.*1325. *cyancecephala, Gm.; Briss. Orn. iii. t. 28. 4; V. O. D. t. 7; Jard. Nect. pl. 10.*

W. Africa.

*chloronotus, Sw.*1326. *affinis, Rüpp. F. A. t. 31. 1.*

Abyssinia.

371. *h. LEUCOCHLORIDIA, Reich. 1854.*1327. *verticalis, V. O. D. t. 25.*

Angola.

Vieilloti, Verr.

Ashanti.

372. *i. AIDEMONIA, Reich. 1854.*1328. *cuprea, Shaw; V. O. D. t. 23.*

W. Africa.

*rubrofusca, Cuv.; nibeus, V.*1329. *tacazze, Stanl.; Rüpp. F. A. t. 31. 3.*

Abyssinia.

1330. *rubrofusca, Shaw; Vieill. O. D. t. 27.*

W. Africa.

*erythronotus, Sw. B. W. Afr. pl. 15.***373.** *j. CARMELITA, Reich. 1852.*1331. *fuliginosa, Shaw; V. O. D. t. 20, 21; Jard. Nect. pl. 14.*

,,

maculata, Shaw.

374. *k. PANÆOLA, Cab. 1850.*Nectarinia, *Bp.* 1850.1332. **pulchella**, *L.*; *P. E.* 670. 1; *V. O. D.* t. 40; *Lev. O. A.* t. 293. 1.

W. Africa.

caudatus, *V.*; melampogon, *Ill.***375.** *l. HEDYDIPNA, Cab. 1850.*1333. **platura**, *V.*; *Lev. O. A.* t. 293. 2; *Jard. Nect.* pl. 19.sylviella, *Tem.*; cyanopygos, *Licht.*; platyura, *Cab.*1334. **metallica**, *Licht.*; *Lev. O. A.* t. 293. 1; *P. C.* 347. 1, 2.Nubia, Abyss.,
White Nile.**376.** *m. MANGUSIA, Bp. 1854.*Euchloridia, *Reich.* 1854.1335. **rectirostris**, *Shaw*; *V. O. D.* t. 75; *Gal. des Ois.* t. 178.

S. Africa.

elegans, *V.***377.** *n. ANGLADIANA.**et* Angaladiana, *Reich.* 1854.1336. **angladiana**, *Shaw*; *P. E.* 575. 2, 3; *V. O. D.* t. 2, 3.

Madagascar.

madagascariensis, *Q. & G.***378.** *o. COSMETEIRA, Reich. 1854.*1337. **eques**, *Less.*; *Voy. Coqu.* t. 31. 1.N. Guin., Waig.,
Mys., Salwat.,
Gilo., Ceram.Subfam. II. **Promeropinæ**, *G. R. Gr.* 1847.Nectarininae, p., *G. R. Gr.* 1840. Ptiloturinae, *Cab.* 1850.**379. PROMEROPS**, *Briss.* 1760.Falcinellus, *V.* 1816. Nectarinia, *Tem.* 1820.Ptiloturus, *Sw.* 1837. Ptilurus, *Strickl.* 1841.*G. of B.* i. p. 96, pl. 33. f. 5; *Reich. S. A.* t. 41. f.*a. PROMEROPS.*1338. **cafer**, *L.*; *P. E.* 637; *Lev. O. A.* t. 287, 288.

S. Africa.

promerops, *L. Briss. Orn.* ii. t. 43. 2; longicaudatus, *V.*
capensis, *Less.***380.** *b. ÆTHOPYGA, Cab. 1850.*Aithopyga, *Reich.* 1854.1339. **siparaja**, *Raffl.*; *P. C.* 126. 3; *Schl. De Dierk.* fig. p. 127.

Sumatra.

mystacalis, *Tem.*; Lathamii, *Jard.*1340. **eximia**, *Horsf.*; *P. C.* 376. 1, 2.

Java.

Kuhlii, *Tem.*1341. **nipalensis**, *Hodgs.*; *Jard. Nect.* pl. 27; *Gould, B. As.* pl.

Nepal, Kha. Hil.

1342. **Horsfieldii**, *Bl.*

N.W. Himala.

1343. *goalpariensis*, *Lath.*; *Royle, Ill. of Bot.* pl. 7. 1; *Gould, B. As.* pl. N. India.
 miles, *Hodgs.*; *sheria*, *Tick.*?
 labecula, *M'Clell.*
1344. *ignicauda*, *Hodgs.*; *Jard. Nect.* pl. 29; *Gould, B. As.* pl. Nepal.
 rubricauda, *Bl.*; *phænicura*, *Jard.* Assam, Sylhet.
 epimecurus, *Hodgs.*
1345. *saturata*, *Hodgs.*; *Jard. Nect.* pl. ; *Gould, B. As.* pl. S.E. Himalayas.
 Hodgsonis, *Jard.*; *assamensis*, *M'Clell.* Assam, Sylhet.
1346. *Gouldiæ*, *Vig.*; *Gould, C. B.* pl. 56; *id. B. As.* pl. Hima., Assam,
 Sylhet, Arac.
 Sumatra.
1347. *Temminckii*, *Müll. Verh. Zool.* t. 8. 2. Sumatra.
1348. *Vigorsii*, *Sykes*; *Gould, B. As.* pl. . Deccan.
 concolor, *Sykes*; *goalpariensis*, p., *G. R. Gr.*
1349. *flavostriata*, *Wall. Pr. Z. S.* 1865, pl. 29. 2. Celebes.
 lodoisia, *Salvad.*
1350. *Dabrii*, *Verr. Rev. et M. de Zool.* 1867, t. 15. N. China.
1351. *chalcopogon*, *Reich. Icon. Av.* t. 586. 3982-83. Borneo.
1352. *eupogon*, *Cab.* Born., Malacca.
- 381.** c. *ANTHOBAPHES*, *Cab.* 1850.
1353. *violacea*, *L.*; *Briss. Orn.* iii. t. 33. 6; *P. E.* 670. 2; *Lev. O. A.* t. 292. Africa.
 crocata, *Shaw*; *croceus*, *Less.*
- 382.** d. *CHALCOSTETHA*, *Cab.* 1850.
1354. *pectoralis*, *Tem. P. C.* 183. Java.
 calcostetha, *Jard.*; *Macklotii*, *Bp.* Sumatra.
 insignis, *Jard.*
- 383.** e. *HERMOTIMIA*, *Reich.* 1854.
 Chalcostetha, p., *Cab.*
15581. 1355. *aspasia*, *Les. Voy. Coqu.* t. 30. 4. New Guinea,
 Waigiou.
 sericea, *Less.* Mysol, Salwattie.
1356. *aspasinoides*, *G. R. Gr.* Moluccas, Bouru.
 aspasia, p., *Müll.*
1357. *auriceps*, *G. R. Gr.* Moluccas.
1358. *proserpina*, *Müll.* Bouru.
1359. *Grayi*, *Wall.* Celebes.
1360. *porphyrolæma*, *Wall.* "
1361. *zenobia*, *Less. Voy. Coqu.* t. 30. 3. Amboina.
 clementina, *Less.* Gilolo.
1362. *amasia*, *Less.* New Guinea,
 Amboina.
1363. *simplex*, *G. R. Gr.* Gilolo, Batch. I.

384. *f. CHALCOPARIA, Cab. 1850.**Chalcopareia, Reich. 1854.*

1364. *cingalensis, Gm.; P. C. 108. 1, et 338. 2.*
phœnicotis, Tem.

Malacca.
 Tenasserim.

Subfam. III. **Arachnotherinæ, Cab. 1850.***Nectarininæ, p., G. R. Gr. 1840.***385. ARACHNOTHERA, Tem. 1826.***Arachnocestra, Reich. 1854.**Sw. C. of B. f. 288, c; Reich. G. of B. i. p. 99.**a. ARACHNOTHERA.*

1365. *longirostra, Lath.; P. C. 84. 1.* Java, Sumatra.
cinereocollis, V.; longirostris, Reich.
 1366. *uropygialis, G. R. Gr. & M. G. B. pl. 33.* —?
 1367. *Temminckii, Horsf. & M.* Indian Archipel.
 1368. *crassirostris, Reich.* India.
386. *b. ARACHNORAPHIS, Reich. 1854.*
 1369. *flavigaster, Eyton.* Malacca.
flaviventris, Reich.
 1370. *simplex, Müll. & Schl.; Verh. N. G. t. 8. 4.* Lombok.
 1371. *novæ guineæ, Less.; Verh. N. G. t. 11. 3.* New Guin., Aru,
 1372. *armata, Müll. & Schl.; Verh. N. G. t. 11. 2.* Salwat., Mysol.
 1373. *robusta, Müll. & Schl.; Verh. N. G. t. 11. 1.* Lombok.
 1374. *vagans, Bernst.* Sumatra, Born.
 Waigiou.

387. *c. — ?**Arachnothera, Reich. 1854.**G. of B. i. pl. 33. f. 6; Reich. S. A. t. 41. f. .*

1375. *affinis, Horsf.; P. C. 84. 2.* Java.
inornata, Tem.
 1376. *magna, Hodgs.* N. India.
inornata, McClell.; chrysopus, Hodgs. Assam, Burmah.
 1377. *chrysogenys, Tem. P. C. 388. 1.* Java, Sumatra.
longirostra, Horsf.; flavigenis, Sw. Borneo, Malacc.
 1378. *pusilla, Bl.* India, Malabar.
affinis et inornatus, Bl.; longirostris, Jerd. Mysore.
 1379. *modesta, Eyton.* Malacca.
latirostris, Bl.
 1380. *Phayrei, Bl.* Pegu.

388. *d. ARACHNECHTHRA, Cab. 1850.*

1381. *asiatica*, L.; *V. O. D.* t. 12; *Jard. Nect.* pl. 24; *Gould, B. As.* pl. India, Ceylon.
currucaria, L.; *mahrattensis*, Lath. Burmah.
cyaneus, V.; *orientalis*, Frankl.
epauletta et strigula, Hodgs.
1382. *lotentia*, L.; *Briss. Orn.* iii. t. 33. 4, 5; *V. O. D.* t. 11; Malabar coast.
Jard. Nect. pl. 23; *Gould, B. As.* pl. Ceylon.
polita, *Sparrm.*; *purpurata*, Shaw.
notatus, Müll.
1383. *flammaxillaris*, Bl. Penang, Arakan.
jugularis, Bl. Tenasserim.
1384. *insignis*, *Gould, B. As.* pl. Siam, Pinang.

389. *e. CYRTOSTOMUS, Cab. 1854.*

Cryptostomus!, *G. R. Gr.* 1855.

1385. *pectoralis*, *Horsf.*; *P. C.* 138. 1, 2; *Müll. Verh. Zool.* t. 9. 2. Java.
eximia, Tem.; *luteoventris*, Less. Lombock.
1386. *solaris*, Tem.; *P. C.* 347. 3; *Müll. Verh. Zool.* t. 8. 5. Timor, Amboina,
 Gilolo, Flores.
1387. *frenata*, *Müll. Verh. Zool.* t. 8. 1. Celebes, Molucc.,
 Sula.
1388. ? *australis*, *Gould, B. A. suppl.* pl. Cape York.
pectoralis, Macgill.
1389. *jugularis*, L.; *Briss. Orn.* ii. t. 32. 5; *V. O. D.* t. 29, 30, Philippine I.
 31; *Jard. Nect.* pl. 25. 2.
1390. *melanogastra*, n. sp.? Ceram.
1391. *flavigastra*, *Gould, Voy. Sulph.* pl. 24. New Ireland.

390. *f. LEPTOCOMA, Cab. 1850.*

Nectarophila, *Reich.* 1854.

1392. *zeylonica*, L.; *Briss. Orn.* iii. t. 34. 4; *V. O. D.* t. 16, 17; India.
Jard. Nect. pl. 20; *Gould, B. As.* pl. Assam.
quadricolor, Scop.; *philippensis*, Mey.
sola, *Jerd.*; *nigralbus*, Less.; *dubia*, Shaw?
1393. *sperata*, L.; *Briss. Orn.* iii. t. 31. 2, 3; *P. E.* 246. 1, 2?; Phil. I., Manilla.
P. C. 388. 3; *Jard. Nect.* pl. 21.
1394. *Hasseltii*, Tem. *P. C.* 376. 3; *Jard. Nect.* pl. 22. Sunda I.
brasiliانا, Shaw; *sperata*, *Raffl.*
Phayrei, Bl.; *ruber*, Less.
1395. *minima*, Sykes; *Jard. Nect. frontisp.* W. coast of India,
 Ceylon.

391. *g. ANTHREPTES, Sw. 1830.*

Anthothreptes, Cab. 1850.

Anthorheptes, Agass.

Hypogramma, Reich. 1854.

Sw. C. of B. p. 288, f.; *Reich. S. A.* t. 41. f. (*Nectarinia*!).

1396. **malaccensis**, *Scop.*; *Voy. Sonn.* t. 116. 1; *P. C.* 126. Sunda Island,
1, 2; *Gal. des Ois.* t. 177. Malacca.
 lepida, *Lath.*; *javanica*, *Horsf.* Celeb., Sula.
1397. **hypogrammica**, *Müll. Verh. N. G.* t. 8. 2. Sumatra, Born.
 nuchalis et macularia, *Bl.*
- 392.** *h.* — ?
- Cinnyricinclus*, *p.*, *Less.* *Cinnyricincla*, *Reich.* 1854.
 Antheptes, *p.*, *Sw.* "Cinnyricincla, *Bp.* 1854," *G. R. Gr.* 1855.
1398. **Longuemarii**, *Less. Ill. Zool.* t. 23; *Sw. B. W. Afr.* pl. 17. W. Africa.
 leucosoma, *Sw.*
1399. **Fraseri**, *Jard. & S. Ill. Orn. n. s.* pl. 53. W. Africa, Fer-
 nando Po.
1400. *melasoma*, *Less.* Senegal.
1401. *aurantia*, *Verr.* Gaboon.
1402. *nigralba*, *V.*

Subfam. IV. **Drepaninæ**, *Cab.* 1850.

Nectarininæ, *p.*, 1840, *et Promeropinæ*, *p.*, 1847, *G. R. Gr.*

- 393. DREPANIS**, *Tem.* 1820, *nec Rafinq.* 1815.
 Falcator, *Tem.* 1822. *Mellisuga*, *Merr.* 1786, *nec Briss.*
 Melithreptus, 2 div., *V.* 1816. *Myzomela*, *p.*, *Vig. & Horsf.*
 Melithreptus, *Less.* 1831.
 G. of B. i. p. 95.

a. DREPANIS.

1403. *pacifica*, *Gm.*; *Lev. Prom.* t. 19; *V. O. D.* t. 63. Friendly Isl.
1404. *falcata*, *Gm.* — ?

- 394.** *b.* VESTIARIA, *Flem.* 1822.
 Heorotaires, *Cuv.* 1817. *Melithreptus*, *p.*, *V.*
 G. of B. i. pl. 33. f. 1; *Reich. S. A.* t. 41. f. .

1405. **coccinea**, *Gm.*; *V. O. D.* t. 52; *Gal. des Ois.* t. 181. Sandwich I.
 vestiaria, *Lath.*; *evi et akaroa*, *Less.*
 obscura, *Gm.*

- 395.** *c.* HIMATIONE, *Cab.* 1850.

1406. **sanguinea**, *Gm.*; *V. O. D.* t. 66, 67, 68. „
 byronensis, *Gr.*
 virens, *Gm.*; *flava*, *Blox.*; *tonganensis*, *Less.*
 chloris et maculata, *Cab.*

- 396.** *d.* HEMIGNATHUS, *Licht.* 1838.

Heterorhynchus, *Lafr.* 1839.
 Reich. S. A. t. 41. f. .

1407. **lucida**, *Licht. Berl. Trans.* 1838, t. 5. f. 2, 3. „
 olivaceus, *Licht.*; *Voy. Venus*, t. 1.
 heterorhynchus, *Less.*

1408. *Ellisiana*, *G. R. Gr.*; *Berl. Trans.* 1838, v. t. 5. f. 1. Sandwich I.
obscura, *V. O. D.* t. 53?

397. MOHO, *Less.* 1831.

Gracula, *Merr.* 1786. *Acrulocercus*, *Cab.* 1847.

Mohoa, *Reich.*

G. of B. i. p. 96, pl. 33. f. 2; *Reich. S. A.* t. 41. f. .

1409. *nobilis*, *Merr. Vog.* t. 2; *P. C.* 471. "

niger, *Gm.*; *fasciculatus*, *Lath.*; *pacificus*, *Licht.*

1410. *apicalis*, *Gould, Dixon's Voy.* pl. 19. "

1411. *braccata*, *Cass.* "

pacifica, *Peale.*

398. PSITTIROSTRA, *Tem.* 1820.

Psittaciostrota, *Tem.* *Psittacopsis*, *Nitzsch.*

Sittacodes, *Glog.* 1842. *Psittacina*, *Tem.*

G. of B. ii. p. 389, pl. 94. f. 2; *Reich. S. A.* t. 80. f. .

1412. *psittacea*, *Lath.*; *P. C.* 457. "

icterocephala, *Tem.*; *sandwichensis*, *Steph.*

399. LOXOPS, *Cab.* 1847.

Byrseus, *Reich.* 1853. *Hypoloxias*, *Licht.* 1854. *Fringilla*, p., *Gm.*

Reich. S. A. t. 76. f. .

1413. *coccinea*, *Gm.*; *V. O. D.* t. 31; *Voy. Sulph.* pl. . "

rufa et sandwichensis, *Bloxh.*

1414. *inornata*, *Gould, Voy. Sulph.* pl. .

Bow Island.

400. DICEUM, *Cuv.* 1817.

Diceum, *Strickl.* 1843.

G. of B. i. p. 99.

a. DICEUM.

1415. *cruentatum*, *L.*; *Edw. B.* pl. 81; *Gould, B. As.* pl.

coccinea, *Scop.*; *rubricapillum*, *Less.*

erythronotos, *Lath.*; *ignite*, *Begbie.*

1416. *trigonostigma*, *Scop.*; *Sonn. Voy.* t. 117. 2.

cantillans, *Lath.*

1417. *chrysorrhæum*, *Tem. P. C.* 478. 1.

chrysochlorum, *Bl.*; *croceiventre*, *Vig.*

1418. *sanguinolentum*, *Tem. P. C.* 478. 2.

1419. *ignifer*, *Wall.*

igniferum, *Wall.*

1420. *ignicolle*, *G. R. Gr.*

Aru.

1421. *papuense*, *Lath.*; *P. E.* 707. 2.

New Guinea.

India.

Sumatr., Borneo,
 Labuan, Arak.
 Assam, Malacca.

Java, Sumatra.
 Borneo, Arakan,
 Tenasserim.

Java, Sumatra.
 Arakan, Tenas-
 serim, Malac.
 Java, Sumatra.

Flores.

1422. **celebicum**, Müll.
Leclancheri, Lafr. Celebes.
1423. **flammeum**, Sparrm.; P. C. 108. 2, 3.
rubrocana, Tem.; cruentatum, Horsf.
rubescens, G. R. Gr. Java, Banda.
Borneo.
1424. **concolor**, Jerd. Ill. Orn. pl. 39. Malab., Nilgiris.
1425. **mininum**, Tick.
erythrorhyncha, Lath.?; Tickellia, Bl.
inornata, Hodgs. India, Assam,
Ceyl., Arakan.
1426. **schistaceiceps**, G. R. Gr. Batchian, Gilolo
1427. **erythrothorax**, Less. Voy. Coqu. t. 30. 1, 2.
pectoralis, Müll. & Schl.? New Guinea.
1428. **vulneratum**, Wall. Bouru, Ceram.
1429. **rubrum**, Gm.
atriceps, V.; scarlatinum, Schinz.
1430. **Maugei**, Less.
rubescens, p., Reich. Timor.
- 401.** b. PHENACISTES, Reich. 1854.
1431. **griseum**, Scop.; Sonn. Voy. t. 117. 3.
tæniata, Shaw; flaviceps, V.
- 402.** c. MICROCHELIDON, Reich. 1854.
Dicæum, Sw. 1837.
Sw. C. of B. f. 288, h; G. of B. i. pl. 33. f. 3; Reich. S. A. t. 41.
f.
1432. **hirundinaceum**, Lath.; Lewin, B. N. H. pl. 7; Gould, ^{4686.}
B. A. i. pl. 34. Australia.
rubricollis et gularis, Lath.
Desmaresti, Leach; pardalotus, Cuv.
atrigaster, Less.; sanguineum, Sw.
1433. **Macklotii**, Müll. Timor, Lombock.
1434. **æneum**, Homb. & J. Voy. Pôle Sud, t. 22. 4. Salomon I.
- 403.** d. — ?
Myzanthe, 1843 (nec Less. 1831), et Micrurus, 1844 (nec Ehr.
1831), Hodgs. Microchelidon, p., Reich.
1435. **ignipectus**, Hodgs.; Gould, B. As. pl. Nepal, Sikkim,
Bootan, Khasia
Hills.
1436. **pygmæum**, Kittl. Mém. Pétersb. 1835, t. 5. Luzon.
- 404.** e. PACHYGLOSSA, 1843,
et Pachyglossus, 1846, Hodgs.
1437. **melanoxanthum**, Hodgs. Nepal.
1 2

- 405.** *f. PIPRISOMA, Bl.* 1844.
Parisoma, Jerd. Psarisoma, G. R. Gr. 1849.
 1438. *agile, Tick.*; *Ibis*, 1867, pl. 10. India, Ceylon.
vireoides, Jerd.; *squalida, Burt.*
- 406.** *g. PHOLIDORNIS, Hartl.* 1857.
 1439. *Rushiaë, Cass. Pr. Ac. Phil.* 1858, pl. 1. 1. Moonda River,
 Ashanti.
- 407.** *h. PRIONOCHILUS, Strickl.* 1841.
 1440. *percussum, Tem. P. C.* 394. 2. Java, Sumatra.
ignicapillum, Eyton.
1441. *maculatum, Tem. P. C.* 600. 3. Borneo.
thoracicus, p., Bp.
1442. *aureolimbatum, Wall. Pr. Z. S.* 1865, pl. 29. 1. N. Celebes.
 1443. *obsoletum, Müll. & Schl.* Timor, Flores.
- 408.** *i. ANAIMOS, Reich.* 1854.
 1444. *thoracicum, Tem. P. C.* 600. 1, 2. Borneo.
- 409.** *j. MELANOCHARIS, Sclat.* 1854.
 1445. *nigrum, Less. Cent. de Zool.* t. 27. New Guin., Aru.

FAM. III. CÆREBIDÆ, *Bp.* 1849.

Dacnidiæ, Cab. 1850. *Nectarinidæ, Vig.* 1825. *Cinnyridæ, p., Sw.* 1837.

Subfam. I. Cærebinæ, *G. R. Gr.* 1840.

Dacnidinæ, Cab. 1847.

410. CÆREBA, V. 1807.

- Guitguit, Cuv.* 1797-98. *Guitus, Rafng.* 1815?
Nectarinia, Cuv. 1817. *Cæreba, Vig.* 1825.
Cæreba, Boie, 1826. *Arbelorrhina, Cab.* 1847. *Arbelorrhina, Reich.* 1854.
G. cf B. i. p. 101, pl. 34. f. 1; *Reich. S. A.* t. 38. f. .
1446. *cyanea, L.*; *Edw. B.* pl. 264. 1; *P. E.* 83. 2; *V. O. D. t.* 41, 42, 43. Cayenne, Braz.,
 Bolivia.
cyanogastra, Lath.
1447. *carneipes, Sclat.* Mexico.
cyanea, p., Sclat. Guatemala.
1448. *eximia, Cab.*; *Reich. Icon.* t. 554 b. 4072-73. Porto Cabello.
cyanea, p.?, Cass. Trinidad.
1449. *Kelletii, n. sp.?* Gorgona.

1450. *cærulea*, L.; *Edw. B.* pl. 21. 1; *V. O. D. t.* 44, 45.
ochrochlora, Gm.; *surimanensis*, Lath.
cyanomela, Gm. Cayenne, Braz.
 Berbice.
1451. *nitida*, Hartl. *Contr. Orn.* 1850, pl. . Bogota, Ucayali,
 Guay., Braz.
1452. *longirostris*, Cab. Carac., Upper
 Amazon, Trin.
1453. *lucida*, *Sclat. & Salv.* C. America.
1454. *brevipes*, Cab.; *Reich. Icon. t.* 554 b. 4071. Porto Cabello.
- 411. DACNIS**, Cuv. 1817.
Cyanodacnis, Cass. 1864. *Dacnis*, div. A, Cass. *Nectarinia*,
Sw. 1837.
Sw. C. of B. f. 288 c; *G. of B. i. p.* 101, pl. 34. f. 2; *S. A. t.*
 38. f.
- a. DACNIS.
1455. *cayana*, L.; *Briss. Orn.* iii. t. 23. 2; *P. E.* 578; *V. Gal.* Trin., Cayenne,
des Ois. t. 165; *Sw. Zool. Ill.* pl. 117. Guiana.
cyancephala, Gm.; *cyanater*, Less. Brazil.
cærulea, Max.
1456. *ultramarina*, Lawr. Panama.
cœrebicolor, Lawr.
1457. *nigripes*, *Pelz. Acad. der Wissench.* xx. 1856, t. 1. 1, 2. S.E. Brazil.
bicolor, *Boek. Mem. Mosc.* vii. t. 23.
- 412.** b. POLIDACNIS, Cass. 1864.
Dacnis, div. B, Cass.
1458. *cœrebicolor*, *Sclat.*; *Jard. Contr. Orn.* 1852, pl. 93. 2. New Granada.
1459. *melanotis*, *Strickl.*; *P. E.* 669. 1? Cayenne.
cayana, var. γ , Lath.; *cayana*, V. Amazon.
angelica, *Sclat.*
1460. *egregia*, *Sclat. Cat. of Am. B.* pl. 7. New Granada.
1461. *venusta*, Lawr.; *Ibis*, 1863, pl. 7. Panama.
1462. *angelica*, *Defil.*; *P. E.* 669. 2. Cayenne.
archangelica, Bp.; *melanotis*, p.?, Cass.
- 413.** c. EUDACNIS, Cass. 1864.
Dacnis, div. C, Cass.
1463. *flaviventer*, Lafr.; *D'Orb. Voy. Am. M.* t. 13. 2. Bolivia, Peru.
1464. *pulcherrima*, *Sclat. Cat. of A. B.* pl. 8. New Granada.
torquata, Du Bus.
- 414.** d. ATELEODACNIS, Cass. 1864.
Dacnis, div. D, Cass.
1465. *leucogenys*, Lafr. New Granada,
 Venezuela.

1466. **speciosa**, *Max.*; *P. C.* 293. 2; *Jard. Contr. Orn.* 1852, pl. 93. 1. Brazil.
analis, *Lafr.*
1467. **bicolor**, *V. O. A. S.* t. 90 bis. Peru.
cærulescens, *Max.*; *plumbea*, *Lath.!* Cayenne.
1468. *brevipennis*, *Giraud*, *An. Lyc. N. Y.* v. pl. 3. 1. "
 ♀ or juv. of *speciosa*?, *Cass.*
- 415.** *e.* **HEMIDACNIS**, *Sclat.* 1861.
Daenis, div. E, *Cass.* 1864.
1469. **albiventris**, *Sclat. Contr. Ornith.* 1852, pl. 100. 2. Bogota.
- 416.** *f.* **CHLOROPHANES**, *Reich.* 1853.
1470. **spiza**, *L.*; *Edw. B.* pl. 348; *P. E.* 578. 1 and 682. 2. Cayenne, Trin.
atricapilla, *V.*; *mitrata*, *Licht.* Bolivia.
micans, *Hahn*; *melanocephala*, *Max.*
spiza, var. *a*, *Edw. B.* pl. 25; *Cass.*
1471. **guatemalensis**, *Sclat.* Guatemala.
atricapilla, *Sclat. & S.*
spiza, var. *b*, *Cass.*
1472. **cærulescens**, *Cass.* "
spiza, var. *c*, *Cass.* Nicaragua.
1473. **melanops**, *Cass.* Rio Negro.
spiza, var. *d*, *Cass.*
- 417. DIGLOSSA**, *Wagl.* 1832.
Campylops, *Licht.* 1837. *Serrirostrum*, 1838, et *Uncirostrum*, 1839, *Lafr.*
Agrilorhinus, 1838, et *Anchilorhinus*, *Bp.*
Agriolorhinus, *Wagn.* 1841.
Agrilorhynchus, *G. R. Gr.* 1842. *Diglossa*, div. A, *Cass.* 1864.
G. of B. i. p. 137.
- a.* **DIGLOSSA.**
1474. **baritula**, *Wagl.*; *G. R. Gr. & M. G. B.* pl. 42. Mexico.
hamulus, *Licht.*; *Brelayi et sittaceum*, *Lafr.*
1475. **sittoides**, *Lafr.*; *D'Orb. Voy. A. M.* t. 58. 2. Bolivia.
olivascens, *Fras.* Columbia.
 juv. or ♀ of *brunneiventris*?, *Cass.*
1476. **D'Orbignii**, *Boiss.* New Granada.
baritula, p., *G. R. Gr.*; *sittoides*, p., *Cass.*
1477. *similis*, *Lafr.*; *Reich. Icon.* t. 554. 3764. Bogota, Colum.
hyperythra, *Cab.*; *D'Orbigny* ♀, *Boiss.*
1478. ? *major*, *Cab.*; *Reich. Icon.* t. 551 b. 4065. Guiana.
- 418.** *b.* **TEPHRODIGLOSSA**, *Cass.* 1864.
Diglossa, div. B, *Cass.*
1479. **carbonaria**, *Lafr.*; *D'Orb. Voy. A. M.* t. 58. 1. Bolivia.

419. *c. PYRRHODIGLOSSA, Cass. 1864.*Diglossa, div. C, *Cass.**G. of B. i. pl. 42. f. 1; Reich. S. A. t. 36. f. .*1480. **mystacalis**, *Lafr.*; *G. R. Gr. & M. G. B. pl. 42. 3.*
*mystacea, G. R. Gr.*1481. **brunneiventris**, *Lafr.*; *Des Murs, I. O. t. 43.*Peru, Bolivia,
Chili?**420.** *d. CYANODIGLOSSA, Cass. 1864.*Diglossa, div. D, *Cass.*1482. **personata**, *Fras.*; *Reich. Icon. t. 552. 3752-53.*
cyaneum, Lafr.; *melanopis, Tsch.*New Gran., Ecu.
Peru.1483. **indigotica**, *Sclat. Cat. of Am. B. pl. 6.*

Ecuador.

421. *e. MELANODIGLOSSA, Cass. 1864.*Diglossa, div. E, *Cass.*1484. **Lafresnayi**, *Boiss.*; *Reich. Icon. t. 553. 3757.*
Bonapartei, Fras.

New Gran., Bog.

1485. **humeralis**, *Fras.*; *Reich. Icon. t. 552. 3754.*
Lafresnayi, p., Boiss.

New Granada.

1486. **aterrima**, *Lafr.*; *Reich. Icon. t. 553. 3759.*Ecuador, New
Granada.1487. **albilatera**, *Lafr.*; *Reich. Icon. t. 553. 3758.*
*albilateralis, Sclat.*Ecuador.
Bogota, Columb.1488. **intermedia**, *Cab.*
*humeralis, p. ?, Cass.***422.** *f. DIGLOSSOPIS, Sclat. 1856.*1489. **cærulescens**, *Sclat.*

Caracc., Bogota.

423. CONIROSTRUM, Lafr. 1838.*Conirostra, Cab. 1847.**G. of B. i. p. 102, pl. 34. f. 4; Reich. S. A. t. 38. f. .**a. CONIROSTRUM.*1490. **cinereum**, *Lafr.*; *D' Orb. Voy. Am. M. t. 59. 2.*

Peru, Bolivia.

1491. **Fraseri**, *Sclat.*
cinereum, p. ?, Cass.

Ecuador.

1492. **albifrons**, *Lafr.*; *Mag. de Zool. 1843, t. 35.*
atrocyaneum et cæruleifrons, Lafr.

New Granada.

1493. **sitticolor**, *Lafr.*; *G. R. Gr. & M. G. B. pl. 34.*
bicolor, Less.; *rufocinerea, Bp.*
rufum, Lafr. ?

Bogota.

1494. **ferrugineiventre**, *Sclat. Pr. Z. S. 1855, pl. 86.*

Bolivia.

424. *b. SPODIORNIS, Sclat. 1866.*1495. *Jardinii, Sclat. Pr. Z. S. 1866, p. 323. fig.* Quitian Andes.**425.** *c. OREOMANES, Sclat. 1860.*1496. *Fraseri, Sclat. Pr. Z. S. 1860, pl. 159.* Chimborazo.**426. CERTHIOLA, Sundev. 1835.***Cereba, V. 1807? Colius, Moehr. 1752.**Nectarinia, Less. 1831.**G. of B. i. p. 102, pl. 34. f. 3; Reich. S. A. t. 38. f. .**a. CERTHIOLA.*1497. *flaveola, L.; Edw. B. pl. 122. 1, et 362. 3; Gosse, B. Jam. pl. 16.* W. Indies.
*antillensis et aterrimum, Less.*1498. *chloropyga, Cab.; Reich. Icon. t. 561. 3826.*
brasiliensis, Sclat.; flaveola, Licht. Brazil.1499. *luteola, Licht.; Reich. Icon. t. 561. 3824.* Ecuador.1500. *mexicana, Sclat.* Mexico.
luteola, Lawr. Panama.1501. *bahamensis, L.; Catesb. Car. i. pl. 59.*
*flaveola, var. β , L.*1502. *major, Cab.* Carthagenia.1503. *guianensis, Cab.; Reich. Icon. t. 561. 3825.* Guiana.1504. *martinicana, Reich. Icon. t. 561. 3824.* Martinique.
*albigula, Bp. ?*1505. *dominicana, Tayl.* Dominica.1506. *Bairdi, Cab.* Indian Key.1507. *columbiana, Cab.* Bogota.1508. *majuscula, Cab.* Monte Video.1509. *peruviana, Cab.* Peru.
*flaveola, Tsch. ?***427.** *b. GLOSSIPTILA, Sclat. 1856.**Neornis, Hartl. 184 ?, nec Hodgs. 1844.**Reich. S. A. t. 77. f. .*1510. *ruficollis, Gm.; Edw. B. pl. 122. 2; Gosse, B. Jam. pl. 58.* Jamaica.
campestris, L. ?; rufigularis, Lafr. St. Domingo.
cerulea, Hartl.

FAM. IV. TROCHILIDÆ, *Vig.* 1825.Subfam. I. Phæthornithinæ, *Bp.*

Phæthorninæ, *G. R. Gr.* 1840. Trochilinæ, p. 1855, et Grypinæ, 1848, *G. R. Gr.*

428. PHAËTHORNIS, *Sw.* 1831.

Phæthornis, *Less.* 1832. Phrethornis, *Boie*, 1831.

Phæthornis, *Jard.* 1833. Phæthornis, *Sw.* 1827.

Phæthornis, *G. R. Gr.* 1848. Phaëthornis, *Bp.* 1849.

G. of B. i. p. 103, pl. 35. f. 3; *Reich. S. A. t.* 40. f. .

a. PHAËTHORNIS.

1511. **malaris**, *Licht.*; *V. O. D. t.* 17; *Gould, T. i.* pl. 17. N. of S. America.
superciliosus, *V.*
1512. **eurynome**, *Less. T. t.* 31; *Gould, T. i.* pl. 16. Brazil.
eurynomus, *Jard.*; melanotis, *Licht.*
1513. **consobrinus**, *Bourc.* N. Granada.
Moorei, *Lawr.* Ecuador, Rio
Napo.
1514. **fraterculus**, *Gould, T. i.* pl. 18. Cayenne.
1515. **longirostris**, *De Lattr.*; *Gould, T. i.* pl. 19. C. America.
cephalus, *Bourc. & M.*
1516. **syrmatophorus**, *Gould, T. i.* pl. 20. Ecuador.
1517. **superciliosus**, *L.*; *P. E.* 600. 3; *Less. Col. t.* 6. 7; *Gould, T. i.* pl. 28. E. Brazil.
Pretrei, *Delatt.*; brasiliensis, *Cab.*
affinis, *Natt. & Pelz.*
1518. **boliviana**, *Gould.* Bolivia.
1519. **Augusti**, *Bourc.*; *Gould, T. i.* pl. 29. Venezuela.
angusta, *Gr. R. Gr.*
1520. **Cassini**, *Lawr.* New Granada.

429. b. GUYORNIS, *Bp.* 1854.

Toxoteuches, *Cab. & H.* 1860. Mesophila, *Muls. & V.* 1865.

1521. **Guyi**, *Sclat.*; *Less. T. t.* 44; *Gould, T. i.* pl. 26. Trinidad.
Guy, *Less.*; apicalis, *Licht.*; typus, *Bp.*
1522. **Emiliae**, *Bourc.* New Granada.
Guyi, p., *Cab.*
1523. **Yaruqui**, *Bourc.*; *Gould, T. i.* pl. 27. Ecuador.

430. c. ORTHORNIS, *Bp.* 1854.

Ametrornis, *Reich.* 1854.

1524. **Bourcierii**, *Less. T. t.* 18; *Gould, T. i.* pl. 25. Cayenne.

1525. **Oseryi**, *Bourc. & M.*; *Gould*, *T. i.* pl. 23. New Granada.
villosus, *Laur.*
1526. **anthophilus**, *Bourc.*; *Gould*, *T. i.* pl. 24. New Gran., Braz.
1527. **Philippi**, *Bourc.*; *Gould*, *T. i.* pl. 21. Peru or Bolivia.
De Filippi, *Bourc.*; *Defilippi*, *Bp.*
Filippi, *Muls. & V.*
1528. **abnormis**, *Natt. & Reich.* Brazil.
1529. **hispidus**, *Gould*, *T. i.* pl. 22. Bolivia.
- 431.** *d. PYGMORNIS*, *Bp.* 1854.
Ptyonornis, *Reich.* 1854. *Pygornis*, *Muls. & Verr.* 1865.
1530. **squalidus**, *Natt.*; *Less. C. t.* 8; *P. C.* 120. 1; *Gould*, *T. i.* pl. 30. S.E. Brazil.
leucophrys, *Licht.*
brasiliensis, *G. R. Gr.*
1531. **Longuemareus**, *Less. T. t.* 2. 62; *Gould*, *T. i.* pl. 31. N. of S. America.
Longuemari, *Reich.*; *Longuemarei*, *Cab. & H.*
intermedius, *Less. T. t.* 19. Trinidad, Brazil.
1532. **Adolphi**, *Bourc.*; *Gould*, *T. i.* pl. 35. C. America.
1533. **griseogularis**, *Gould*, *T. i.* pl. 36. New Granada,
Ecuador?
1534. **striigularis**, *Gould*, *T. i.* pl. 37. New Granada.
1535. **episcopus**, *Gould*, *T. i.* pl. 39. 2. British Guiana,
Surin., Demer. Rio Napo.
1536. **amaura**, *Bourc.*; *Gould*, *T. i.* pl. 32.
atrimentalis, *Laur.*; *striigularis*, *p., Muls. & V.*
1537. **nigrocinctus**, *Laur.*; *Gould*, *T. i.* pl. 39. 1. R. Amazon.
rufigaster, *p., Muls. & V.*; *nigricinctus*, *Gould.*
1538. **aspasiæ**, *Bourc. & M.*; *Gould*, *T. i.* pl. 33. Brazil, Peru.
viricaudata, *Gould*; *pygmæus*, *Tsch.*
griseogularis, *p., Muls. & V.*
1539. **zonura**, *Gould*, *T. i.* pl. 34. Peru.
zonara!, *Muls. & V.*
- 432.** *e. MOMUS*, *Muls. & V.* 1866.
Pygornis, *p., Muls. & V.*
1540. **Idaliæ**, *Bourc. & M.*; *Gould*, *T. i.* pl. 38. Brazil.
obscura, *Gould.*
- 433.** *f. EREMITA*, *Reich.* 1854.
1541. **eremita**, *Gould*, *T. i.* pl. 40; *P. C.* 120. 2. N. Brazil.
squalidus et brasiliensis, *Tem.*
rufiventris, *Less.*
1542. **rufigaster**, *V. O. D. t.* 19; *Less. T. t.* 13. Cayenne.
Davidianus, *Less.* Brazil.
pygmæus, *Cab.*; *rufiventris*, *Cab. & H.*
1543. **pygmæus**, *Spix*, *A. B. t.* 80. 1; *Gould*, *T. i.* pl. 41. S.E. Brazil.
brasiliensis, *Max.*

434. GRYPUS, *Spix*, 1824.Ramphodon, *Less*. 1831.*G. of B. i. p.* 104, pl. 35. f. 2; *Reich. S. A. t.* 40. f. .*a. GRYPUS.*

1544. **nævius**, *Dumont*; *P. C.* 120. 3; *Gould, T. i.* pl. 1. S.E. Brazil.
squamosus, Licht.; *ruficollis, Spix.*
maculatum, Less.

1545. *Spixii, Gould, T. i.* pl. 2. Brazil.
chrysurus, Reich.

435. *b. EUTOXERES, Reich.* 1849.*Myiætitina, Bp.* 1854.*Reich. S. A. t.* 40. f. .

1546. **aquila**, *Lodd.*; *G. R. Gr. & M. G. B.* pl. 36; *Gould, T.*
i. pl. 3. New Granada.
1547. **Salvini**, *Gould.* Veragua.
aquila, p., Gould. Costa Rica.
1548. **heterura**, *Gould.* C. Ecuador.
1549. *Condaminei, Bourc.*; *Gould, T. i.* pl. 4. E. Ecuador.
Condaminii, Bp.

Subfam. II. **Polytominae.**

Lamporninae et Trochilinae, p., *G. R. Gr.* 1840. Lampornithinae,
Bp. 1849.

436. OREOTROCHILUS, *Gould*, 1847.*Oriotrochilus, Reich.* 1849.*Orotrochilus, Cab. & H.* 1860.*G. of B. i. p.* 104, pl. 35. f. 1; *Reich. S. A. t.* 40. f. .

1550. **Estella**, *Lafr.*; *D' Orb. Voy. Am. M. t.* 61. 1; *Gould, T.*
i. pl. 70. Bolivia.
Ceciliae, Less.; *Estellæ, Gould.*
1551. **leucopleurus**, *Gould, T. ii.* pl. 71. Chilian Andes.
Milleri, Lodd.
1552. **pichincha**, *Bourc. & M.*; *Gould, T. ii.* pl. 69. Mts. Pichincha &
Jamesoni, Jard. Contr. Orn. 1850, pl. . Cotopaxi, in
Pichinchæ, Bp. Ecuador.
1553. *chimborazo, Bourc.*; *Gould, T. ii.* pl. 68. Chimborazo M.
1554. *melanogaster, Gould, T. ii.* pl. 72. Highland of Peru.
1555. *Adela, Lafr.*; *D' Orb. Voy. A. M. t.* 61. 2; *Gould, T. ii.* pl. 73. Bolivia.
Adelæ, Gould.

437. POLYTMUS, *Briss.* 1760.a. *CAMPYLOPTERUS*, *Sw.* 1827.*Kampylopterus*, *Spix.**G. of B.* i. p. 107, pl. 35. f. 5; *Reich. S. A.* t. 39. f. .

- 1556.
- largipennis**
- ,
- Bodd.*
- ;
- P. E.*
672. 2;
- Less. O. M.*
- t. 34; Cayenne, British
-
- Gould, T.*
- ii. pl. 48. Guiana.

campylopterus et cinereus, *Gm.**latipennis*, *Lath.* Brazil.

- 1557.
- æquatorialis**
- ,
- Gould.*
- Quito.

latipennis, p., *Muls. & V.*

- 1558.
- ensipennis**
- ,
- Sw. Zool. Ill.*
- pl. 107;
- Less. O. M.*
- t. 35;
- id.*
-
- T. t.*
- 46, 47;
- Gould, T.*
- ii. pl. 46. Isl. of Tobago.

latipennis, *Jard.*; *falcipennis*, *Burm.?*

- 1559.
- hemileucurus**
- ,
- Licht.*
- ;
- Gould, T.*
- ii. pl. 45. Mexico, Gua-

Delattre, Less.; *Delattrii, Bp.*; *Delattrei, Reich.* temala.

- 1560.
- obscurus**
- ,
- Gould, T.*
- ii. pl. 49. Lower Amazon.

latipennis, p., *Muls. & V.*

- 1561.
- splendens**
- ,
- Lawr.*
- ;
- Gould, T.*
- ii. pl. 47, upper fig. Rio Napo, Quito.

villavicencio, p., *Muls. & V.*

- 1562.
- villavicencio*
- ,
- Bourc.*
- ;
- Gould, T.*
- ii. pl. 47, lower fig. R. Napo.

villavisencio, *Bp.*

- 1563.
- inornatus*
- ,
- Burm.*
- La Plata.

438. b. *ANDRODON*, *Gould*, 1863.

- 1564.
- æquatorialis*
- ,
- Gould.*
- Ecuador.

439. c. *PLATYSTILOPTERUS*, *Reich.* 1854.**Platystylopterus*, *Bp.* 1854.

- 1565.
- rufus**
- ,
- Less.*
- ;
- Gould, T.*
- ii. pl. 50. Guatemala.

440. d. *SÆPIOPTERUS*, *Reich.* 1854.*Sæpiopterus*, *Bp.* 1854. *Tæniopterus*!, *Gould.*

- 1566.
- lazulus**
- ,
- V. Gal. des Ois.*
- t. 179;
- Less. O. M.*
- t. 36;
- Gould,*
-
- T.*
- ii. pl. 44. Venezuela.

falcatus, *Sw. Zool. Ill.* pl. 83. New Granada.**441.** e. *LOXOPTERUS*, *Cab. & H.* 1860.*Platystylopterus*, p., *Reich.* *Campylopterus*, p., *Muls. & V.*

- 1567.
- hyperythrus*
- ,
- Cab.*
- ;
- Gould, T.*
- ii. pl. 51. Brit. Guiana.

hypertrurus, *Muls. & V.***442.** f. *PAMPA*, *Reich.* 1854.*Sphenoproctus*, *Cab. & H.* 1860.

1568. **pampa**, *Less. O. M. suppl. t. 15; Gould, T. ii. pl. 43.* Guatemala.
campyloptera, Reich.
1569. **curvipennis**, *Licht.* Mexico.
pampa, p., Cab. & H.
- 443.** *g. APHANTOCHROA, Gould, 1853.*
Agapeta, Cab. & H.
1570. **cirrochloris**, *V.; Gould, T. ii. pl. 54.* Brazil.
campylostylus, Licht.
simplex, Less. O. M. t. 33, suppl. t. 6.
cirrochloris, Gould.
1571. **hypostictus**, *Gould.* Ecuador.
1572. **gularis**, *Gould, T. ii. pl. 55.* R. Napo.
- 444.** *h. PHÆOCHROA, Gould, 1861.*
1573. **Cuvieri**, *Delatt. & Bourc.; Gould, T. ii. pl. 52.* Venezuela, New
 Gran., Panama.
1574. **Roberti**, *Salv.; Gould, T. ii. pl. 53.* Guatemala.
- 445.** *i. EUPETOMENA, Gould, 1853.*
Prognornis, Reich. 1854.
1575. **macrourus**, *Gm.; Briss. Orn. iii. t. 36. 9; Less. O. M.*
t. 25; C. suppl. t. 39; Gould, T. ii. pl. 42. Cayenne.
hirundinacea, Less.; forcipatus, Lath. Brazil.
- 446.** *j. LAMPORNIS, Sw. 1827.*
Anthracothonax, Boie, 1831. Sericotes et Chalybura, p., Reich.
Reich. S. A. t. 39. f.
1576. **mango**, *L.; P. E. 680. 2, 3; Less. C. t. 13, 13*, 14, 15;*
Gould, T. ii. pl. 74. N. of S. America.
violicauda, Bodd.; alba et punctulatus, Gm.
nitidus, Lath.; atricapillus, V.; fasciatus, Shaw; quadricolor
et nigricollis, V.
lazulus, Less.
1577. **Prevostii**, *Less. C. t. 24; Gould, T. ii. pl. 75.* Guatemala,
 Honduras.
1578. **veraguensis**, *Gould, T. ii. pl. 76.* Veragua, Costa
 Rica.
1579. **viridis**, *Aud. & V. O. D. t. 15; Less. C. t. 11; Gould, T.*
ii. pl. 78. Porto Rico.
aureoviridis, Shaw.
1580. **iridescens**, *Gould.* Guayaquil.
mango, p., Muls. & V.
- 447.** *k. HYPOPHANIA, Reich. 1854.*
1581. **gramineus**, *L.; V. O. D. t. 9, 10, 44, 70; Gould, T. ii.*
pl. 77. Trinidad.
pectoralis, Lath.; maculatus (P. E. 671. 1) et gularis, Gm.; Cayenne, Guiana.
marmoratus, V.?
dominicus, G. R. Gr.

448. *l. MARGAROCHYSIS, Reich. 1854.*

1582. **aurulentus**, *V. O. D. t. 12, 13, 16; Gould, T. ii. pl. 79.* St. Domingo.
margaritaceus, G. R. Gr.; dominicus, L. ?

1583. **virginalis**, *Gould, T. ii. pl. 80.* I. of St. Thomas.

449. *m. CHALYBURA, Reich. 1854.*

Hypuroptila, Gould, 1853.

1584. **Buffonii**, *Less. T. t. 5; Gould, T. ii. pl. 89.* Venezuela, New
 Granada.

1585. **melanorrhous**, *Salv.* Costa Rica.
carnioli, Lawr.

1586. **Isauræ**, *Gould.* "

1587. **urochryseus**, *Gould, T. ii. pl. 90.* New Granada.

1588. **æneicauda**, *Lawr.* Venezuela.

450. *n. FLORESIA, Reich. 1854.*

Lampornis, p., Gosse.

1589. **porphyurus**, *Shaw, Nat. Misc. pl. 333; Gould, T. ii. pl. 81.* Jamaica.
bromicolor, Less.; Floresii, Bourc.
mango, Gosse.

451. *o. GLAUCIS, Boie, 1831.*

Reich. S. A. t. 39. f. .

1590. **hirsutus**, *Gm.; V. O. D. t. 20. 68; Less. C. t. 21; Gould,*
T. i. pl. 5. E. Brazil, Venez.
brasiliensis, Lath.; dominicus, Licht. Trinidad.
ferrugineus, Max.; superciliosus ♀, Less.

1591. **mazeppa**, *Less. T. t. 3; Gould, T. i. pl. 6.* Cayenne, Gui-
 ana, Trinidad.

1592. **affinis**, *Lawr.; Gould, T. i. pl. 7.* New Granada.

1593. **Ruckeri**, *Bourc.; Gould, T. i. pl. 11.* Veragua.

1594. **lanceolatus**, *Gould, T. i. pl. 8.* Para.
hirsutus, var., Muls. & V.

1595. **melanura**, *Gould, T. i. pl. 9.* R. Napo & Negro.
hirsutus, var., Muls. & V.

1596. **Dohrni**, *Bourc.; Gould, T. i. pl. 10.* S. Brazil.

1597. **Fraseri**, *Gould, T. i. pl. 12.* Ecuador.

Ruckeri, p., Sclat.; Ruckeri, var., Muls. & V.

1598. **æneus**, *Lawr.* Costa Rica.

452. *p. THRENETES, Gould, 1853.*

1599. **leucurus**, *L.; Edw. B. pl. 256. 1; P. E. 600. 4; Less.* Surinam, Brit.
C. t. 22; Gould, T. i. pl. 13. Guiana.

1600. **cervinicauda**, *Gould, T. i. pl. 14.* Ecuador.
leucurus, var., *Muls. & V.*
1601. **Antoniæ**, *Bourc. & Muls.; Gould, T. i. pl. 15.* Cayenne, Guiana.
- 453.** *q. STERNOCLYTA, Gould, 1853.*
1602. **cyanopectus**, *Gould, T. ii. pl. 58.* Venezuela.
cyanipectus et cyaneipectus, Gould.
- 454.** *r. COLIBRI, Spix, 1824.*
Petasophora, G. R. Gr. 1840. Anais, Bp. 1854.
Petasophorus, Muls. & V. 1865. Colibris, Sclat. 1856.
1603. **serrirostris**, *V.; Less. O. M. t. 1; Gould, T. iv. pl. 223.* Brazil.
petasophorus, Max.; Vieillotii, Steph.
crispus, Spix, A. B. t. 81. 1.
Gouldi, Bp.
1604. **anais**, *Less. O. M. suppl. t. 3; Gould, T. iv. pl. 224.* New Granada.
thalassinus, p., Jard.
1605. **iolatus**, *Gould, T. iv. pl. 225.* Ecuador, Peru.
anais, Tsch.; rhodotis, Sauc. Bolivia.
1606. **thalassinus**, *Sw.; Less. T. t. 55-57; O. M. t. 3; Gould, T. iv. pl. 227.* Mexico.
anais, Sw. Guatemala.
1607. **coruscans**, *Gould, T. iv. pl. 226.* —?
1608. **cabanidis**, *Heine.* Costa Rica.
- 455.** *s. PRAXILLA, Reich. 1854.*
Colibri, Bp. 1849.
1609. **cyanotus**, *Bourc.; Gould, T. iv. pl. 228.* New Granada.
cyanotis, Bp.; anais, Less.? Venezuela.
- 456.** *t. TELESIELLA, Reich. 1854.*
Delphinella, Bp. 1854. Telesilla, Cab. & H. 1860.
1610. **Delphinæ**, *Less. Ill. de Zool. t. 64; Gould, T. iv. pl. 229.* N. of S. America.
delphina, Bp.
- 457.** *u. SCHISTES, Gould, 1851.*
1611. **Geoffroyi**, *Bourc. & Muls.; Gould, T. iv. pl. 218.* Andes of New Granada.
1612. **personatus**, *Gould, T. iv. pl. 219.* Ecuador.
Geoffroyi, p., Sclat.
1613. **albigularis**, *Reich.; Gould, T. iv. pl. 220.* „
- 458.** *v. LEUCOCHLORIS, Reich. 1854.*
Agyrtria, Cab. & H. 1860.

1614. **albicollis**, *V.*; *P. C.* 203. 2; *Gould, T. v.* pl. 291. Brazil.
 albigularis, *Spix, A. B. t.* 82. 1.
 vulgaris, *Max.*
1615. **terpua**, *Cab.* Bogota.
- 459.** *w. POLYTMUS, Briss.* 1760.
 Emeraudes, Less. 1832. *Thaumatias, Bp.* 1849.
 Agyrtria, Reich. 1854.
1616. **fluviatilis**, *Gould.* Rio Napo.
1617. **candidus**, *Bourc. & M.*; *Gould, T. v.* pl. 292. Guatem., S. Mex.
1618. **chionopectus**, *Gould, T. v.* pl. 293. N. of S. America.
 niveipectus, *Cab. & H.* Trinidad.
1619. **leucogaster**, *Gm.*; *P. E.* 672. 3; *Gould, T. v.* pl. 294. N. of S. America.
 albirostris, *Less. O. M. t.* 78; *mellisugus, Burm.* Bahia.
1620. **viridiceps**, *Gould, T. v.* pl. 295. Ecuador.
1621. **Milleri**, *Lodd.*; *Gould, T.* pl. v. 296. New Granada,
 Brazil.
1622. **brevirostris**, *Less. O. M. t.* 77; *Gould, T. v.* pl. 298. S.E. Brazil.
 versicolor, *Licht.*
1623. **Linnæi**, *Bp.* Tobago.
 tobacci, *Gm.*; **tobagensis**, *Lath.*; **maculatus**, *Aud. & V.* ?N. of S. America.
 viridissima, *Less.*; **ourissia**, *p., G. R. Gr.* Brazil.
 viridipectus, *Sauc.*; **thaumatias (L.)**, *Bp.*
 lactea ♀ *et Maugei* ♀, *Reich.*; **maculata**, *Cab. & H.*
1624. **Bartletti**, *Gould.* Upper Ucayali.
1625. **cupreiceps**, *Lawr.* Costa Rica.
1626. **leucoproctus**, *Gould.* Peru.
1627. **affinis**, *Gould, T. v.* pl. 299.
 brevirostris, *var., Muls. & V.*
1628. **apicalis**, *Gould.* New Granada.
1629. **maculicaudus**, *Gould.* Brit. Guiana.
1630. **nitidifrons**, *Gould, T. v.* pl. 297. Venezuela?
1631. **cæruleiceps**, *Gould.* New Granada.
1632. **tephrocephalus**, *V.*; *Gould, T. v.* pl. 301. Brazil.
 albiventris, *Less. O. M. t.* .
1633. ? **mellisugus**, *L.*; *Edw. B.* pl. 360. 1. Cayenne, Guiana.
 concinna, *Steph.*; **albirostris**, *p., Less.*
 atala, *p., Gould*; **bicolor**, *p., Cab. & H.*
1634. ? **medius**, *Pelz.* Matogrosso.
1635. ? **meliphilus**, *Pelz.* Barcellos.
1636. **Lucia**, *Lawr.* Honduras.

- 460.** *x. ELVIRA, Muls. & Verr. 1865.*
Agyrtria, p., *Cab. & H. Thaumantias*, p., *Gould.*
 1637. **chionurus**, *Gould, T. v. pl. 300.* Costa Rica.
niveicauda, Lawr.
- 461.** *y. SMARAGDITES, Boie, 1831.*
Polytmus, V. 1807, nec Briss. 1760. Chrysobronchus et Thaumantias, Bp. 1854.
"Chloristes, Reich., " Mull. & V. 1865. Smaragditis, Reich. 1854.
 1638. **viridissimus**, *Aud. & V. O. D. t. 42; Less. O. M. t. 75; Gould, T. iv. pl. 231.* R. Amazon.
Theresiæ, De Silva; viridis, Less. Rio Negro.
virescens, Max.; chrysurus, Burm.
1639. **virescens**, *Dumont; V. O. D. t. 41; Gould, T. iv. pl. 230.* Trinidad.
Thaumantias et viridescens, L. Venezuela.
chrysobronchus, Shaw; viridis, V. New Granada?
chloroleucurus, Sauc.; albiventris, p., Bp. Brazil.
1640. **leucochlorus**, *Heine,*
- 462.** *z. LEUCIPPUS, Bp. 1849.*
Doleromyia, Bp. 1854. Dolerisca, Cab. & H. & Gould, 1860.
Leucolia, Muls. & V. 1865.
1641. **fallax**, *Bourc.; Gould, T. ii. pl. 56.* Venezuela.
fulviventris, Gould.
1642. **cervinus**, *Gould.* — ?
- 463.** *aa. — ?*
Leucippus, Cab. & H. 1860.
Leucippus, p., Bp. 1849.
Leucolia, p., Muls & Verr. 1866.
1643. **chionogaster**, *Tsch. F. P. t. 22. 2; Gould, T. v. pl. 290.* Peru, Bolivia.
leucogaster, Tsch.; Turneri, Bp.
hypoleucus, Gould.
1644. **chlorocercus**, *Gould.* Upper Ucayali.
- 464.** *bb. UROCHROA, Gould, 1856.*
1645. **Bougueri**, *Bourc.; Gould, T. ii. pl. 57.* Ecuador.
Bouguieri, Reich.; Bougieri, Sclat.
Bougheri, Muls. & V.
1646. ? — ?
leucura, Lawr, "
- 465.** *cc. CYANOCHLORIS, Reich. 1854.*
Chalybura, p., Cab. & H.
1647. **cæruleogaster**, *Gould, T. ii. pl. 91.* New Granada.
cæruleoventris, Reich.

- 466.** *dd. EULAMPIS, Boie, 1831.*
Culampis, Less. 1832.
Reich. S. A. t. 39. f. .
1648. **jugularis**, *L.*; *Edw. B. pl. 266. 1*; *Less. C. t. 10*; *Gould, T. ii. pl. 82.* Isl. Nevis.
auratus, cyanomelas, violaceus et venustissimus, Gm.;
cyaneus, granatinus et Bancrofti, Lath.; *prasinoptera, Sparrm.*; *auritus, V.* Martinique.
- 467.** *ee. SERICOTES, Reich. 1854.*
Sericotis, Bp. 1854. Eulampis, p., Gould.
1649. **holosericeus**, *L.*; *Edw. B. pl. 36. 1*; *V. O. D. t. 6*; *Gould, T. ii. pl. 83.* I. Nevis, Marti-
aurigaster, Shaw; *atrigaster, Cab.* nique.
1650. **chlorolaimus**, *Reich.*; *Gould, T. ii. pl. 84.* St. Thomas.
chlorolæmus, Gould; *chlorolaemus, Cab. & H.* St. Croix.
holosericeus, var., Muls & V.
1651. **longirostris**, *Gould.* — ?
holosericeus, var., Muls. & V.
- 468.** *ff. THALURANIA, Gould, 1848.*
Glaucopes, Less. 1822, nec Hübn.
Mellisuga, Boie, 1831, nec Briss.
Thaluronina, G. R. Gr. 1849. Thalucania, Bourc. 1856.
Tholucania, Hartl. 1857.
1652. **furcatus**, *Gm.*; *P. E. 599. 2*; *Less. O. M. suppl. t. 18*; *Gould, T. ii. pl. 101.* Cayenne, Guiana.
elegans, Shaw; *gyrinno, Reich.* Rio Negro.
1653. **glaucopis**, *Gm.*; *Less. O. M. t. 58, 59*; *Gould, T. ii. pl. 99.* S.E. Brazil.
frontalis, Lath.
1654. **Tschudii**, *Gould, T. ii. pl. 103.* E. Ecuador.
furcatus, Tsch.
1655. **furcatoides**, *Gould.* Para.
forficata, p., Cab. & H.
1656. **nigrofasciatus**, *Gould, T. ii. pl. 104.* Upper Amazon.
viridipectus, Gould. Rio Izanna.
1657. **venustus**, *Gould, T. ii. pl. 105.* Costa Rica.
puella, Gould.
1658. **columbicus**, *Bourc. & M.*; *Gould, T. ii. pl. 106.* New Granada.
1659. **verticeps**, *Gould, T. ii. pl. 107*; *Contr. Orn. 1850, pl. Lydia, Reich.*; *Fanny, p., Cab. & H.* Ecuador.
1660. **eriphile**, *Less. O. M. suppl. t. 25*; *Gould, T. ii. pl. 108.* E. Brazil.
eryphila, Bp.; *meriphile, Less.*
excisus, Licht.
1661. **bicolor**, *Gm.*; *V. O. D. t. 36*; *Gould, T. ii. pl. 109.* Brazil.
Wagleri, Less.

1662. *forficatus*, *Cab. & H.*
furcata, *Reich.* Para?
1663. *subfurcatus*, *Cab. & H.* Para, Guiana.
1664. *refulgens*, *Gould, T. ii. pl. 102.* Venezuela?
1665. *Fannia*, *Gould.* Andes.
Fannyi, Bourc. & M.; Fanny, Reich.
1666. *lusia*, *Lawr.* Tres Marias I.
1667. *iolæmus*, *Natt.* Ypanema.
1668. *Watertoni, Lodd.; Gould, T. ii. pl. 100.* British Guiana.
Whatertoni, Reich.
- 469.** *gg. —?*
Hemithylaca, Gould, 1861, nec Cab. & H.
Ariana, p., Muls. & V. Hemithylaca, p., Cab. & H.
1669. *cyanifrons*, *Bourc.; Gould, T. v. pl. 323.* New Granada.
- 470.** *hh. SAUCEROTTIA, Bp. 1849.*
Hemithylaca, p., Cab. & H. Ariana, p., Muls. & V.
1670. *Sophia*, *Bourc.; Gould, T. v. pl. 322.* Costa Rica.
caligatus, Gould; Hoffmanni, Cab. & H. Veragua.
Sophia, Bp. New Granada.
Taffmanni!, Muls. & V.
1671. *Warszewiczi, Cab. & H.* R. Magdalena.
viridigaster, var., Muls. & V.
Warszewiczi, Gould.
1672. *Saucerottii, Bourc. & Delattr.; Gould, T. v. pl. 321.* New Granada.
typica, Bp.
- 471.** *ii. EMILIA, Muls. & V. 1865.*
Hylocharis, Bp. 1854, nec Boie, 1831.
Sapphironia, Gould, 1861. "Lepidopyga, Reich. 1855," Cab,
& H. 1861.
Chlorolampis, p., Muls. & Verr.
1673. *Goudoti, Bourc.; Gould, T. v. pl. 345.* „
1674. *cæruleocularis, Gould, T. v. pl. 346.* Costa Rica.
Duchassaingui, Bourc. Panama.
Cælina, Bourc.; cærulescens, Reich.
1675. *laminosus, Lawr.* New Granada.
- 472.** *jj. AMAZILIS, Less. 1832.*
Amazilia, Reich. 1849. Amazilius, Bp. 1849. Amazillia, Sclat.
& Salv. 1859. Pyrrhophæna, Cab. & H. 1860. Amizilis!,
G. R. Gr.
Reich. S. A. t. 39. f. .
1676. *amazili, Less. Voy. Coqu. t. 31. 1; Gould, T. v. pl. 303.* Peru.
amazilia, Tsch.; latirostris, Bp.
pristina, Gould.

1677. **Dumerilii**, *Less. O. M. suppl. t. 36* ; *Gould, T. v. pl. 305.* Ecuador.
1678. **cinnamomeus**, *Less.* ; *Gould, T. v. pl. 307.* C. America.
corallirostris, *Bourc. & M.* ; rutila, *Delattr.*
1679. **cerviniventris**, *Gould, T. v. pl. 309.* Mexico.
1680. **Riefferi**, *Bourc.* ; *Gould, T. v. pl. 311.* S. Mexico.
Dubusi, *Bourc.* ; fuscicaudatus, *Fras.* Guatemala.
amazili, *Delattr.* ; arsinoïdes, *Sauc.* Andes.
1681. **beryllinus**, *Licht.* ; *Less. O. M. suppl. t. 28, 29* ; *Gould, T. v. pl. 312.* S. Mexico.
Arsonoë, *Less.* ; fuscicaudatus, *Licht.*
1682. **Devillei**, *Bourc.* ; *Gould, T. v. pl. 313.* Guatemala.
Mariæ, *Bourc. & M. ?* ; Dumerili, *Salv.*
Maria, *Bp.*
1683. **viridigaster**, *Bourc.* ; *Gould, T. v. pl. 314.* New Granada.
viridiventris, *Reich.*
1684. **cyanurus**, *Gould, T. v. pl. 315.* W. of Nicaragua.
1685. **alticolus**, *Gould, T. v. pl. 304.* C. Peru.
1686. **amaziliculus**, *Sauc.* ; *Reich. Troch. t. 777. 4805-6.* Ecuador.
amazicula!, *Gould* ; leucophaea, p., *Cab. & H.*
Dumerili, p., *Gould.*
1687. **leucophæus**, *Reich.* ; *Gould, T. v. pl. 306.* S. Peru.
1688. **suavis**, *Cab. & H.* Carthagena.
1689. **Graysoni**, *Lawr.* Tres Marias I.
1690. **yucatacensis**, *Cabot* ; *Gould, T. v. pl. 308.* Yucatan.
1691. **castaneiventris**, *Gould, T. v. pl. 310.* New Granada.
1692. **iodurus**, *Sauc.* „ ?
Aglaïæ, *Bourc.*
- 473.** *kk. HEMISTILBON, Gould, 1861.*
Pyrrhophæna, p., *Cab. & H.*
1693. **Ocai**, *Gould, T. v. pl. 289.* Mexico, Xalapa.
1694. **Norissii**, *Bourc.* C. Mexico.
Norrisi, *G. R. Gr.* Guayaquil.
- 474.** *ll. ERYTHRONOTA, Gould, 1860.*
Ariana, *Muls. & V. 1865.*
Hemithylaca, *Cab. & H. 1860.* *Saurcerottia*, p., *Bp.*
1695. **erythronotos**, *Less.* ; *Gould, T. v. pl. 316.* Trinidad.
antigua, *Gould.* Tobago, Venez.
1696. **Feliciæ**, *Less.* ; *Gould, T. v. pl. 317.* Venezuela.
1697. **Edward**, *Delatt. & B.* ; *Gould, T. v. pl. 318.* Panama, C. Rica.
Edwardsii, *G. R. Gr.* ; *Edwardi*, *Gould.* Veragua.

1698. **niveiventris**, *Gould, T. v. pl. 319.*
niveoventer, Gould. Panama.
 Veragua.
1699. **elegans**, *Gould, T. v. pl. 320.* — ?
- 475.** *nm. EUPHERUSA, Gould, 1861.*
Epherusa, Muls. & V. 1865.
1700. **eximius**, *Delattr.; Gould, Troch. v. pl. 324.* Guatemala, Hon-
 duras?
1701. **egregius**, *Scat. & S.* Veragua.
1702. **nigriventris**, *Lawr.* Costa Rica.
- 476.** *nn. CHRYSURES, Less. 1832.*
Chrysuronia, Bp. 1849. Chysurisca, Cab. & H. 1860.
Hylocharis, Muls. & V. 1865.
1703. **Oenone**, *Less. O. M. suppl. t. 30; Gould, T. v. pl. 325.* Venezuela, New
 Granada.
1704. **Josephinæ**, *Bourc. & M.; Gould, T. v. pl. 326.* R. Amazon.
1705. **cæruleicapillus**, *Gould.* Peruv. Amazons.
1706. **Eliciaæ**, *Bourc. & M.; Gould, T. v. pl. 328.* Guat., C. Rica.
Elicia, Bp. Veragua.
1707. **chrysurus**, *Less. O. M. suppl. t. 4; Gould, T. v. pl. 329.* Peru.
1708. **neera**, *Less.* — ?
1709. **Humboldtii**, *Bourc. & Muls.; Gould, T. v. pl. 327.* Guat., Verag.
viridicaudus, Lawr. Costa Rica.
- 477.** *oo. CYANOMYIA, Bp. 1854.*
Uranomitra, Reich. 1854.
1710. **quadricolor**, *V.; Gould, T. v. pl. 284.* N. Mexico.
cianocephala, Less. O. M. suppl. t. .
verticalis, Licht.
1711. **violiceps**, *Gould, T. v. pl. 285.* W. Mexico.
1712. **cianocephalus**, *Less. O. M. suppl. t. .* S. Mexico.
verticalis, G. R. Gr.; Faustine, Reich.
Lessoni, Cab. & H.
1713. **Franciæ**, *Bourc.; Gould, T. v. pl. 287.* New Granada.
1714. **guatemalensis**, *Gould.* Guatemala.
cianocephala, Salv.
quadricolor, p., Muls. & V.
1715. **cyanocollis**, *Gould, T. v. pl. 288.* Peru.
- 478.** *pp. OPISTHOPRORA, Cab. & H. 1860.*
Avocettinus, Bp. 1854 nec 1849.
Avocettina, Muls. & V. 1865.
1716. **eurypterus**, *Lodd.; Gould, T. iii. pl. 200.* New Granada.
Georginæ, Bourc.

479. AITHURUS, *Cab. & H.* 1860.Polythmus, *Less.* 1832, *nec Briss.* 1760.Phætornis, *Less.* 1829, *nec Sw.* 1827.Trochilus, *G. R. Gr.* 1840, *nec L.* 1748.Polytmus, *Muls. & V.* 1865.*G. of B.* i. p. 109, pl. 35. f. 6; *Reich. S. A.* t. 39. f. (Polytmus).

- 1717.
- polytmus**
- ,
- L.*
- ;
- Edw. B.*
- pl. 34;
- Less. O. M.*
- t. 17;
- Gould, T.*
- iii. pl. 98.

Jamaica.

cephalatra, *Less.*; stellatus, *Gould.*Maria, *Hill*; atricapilla, *V.*; viridans, *Reich.*

1718. fuliginosus,
- Hill.*

,,

480. TOPAZA, *G. R. Gr.* 1840.Topazes, *Less.* 1832. Trochilus, *L.* 1758-66, *nec* 1748. Lam-
pornis, *Reich.* 1849.*G. of B.* i. p. 109, pl. 35. f. 7; *Reich. S. A.* t. 39. f. (Lam-
pornis!).

a. TOPAZA.

- 1719.
- PELLA**
- ,
- L.*
- ;
- Edw. B.*
- pl. 32. 2;
- Less. C.*
- t. 2-5;
- Gould, T.*
- ii. pl. 66.

Cayenne.

surinamensis, *Spal.*; paradiseus, *L.*

Rio Negro.

- 1720.
- PYRA**
- ,
- Gould, T.*
- ii. pl. 67.

Upper Amazon.

481. b. FLORISUGA, *Bp.* 1849.Orthorhynchus, *Illig.* 1811, *nec Cuv.* 1799-1800.Lampornis, *Less.* 1829, *nec Sw.* 1827.

- 1721.
- MELLIVORA**
- ,
- L.*
- ;
- Edw. B.*
- pl. 36. 1;
- P. E.*
640. 2;
- Gould, T.*
- ii. pl. 113.

Brazil, Trinidad.

surinamensis, *Steph.*; fimbriatus, *L.*New Granada,
Guatemala.

- 1722.
- FLABELLIFERA**
- ,
- Gould, T.*
- ii. pl. 114.

I. Tobago.

- 1723.
- FUSCA**
- ,
- V.*
- ;
- Less. O. M.*
- t. 38, 39;
- Gould, T.*
- ii. pl. 115.

E. Brazil.

atratus, *Licht.*; niger, *Sw.*; atra, *Max.*lugubris, *Less.*leucopygius, *Spix, A. B.* t. 81. 3.**482.** c. MICROCHERA, *Gould*, 1861.

- 1724.
- ALBECRONATA**
- ,
- Lawr.*
- ;
- Gould, T.*
- ii. pl. 116.

New Granada.

- 1725.
- PARVIROSTRIS**
- ,
- Lawr.*

Costa Rica.

483. d. DELATTRIA, *Bp.* 1849.Lamprolaima, *Reich.* 1854. Cœligena, *p.*, *Cab. & H.*

- 1726.
- HENRICA**
- ,
- Less. & D.*
- ;
- Gould, T.*
- ii. pl. 62.

Guatemala.

Henrici, *Bp.*

- 1727.
- VRIDIPALLENS**
- ,
- Bourc. & M.*
- ;
- Gould, T.*
- ii. pl. 63.

,,

484. CALOTHORAX, *G. R. Gr.* 1840.Lucifers, *Less.* 1832. Lucifer, *Reich.* 1854.Cyanopogon, *Bp.* 1854?*G. of B. i.* p. 110; *Reich. S. A. t.* 39. f. (Lucifer)?*a.* CALOTHORAX.1728. **Lucifer**, *Sw.*; *Less. O. M. t.* 5, *et C. suppl. t.* 9, 10;
Gould, T. iii. pl. 143.

N. Mexico.

cyanopogon *et simplex*, *Less.*coruscans, *Licht.***485.** *b.* THAUMASTURA, *Bp.* 1849.Cora, *Bp.* 1854? Tamnastura, *Casteln.* 1853.1729. **Cora**, *Less. Voy. Coqu. t.* 13. 4, *id. O. M. t.* 6, *T. t.* 39, 40;
Gould, T. iii. pl. 153.

Peru.

486. *c.* DORICHA, *Reich.* 1854.Myrtis, *Cab. & H.* 1861. Amathusia, *Muls. & V.* 1865.1730. **enicurus**, *V. P. C.* 66. 3; *Less. T. t.* 66; *Gould, T. iii.*
pl. 157.

Guatemala.

heteropygia *et Swainsoni*, *Less.*henicura, *Reich.*1731. **Elizæ**, *Gould, T. iii.* pl. 155.

S. Mexico.

Eliza, *Less. & D.*; elisa, *Bp.*1732. **Bryantæ**, *Laur.*

Costa Rica.

1733. **Evelynæ**, *Bourc.*; *Gould, T. iii.* pl. 156.

Bahama I.

evillina, *Bp.*; bahamensis, *Bryant.***487.** *d.* MANILIA, 1865,*et Amathusia*, p., *Muls. & V.* Calothorax, p., *Gould.*1734. **pulchra**, *Gould, T. iii.* pl. 144.

S. Mexico.

488. *e.* STELLULA, *Gould*, 1861.Stellura, 1865, *et Zephyritis*, p., *Muls. & V.*1735. **calliope**, *Gould, T. iii.* pl. 142.

N. Mexico, California.

489. *f.* RHODOPIS, *Reich.* 1854.Amathusia, p., *Muls. & V.*1736. **vesper**, *Less. O. M. t.* 19; *T. t.* 9. 48; *Gould, T. iii.*
pl. 154.vespera, *Reich.*

Peru.

490. *g.* MYRTIS, *Reich.* 1854.Elisa, *Bp.* 1854? Zephyritis, *Muls. & Verr.* 1865.Myrtis, p., *Cab. & H.*1737. **Fanny**, *Less.*; *Gould, T. iii.* pl. 151; *Ann. Sc. Phys.*
Lyon, 1838, t. .labrador, *Bourc.*; Fannix, *Gould.*

Ecuador, Peru.

1738. **Yarrellii**, *Bourc.*; *Gould*, *T.* iii. pl. 152. W. Peru.
- 491.** *h. LAFRESNAYA*, *Bp.* 1849.
Calothorax, *G. R. Gr.* 1848 *nec* 1840. *Entima*, *Cab. & H.* 1860.
Euclosia, *Muls. & V.* 1865.
G. of B. i. pl. 35. f. 4.
1739. **Lafresnayi**, *Boiss.*; *Gould*, *T.* ii. pl. 85. New Granada.
flavicaudatus, *Fras.* N. Ecuador.
1740. **Gayi**, *Bourc. & M.*; *Gould*, *T.* ii. pl. 86. Ecuador, Peru.
1741. *Saulæ*, *Bourc.* — ?
Saulii, *G. R. Gr.*; *Gayi*, *p.*, *Cab. & H.*; *Saul*, *Reich.* Popayan ?
- 492.** *i. IONOLAIMA*, *Reich.* 1854.
Strophiolæmus, 1853, *et* *Iolæma*, 1854, *Gould.*
Ionolæma, *Bp.* 1854.
1742. **Schreibersii**, *Lodd.*; *Gould*, *T.* ii. pl. 93. Upp. Amazon,
R. Napo.
1743. *frontalis*, *Laur.*; *Gould*, *T.* ii. pl. 92. R. Napo.
- 493. TROCHILUS**, *L.* 1748–56.
Troglodites, *L.* 1744. *Cynanthus*, *Sw.* 1827.
Colubris, *Reich.* 1849? *Ornismia*, *p.*, *Muls. & V.*
Mellisuga, *Briss.* 1760.
G. of B. i. p. 111; *Reich. S. A. t.* 40. f. .
- a. TROCHILUS.*
1744. **colubris**, *L.*; *Edw. B.* pl. 38; *Wils. A. O.* pl. 10. 3, 4; E. of N. Amer.,
Gould, *T.* iii. pl. 131. Mexico, Cuba,
Bermuda.
- 494.** *b. ARCHILOCHUS*, *Reich.* 1854.
Ornismia, *Muls. & V.* 1865.
1745. **Alexandri**, *Bourc. & M.*; *Gould*, *T.* iii. pl. 132. N. Mexico.
Cassinii, *Bp.* California.
1746. *aurigularis*, *Laur.* — ?
- 495.** *c. DOCIMASTES*, *Gould*, 1849.
Mellisuga, *G. R. Gr.* 1848, *nec* *Briss.*
Docimaster, *Bp.* 1849.
G. of B. i. p. 111, pl. 35. f. 10; *Reich. S. A. t.* 40. f. .
1747. **ensiferus**, *Boiss. Mag. de Zool.* 1840, t. 15; *Gould*, *T.*
iv. pl. 233. Columbia.
Derbianus, *Fras.*
1748. *Schliephackei*, *Cab.* Ecuador.
ensifera, *p.*, *Gould.*
- 496.** *d. EUGENES*, *Gould*, 1856.
Delattria, *p.*, *et* *Cœligena*, *p.*, *Bp.* *Cyrtolæma*, *p.*, *Muls. & V.*

1749. **fulgens**, *Sw.*; *Less. O. M. t. 4*; *Gould, T. ii. pl. 59.* Mexico.
Rivoli, Less. Guatemala.
1750. **spectabilis**, *Lawr.* Costa Rica.
fulgens ♀?, *Salv.*
- 497.** *e. EUGENIA, Gould, 1855.*
1751. **imperatrix**, *Gould, T. iv. pl. 234.* Ecuador.
- 498.** *f. HELIODOXA, Gould, 1849.*
Leadbeatera, p., Bp.
1752. **jacula**, *Gould, T. ii. pl. 94.* New Granada.
1753. ? **Henryi**, *Lawr.*
jacula, p. ?, Gould.
1754. **Jamesoni**, *Bourc.*; *Gould, T. ii. pl. 95.* Ecuador.
Jamersoni !, *Bourc.*
- 499.** *g. LEADBEATERA, Bp. 1849.*
1755. **Leadbeateri**, *Bourc. Ann. Sc. Phys. Lyon, 1843, t. 5*;
Gould, T. ii. pl. 97. New Granada.
grata, Bp.
1756. **splendens**, *Gould.* Venezuela.
Leadbeateri, var., Muls. & V.
1757. **otero**, *Tsch.*; *Gould, T. ii. pl. 96.* Peru, Bolivia.
sagitta, Reich.; *Leadbeateri, var., Muls. & V.*
- 500.** *h. — ?*
Heliomaster, p., 1849, et Heliomastes, Bp. 1854. Heliomaster,
Reich. 1854.
1758. **longirostris**, *V.*; *P. C. 299. 1*; *Less. O. M. t. 2, C. suppl.*
t. 23, T. t. 34; *Gould, T. iv. pl. 259.* Trinidad, Brazil.
superbus, Shaw.
1759. **pallidiceps**, *Gould.* Mexico, Guatem.
1760. **Stuartæ**, *Lawr.* New Granada.
longirostris, Sclat.
1761. *Sclateri, Cab.* Costa Rica.
longirostris, p., Sclat. ?
1762. **Constanti**, *Delattr.*; *Gould, T. iv. pl. 260.* Guatemala, Costa Rica.
1763. **Leocadiæ**, *Bourc.*; *Gould, T. iv. pl. 261.* Mexico.
pinicola, Gould.
- 501.** *i. CORINNES, Less. 1832.*
Trochilus, Sw. 1837, nec L. Heliomastes et Ornithomyia, Bp.
1854. Lepidolarynx, Reich. 1854. Heliomaster, p., Bp.
Lepidolarynx et Lepidoria, Muls. & V. 1865. Diphlogæna,
p., et Calliperidia, p., Muls. & V.
1764. **mesoleucus**, *Tem. P. C. 203. 1*; *Gould, T. iv. pl. 262.* Brazil.
longirostris, Nat.; *squamosus, Tem.*

mystacinus, *V.*; Temminckii, *Less.*
 melanoleuca!, *G. R. Gr.*

502. *j. HELIOMASTER*, *Bp.* 1849.

Ornithomyia, *p.*, *Bp.* 1854. *Calliperidia*, *Reich. & Muls. & V.* 1854.

Callopistria!, *Bp.* 1854. *Calothorax*, *p.*, *G. R. Gr.*

1765. *regis*, *Schreib. F. Bras.* t. 1. 1; *Gould, T.* iv. pl. 263; *Ill. de Zool.* t. 49, 50.

angelæ, *Less.*; *inornatus*, *Burm.*

Buenos Ayres.
 Tucuman.

503. *k. OREOPYRA*, *Gould*, 1860.

Panterpe, *Cab. & H.* 1860.

1766. *hemileucus*, *Salv.*

Costa Rica.

1767. *calolæmus*, *Salv.*

venusta, *Lawr.*

"
 Veragua.

1768. *insignis*, *Cab.*

Costa Rica.

1769. *leucaspis*, *Gould, T.* iv. pl. 264.

Volcans of Chi-
 riqui.

1770. *cinereicaudus*, *Lawr.*

Costa Rica.

504. *l. HELIANTHEA*, *Gould*, 1848.

1771. *heliantheus*, *Less.*; *Gould, T.* iv. pl. 235.
typica, *Bp.*

New Granada.

1772. *Lutetiæ*, *Delattr. & B.*; *Gould, T.* iv. pl. 238.

Popayan, Ecuad.

1773. *violiferus*, *Gould, T.* iv. pl. 239.

violifer, *Gould.*

Bolivia, Peru.

505. *m. HYPOCHRYSIA*, *Reich.* 1854.

Helianthea, *p.*, *Gould.*

1774. *Bonapartei*, *Boiss. An. Sc. Phys. Lyon*, 1842, t. 14;
Gould, T. iv. pl. 236.

aurigaster, *Lodd.*

New Granada.

1775. *eos*, *Gould, P. Z. S.* 1848, pl. 1; *id. T.* iv. pl. 237.

Columbia (Me-
 rida).

506. *n. DIPHLOGENA*, *Gould*, 1854.

Hypochrysis, *p.*, *Reich.* *Diphogena*!, *Gould.*

1776. *Iris*, *Gould, T.* iv. pl. 247.

Andes of Bolivia.

1777. *aurora*, *Gould, T.* iv. pl. 248.

Warszewizii, *Reich.*

Peru.

1778. *hesperus*, *Gould.*

Cuenza, Ecuad.

507. *o. PTEROPHANES*, *Gould*, 1848.

1779. *Temmincki*, *Boiss. Mag. de Zool.* 1840, t. 14; *Gould, T.* iii. pl. 178.

cyanopterus, *Lodd.*

New Granada.
 Ecuador.

- 508.** *p. BOURCIERIA, Bp. 1849.*
Hamophania, Reich. 1854. Homophania, p., Cab. & H.
1780. **Prunellei**, *Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 1; Andes of New*
Gould, T. iv. pl. 257. Granada.
- 509.** *q. — ?*
Bourcieria, Reich. 1854, et p. Bp. 1849.
Homophania, p., Cab. & H.
1781. **torquatus**, *Boiss.; Gould, T. iv. pl. 251. Columbia.*
1782. **fuligidigula**, *Gould, T. iv. pl. 252. Ecuador.*
1783. **inca**, *Gould, T. iv. pl. 254. Bolivia.*
1784. *insectivorus, Tsch. F. P. t. 28. 1. Peru.*
torquatus, p., G. R. Gr.
- 510.** *r. LAMPROPYGIA, Reich. 1854.*
Bourcieria, p., Bp. Lampropygia, p., Cab. & H.
1785. **Wilsoni**, *Delattr. & B.; Gould, T. iv. pl. 258. Ecuador.*
- 511.** *s. CONRADINIA, Reich. 1854.*
Bourcieria, p., Bp. Helianthea, p., Cab. & H.
1786. **Conradi**, *Bourc.; Gould, T. iv. pl. 253. Pamplona, New*
Granada.
- 512.** *t. CÆLIGENA, Less. 1832.*
Delattria, p., Bp. 1849.
1787. **Clemenciæ**, *Less. O. M. t. 80, C. suppl. t. 8; Gould, T.*
ii. pl. 60. Mexico.
typica, Bp.
- 513.** *u. — ?*
Lampropygia, Cab. & H. 1860, nec Reich.
Cæligena, 1849 (nec Less.), et Cœlegena, 1854, Bp.
Urania, Fitz.
Reich. S. A. t. 40. f. .
1788. **cœligena**, *Less. T. t. 53; Gould, T. iv. pl. 255. New Granada.*
typica, Bp.; Lessoni, Muls. & V.
1789. **bolivianus**, *Gould.*
Lessoni, var., Muls. & V. Bolivia.
1790. **purpureus**, *Gould, T. iv. pl. 256. Popayan.*
- 514.** *v. HELIANGELUS, Gould, 1848.*
Anactoria, Reich. 1854.
1791. **Clarisse**, *De Long.; Gould, T. iv. pl. 242. New Granada.*
Clarissæ, G. R. Gr.; Clarissa, Bp.
Libussa, Reich
1792. **strophianus**, *Gould, T. iv. pl. 243. Ecuador.*

1793. *amethysticollis*, *Lafr. D'Orb. Voy. Am. M. t. 60. 2*;
Gould, T. iv. pl. 245. Peru.
1794. *Mavors*, *Gould, Pr. Z. S. 1848, pl. 11*; *Gould, T. iv. pl. 246.* New Granada.
- 515.** w. *HELIOTRYPHA*, *Gould, 1853.*
Parzudakia, Reich. 1854. Heliotrypha, Bp. 1854. Heliotryphon, Cab. & H. 1860.
1795. *Parzudaki*, *De Long.; Gould, T. iv. pl. 240.* „
exortis, Fras.; dispar, Reich. Ecuador.
1796. *viola*, *Gould, T. iv. pl. 241.* „
- 516.** x. *DORYFERA*, *Gould, 1847.*
Doryphera, Bp. 1849. Doryphora, Cab. & H. 1860.
Hemistephania, Reich. 1854.
1797. *Johannæ*, *Bourc.; Gould, T. iv. pl. 87.* New Granada.
violifrons, Gould.
1798. *Ludovicicæ*, *Bourc. & M.; Gould, T. iv. pl. 88.* „
1799. *rectirostris*, *Gould.* Ecuador.
1800. *euphrosinæ*, *Muls. & V.* New Granada.
- 517.** y. *CLYTOLEMA*, *Gould, 1853.*
Heliodoxa, Reich. 1854, nec Gould, 1849. Clytolaema, Cab. & H. 1861.
1801. *rubineus*, *Gm.; Briss. Orn. iii. t. 37. 4; P. E. 276. 4*;
Gould, T. iv. pl. 249. E. Brazil.
obscurus, Gm.; ruficaudatus, V.
1802. *aurescens*, *Gould, T. iv. pl. 250.* Rio Madeiro et
R. Napo.
- 518.** z. *PHAIOLAIMA*, *Reich. 1854.*
Phæolæma, Bp. 1854. Phaeolaema, Cab. & H. 1860.
Phæolæma, Gould, 1861.
1803. *rubinoides*, *Bourc. & M.; Gould, T. iv. pl. 268.* New Granada.
granadensis, Cab. & H.
1804. *æquatorialis*, *Gould, T. iv. pl. 269.* Ecuador.
rubinoïdes, Sclat.
- 519.** aa. *LAMPROLAIMA*, *Reich. 1854.*
Lamprolaema, Bp. 1854. Lamprolæma, Gould, 1861.
1805. *Rhami*, *Less.; Gould, T. ii. pl. 61.* Guatemala.
- 520.** bb. *AGLEACTIS*, *Gould, 1848.*
Aglaïactis, Cab. & H. 1860.
1806. *cupripennis*, *Bourc. & M.; Gould, T. iii. pl. 179.* New Granada.
1807. *æquatorialis*, *Cab. & H.* Ecuador.
curvipennis, var., Muls. & V.

1808. **pamela**, *Lafr.*; *D'Orb. Voy. Am. M.* t. 60. 1; *Gould, T.* iii. pl. 181. Bolivia.
1809. **parvula**, *Gould.*
cupripennis, var., *Muls. & V.* Peru or Bolivia.
1810. **caumatonotus**, *Gould.* "
cupripennis, var., *Muls. & V.* E. Peru.
olivaceocauda, *Laur.*
1811. **Castelnaudii**, *Bourc. & M.*; *Gould, T.* iii. pl. 180. Peru.
Castelnaui, *G. R. Gr.* *Castelneaui*, *Bp.*
- 521.** cc. **BOISSONNEAU**, *Reich.* 1854.
Panoplites, *Gould*, 1854. *Boissoneau*!, *Cab. & H.*
1812. **flavescens**, *Lodd.*; *Gould, T.* ii. pl. 111. Ecuador.
paradisea, *Boiss.* New Granada.
1813. **Matthewsi**, *Lodd.*; *Gould, T.* ii. pl. 112. Ecuador.
1814. **Jardini**, *Bourc.*; *Gould, T.* ii. pl. 110. "
Jardinei, *Cab. & H.*
- 522.** dd. **RAMPHOMICRON**, *Bp.* 1849.
Rhamphimicrus, *Cab. & H.* 1860.
1815. **microrhynchus**, *Boiss. Mag. de Zool.* 1840, t. 16; *Gould, T.* iii. pl. 189. Andes.
brachyrhynchus, *Fras.*
1816. **olivaceus**, *Laur.* Bolivia.
- 523.** ee. **EUPOGONUS**, *Muls. & V.* 1865.
Ramphimicron, p., *Muls. & V.*
Chalcostigma, p., *Reich.*
1817. **Herrani**, *Delattr. & Bourc.*; *Gould, T.* iii. pl. 187. Ecuador.
- 524.** ff. **LAMPROGON**, *Bp.* 1854.
Chalcostigma, *Reich.* 1854. *Ramphimicron*, *Gould et p. Bp.*
1818. **heteropogon**, *Boiss. Mag. de Zool.* 1840, t. 12; *Gould, T.* iii. pl. 184. New Granada.
coruscans, *Fras.*
1819. **Stanleyi**, *Bourc. & M.*; *Gould, T.* iii. pl. 185. Ecuador.
1820. **Vulcani**, *Reich. Aufz. der Col.* t. 12; *Gould, T.* iii. pl. 186. Bolivia.
Stanleyi, var., *Muls. & V.*
1821. **ruficeps**, *Gould, T.* iii. pl. 188. "
- 525.** gg. **OXYPOGON**, *Gould*, 1848.
1822. **Guerinii**, *Boiss.*; *Gould, T.* iii. pl. 182. New Granada.
parvirostris, *Fras.*
1823. **Lindenii**, *Parz. Rev. Zool.* 1849, t. 8; *Gould, T.* iii. pl. 183. "

- 526.** *hh. OREONYMPHA*, Gould, 1869.
1824. *nobilis*, Gould. Tinta, Peru.
- 527.** *ii. UROSTICTE*, Gould, 1853.
Urosticta, Reich.
1825. **Benjamini**, Bourc.; Gould, T. iii. pl. 190. Ecuador.
1826. *ruficrissus*, Lawr. „
- 528.** *jj. ADELOMYIA*, Bp. 1854.
Adelisca, Cab. & H. 1860.
1827. **melanogenys**, Fras.; Gould, T. iii. pl. 198. New Granada,
Sabinæ, Bourc. & M. Ecuad., Peru.
1828. **maculatus**, Gould, T. iii. pl. 199. Ecuador.
1829. **inornatus**, Gould, T. iii. pl. 197. Bolivia.
- 529.** *kk. PHLOGOPHILUS*, Gould, 1860.
1830. *hemileucurus*, Gould, T. v. pl. 360. R. Napo ?
- 530.** *ll. ANTHOCEPHALA*, Cab. & H. 1860.
Adelomyia, p., Bp.
1831. ?**castaneiventris**, Gould, T. iii. pl. 203. Chiriqui.
1832. *floriceps*, Gould, T. iii. pl. 202. Columbia.
- 531.** *mm. UROLAMPRA*, Cab. & H. 1860.
Metallura, Bp. 1854, nec Gould, 1847.
1833. **tyrianthinus**, Lodd.; Ann. Sc. Phys. Lyon, 1840, t. 3, 4;
Gould, T. iii. pl. 195. New Granada.
Allardi, Bourc.; Paulinæ, Boiss.
1834. **æneocaudus**, Gould, T. iii. pl. 192. Bolivia.
1835. **quitensis**, Gould. Ecuador.
1836. **smaragdinicollis**, Lafr.; D'Orb. Voy. Am. M. t. 59. 2;
Gould, T. iii. pl. 196. Peru, Bolivia.
1837. **Williami**, Bourc.; Gould, T. iii. pl. 193. Popayan.
1838. **Primolina**, Bourc.; Gould, T. iii. pl. 194. Peru.
Primolii, Gould.
1839. **chloropogon**, Cab. & H. — ?
- 532.** *nn. ABEILLIA*, Bp. 1849.
Myiabeillia, Bp. 1854.
Baucis, Reich. 1854.
1840. **Abeillei**, Delattr. & L.; Gould, T. iv. pl. 211. Mexico.
typica, Bp. Guatemala.

- 533.** oo. DIOTIMA, Reich. 1854.
Heliangelus, p., Gould.
1841. **Spencei**, Bourc.; Gould, T. iv. pl. 244. New Granada.
- 534.** pp. METALLURA, Gould, 1848.
1842. **cupreicaudus**, Gould, T. iii. pl. 191. Bolivia.
opaca, Tsch.; cupricauda, Gould.
- 535.** qq. SAPHOS, Less. 1832.
Cometes, Gould, 1847, nec Hodgs. 1841.
Sappho, Reich. 1849. Sparganura, Cab. & H. 1860.
Reich. S. A. t. 40. f.
1843. **sparganurus**, Shaw; Less. O. M. t. 27, 28, T. t. 49;
Gould, T. iii. pl. 174. "
chrysurus, Cuv.; radiosus, Tem.
sappho, Less.; chrysochloris, V.
1844. **Phaon**, Gould, T. iii. pl. 175. Peru.
1845. ? **glyceria**, Bp.; Gould, T. iii. pl. 176. New Granada.
Mossai, Gould.
1846. ? **Caroli**, Bourc.; Gould, T. iii. pl. 177. Peru.
- 536.** rr. CYNANTHUS, Sw. 1827.
Lesbia, Cab. & H. 1860, nec Less.
1847. **cyanurus**, Steph.; Gould, T. iii. pl. 172. New Granada.
Kingii, Less.; forficatus, (L.?) Reich.
Gorgo, Reich.
1848. **mocoa**, Delattr. & B.; Gould, T. iii. pl. 173. Peru, Bolivia.
smaragdinus et smaragdinicaudus, Gould.
smaragdicaudus, Muls. & V.
1849. **cœlestis**, Gould. Ecuador.
- 537.** ss. LESBIA, Less. 1832.
Cynanthus, Sw. 1837, nec 1827.
Discura, Reich. 1854. Agaclyta, Cab. & H. 1860.
Cynanthus, Reich. 1854.
1850. **Gouldii**, Lodd.; Gould, T. iii. pl. 167. New Granada.
sylphia, Less.
1851. **nuna**, Less. O. M. suppl. t. 35; Gould, T. iii. pl. 169. Peru.
bifurcata, Sw.?
1852. **gracilis**, Gould, T. iii. pl. 168. Ecuador.
- 538.** tt. PSALIDOPRYMNA, Cab. & H. 1860.
Cynanthus, Bp. 1854. Lesbia, Gould, 1854.
1853. **amaryllis**, Bourc. & M. Mag. de Zool. 1846, t. 4; Gould, T. iii. pl. 170. New Granada.
Victoriæ, Bourc. Ecuador, Peru.

1854. **eucharis**, *Bourc.*; *Gould*, *T.* iii. pl. 171. New Granada.
bifurcata, *Reich.*
- 539.** *uu.* DISCOSURA, *Bp.* 1849.
Platures et Platurus, *Less.* 1829, *nec Latr.*
Ocreatus, p., *Gould.* *Discura*, *Cab. & H.* 1860.
1855. **longicaudus**, *Gm.*; *V. O. D. t.* 52; *Gould*, *T.* iii. pl. 126. Cayenne, Brazil.
platurus, *Lath.*; *ligonicauda*, *Gould.* Demerara.
- 540.** *vv.* STEGANURUS, *Reich.* 1849.
Spathura, 1850, *et Ocreatus*, p., *Gould.*
Steganura, *Reich.* 1854.
Reich. S. A. t. 40. f.
1856. **Addæ**, *Bourc.*; *Gould*, *T.* iii. pl. 165. Bolivia.
rufocaligatus, *Gould.*
1857. **Underwoodi**, *Less.* *T.* t. 37; *Gould*, *T.* iii. pl. 162. Bogota, Venezu-
ventilabrum, *Lath.*; *Kieneri*, *Less.* ela.
spatuligera et remiga, *Reich.*
1858. **melanatherus**, *Jard.*; *Gould*, *T.* iii. pl. 163. Ecuador.
1859. **peruanus**, *Gould*, *T.* iii. pl. 164. Peru.
- 541.** *ww.* URALIA, *Muls. & V.* 1865.
Spathura, p., *Gould.*
1860. **cissiurus**, *Gould*, *T.* iii. pl. 166. "
- 542.** *xx.* LODDIGESIA, *Gould*, 1850.
Loddigiornis, 1850, *et Loddiggiornis*, 1854, *Bp.*
Mulsantia, *Reich.* 1854.
1861. **mirabilis**, *Lodd.*; *G. R. Gr. & M. G. B.* pl. 37; *Gould*, *T.*
 iii. pl. 161. "
- 543.** *yy.* SELASPHORUS, *Sw.* 1831.
Rubis, *Less.* 1832. *Mellisuga*, p., *G. R. Gr.* 1841.
Selosphorus, *Bp.* 1849. *Selasphorus*, *Reich.* 1854.
1862. **rufus**, *Gm.*; *Lath. Syn.* i. pl. 35; *Less. O. M. t.* 66, 67,
 suppl. t. 11-13, *T.* t. 43; *Gould*, *T.* iii. pl. 137. Mexico, Calif.
collaris, *Lath.*; *sitkensis*, *Rath.* Nootka S., Sitka.
sasin, *Less.*; *rubra*, *Steph.*
1863. **platycercus**, *Sw.*; *Less. O. M.* suppl. t. 14; *Gould*, *T.*
 iii. pl. 140. C. America.
tricolor et montana, *Less.*
1864. **scintilla**, *Gould*, *T.* iii. pl. 138. Costa Rica.
1865. **Floresii**, *Lodd.*; *Gould*, *T.* iii. pl. 139. C. Mexico.
1866. **flammula**, *Salv.* Costa Rica.
- 544.** *zz.* CALYPTE, *Gould*, 1856.
Atthis, p., *Cab. & H.* *Zephyrites et Calypste*, *Muls. & V.* 1865.

1867. **Annæ**, *Less. O. M. t. 74; Gould, T. iii. pl. 135.* Mexico, Calif.
icterocephala, Nutt.; lamprocephalus, Licht.
1868. **Costæ**, *Bourc.; Voy. Venus, t. 2; Gould, T. iii. pl. 136.* „
1869. **Helenæ**, *Lemb.; Gould, T. iii. pl. 136.* Cuba.
Boothi, Gundl.; Elvira, p., Muls. & V.
- 545.** *aaa. ATTHIS, Reich. 1854.*
Tryphæna, p., Bp.
1870. **Heloisa**, *Less. & D.; Gould, T. iii. pl. 141.* C. America.
Heloisa, Gould. S. Mexico.
- 546.** *bbb. ACESTRURA, Gould, 1861.*
Polymnia, Muls. & V. 1865.
Ornismia, p., Muls. & V.
1871. **Mulsanti**, *Bourc. Ann. Sc. Phys. Lyon, 1842, t. 20; Gould, T. iii. pl. 145.* Andes.
1872. **Heliodore**, *Bourc. Ann. Sc. Phys. Lyon, 1842, t. 15, 16; Gould, T. iii. pl. 147.* Andes, New
Granada.
1873. *decoratus, Gould, T. iii. pl. 146.* — ? , New
Granada ?
1874. *micrurus, Gould, T. iii. pl. 148.* Peru or Bolivia.
- 547.** *ccc. CHÆTOCERCUS, G. R. Gr. 1853.*
Calothorax, Reich. 1854, nec Gr.
Callothorax, Bp. 1854. Osalia, Muls. & V. 1865.
1875. **Rosæ**, *Bourc. & M.; Gould, T. iii. pl. 149.* Venezuela.
rosa, Bp.
1876. **Jourdani**, *Bourc. Ann. S. P. de Lyon, 1840, t. 5, 6; Gould, T. iii. pl. 150.* Trinidad.
- 548.** *ddd. HELIACTIN, Boie, 1831.*
Heliactinia, Reich. 1849.
Queues étroites, Less. 1832.
Heliactinus, Burm. 1856.
Reich. S. A. t. 40. f .
1877. **cornutus**, *Max.; P. C. 18. 3; Less. O. M. t. 7, 8, suppl. t. 32; Gould, T. iv. pl. 212.* Brazil.
dilophus, V.; bilophus, Tem.
chrysolopha, Less.
- 549.** *eee. GOULDIA, Bp. 1849.*
Gouldomyia, Bp. 1854.
Prymnacanthus, Cab. & H. 1860.
Mellisuga, Muls. & V.
1878. **Langsdorffii**, *V.; P. C. 66. 1; Less. O. M. t. 26, suppl. 16; T. t. 35, 60; Gould, T. iii. pl. 128.* „
hirundinaceus, Spix.

1879. **melanosternon**, *Gould*. Peru.
1880. **Conversii**, *Bourc. & M. Rev. de Zool.* 1846, t. 3; *Gould*, T. iii. pl. 129. Bogota, Ecuador.
1881. *Letitiæ*, *Bourc.*; *Gould*, T. iii. pl. 130. Bolivia.
- 550.** *fff.* POPELAIRIA, *Reich.* 1854.
Pyrmnacanthus, p., *Cab. & H.*
Prymnacantha, *Muls. & V.*
1882. **Popelairii**, *Dubus, Esq. O. t. 6*; *Gould*, T. iii. pl. 127. New Granada.
tricholopha, *Reich.*
- 551.** *ggg.* TRYPHAENA, *Gould*, 1850.
Tilmatura, *Reich.* 1854. *Thaumatura*, p., *Bp.* 1854.
1883. **Duponti**, *Less. C. t. 1*; *Gould*, T. iii. pl. 158. Guatemala.
zemes et celestis, *Less.*; *lepida*, *Reich.*
- 552.** *hhh.* CALLIPHLOX, *Boie*, 1831.
Tryphaena, p., *Bp.* 1849.
1884. **amethystinus**, *Gm.*; *P. E.* 672. 1; *Gould*, T. iii. pl. 159. N. of S. Amer.
orthura, *Less. T. t. 28, 29?* Trinidad.
campestris, *Max.*; *brevicaudus*, *Spir.*
1885. **amethystoides**, *Less. T. t. 25-27, 30.* Brazil.
- 553.** *iii.* PHILODICE, *Muls. & V.* 1865.
Calliphlox, p., *Muls. & V.*
1886. **Mitchellii**, *Bourc.*; *Gould*, T. iii. pl. 160. S. N. Granada.
- 554.** *jjj.* SMARAGDOCHYSIS, *Gould*, 1861.
1887. *iridescens*, *Gould*, T. v. pl. 359. Inter. of Brazil.
- 555.** *kkk.* LOPHORNIS, *Less.* 1829.
Bellatrix, *Boie*, 1831. *Lophorinus*, *Bp.* 1854.
Reich. S. A. t. 40. f.
1888. **ornatus**, *Bodd.*; *P. E.* 640. 3; *Gould*, T. iii. pl. 117. N. Brazil.
auratus, *Gm.* Trinidad.
1889. *Gouldii*, *Less. T. t. 36*; *Gould*, T. iii. pl. 118. N. Brazil.
1890. *lophotes*, *Gould*. Peru.
- 556.** *lll.* PAPHOSIA, *Muls. & V.* 1865.
Lophornis, p., *Gould*.
1891. **Helenæ**, *Delattr.*; *Gould*, T. iii. pl. 123. Guatemala, S. Mexico.
- 557.** *mmm.* TELAMON, *Muls. & V.* 1865.
Lophornis, p., *Less.*
1892. **Delattrei**, *Less.*; *Gould*, T. iii. pl. 121. New Granada.

1893. **Reginæ**, *Gould*; *Schreib. F. Bras.* t. 1, 2; *Gould, T.* iii. pl. 122. New Granada.
1894. **regulus**, *Gould, T.* iii. pl. 120. Bolivia.
- 558.** *nnn.* — ?
Bellatrix, Boie; *Reich.* 1854.
Reich. S. A. t. 40. f. .
1895. **magnificus**, *V.*; *P. C.* 299. 2; *Gould, T.* iii. pl. 119. S.E. Brazil.
decorus, Licht.; *strumaria, Less.*
helios, Spix.
- 559.** *ooo.* **POLEMISTRIA**, *Cab. & H.* 1860.
Bellatrix, Bp. 1854.
1896. **chalybeus**, *V.*; *P. C.* 66. 2; *Gould, T.* iii. pl. 124. Brazil.
festivus, Licht.; *Vieillotii, Less.*
Audenetii, Less. O. M. suppl. t. 2.
mystax, Spix.
1897. **Verreauxi**, *Bourc.*; *Gould, T.* iii. pl. 125. Peru.
- 560.** *ppp.* **SEPHANOIDES**, *Less.* 1832.
Eustephanus, Reich. 1849.
Thaumaste, Reich. 1854. *Stokæsiella, Bp.* 1854.
Reich. S. A. t. 40. f. .
1898. **galeritus**, *Mol.*; *Voy. Coqu.* t. 31. 2; *Gould, T.* iv. pl. 265. Chili.
Kingii, Vig.; *stephanoides, Less.*; *forficatus, Gould.*
flammitrons, Lyell. Juan Fernandez.
1899. **fernandensis**, *King*; *Mag. de Zool.* 1835, t. 43; *Gould, T.* iv. pl. 267. ,
cinnamomea, Gerv.; *Robinson, Less.*
Stokesi, King; *Less. T.* t. 50; *Gould, T.* iv. pl. 266.
♀ of fernandensis, Landb.
- 561.** *qqq.* **CHRY SOLAMPIS**, *Boie*, 1831.
Reich. S. A. t. 40. f. .
1900. **mosquitus**, *L.*; *Briss. Orn.* iii. t. 37. 1; *P. E.* 227. 2; *Gould, T.* iv. pl. 204. N. of S. America.
moschitus, pegasus (Briss. Orn. iii. t. 36. 4.), *gujanensis,*
carbunculus et elatus, Gm.; *Edw. B.* pl. 344; *P. E.* 640. 1;
hypophæus, Shaw.
Reichenbachi, Cab. & H. Trin., Tobago.
- 562.** *rrr.* **ORTHORHYNCHUS**, *Cuv.* 1799–1800.
Bellona, Muls. & V. 1865.
Lepidolopha, Reich. 1854?
1901. **cristatus**, *L.*; *Edw. B.* pl. 37; *P. E.* 227. 1; *Gould, T.* iv. pl. 205. Barbadoes.
pileatus, Lath.; *puniceus, Gm.*
melanolophus, V.? St. Vincent.
1902. **exilis**, *Gm.*; *Less. T.* t. 4; *Gould, T.* iv. pl. 207. West Indies.
cristatellus, Lath.; *chlorolophus, Bp.*

1903. *ornatus*, *Gould*; *Less. O. M.* t. 31, 32?; *Gould, T.* iv. pl. 206. Windward Isl.
Hectoris, *Muls. & V.*

563. sss. *CEPHALLEPIS*, *Lodd.* 1831.

Huppes, *Less.* 1832. *Smaragditis*, *Reich.* 1849.
Cephalepis, *Bp.* 1849. *Cephalolepis*, *Cab. & H.* 1860.
Reich. S. A. t. 40. f. .

1904. *Delalandii*, *V.*; *P. C.* 18. 1, 2; *Gould, T.* iv. pl. 208. S. Brazil.
versicolor, *V.*; *Lalandii*, *Bp.*
1905. *Loddigesii*, *Gould*; *Less. T.* t. 51; *Gould, T.* iv. pl. 209. E. Brazil.
opisthotomus, *Licht.*
1906. *Beskii*, *Pelz.* Brazil.
Loddigesii, *juv.?*, *Reich.*

564. HYLOCHARIS, *Boie*, 1831.

Saphirs, *Less.* 1832. *Sapphironia*, *Bp.* 1854.
G. of B. i. p. 114.

a. *HYLOCHARIS*.

1907. *sapphirina*, *Gm.*; *Less. O. M.* t. 55, 57, *T.* t. 15; *Gould,*
T. v. pl. 342. "
latirostris, *Max.*
fulvifrons, *Lath.?*
1908. *lactea*, *Less. O. M.* t. 56; *Gould, T.* v. pl. 343. E. & N. Brazil.
sapphirina, *p.*, *Less.*

565. b. *EUCEPHALA*, *Reich.* 1854.

Augasma, *Gould, MS.* *Chlorestes*, *Cab. & H.* 1860, *et p. Reich.*

1909. *Grayi*, *Delattr. & B.*; *Gould, T.* v. pl. 330. New Granada.
1910. *cærulea*, *V. O. D.* t. 40; *Gould, T.* v. pl. 335. E. & N. Brazil.
Audeberti, *Less.*; *mentalis*, *Cab.*
1911. *cyanogenys*, *Max.*; *Edw. B.* pl. 360. 1. Brazil.
Wiedii, *Less. O. M.* suppl. t. 26.
1912. *smaragdo-cærulea*, *Gould, T.* v. pl. 331. "
smaragdineum, *Gould.*
1913. *chlorocephala*, *Bourc.*; *Gould, T.* v. pl. 332. Ecuador.
1914. *cæruleo-lavata*, *Gould, T.* v. pl. 333. S.E. Brazil.
1915. *scapulata*, *Gould.* Cayenne?
1916. *hypocyanea*, *Gould, T.* v. pl. 334. Brazil?
1917. ? *flavifrons*, *Gm. & Pelz.* "

566. c. *PANYCHLORA*, *Cab. & H.* 1860.

Chlorostilbon, *Bp.* 1854.
Panichlora, *Muls. & V.*

1918. **Portmanni**, *Bourc.*; *Gould*, *T. v.* pl. 358. New Granada.
Esmeralda, *Reich.*
1919. **euchloris**, *Reich. Troch.* t. 694. f. 4544. „ ?
1920. **stenura**, *Cab. & H.* „
acuticauda, *Gould.*
- 567.** *d.* — ?
Smaragdites, *Muls. & V.* 1865.
Chlorostilbon, p., *Muls. & V.* Panychlora, p., *Gould.*
1921. **Alicie**, *Bourc.*; *Gould*, *T. v.* pl. 357. Venezuela.
Alicia, *Reich.*; *aurata*, *Cab. & H.* New Granada.
maculicollis, *Reich.*
- 568.** *e.* PRASITIS, *Cab. & H.* 1860.
Prasites, *G. R. Gr.*
1922. **prasina**, *Less. O. M.* t. 65. Trinidad.
alata, *Less.* Venezuela.
1923. **Daphne**, *Bourc.* Peru.
1924. **brevicaudata**, *Gould.* Cayenne.
1925. **peruana**, *Gould.* Peru.
1926. **napensis**, *Gould.* Rio Napo.
1927. **insularis**, *Lawr.* Tres Marias I.
- 569.** *f.* CHLOROLAMPIS, *Cab. & H.* 1860.
1928. **chrysogaster**, *Bourc.* New Granada.
melanorhynchus, *Gould?* Ecuador.
smaragdina, *Cab. & H.*; *alata*, *Selat.*
1929. **assimilis**, *Lawr.* Panama.
1930. **nitens**, *Lawr.* Venezuela.
- 570.** *g.* — ?
Chlorolampis, *Gould*, 1861.
Chlorolampis, p., *Cab. & H.* 1860.
1931. **Canivetii**, *Less. O. M.* suppl. t. 37, 38; *Gould*, *T. v.* S. Mexico.
pl. 351.
Caniveti, *Bp.*
1932. **Salvini**, *Cab. & H.* Costa Rica.
Canivetii, *Selat. & S.*
1933. **Osberti**, *Gould*, *T. v.* pl. 352.
1934. **auriceps**, *Gould*, *T. v.* pl. 350. Mexico.
Canivetii, *Delattr. & Less.*
- 571.** *h.* CHLOROSTILBON, *Gould*, 1853.
Chlorestes, *Reich.* 1854. *Chlorolampis*, p., *Cab. & H.* 1860.

1935. **phaëton**, *Bourc. & Muls.*; *Gould, T. v.* pl. 354. Bolivia.
 phaëton, G. R. Gr.; *phaëton et similis, Bp.*; *simila, Bourc.*
 flavifrons et metallicus, Gould. S. Brazil.
1936. **angustipennis**, *Fras.*; *Gould, T. v.* pl. 353. Panama, New
 Granada.
 Carthagena.
1937. **Haeberlini**, *Reich. Troch. t.* 755. 4734-35.
 chrysogaster, Cab. & H.; *Herberlini, Muls. & V.*
1938. *Pucherani, Bourc. & Muls.*; *Gould, T. v.* pl. 355.
 prasina, Burm.; *nitidissimus, Reich.*
1939. **ignea**, *Gould.* Para?
1940. **aureiventris**, *D'Orb. & Lafr.* Bolivia, Peru.
- 572.** *i. MELLISUGA, Klein, 1759.*
 Trochilus, V. 1807, nec L. Ornismya, 1828.
 Ornithomya et Trochilus, 1832, Less.
 Myiornis, Agass. Lampornis, p., Less. 1829.
 Zephyritis, p., et Dyrinia, Muls. & V. 1865.
1941. **minima**, *L.*; *Edw. B. pl.* 105. low. fig.; *Less. O. M. t.*
 79; *Gould, T. iii.* pl. 133. Jamaica.
 minutulus, V.; *Vieilloti, Shaw*; *humilis, Gosse.* St. Domingo.
 Catharinae, Sallé; *niger, Gm.*; *pygmæus, Sw.*
- 573.** *j. SPORADINUS, Bp. 1854.*
 Riccordia, Reich. 1854. Sporadicus, Cab. & H. 1860.
1942. **Ricordi**, *De La Sag. Mag. de Zool. 1835, t.* 41, 42; *Gould,*
 T. v. pl. 348. Cuba.
 Parzudhaki, Less.; *Raimondi, Reich.*
1943. **elegans**, *V. O. D. t.* 37, 38; *Less. O. M. t.* 70; *Gould, T.*
 v. t. 347. St. Domingo.
 Swainsoni, Less.
1944. **Maugæa**, *V. O. D. t.* 37, 38; *Less. O. M. t.* 68, 69; *Gould,*
 T. v. pl. 349. Porto Rico.
 Maugæi, Gould; *Maugeana, Shaw*; *ourissia, L.?*
- 574.** *k. PATAGONA, G. R. Gr. 1840.*
 Cynanthus, Less. 1829, nec Sw. 1827.
 Patagons, Less. 1832. Hylocharis, G. R. Gr. 1848, nec Boie.
 Hypermetra, Cab. & H. 1860.
 Reich. S. A. t. 40. f.
1945. **gigas**, *V.*; *Gal. des Ois. t.* 180; *Less. O. M. t.* 3; *Gould,*
 T. iv. pl. 232. Ecuador, Peru.
 tristis, Less.; *gigantea, D'Orb. & Lafr.* Bolivia, Chili.
- 575.** *l. DAMOPHILA, Reich. 1854.*
1946. **amabilis**, *Gould, T. v.* pl. 341. New Granada,
 Ecuador.
- 576.** *m. JULIAMYIA, Bp. 1854.*
 Damophila, p., Reich. 1854. Juliamya, Gould, 1859.

1947. **Julie**, *Bourc. Ann. Sc. Phys. Lyon*, 1843, t. 21; *Gould, T.* v. pl. 337. New Granada.
Julia, *G. R. Gr.*; *typica*, *Bp.*
Felician, *p.*, *Muls. & V.*
1948. **Felician**, *Less.* Ecuador.
- 577.** *n. BASILINNA*, *Boie*, 1831.
Bleuets, *Less.* 1832. *Basilina*, *Reich.* 1849.
Heliopaedica, *Gould*, 1858.
Heliopedica, *Sclat. & S.* 1859.
Reich. S. A. t. 39. f. ?
1949. **leucotis**, *V.*; *Less. O. M. t.* 9, suppl. t. 27; *Gould, T. ii.* pl. 64. Guatemala.
melanotis, *Sw.*; *Arsenni*, *Less.* Mexico.
leucocrotaphus et lucidus, *Shaw?*
cuculliger, *Licht.*
1950. **Zantusii**, *Lawr.*; *Gould, T. ii.* pl. 65; *Elliot, B. N. A. pl.* S. California.
castaneocauda, *Lawr.*
- 578.** *o. AVOCETTULA*, *Reich.* 1849.
Avocettes, *Less.* 1832. *Avocetta*, *Agass. nec Briss.*
Avocettinus, *Bp.* 1849. *Campylopterus*, *Sw.* 1837, *nec* 1827.
Streblorhamphus, *Cab. & H.* 1860.
Reich. S. A. t. 39. f. .
1951. **recurvirostris**, *Sw. Zool. Ill.* pl. 105; *Less. O. M. t.* 37, suppl. t. 34; *Gould, T. iii.* pl. 201. Guiana.
avocetta, *Less. C. t.* 24, *T. t.* 23; *Lessoni*, *Bp.*
- 579.** *p. AUGASTES*, *Gould*, 1850.
Trochilus, *Sw.* 1827, *nec L.* *Augaste*, *Muls. & V.*
1952. **superba**, *V.*; *P. C.* 299. 3; *Less. O. M. t.* 16; *Gould, T.* iv. pl. 221. Ecuador.
scutatus, *Natt.*; *Nattereri*, *Less.* Brazil.
- 580.** *q. LAMPRURUS*, *Reich.* 1854.
Lumachellus, *Bp.* 1854.
1953. **lumachella**, *Less.*; *Gould, T. iv.* pl. 222. C. & N. Brazil.
- 581.** *r. CYANOPHAIA*, *Reich.* 1854.
1954. **cyanea**, *V.*; *Less. O. M. t.* 71, suppl. t. 23; *Gould, T.* v. pl. 344. E. Brazil.
azureus, *Licht.?*; *bicolor*, *Less.*
smaragdo-sapphirinus, *Shaw.*
- 582.** *s. CIRCE*, *Gould*, 1861.
1955. **latirostris**, *Sw.*; *Gould, T. v.* pl. 338. Mexico.
circe, *Bourc.*; *Lessoni*, *Delattr.*
lazula, *Reich.*; *Doubledayi*, *Cab. & H.*
1956. **Doubledayi**, *Bourc.*; *Gould, T. v.* pl. 339. „

- 583.** *t. PHŒOPTILA*, Gould, 1861.
 1957. *sordida*, Gould, T. v. pl. 340. Mexico.
 1958. *zonura*, Gould. "
sordida ♀, Muls. & V.
- 584.** *u. KLAIS*, Reich. 1854.
Guimetia, 1854, et *Myiabeillia*, Bp.
Myiabeillia, Sclat. *Adelomya*, Muls. & V.
 1959. *Guimeti*, Bourc. & M. Ann. Sc. Phys. Lyon, 1843, t. 2;
 Gould, T. iv. pl. 210. Venezuela.
Merrittii, Lawr. Andes of New Granada.
- 585.** *v. PHEMONOË*, Reich. 1854.
Luciania, Bp. 1854. *Luciana*, G. R. Gr. 1855.
 1960. *cupreiventris*, Fras.; Gould, T. iv. pl. 270, 271. "
vestita ♀, Long.; *maniculata*, Less.?
simplex, Gould.
1961. *Luciana*, Bourc.; Gould, T. iv. pl. 273. Ecuador.
 1962. *Isaacsoni*, Parz.; Gould, T. iv. pl. 272. New Granada.
 1963. *D'Orbignyi*, Bourc.; Gould, T. iv. pl. 278. Ecuador.
Orbignyi, Bp.
 1964. *Godini*, Bourc.; Gould, T. iv. pl. 277. "
- 586.** *w. ERIOCNEMIS*, Reich. 1849.
Eriopus, Gould, 1847, nec Treits. 1825.
Vestipes, Less.
 1965. *vestita*, Long.; Gould, T. iv. pl. 275. Andes of New
uropygialis, Fras.; *glomata*, Less. Granada.
 1966. *nigrivestis*, Bourc.; Gould, T. iv. pl. 276. Ecuador.
 1967. *Aureliæ*, Bourc.; Gould, T. iv. pl. 283. New Granada,
 Ecuador.
 1968. *smaragdinipectus*, Gould. Ecuador.
- 587.** *x. THREPTRIA*, Reich. 1854.
Mosquera, Bp. 1854.
 1969. *Mosquera*, Bourc. & D.; Gould, T. iv. pl. 274. New Granada.
 1970. *lugens*, Gould, T. iv. pl. 282. Ecuador.
 1971. *squamata*, Gould, T. iv. pl. 281. "
- 588.** *y. ENGYETE*, Reich. 1854.
Aline, Bp. 1854.
G. of B. i. pl. 35. f. 9; Reich. S. A. t. 40. f. .
 1972. *Aline*, Bourc.; Ann. Sc. Phys. Lyon, 1842, t. 19; Gould,
 T. iv. pl. 280. New Granada.
Alinæ, Bourc.

589. z. *DERBYOMYIA*, *Bp.* 1854.Derbyomyia, *G. R. Gr.* 1855. Erebenna, *Muls. & V.* 1866.1973. *Derbyi*, *Delatt. & B.*; *Gould, T.* iv. pl. 279.

New Granada.

Derbyanus, *Bp.*; *Derbiana*, *Gould.***590. HELIOTHRYX**, *Boie*, 1831.Jacobines, *Less.* 1832. *Heliothrys*!, *G. R. Gr.* 1840.*Heliothrix*, *Strickl.* 1841.*G. of B.* i. p. 115, pl. 35. f. 8; *Reich. S. A.* t. 39. f. .1974. *auritus*, *Gm.*; *Briss. Orn.* iii. t. 37. 3; *V. O. D.* t. 25;
Gould, T. iv. pl. 213.

N. Brazil.

leucocrotaphus, *V.*1975. *auriculatus*, *Licht.*; *Erman, Voy.* t. 2. 1, 2; *Gould, T.*
iv. pl. 214.

S.E. Brazil.

Pouchettii, *Less.*; *auritus*, *juv.*, *Burm.*1976. *longirostris*, *Gould.*

Ecuador.

1977. *phainoleuca*, *Hartl.*; *Gould, T.* iv. pl. 215.

Rio Negro.

phoenolæma, *Cab. & H.*; *phainolæma*, *Gould.*1978. *Barroti*, *Bourc. Ann. S. P. de Lyon*, 1843, t. 4; *Gould, T.*
iv. pl. 216.Guatemala,
Costa Rica.*purpureiceps*, *Gould*; *Gabriel, Delattr.*1979. *violifrons*, *Gould, T.* iv. pl. 217.Carthagenia or
Veragua.*Barroti*, *Gould.*FAM. V. **MELIPHAGIDÆ**, *Vig.* 1825.Subfam. I. **Myzomelinæ**, *G. R. Gr.* 1840.**591. MYZOMELA**, *Vig. & H.* 1826.*Meliphaga*, 4 div., *V. & H.* 1826.*Phylidonyris*, *Less.* 1837, *nec* 1831.*G. of B.* i. p. 117.

a. MYZOMELA.

5919 • 1980. *sanguinolenta*, *Lath.*; *Gould, B. A.* iv. pl. 63.

New S. Wales.

dibapha et erythropygia, *Lath.*

N. Australia.

australasiae, *Leach.*

New Caledonia?

cardinalis, *Vig. & H.*1981. *erythrocephala*, *Gould, B. A.* iv. pl. 64.

N. Austral., Aru.

7002 • 1982. *obscura*, *Gould, B. A.* iv. pl. 67.

N. Australia.

1983. *major*, *Bp.*

Caroline I.

59 • 1984. *jugularis*, *Peale, U. S. Expl. Exp.* pl. 12. 2; *Finsch &*
H. F. Centralpol. t. 7. 1, 2.

Samoan I.

solitaria, *Jacq. & Pucher. Voy. Pôle Sud*, t. 22. 6.

Feejee I.

1985. **cardinalis**, *Forst.*; *Lath. Syn.* pl. 71. 2. New Hebrides.
sanguinea, *Less.*; *melanogastra*, *Bp.*
1986. **vulnerata**, *Müll. Verh. Zool.* t. 10. 3, 4. Timor.
1987. **simplex**, *G. R. Gr.* Batchian I.
1988. **nigrita**, *G. R. Gr.* New Guin., Aru.
1989. **chermesina**, *G. R. Gr. & M. G. B.* pl. 38. New Guinea ?
1990. **pectoralis**, *Gould, B. A.* iv. pl. 65. N. Australia.
- 4039 • 1991. **rubrata**, *Less.*; *Kittl. Kupf. Vög.* t. 8. 1. Marian I.
sanguinolenta, *p., G. R. Gr.* Pelew I.
- 54 • 1992. **nigriventris**, *Peale, U. S. Expl. Exp.* pl. 12. 1; *Finsch & H. F. Centralpol.* t. 8. 3, 4. Samoan I.
rubrater, *Hartl.*; *Arnouxi*, *Verr.*
1993. **Lafargei**, *Homb. & J. Voy. Pôle Sud*, t. 22. 5. Solomon I.
de la Farge, *Reich.*
1994. **Boiei**, *Müll. Verh. Zool.* t. 10. 1, 2. Banda.
1995. ? **pusilla**, *G. R. Gr.*; *V. O. D.* t. 58. — ?
cardinalis, *V.*; *p., Hartl.*
- 592.** *b. CISSOMELAS*, *Bp.* 1854.
Myzomela, *p., Gould.*
G. of B. i. pl. 38. f. 1; *Reich. S. A.* t. 35. f. .
- 737/ 1996. **nigra**, *Gould, B. A.* iv. pl. 66. W. Australia.
- 593. ENTOMOPHILA**, *Gould*, 1837, *nec Leach.*
G. of B. i. p. 118, pl. 38. f. 4; *Reich. S. A.* t. 35. f. .
- a. ENTOMOPHILA.*
1997. **picta**, *Gould, B. A.* iv. pl. 50. New S. Wales.
- 594.** *b. CONOPHILA*, *Reich.* 1852.
Entomophila, *p., Gould.*
1998. **albogularis**, *Gould, B. A.* iv. pl. 51. N. Austra., New
Guinea, Aru.
1999. **rufogularis**, *Gould, B. A.* iv. pl. 52. N. Australia.
rufigularis, *Reich.*
2000. ? **spilodera**, *G. R. Gr.* New Guinea.
- 595.** *c. CERTHIONYX*, *Less.* 1831.
Melicophila, *Gould*, 1844.
Melitophila, *Cab.* 1851, *nec Latr.*
Lichnotentha, *Cab.* 1851. *Entomophila*, *p., G. R. Gr.*
Reich. S. A. t. 35. f. (6).
2001. **leucomelas**, *Cuv.*; *Gould, B. A.* iv. pl. 49. S. & W. Australia.
variegatus, *Less.*; *picata*, *Gould.*

596. GLICIPHILA, Sw. 1837.Glyciophila, *G. R. Gr.* 1840. Glycyphila, *Cab.* 1851.*G. of B. i.* p. 118, pl. 38. f. 2; *Reich. S. A. t.* 35. f. .*a. GLICIPHILA.*

2002. **fulvifrons**, *Lewin, B. N. H.* pl. 22; *Gould, B. A. iv.* pl. 28. Australia. 7080
 melanops, *Lath.*; mellivora, *Shaw.*
 rubrifrons, *Less.*; albiventris, *Steph.*

2003. **albifrons**, *Gould, B. A. iv.* pl. 29. „ 7081

2004. **pectoralis**, *G. R. Gr.*; *Gould, B. A. iv.* pl. 30. N. Australia.
 fasciata, *Gould.*

2005. **caledonica**, *G. R. Gr.* New Caledonia.
 modesta, *G. R. Gr.*

2006. **modesta**, *G. R. Gr.* Goold's I., Aru.

2007. **subfasciata**, *Rams.* Queensland.

2008. **chlorophæa**, *Forst.* New Caledonia.

2009. **incana**, *Lath.* „

2010. **fasciata**, *Forst.* „
 undulata, *Sparrm. M. C. t.* 34?; fusca, *V. O. D. t.* 65? — ? 7027

597. b. STIGMATOPS, *Gould, 1865.*Stomiopera, p., *Reich. Lichmera*, p., *Cab.*

2011. **ocularis**, *Gould, B. A. iv.* pl. 31. Australia. 7001a
 indistincta, *Vig. & H.?*
 Var. New Guin., Aru,
 Timor.

2012. **subocularis**, *Gould, B. A. iv.* pl. 32. N. & N.W. Austr.

2013. **poliotis**, *G. R. Gr.* Loyalty I.

598. ACANTHORHYNCHUS, *Gould, 1837.*Leptoglossus, *Sw.* 1837, *nec Guér.* 1830.Meliphaga, 5 div., *Vig. & H.* 1826.*G. of B. i.* p. 119, pl. 38. f. 3; *Reich. S. A. t.* 35. f. .

2014. **tenuirostris**, *Lath.*; *V. O. D. t.* 60; *Gould, B. A. iv.* pl. 61. New S. Wales. 7282
 cucullatus, *Sw.*; dubius, *Gould.* Tasmania.

2015. **superciliosus**, *Gould, B. A. iv.* pl. 62. W. Australia.

Subfam. II. **Meliphaginæ**, *G. R. Gr.* 1840.**599. MELIPHAGA**, *Lewin, 1808.*Meliphaga, *Less.* 1828. *Zanthomyza*, *Sw.* 1837.*Zanthomyza*, *Strickl.* 1841.Philedon, 3 div. 1817, et 2 div. 1829, *Cuv.**G. of B. i.* p. 121.

a. MELIPHAGA.

- 7280 2016. **phrygia**, *Lath.*; *Lewin, B. N. H.* pl. 14; *Gould, B. A.* New S. Wales,
iv. pl. 48. S. Australia.
600. b. PTILOTTIS, *Sw.* 1837.
Meliphaga, 2 div., *Vig. & H.*
Meliphaga, *G. R. Gr.* 1840.
2017. **Lewinii**, *Sw.*; *Gould, B. A.* iv. pl. 32. New S. Wales.
chrysotis, Lew.; *xanthotis, Shaw.*
2018. **vittata**, *Cuv.*; *Gould, B. A.* iv. pl. 33. "
sonorus, Gould; *virescens, V. ?* S. Australia.
2019. **versicolor**, *Gould, B. A.* iv. pl. 34. N. Australia.
- 7001 2020. **fasciocularis**, *Gould, B. A.* suppl. pl. I. off co. Austral.
2021. **flavicollis**, *V.*; *Gould, B. A.* iv. pl. 35. Tasmania.
flavigula, Gould.
- 9881 2022. **leucotis**, *Lath.*; *P. C.* 435; *Gould, B. A.* iv. pl. 36. New S. Wales,
S. & W. Austr.
- 7284 2023. **auricomis**, *Lath.*; *V. O. D. t.* 85; *Gould, B. A.* iv. pl. 37. New S. Wales.
mystacea et novæ hollandiæ, Lath.
auriculata, Shaw; *erythrotis, V.*
melanops et australis, Lath.
chrysotis, Don.
2024. **ornata**, *Gould, B. A.* iv. pl. 39. S. Australia.
2025. **flavescens**, *Gould, B. A.* iv. pl. 41. N. Australia.
- 7000 2026. **flava**, *Gould, B. A.* iv. pl. 42. "
2027. **penicillata**, *Gould, B. A.* iv. pl. 43. S. Australia, New
S. Wales.
- 4667 2028. **fusca**, *Gould, B. A.* iv. pl. 44. New S. Wales.
4668 *chrysotis, Lath. ?*
2029. **chrysops**, *Lath.*; *Jard. & S. I. O.* pl. 35. 1; *Gould, B. A.* "
iv. pl. 45. S. Australia.
gilvicapallus, V.; *trivirgata, Verr.*
2030. **cassidix**, *Jard.*; *Gould, B. A.* suppl. pl. Victoria, Austr.
Leadbeateri, M^cCoy.
2031. **notata**, *Gould.* N.E. Australia.
2032. **similis**, *Homb. & Jacq. Voy. P. S. t.* 17. 2. New Guin., Aru.
analoga, Reich.
Var. Waigiou, Mysol.
2033. **megarhynchus**, *G. R. Gr.* New Guin., Aru.
2034. **rostrata**, *Wall.* Waigiou, Mysol.
megarhynchus, var., G. R. Gr.
2035. **polygramma**, *G. R. Gr.* "

2036. *maculata*, Müll.; *Tem. P. C.* 29. 1. Timor.
2037. *reticulata*, Müll.; *Tem. P. C.* 29. 2. "
2038. *Cockerellii*, Gould. N. Australia.
2039. *plumula*, Gould, *B. A.* iv. pl. 40. W. Australia.
2040. *gracilis*, Gould. Cape York.
2041. *sonoroides*, *G. R. Gr.* Waigiou, Mysol.
2042. *fumata*, Müll. New Guinea.
concolor, *Tem.*
2043. *striolata*, Müll. "
2044. *auriculata*, Müll. "
2045. *limbata*, Müll. Timor.
2046. *virescens*, Wall. Lombock.
2047. ? *olivacea*, Shaw; *V. O. D. Prom.* t. 5. I. of S. Seas.
- 601.** c. *STOMIOPERA*, Reich. 1852.
Stomioptera, *G. R. Gr.* 1855.
2048. *unicolor*, Gould, *B. A.* iv. pl. 46. Port Essington.
- 602.** d. *LICHENOSTOMUS*, Cab. 1851.
Ptilotis, p., Gould.
2049. *cratitia*, Gould, *B. A.* iv. pl. 38. S. Australia.
2050. *occidentalis*, Cab. W. Australia.
cratitia, p.?, Gould.
- 603.** e. *FOULEHAIO!*, Reich. 1852.
Creadion, p., *V. Sarcogenys*, *G. R. Gr.* 1855.
G. of B. i. pl. 39. f. 1.
2051. *carunculata*, Forst.; *V. O. D.* t. 69, 70; *Finsch & H. F.*
Centralpol. t. 5. 2. Tonga I.
musicus, *V.*; *chrysotis*, *Cuv.* Samoan I.
tabuensis, *Steph.*
2052. *procerior*, *Finsch & H. Fauna Centralpol.* t. 5. 3. Feejee I.
pravarader 12893
- 604.** f. *PHYLIDONYRIS*, Less. 1831.
Lichmera, Cab. 1851. *Melisymphotes*, Reich. 1852.
2053. *australasiana*, Shaw; *V. O. D.* t. 55; Gould, *B. A.* iv.
pl. 27. New S. Wales.
inornata, Gould; *pyrrhoptera*, Lath. S. Australia,
melanoleucus, *V.* Tasmania.
- 605.** g. *MELIORNIS*, *G. R. Gr.* 1840.
Meliphaga, Vig. & H. 1826.

- 36 • 2054. *novæ-hollandiæ*, Lath.; *White, Voy.* pl. p. 186; *Gould*, *New S. Wales*,
B. A. iv. pl. 23. *S. Australia.*
balgonera, Steph.; *barbata, Sw.* *Tasmania.*
2055. *longirostris*, *Gould, B. A.* iv. pl. 24. *W. Australia.*
- 57 • 2056. *sericea*, *Gould; White, Voy.* pl. p. 297; *Gould, B. A.* iv.
 pl. 25. *New S. Wales.*
sericeola, Gould.
2057. *mystacalis*, *Gould, B. A.* iv. pl. 26. *W. Australia.*

606. PROSTHEMADERA, *G. R. Gr.* 1840.

Philedon, 4 div. 1817, et 3 div. 1829, *Cuv.*
Philemon, p., *V.* 1825, *Reich.* 1849, nec *V.* 1816.
G. of B. i. p. 122, pl. 39. f. 3; *Reich. S. A. t.* 35. f.

- 1524 2058. *novæ seelandiæ*, *Gm.*; *Brown, Ill.* pl. 9; *Lev. O. A.*
 t. 92; *V. Gal. des Ois.* t. 183. *New Zealand.*
conciunatus, Lath.; *crispicollis, Daud.*
circinata!, *Reich.*

607. ANTHORNIS, *G. R. Gr.* 1840.

Anthomyza, 1837, nec 1833, *Sw.*
Melliphaga, *Less.* 1831.
G. of B. i. p. 123, pl. 39. f. 5; *Reich. S. A. t.* 35. f.

- 10240 2059. *melanura*, *Sparrm. M. C. t.* 5; *V. O. D. t.* 64; *Voy.*
Coqu. t. 21. 2. *"*
sannio, Gm.; *Dumerili, Less.*
cæruleocephala, Sw.
2060. *melanocephala*, *G. R. Gr. Voy. Ereb. & Terr. B.* pl. 2. *Chatham Isl.*
2061. *auriocularia*, *Buller.* *"*
2062. *ruficeps*, *Pelz.* *New Zealand.*

608. ANTHOCHÆRA, *Vig. & H.* 1826.

Philedon, 2 div. 1817, 1 div. 1829, *Cuv.*
Philedon, *Sundev.* 1835. *Creadion, Less.* 1837, nec *V.* 1816.
Meliphaga, Des Murs, 1853. *Mimus*, p., *Bull.*
G. of B. i. p. 122; *Reich. S. A. t.* 35. f.

a. *ANTHOCHÆRA.*

- 67 • 2063. *carunculata*, *Lath.*; *White, Voy.* pl. p. 144; *Gould*,
B. A. iv. pl. 55. *Australia.*
paradoxus, Lath.; *novæ hollandiæ, Steph.*
Lewinii, Vig. & H. *New Zealand?*
Bulleri, Finsch.
2064. *inauris*, *Gould, B. A.* iv. pl. 54. *Tasmania.*
carunculata, Vig. & H.; *goruck, Shaw?*

609. b. *ANELLOBIA*, *Cab.* 1851.

Melichæra, Reich. 1852. *Creadion, Des Murs*, 1853.
G. of B. pl. 39. f. 2; *Reich. S. A. t.* 35. f.

2065. **mellivora**, *Lath.*; *V. O. D.* t. 88; *Gould, B. A.* iv. pl. 56. New S. Wales.
chrysopterus, Lath. S. & N. Austr.
2066. **lunulata**, *Gould, B. A.* iv. pl. 57. W. Australia.
- 610.** c. **CHÆTOPTILA**, *Sclat.* 1868.
Anthochaera ?, p., *Hartl.*
2067. **angustipluma**, *Peale, U. S. Expl. Exped.* pl. 11. 1. Society Islands.
atriceps, Less. ?
- 611.** d. **LEPTORNIS**, *Homb. & J.* 1845.
Philedon, Reich. 1852.
2068. **samoënsis**, *Homb. & J. Voy. Pôle Sud*, t. 17. 1. Samoan Isl.
olivacea, Peale; *sylvestris, Jacq. & Puch.*
leptornis, Reich.
2069. **Aubryanus**, *Verr. & M.* New Caledonia.
1839 ? *Verreaux & Sonjourn*
- 612.** e. **XANTHOTIS**, *Reich.* 1852.
Myzantha, Less. 1831, *nec Vig. & H.* 1826.
2070. **chrysotis**, *Less. Voy. Coqu.* t. 21*. New Guinea.
flaviventris, Less.; *filigera, G. R. Gr.* Wai., Mys. (var.).
2071. **filigera**, *Gould, Pr. Z. S.* 1850, pl. 34; *Gould, B. A.*
suppl. pl. Cape York.
- 613.** f. **ACANTHAGENYS**, *Gould*, 1837.
Acanthogenys, G. R. Gr. 1840.
Reich. S. A. t. 35. f. .
2072. **rufogularis**, *Gould, B. A.* iv. pl. 53. Australia.
- 614. POGONORNIS**, *G. R. Gr.* 1846.
G. of B. i. p. 123, pl. 39. f. 4; *Reich. S. A.* t. 35. f. .
2073. **cincta**, *Dubus, Bull. Ac. S. Brux.* 1839, t. New Zealand.
auritus, Lafr. Mag. de Zool. 1840, t. 11.
- 615. PHILEMON**, *V.* 1816.
Philedon, 1817, *Cuv.*
Strigiceps, Less. 1840?, *nec Bp.* 1838.
Philedon et Philemon, Reich. 1852.
- a. **PHILEMON.**
2074. **moluccensis**, *Gm.*; *Voy. Astrol.* t. 8. 2. Bouru.
cinereus, V.; *bouroensis, Quoy & G.*; *buruensis, Less.* Celebes.
2075. **fuscicapillus**, *Wall.* Morty, Gilo., &
 Batchian I.
2076. **subcornutus**, *Tem.*; *Voy. Pôle Sud*, t. 16. 1. Ceram, Worou.
subcorniculatus, Homb. & J.
2077. **inornatus**, *G. R. Gr. & M. G. B.* pl. 39; *Voy. Pôle Sud*,
 t. 18. 1. Timor, Celebes.
cineraceus, Müll.; *vulturinus, Homb. & J.* Solomon I.

- 4665 2078. *citreogularis*, Gould, B. A. iv. pl. 60. New S. Wales.
 2079. *senex*, G. R. Gr. Batch. & Gilo. I.
 2080. *Lessonii*, G. R. Gr.; *Arch. du Mus.* vii. t. 21. New Caledonia.
diemenensis!, *Less.*; *corniculatus*, p.?, *Bp.* Tasmania (?).
 2081. *plumigenis*, G. R. Gr. Ké Island.
 2082. *sordidus*, Gould. N. Australia.
 2083. ? *collaris*, *Reich. Meropinae*, t. 503. 3515. Celebes.
616. *b. TROPIDORHYNCHUS*, *Vig. & Horsf.* 1826.
Gymnops, p., *Cuv.* 1829.
- 87 2084. *corniculatus*, *Lath.*; *Lev. O. Amer.* t. 24; *Gould, B. A.*
 iv. pl. New S. Wales.
monachus, *Lath.*
 2085. *argenteiceps*, *Gould, B. A.* iv. pl. 59. N. Australia.
 2086. *novæ guineæ*, *Müll. & S.* New Guinea.
 2087. *marginatus*, G. R. Gr. Waigiou.
 2088. *timoriensis*, *Müll.* Timor.
- 5692 2089. *buceroïdes*, *Sw. Cl. of B.* 5 pt. f. 68; *Gould, B. A.* suppl.
 pl. Cape York.
mitratus, p.?, G. R. Gr.; *monachus*, *Vig. & H.*
 2090. *mitratus*, *Müll.* New Guinea.
corniculatus, *Müll.*
 2091. *gilolensis*, *Tem.* I. of Gilolo.
617. *c. ENTOMIZA*, *Sw.* 1837.
Meliphaga, *Tem.* 1820. *Entomyzon*, *Sw.* 1825.
Philedon, *Reich.* 1849.
Sw. C. of B. f. 288 b; *Reich. S. A.* t. 35. f.
- 2581 2092. *cyanotis*, *Lath.*; *Lewin, B. N. H.* pl. 4; *Gould, B. A.* iv.
 pl. 68. New S. Wales.
cyanops, *Lewin*; *cyaneus et cyanops*, *Lath.*
 2093. *albipennis*, *Gould, B. A.* iv. pl. 69. N. Australia.
618. *MANORINA*, 1818, *et Manorhina*, 1825, *V.*
Philanthus, *Less.* 1831, *nec Fab.* 1793. *Manorrhina*, *Reich.* 1852.
G. of B. i. p. 127.
- a. MANORINA.*
- 43 2094. *melanophrys*, *Lath.*; *Gal. des Ois.* t. 149; *Gould, B. A.*
 iv. pl. 80. New S. Wales.
viridis, *V.*; *flavirostris*, *Vig. & H.*
619. *b. MYZANTHA*, *Vig. & H.* 1826.
G. of B. pl. 38. f. 7; *Reich. S. A.* t. 35. f.
- 2498 2095. *garrula*, *Lath.*; *Gould, B. A.* iv. pl. 76. New S. Wales,
melanocephala, *Lath.* S. Aus., Tasm.

2096. *lutea*, Gould, B. A. iv. pl. 78. W. Australia.
 2097. *obscura*, Gould, B. A. iv. pl. 77. "
 2098. *flavigula*, Gould, B. A. iv. pl. 79. New S. Wales.

Subfam. III. *Melithreptinæ*, G. R. Gr. 1841.

Manorhinæ et Sylvicolinæ, p., G. R. Gr. 1840.

620. MELITHREPTUS, V. 1816.

Philedon, 3 div. 1817, et 2 div. 1829, Cuv.

Meliphaga, 3 div., Vig. & H. *Hæmatops*, Gould, 1836.*Gymnophrys et Eidopsaris*, Sw. 1837.*Gymnophrys et Hæmatops*, G. R. Gr. 1846.*Idopsaris*, Agass.*Sw. C. of B. f. 287; G. of B. i. p. 128, pl. 38. f. 5; Reich. S. A. t. 35. f.*a. *MELITHREPTUS*.

2099. *lunulatus*, Shaw; V. O. D. t. 61; Gould, B. A. iv. pl. 72. S. Australia.
atricapilla, Tem.; *torquata*, Sw.
albicollis, V.
 2100. *brevirostris*, Vig. & H. New S. Wales.
 2101. *validirostris*, Gould, B. A. iv. pl. 70; Voy. *Pôle Sud*, t. 17. 3. Tasmania.
bicinctus, Sw.; *virescens*, Wagl.
 2102. *gularis*, Gould, B. A. iv. pl. 71; G. R. Gr. & M. G. B. pl. 40. E. & S. Australia.
 2103. *albogularis*, Gould, B. A. iv. pl. 74. New S. Wales, N. Aus., N. Guin.
 2104. *melanocephalus*, Gould, B. A. iv. pl. 75. Tasmania.
atricapilla, Jard. & S. I. O. pl. 134. 1.
agilis, Lath. ?; *affinis*, Less. ?
 2105. *chloropsis*, Gould, B. A. iv. pl. 73. W. Australia.

621. b. *PLECTORAMPHUS*, G. R. Gr. 1840.*Plectorhynchus*, Gould, 1837, nec Lacép. 1800.*Entomiza*, Selby, 1840. *Plectrorhamphus*, Strickl. 1841.*Plectrorhyncha*, Wiegman. 1838.*Reich. S. A. t. 35. f.*

- 2106.
- lanceolatus*
- , Gould, B. A. iv. pl. 47.

622. ZOSTEROPS, Vig. & H. 1825.*Zosteropsisylvia*, Würt. 1857.*Sw. C. of B. f. 131 a; G. of B. i. p. 197.*a. *ZOSTEROPS*.

- 2107.
- cærulescens*
- , Lath.; Sw. Zool. Illustr. pl. 16; Gould, B. A. iv. pl. 81. 10222.
-
- New S. Wales.

- lateralis, *Lath.*; diluta, *Shaw*; cæruleus, *Cuv.*
annulosa, var. β , *Sw.*; dorsalis, *Vig. & H.*
2108. **strenua**, *Gould, B. A. suppl. pl.* Tasmania.
New Zealand.
2109. **tephropleura**, *Gould, B. A. suppl. pl.* Lord Howe's I.
"
2110. **tenuirostris**, *Gould, B. A. suppl. pl.* Moreton Bay.
2111. **albogularis**, *Gould, B. A. suppl. pl.* New S. Wales.
2112. **griseotincta**, *G. R. Gr.* Louisiade arch.
2113. **griseonota**, *G. R. Gr.* New Caledonia.
2114. **xanthochroa**, *G. R. Gr.* "
2115. **melanops**, *G. R. Gr.* Loyalty Isl.
2116. **flavifrons**, *Gm.* New Hebrides.
heteroclitia, *Forst.*
2117. **chloris**, *Müll.* Ternate, Bouru,
Banda.
2118. **intermedia**, *Wall.* Celeb., Ternate.
chloris, *G. R. Gr.* Lombock.
2119. **flava**, *Horsf.*; *Voy. Pôle Sud*, t. 19. 4. Java, Sumatra.
maderaspatana, *Vig.*; parvulus, *Homb. & J.* Borneo.
2120. **siamensis**, *Bl.* Tenasserim.
2121. **atrifrons**, *Wall.* Celebes.
2122. **palpebrosa**, *Tem. P. C. 292. 3.* India, Ceylon.
2123. **Meyeni**, *Bp.*; *Kittl. Kupf. Vög.* t. 19. 2. Luzon.
flava, *Kittl.*
2124. **japonica**, *Tem. & Sch. F. J. t. 22.* Japan.
2125. **aurifrons**, *Tem.* Timor, Flores.
aureifrons, *Wall.*
2126. **senegalensis**, *Bp.*; *Sw. B. W. Afr.* ii. pl. 3. W. Africa.
flava, *Sw.*; citrina, *Hartl.*
2127. **ficedulina**, *Hartl.* Prince's Island.
2128. **hæsitata**, *Hartl.*; *Poll. & V. D. F. de Madag.* t. 19. 3. I. Bourbon.
2129. **virens**, *Sundev.* Upper Caffraria,
Natal.
2130. **abyssinica**, *Guér.*; *Verr. & Gal. Voy. en Abyss.* t. 9. 2. Abyssinia.
lateralis, p., *Layard?*
2131. **capensis**, *Sundev.*; *Lev. O. A. t. 9. 2.* S. Africa.
Levaillantii, *Reich.*; madagascariensis, p., *Aliq.*
2132. **Sundevallii**, *Hartl.* Upper Caffraria.
lateralis, *Sundev.*
2133. **madagascariensis**, *L.*; *Briss. Orn.* iii. t. 27. 2; *Poll. & V. D. F. de Madag.* t. 19. 1. Madagascar.
annulosa et flavigula, *Sw.*
leucops, *V.*; maderaspatana, p., *Vig. & H.*

2134. Gouldi, *Bp.*; *Gould, B. A.* iv. pl. 82.
chloronotus, *Gould.* W. Australia.
2135. lutea, *Gould, B. A.* iv. pl. 83. N. Australia.
2136. westernensis, *Quoy & G. Voy. Astrol.* t. 11. 2. W. Australia.
2137. Grayi, *Wall.* Ké.
citrinella, *p., G. R. Gr.*
2138. albiventer, *Homb. & J.* Warriors' I.
2139. fusca, *Bernst.* Waigiou.
2140. cinerea, *Kittl. Mém. Ac. Pétersb.* 1835, t. 5. Caroline I.
2141. conspicillata, *Kittl. Mém. Ac. Pétersb.* 1835, t. 4. Ladrone I.
2142. flaviceps, *Peale, U. S. Expl. Exped.* pl. 10. 4; *Finsch & H. Fauna Centralpol.* t. 6. Fiji I.
13617 monrovia
2143. obscura, *Homb. & J. Voy. Pôle Sud*, 20. 6.
2144. Semperi, *Hartl.* Pelew I.
2145. atriceps, *G. R. Gr.* Batchian I.
2146. citrinella, *Müll.* Timor.
2147. nigrifrons, *Müll.* "
atrifrons, *Wall.*
2148. chlorates, *Müll.* Morty I.
2149. nicobarica, *Bl.* Nicobar I.
2150. lateralis, *Tem.* Java.
2151. simplex, *Swinh.* China.
japonica, *Swinh.* I. of Formosa.
2152. erythropleura, *Swinh.* N. China.
chloronotus, *v. Schrenck.*
2153. olivacea, *Gm.*; *Briss. Orn.* iii. t. 33. 1. Madagascar.
2154. mayottensis, *Poll. & V. D. F. de Madag.* t. 19. 2. Mayotta.
flavifrons, *Poll.*
2155. pallida, *Sw.* S. Africa.
2156. poliogastra, *Heugl.* N.E. Africa.
euryophthalma, *Heugl.*
2157. tenella, *Hartl.* Bongo.
aurifrons, *Heugl.*
2158. Heuglinii, *Hartl.* N.E. Africa.
pallescens, *Heugl.*
2159. modesta, *E. Newt.* Seychelles.
2160. semiflava, *E. Newt.* "
2161. icterovirens, *Würt.* N.E. Africa.
M 2

7599 hyrcanus
7600 oleagosa
12805 pennapenna

2162. *mauritanica*, *Gm.*; *Poll. & V. D. F. de Madag.* t. 19. 4. Maur., I. of Bour.
 2163. *ruflata*, *Hartl.* Africa.
 2164. *melanura*, *Tem.*
 2165. ? *curvirostris*, *Bl.* Mauritius.
 2166. ? *ambigua*, *Sw.* "Cayenne?"
- 623.** *b. MALACIROPS*, *Bp.* 1854.
Sw. C. of B. f. 131, *b.*
2167. *borbonica*, *Bodd.*; *P. E.* 705. 2; *Guér. Icon.* t. 23*. 6;
Poll. & V. D. F. de Madag. t. 19. 5, 6. Madagascar.
cinerea, *Sw.*?
- 624.** *c. CYCLOPTEROPS*, *Bp.* 1854.
G. of B. pl. 53. f. 2; *Reich. S. A. t.* 61. f. .
2168. *chloronota*, *V.*; *P. C.* 681. 2; *V. O. D. t.* 28. "
borbonica, *Gm.* ?; *curvirostris*, *Sw.*
- 625.** *d. SPIROPS aut SPEIROPS*, *Reich.* 1851.
2169. *melanocephala*, *G. R. Gr.* Camer., W. Afr.
 2170. *lugubris*, *Hartl. Abh. d. Nat. Ver. in Hamb.* ii. t. 2. I. of St. Thomas.
- 626.** *e. OROSTEROPS*, *Bp.* 1854.
2171. *javanica*, *Horsf.* Java.
 2172. *montana*, *Müll.* Sumatra.
- 627.** *f. TEPHRAS*, *Hartl.* 1868.
2173. *Finschii*, *Hartl. Pr. Z. S.* 1868, pl. 3. Pelew I.
- 628.** *g. HELAIA*, *Hartl.* 1865.
Hylophila, *Müll.* 1835. *Helia*, *Newt.*
2174. *frontalis*, *Müll.* Timor.
Mulleri, *Hartl.*
2175. *frigida*, *Müll.* Sumatra.

FAM. VI. ANABATIDÆ, *Bp.* 1849.

Uppucerthidæ, *D' Orb.* Dendrocolaptidæ, *Selys*, 1842.
 Certhiadæ, p., *Vig.* 1825. Paridæ, p., *Boie*, 1826.

Subfam. I. *Furnariinæ*, *G. R. Gr.* 1840.

Certhianæ, p., *Sw.* 1837.

629. FURNARIUS, *V.* 1816.

Opetiorhynchus, *Tem.* 1820. *Opethyorhynchus*, *Boie*, 1816.
Figulus, *Spix*, 1824.

Sw. C. of B. f. 280 *f, g*; *G. of B. i. p.* 131, pl. 41. f. 6; *Reich.*
S. A. t. 37. f. .

2176. **rufus**, *Gm.*; *Spix*, *A. B.* t. 78; *V. Gal. des Ois.* 182. Brazil.
 badius, *Licht.*; *albigularis*, *Spix*. Rio Javarri.
 ruficaudus, *Max.*; *Commersoni*, *Pelz*.
2177. **figulus**, *Licht.*; *P. E.* 739. Brazil.
 rufus, *V.*; *melanotis*, *Sw*.
2178. **leucopus**, *Sw. C. of B.* 5th pt. f. 67 a. Guiana.
2179. **cinnamomeus**, *Less.*; *Akad. der Wissensch.* 1856, t. 2. 2. Ecuador.
 longirostris, *Pelz.*; *griseiceps*, *Cab.* Peru.
2180. **rectirostris**, *Max.* Brazil.
2181. **torridus**, *Sclat. & S. Exot. Orn.* pl. 4. Upper Ucayali.
2182. **minor**, *Pelz.* Nauta.
2183. **tenuirostris**, *Pelz.*
2184. **assimilis**, *Cab.* Brazil.
 leucopus, p. ?
2185. ? **longipennis**, *Sw. Cl. of B.* 5th pt. f. 67 b. Peru.
2186. ? **fasciatus**, *Sw.* "
- 630. CINCLODES**, *G. R. Gr.* 1840.
 Opetiorhynchus, *Kittl.* 1830.
 Oppetiorhynchus, *Lafr.* 1837.
 Cillurus, *Cab.* 1844.
 G. of B. i. p. 132, pl. 41. f. 5; *Reich. S. A. i.* t. 37. f. .
- a. CINCLODES.
2187. **patagonicus**, *Gm.*; *Less. Tr. d'Orn.* t. 75. 4; *Mém. de* Terra del Fuego,
 Pétersb. i. t. 8. Patag., Chili,
 gracula, *Forst.*; *Lessonii*, *Dum.* Chiloe, Bolivia.
 chilensis, *Less.*; *rupestris*, *Lafr.*
2188. **fuscus**, *V.*; *D'Orb. Voy. A. M.* t. 57. 1. Terra del Fuego.
 vulgaris, *Lafr.* Falkland Island,
 Mend., Parana.
2189. **antarcticus**, *Gm.* Falkland Island.
 fuliginosus, *Less.*
2190. **nigrofumosus**, *Lafr.*; *Voy. Beagle*, pl. 20; *D'Orb. Voy.*
 A. M. t. 57. 2. Bolivia.
 lanceolatus, *Gould*; *inornatus*, *Less.* Chili.
2191. **bifasciatus**, *Sclat.*; *Reise durch d. Urieste Atac.* t. 3. Bolivia.
 atacamensis, *Phil.* Chili.
2192. **albidiventris**, *Sclat.* Chimborazo.
2193. **minor**, *Cab.* Chili, Port
 Famine.
2194. **palliatu**s, *Tsch. F. P.* t. 16. 2. Peru.
2195. **albiventris**, *Phil. & Landb.* Chili.
 hypoleuca, *Reich.* ?

631.b. UPUCERTHIA, *I. Geoffr.* 1832.Uppucerthia, *Lafr.* 1837.Upupicerthia, *Agass. Coprotretis, Cab.* 1859.*Reich. S. A. t.* 37. f. .2196. *dumetorius*, *I. Geoffr.; Voy. Beagle*, pl. 19.*dumetorum, Lafr.*

Patagonia, Chili.

Rio Negro.

2197. n. sp. ?

Bolivia.

632.c. OCHETORHYNCHUS, *Meyen*, 1834.*Reich. S. A. t.* 37. f. .2198. *ruficaudus*, *Meyen, Nov. Act. Bon. xvi. suppl. t.* 11.*montana, Lafr. D'Orb.*

Peru.

2199. *andæcola*, *Lafr.; D'Orb. Voy. t.* 56. 2.

Bolivia.

2200. *excelsior*, *Sclat.*

Pichincha, Chim.

2201. *lusciniæ*, *Burm.*

Argentine Rep.

2202. *validirostris*, *Burm.*

Mendoza.

*andicola, Burm.***633. LOCHMIAS**, *Sw.* 1827.*Picerthia, I. Geoffr.* 1832. *Lochmia, Sw.* 1837.*G. of B. i. p.* 133, pl. 41. f. 2; *Reich. S. A. t.* 37. f. .2203. *nematura*, *Licht.; Sw. B. of Braz. pl.* 33.

Brazil.

St. Hilarii, Less.; squamulata, Sw.

Parana.

634. ENICORNIS, *G. R. Gr.* 1840.*Eremobius, Gould*, 1838. *Henicornis, Agass.**Ericornis, Cass.* 1855.*G. of B. i. p.* 133, pl. 41. f. 4; *Reich. S. A. t.* 37. f. .2204. *phœnicura*, *Gould, Voy. Beagle*, pl. 21.

Chili.

*Gouldii, Cab.*2205. *melanura*, *G. R. Gr. & M. G. B. pl.* 41.

,,

*Gouldii, p., Cab.***635. LIMNORNIS**, *Gould*, 1839.*G. of B. i. p.* 133, pl. 41. f. 1; *Reich. S. A. t.* 37. f. .2206. *rectirostris*, *Gould, Voy. Beagle*, pl. 26.

Maldonado.

2207. *curvirostris*, *Gould, Voy. Beagle*, pl. 25.

Maldonado, Conchitas.

2208. *Darwinii*, sp. n. ?

Maldonado.

636. GEOSITTA, *Sw.* 1837.*Euthonyx, Reich.* 1850. *Geocitta, Sclat.**Sw. C. of B. f.* 283; *G. of B. i. p.* 134, pl. 41. f. 7; *Reich. S. A. t.* 37. f. .

a. GEOSITTA.

2209. **cunicularia**, *V.*; *D' Orb. Voy. A. M. t. 43. 1.* Chili.
anthoides, Sw.; *fissirostra, Kittl.?*
nigrofasciata, Lafr.?
2210. **maritima**, *D' Orb. Voy. A. M. t. 44. 1.* Bolivia.
fasciata, Phil. & L.? Chili.
2211. **tenuirostris**, *Lafr. D' Orb. Voy. A. M. t. 43. 2.* Bolivia.
2212. **crassirostris**, *Sclat.* Lima.
2213. **Frobeni**, *Phil. & Landb.* Chili.
2214. **isabellina**, *Phil. & Landb.* "
2215. **peruviana**, *Lafr.* Peru.

637. b. GEOBAMON, *Cab. 1860.*

2216. **rufipennis**, *Burm.* Parana.

638. c. GEOBATES, *Sw. 1837.*

Sw. C. of B. f. 280 d, e.

2217. **pœcilopectera**, *Max.*; *Pr. Z. S. 1866, pl. 21.* Brazil.
brevicauda, Sw.; *fuscus, Burm.*

Subfam. II. **Sclerurinae**, *Sclat. 1862.*

Furnarinæ, p., G. R. Gr. 1840. Certhianæ, p., Sw. 1837.

639. SCLERURUS, *Sw. 1827.*

Tinactor, Max. 1831. Oxyptiga, Ménétr. 1834.

Oxypiga, Less. 1839.

Sw. C. of B. f. 76; G. of B. i. p. 210, pl. 55. f. 5.

2218. **caudacutus**, *V.* Guiana.
brunneus, Sclat.
2219. **mexicanus**, *Sclat. Cat. of A. B. pl. 12.* Cordova, Coban.
ruficollis, Sw. B. Braz. pl. 79?
2220. **umbretta**, *Licht.*; *Sw. B. Braz. pl. 78; Mag. de Zool.* Brazil.
1833, t. 10.
fuscus, Max.; *scansor, Ménétr.*
albigularis, Sw.; *longirostris, Cuv.*
2221. **guatemalensis**, *Hartl.* C. America.
caudacutus, Lawr.

Subfam. III. **Synallaxinae**, *G. R. Gr.* 1846.Anabatinae, *Sw.* 1837.**640. SYNALLAXIS**, *V.* 1818.Synalaxis, *Boie*, 1826. Parulus, *Spix*, 1824.Synalaxis, *Lafr.* 1839.*Sw. C. of B. f.* 282 *b*; *G. of B. i. p.* 135, pl. 42. *f.* 2; *Reich.**S. A. t.* 36. *f.* .*a.* SYNALLAXIS.

- | | |
|--|----------------------------------|
| 2222. ruficapilla , <i>V. Gal. des Ois.</i> t. 174. ruficeps, <i>Licht.</i> ; cinereus, <i>Max.</i> olivascens, <i>Eyton.</i> | Brazil. |
| 2223. Spixii , <i>Selat.</i> ; <i>Spix</i> , <i>A. B.</i> t. 86. 1. albescens, <i>Burm.</i> ; ruficeps, <i>p., Spix.</i> ruficapilla, <i>Reich.</i> | " Buenos Ayres. |
| 2224. elegantior , <i>Selat.</i> elegans, <i>Selat.</i> | New Granada. N. Ecuador. |
| 2225. albescens , <i>Tem. P. C.</i> 227. 2. ruficeps, <i>Spix</i> , <i>A. B.</i> t. 86. 2. | Trinidad. N. Brazil. |
| 2226. pudica , <i>Selat.</i> brunneicaudalis, <i>Lawr.</i> | New Granada. |
| 2227. fuliginosa , <i>Lafr.</i> | " |
| 2228. erythrothorax , <i>Selat. Pr. Z. S.</i> 1855, pl. 86. | S. Mexico. |
| 2229. terrestris , <i>Jard.</i> | Tobago. |
| 2230. rutilans , <i>Tem. P. C.</i> 227. 1. | N. Brazil. |
| 2231. castanea , <i>Selat. Cat. of A. B.</i> pl. 13. | Venezuela. |
| 2232. anthoides , <i>King.</i> | Chili. |
| 2233. rufigularis , <i>Gould, Voy. Beagle</i> , pl. 23. | Santa Cruz, Valpar., Patag. |
| 2234. stictothorax , <i>Selat.</i> | Ecuador. |
| 2235. scutata , <i>Selat.</i> | Brazil. |
| 2236. phryganophila , <i>V.</i> ; <i>P. C.</i> 311. 1. tessellata, <i>Tem.</i> | Paraguay, Boliv. Argent. Rep. |
| 2237. erythrops , <i>Selat.</i> | Ecuador. |
| 2238. Azaræ , <i>Lafr.</i> | Bolivia. |
| 2239. terricolor , <i>Selat. & S.</i> | R. Ucayali. |
| 2240. vulpecula , <i>Selat. & S.</i> | " |
| 2241. inornata , <i>Pelz.</i> | N. Brazil. |
| 2242. cinerascens , <i>Tem. P. C.</i> 227. 3. | Brazil. |

2243. *albigularis*, *Sclat.* E. Ecuador,
Ucayali.
2244. *brunneicaudis*, *Sclat.* E. Ecuador.
brunneicaudalis, *Sclat.*
2245. *gularis*, *Lafr.* New Granada,
Ecuador.
2246. *lamosticta*, *Sclat.* New Granada.
cinnamomea, *Lafr.*
2247. *mæsta*, *Sclat.* "
2248. *Kollari*, *Pelz. Akad. der Wissensch.* 1856, t. 1. 3. N. Brazil.
2249. *striolata*, *Pelz.* S.E. Brazil.
2250. *propinqua*, *Pelz.* N. Brazil.
2251. *alospicias*, *Pelz.* "
2252. *hyposticta*, *Pelz.* "
2253. *frontalis*, *Pelz.* S.E. Brazil.
ruficeps, ♀, *Spix, A. B. t.* 86. 2. Argentine Rep.,
Bolivia.
2254. *fitis*, *Pelz.* S.E. Brazil.
obsoleta, *Reich.?*
2255. *albilora*, *Pelz.* Int. of Brazil,
Bolivia.
2256. *vulpina*, *Pelz.* Int. of Brazil.
2257. *caniceps*, *Sclat.* Brazil.
2258. *unirufa*, *Lafr.* Columbia.
2259. *multostriata*, *Sclat.* New Granada.
2260. *Candei*, *Lafr.* Columbia.
2261. *trogodytoides*, *Lafr.* Patagonia.
2262. *ruticilla*, *Cab.*
2263. *striata*, *Ph. & Landb.* Peru.
2264. *brachyura*, *Lafr.* New Granada.
2265. *antisiensis*, *Sclat.* Ecuador.
2266. *nigrofumosa*, *Lawr.* Nicaragua.
2267. *poliophrys*, *Cab.* Cayenne.
2268. *sulphurifera*, *Burm.* Buenos Ayres.
2269. *masafueræ*, *Phil. & Landb.* Chili.
- 641.** *b. ANABATES*, *Tem.* 1820.
Synallaxis, p., *Cab.*
2270. *guianensis*, *Gm.*; *P. E.* 686. 2. Guiana.
ruficaudus, *Tem.*; *cinnamomea*, *Less.*
- 642.** *c. SYLVIORTHORHYNCHUS*, *Des Murs*, 1847.
Schizura, *Cab.* 1848.
Reich. S. A. t. 57. f. .

2271. *DesMursii*, *Gay*; *Des Murs*, *I. O.* t. 45. Chili.
maluroides, *Des Murs*; *Des Mursii*, *Reich*.
- 643.** *d. LEPTASTHENURA*, *Reich*. 1853.
2272. *ægithaloides*, *Kittl. Mém. Ac. Pétersb.* 1830, t. 7. Chili, Patagonia.
Thelotii, *Less*. Bolivia.
2273. *humicola*, *Kittl. Mém. Ac. Pétersb.* 1830, t. 6. Chili, Bolivia.
2274. *flammulata*, *Jard. Contr. Orn.* 1850, pl. 56. Ecuador.
2275. *platensis*, *Reich*.
2276. *maluroides*, *Lafr.*; *D'Orb. Voy. A. M.* t. 14. 3, 4. Arg. R., Parag.,
Conchitas.
2277. *leucocephala*, *Lafr.* Patagonia.
- 644.** *e. BATHMICERCUS*, *Fitz.* 1864.
Bathmidura, *Reich*. 1853, *nec Cab.* 1847.
Leptasthenura, *p., Cab.*
2278. *striaticeps*, *Lafr.*; *D'Orb. Voy. A. M.* t. 16. 1. Argentine Rep.,
Bolivia.
2279. *D'Orbignyii*, *Reich.*; *D'Orb. Voy. A. M.* t. 17. 2. Bolivia.
humicola, *Lafr.*
2280. *setaria*, *Tem. P. C.* 311. 3. Brazil.
2281. *fuliginiceps*, *Lafr.*; *D'Orb. Voy. A. M.* t. 17. 1. Bolivia.
ruficapilla, *Burm.*; *paranensis*, *Sclat.* Argentine Rep.
2282. ? *patagonica*, *Lafr.* Patagonia.
- 645.** *f. OXYURUS*, *Sw.* 1827, *nec Rafinq.* 1810.
2283. *spinicauda*, *Gm.*; *Lath. Syn.* pl. 52; *Voy. Coqu.* t. 29. 1. Terra del Fuego.
seticauda, *Forst.*; *ornatus et australis*, *Sw.*
tupinieri, *Less*.
- 646.** *g. CRANIOLEUCA*, *Reich*. 1853.
2284. *albiceps*, *Lafr.*; *D'Orb. Voy. A. M.* t. 16. 2. Bolivia.
- 647.** *h. PHLEOCRYPTES*, *Cab.* 1859.
2285. *melanops*, *V.*; *D'Orb. Voy. A. M.* t. 14. 1, 2. Chili, Argent. R.
dorsomaculatus, *Lafr.*
2286. *schœnobænus*, *Cab.* Peru.
- 648.** *i. ASTHENES*, *Reich*. 1853.
2287. *sordida*, *Less.*; *Voy. Beagle*, pl. 24. Patagonia.
flavicularis, *Gould*.
2288. *brunnea*, *Gould*. „
2289. *modesta*, *Eyton*. Bolivia.

649. *j. MELANOPAREIA, Reich. 1853.*

2290. **Maximilliani**, *D' Orb. Voy. A. M. t. 15. 1.* Paraguay, Boliv.
torquata, *Lafr.*

2291. **torquata**, *Max.; D' Orb. Voy. A. M. t. 15. 2.* Brazil, Bolivia.
bitorquata, *Lafr.*

650. *k. CERTHIAxis, Less. 1847.*

Leptoxyura, Reich. 1853.

2292. **cinnamomea**, *Gm.; V. O. D. t. 62; Spix, A. B. t. 85. 2;* Cayenne, Brazil.
Gal. des Ois. t. 173. Argentine Rep.
russeola, V.; ruficauda, Spix.
mentalis, Licht.; inundatus, Tem.
caudacutus, Max.; cinnamominus, Sw.

2293. **pallida**, *Max.* Brazil.
leucophrys, Lafr.

2294. **ruficauda**, *V.* "

2295. **mentalis**, *Licht.* "

2296. **semicinerea**, *Reich.* S.E. Brazil.

2297. **obsoleta**, *Brandt.* Brazil.

651. *l. CORYPHISTERA, Burm. 1860.*

2298. **alaudina**, *Burm.* La Plata.

652. ANUMBIUS, 1838,

et Annumbius, 1841, Lafr.

Sphenopyga, Cab. 1847.

G. of B. i. p. 136, pl. 42. f. 5; Reich. S. A. t. 36. f.

a. ANUMBIUS.

2299. **acuticaudatus**, *Less.; Voy. Beagle, pl. 22.* Brazil.
annumbi, V.; anthoides, Lafr. Argentine Rep.
major, Gould.

2300. **ruber**, *V.* Brazil, Bolivia,

2301. **rufopectus**, *n. sp.?* Argentine R.

2302. **striaticeps**, *Lafr.* Brazil.

653. *b. ANABACERTHIA, D' Orb. 1841.*

2303. **striaticollis**, *D' Orb.* Bolivia.

654. *c. MALACURUS, Reich. 1850.*

Phacellodomus, Reich. 1853.

Synallaxis, Sw. 1837.

Reich. S. A. t. 58. f.

2304. **rufifrons**, *Spix, A. B. t. 85. 1; Sw. Zool. Ill. pl. 138.* Bahia, Bolivia.
frontalis, Licht.; garrulus, Sw. Trinidad.

655. PHILYDOR, *Spix*, 1824.Xenops, 3 div., *Less*. 1837.Anabates, *Boie*, 1826, *nec Tem.* 1820.*G. of B. i. p.* 137 (Anabates).

a. PHILYDOR.

2305. **superciliaris**, *Licht.*; *Spix*, *A. B. t.* 73. 1; *Guér. Iconog.*
t. 23. Brazil.
 atricapillus, *Max.*; *Canneveti et melanocephalus*, *Less.*
2306. **striaticollis**, *Sclat.* New Granada.
2307. **amaurotis**, *Tem. P. C.* 238. 2. Brazil.
2308. **erythrocerus**, *Pelz.* Cayenne.
2309. *pyrrhodes*, *Cab.* Rio Napo,
Guiana.
2310. *fuscipennis*, *Salv.* Veragua.
2311. *subfulvus*, *Sclat.* Gualaquiza.
2312. *ruficaudatus*, *Lafr.* New Granada.
 ruficaudus, *Sclat.* Ecuador.
2313. *semirufus*, *Sclat.* Bogota.
2314. *columbianus*, *Cab. & H.* Porto Cabello.
2315. *panerythrus*, *Sclat.* New Granada.
2316. *rufobrunneus*, *Lawr.* Costa Rica.
2317. *virgatus*, *Lawr.* "
- 656.** b. ANOMOLUS, *Reich.* 1853.
- Ipoborus*, *Cab. & H.* 1859.
 Cichlocolaptes, *Reich.* 1853.
2318. **sulphurascens**, *Licht.*; *Spix*, *A. B. t.* 74. S.E. Brazil.
 albogularis, *Spix*; *leucophthalmus*, *Max.*
 gularis, *Valenc.*; *sulfurascens*, *Reich.*
2319. **Sclateri**, *Pelz.* E. Peru.
 infuscatus, *Sclat.*; *amazonus*, *Lafr.*
2320. **ferruginolentus**, *Max.*; *Jard. & S. I. O.* pl. 93. S.E. Brazil.
 leucophrys, *Jard. & S.*
2321. **cervinigularis**, *Sclat.* Mex., Veragua.
2322. **erythropterus**, *Sclat.* Bogota.
2323. **rubiginosus**, *Sclat.* Mexico.
2324. **turdinus**, *Natt. & Pelz.* Brazil.
2325. *ochrolæmus*, *Tsch. F. P. t.* 20. 2. E. Peru.
2326. *melanopezus*, *Sclat.* Rio Napo.
2327. *montanus*, *Tsch. F. P. t.* 20. 1. Peru.

2328. *pallidigularis*, *Laur.*
ochrolæmus?, *Laur.* Panama.
2329. *variegaticeps*, *Sclat.*
2330. *concolor*, *Natt. & Pelz.* Brazil.
2331. *dendrocolaptoides*, *Natt. & Pelz.* "
2332. *echinatus*, *Tem.* Bahia.
2333. *infuscatus*, *Tem.*
puncticollis, *Natt.* Brazil.
2334. *dimidiatus*, *Pelz.*
rufus, *Natt.* "
2335. *rufipileatus*, *Pelz.* "
2336. *obscurus*, *Pelz.* "
2337. *contaminatus*, *Licht.* "
2338. *ferrugineigula*, *Pelz.* Cape Horn.
2339. *rufescens*, *Laur.* Costa Rica.
- 657.** c. *EUSPHENURA*, *Fitz.* 1864.
Sphenura, *Spix*, 1824, *nec Licht.* 1823.
Sphænura, *D' Orb.* 1844.
2340. *subulatus*, *Spix*, *A. B. t.* 83. 1; *F. P. t.* 21. 1. Brazil, Peru.
melanorhynchus, *Tsch.*
- 658.** d. *DENDROMA*, *Sw.* 1837.
Dendrodromus, *Agass.*
Anabates, *Sundev.* 1835.
2341. *rufus*, *V.*; *Spix*, *A. B. t.* 75. Brazil.
poliocephala, *Licht.*; *ruficollis*, *Spix.*
caniceps, *Sw.*; *rufifrons*, *Less.*
2342. *Lichtensteini*, *Cab. & H.*
poliocephala, *juv.*, *Licht.* "
- 659.** e. *THRIPOPHAGA*, *Cab.* 1847.
Sphenura, *Sundev.* 1835, *nec Licht.* 1823.
2343. *striolatus*, *Licht.*; *Spix*, *A. B. t.* 83. 2. "
striatus, *Spix*; *macrourus*, *Max.*
ruficollaris, *Less.*
2344. *erythrophthalmus*, *Max.*; *Des Murs*, *I. O. t.* 44. "
aradoïdes, *Lafr.*
2345. *guttuligera*, *Sclat.* New Granada.
- 660.** f. *PSEUDOCOLAPTES*, *Reich.* 1853.
Oripne, *Cab.* 1859.
2346. *Boissoneautii*, *Lafr.* New Granada.
auritus, *Licht.*; *semicinnamomeus*, *Reich.* Ecuador, Peru.

661. *g. HOMORUS, Reich. 1853.**Anabates, Cuv. 1829.**Sw. C. of B. f. 282 a ?; G. of B. pl. 42. f. 3.*2347. **cristatus**, *Spix, A. B. t. 84.*

Brazil.

2348. **lophotes**, *Bp.; Sw. B. of Braz. pl. 81.*

"

*suberistata, Sw.**cristatus, p. ?; Lafr.; unirufus, p., Burm.*2349. **unirufus**, *Lafr.; D' Orb. Voy. Am. t. 55. 1.*

Bolivia.

*cristatus, p., Cab.***662.** *h. THIRPADECTES, Sclat. 1861.*2350. **flammulatus**, *Eyton.*

Bogota.

663. *i. ANCISTROPS, Sclat. 1861.*2351. **lineaticeps**, *Sclat.*

E. Peru.

664. *j. PSEUDOSEISURA, Reich. 1853.*2352. **gutturalis**, *Lafr.; D' Orb. Voy. A. M. t. 55. 3.*

Patagonia.

665. XENOPS, Ill. 1811.*Neops, V. 1816.**Sw. C. of B. f. 74; G. of B. iii. app. p. 7, suppl. pl. 186. f. 4;**Reich. S. A. t. 36. f. .**a. XENOPS.*2353. **rutilus**, *Licht.; P. C. 72. 2; Sw. Zool. Ill. pl. 100.*

S.E. Brazil.

rutilans, Tem.; genibarbis et affinis, Sw.

Bolivia.

2354. **heterurus**, *Sclat.*

Bogota.

*rutilans, p., Sclat.*2355. **genibarbis**, *Ill.; P. C. 150. 1; V. Gal. des Ois. t. 170;*

Brazil.

*Lev. Prom. t. 31. 2?**ruficauda, V.; Hoffmannseggii, Cuv.?*2356. **mexicanus**, *Sclat.*

Oaxaca.

2357. **approximans**, *Pelz.*

Braz., Ucayali,

Nauta.

2358. **littoralis**, *Sclat.*

Esmeralda.

*genibarbis, Sclat.*2359. **niger**, *Natt. & Pelz.*

Brazil.

2360. **tenuirostris**, *Pelz.*

"

2361. **dentirostris**, *Sw.*

"

666. *b. SPHENOPS**et Sphenopsis, Sclat. 1861.*2362. **ignobilis**, *Sclat.*

S. America.

667. *c. ANABASITTA, 1838,**et Anabazenops, 1841, Lafr.**Syndactyla et Cichlocolaptes, p., Reich. 1853.**Zenops, 2 div., Less. 1837. Xenicopsis, Cab. 1859.*

2363. **variegaticeps**, *Sclat.* Mexico.
 2364. **subalaris**, *Sclat. Cat. of A. B.* pl. 14. Pallatanga.
 2365. **temporalis**, *Sclat.* "
 2366. **rufosuperciliata**, *Lafr. M. de Z.* 1832, t. 7. Brazil, Bolivia.
 ochroblepharus et adpersus, *Reich.* Argentine Rep.
 2367. **guttulatus**, *Sclat. Pr. Z. S.* 1857, pl. 130. Venezuela.
 2368. **lineatus**, *Lawr.* Costa Rica.

668. *d. ANABATOIDES*, *Des Murs*, 1853.

2369. **fuscus**, *V.*; *P. C.* 150. 2. S.E. Brazil.
 albicollis, *Licht.*; *anabatoides*, *Tem.*

669. *e. HELIOBLETUS*, *Reich.* 1853.

2370. **superciliosus**, *Licht.* Brazil.
 pyrrhophæus, *V.*; *xenops*, *Tem. MS.*
 contaminatus, *Licht.*

Subfam. IV. **Oxyrhamphinae**, *Sw.* 1831.

Anabatinæ, p., *G. R. Gr.* 1840.

670. OXYRHAMPHUS, *Strickl.* 1841.

- Oxyrhynchus*, *Tem.* 1820, *nec Gesn.* 1604.
Oxyruncus, *Tem. olim.*
Sw. C. of B. f. 79; *G. of B. i.* p. 138, pl. 42. f. 4; *Reich. S. A.*
 t. 36. f. .
 2371. **flammiceps**, *Tem. P. C.* 125; *Sw. Zool. Ill.* pl. 49; *De-*
 lic. Fl. et Faun. Bras. t. . "
 cristatus, *Sw.*; *serratus*, *Mikan.*
 2372. **frater**, *Sclat. & S. Exot. Orn.* pl. 66. Veragua.

Subfam. V. **Dendrocolaptinae**, *G. R. Gr.* 1840.

Certhianæ, p., *Bp.* 1831.

671. DENDROCOLAPTES, *Herm.* 1804.

- Dendrocopus*, *V.* 1816, *nec Koch*, 1816. *Orthocolaptes*, *Less.*
 1840. *Dendrocops*, *Sw.* 1837. *Premnocopus*, *Cab.* 1847.
Sw. C. of B. f. 281 a; *G. of B. i.* p. 139, pl. 43. f. 4; *Reich.*
 S. A. t. 36. f. .

a. DENDROCOLAPTES.

2373. **giganteus**, *Müll.*; *P. E.* 621; *Lev. Prom.* t. 26. Cayenne.
 certhia, *Bodd.*; *cayennensis*, *Gm.*; *scandens*, *Lath.* Upp. Amazon.
 major, *Herm.*; *communis*, *Less.* Bolivia.
 undulatus, *Cab.*
 2374. **Sancti Thomæ**, *Lafr.* Hond., Panama,
 C. Rica, Guat.

2375. **picumnus**, *Licht.*; *Spir.* A. B. t. 89. Brazil.
 cayanensis, p., *Licht.*; platyrostris, *Spir.*
 melanops, *Less.*; platyrhynchus, *Reich.*
 fortirostris, *Such?*
2376. **validus**, *Tsch. F. P. t.* 21. 2. Peru.
2377. **radiolatus**, *Sclat.* E. Peru.
2378. **puncticollis**, *Sclat. & S. Pr. Z. S.* 1868, pl. 5. Guatemala.
 multistrigatus, *Sclat. & S.*
2379. **multostrigatus**, *Eyton.*
 crassirostris, *Such?*; **validus**, p., *Sclat. & S.* Vera Paz, Nicara.
2380. **concolor**, *Pelz.* Amazonia.
2381. **pallescens**, *Pelz.* Brazil.
2382. ? **olivaceus**, *Eyton.* Columbia.
2383. ? **simpliciceps**, *Pucher. & Lafr.*
- 672.** b. **XIPHOCOLAPTES**, *Less.* 1840.
 Dendrocopus, *Reich.* 1853.
 Dendrocolaptes, *Bp.* 1854. *Dryocolaptes*, *Fitz.*
 G. of B. pl. 43. f. 4.
2384. **albicollis**, *V.*; *Abh. Ak. Berl. t.* 1. 1. Brazil, Bolivia.
 decumanus, *Licht.*; guttatus, *Max.* Argent. Repub.
 cyanotis, *Licht.?*
2385. **procerus**, *Cab. & H.* Venezuela.
2386. **promeropirhynchus**, *Less.* Bogota.
 melanops, *Less.*
2387. **lineatocephalus**, *G. R. Gr. & M. G. B.* pl. 43. Bolivia.
 promeropirhynchus, p., *Sclat.*
2388. **major**, *V.*; *Mag. de Zool.* 1833, t. 16. ,,
 rubiginosus, *Lafr.*
2389. **emigrans**, *Sclat.* Guatemala.
 albicollis, *Sclat.*
2390. **Perrotii**, *Lafr. Mag. de Zool.* 1844, t. 54. Cayenne.
2391. **fortis**, *Heine.*
- 673.** c. **DENDREXETASTES**, *Eyton*, 1851.
 Cladoscopus, *Reich.* 1853.
2392. **Temminckii**, *Lafr. Mag. de Zool.* 1841, t. 4. ,,
 capitoides, *Eyton.*
2393. **Devillii**, *Des Murs*; *Casteln. Voy. t.* 13. 1. Amazon.
- 674.** d. **NASICA**, *Less.* 1831.
 Dendrocolaptes, 3 div., *Cuv.* 1829.

2394. **longirostris**, *Licht.*; *Lev. Prom.* t. 24.
nasalis et albicollis, *Less.* Brazil.
R. Negro.
2395. **gracilirostris**, *Burm.* Rio Quinto.
- 675.** e. **DENDROPLEX**, *Sw.* 1827.
Dendrocolaptes, 2 div., *Cuv.*
Dendrocopus, *Sundev.* 1835.
2396. **picus**, *Gm.*; *P. E.* 605; *Lev. Prom.* t. 27.
minor, *Herm.*; rectirostris, *V.* Brazil.
guttatus, *Less.*; picoides, *Shaw*; chrysolophus, *Sw.* Amaz., Bolivia.
altirostris et nigrirostris, *Lafr.*
2397. **picrostris**, *Lafr.*; *Des Murs*, *I. O.* t. 51. N. Gran., Boliv.
2398. intermedius, *Bp.*
2399. similis, *Natt.* Brazil.
- 676.** f. **DENDROORNIS**, *Eyton*, 1852.
Premnocolaptes, *Reich.* 1853. Dendroplex, *Sw.* 1837?
2400. **susurrans**, *Jard.* Tobago.
albisquamata, *Lafr.* Trinidad.
2401. **rostri-pallens**, *Des Murs*; *Casteln. Voy.* t. 12. 2.
pallidirostris, *Sclat.* R. Napo, Ega.
2402. **multiguttatus**, *Lafr.*; *Casteln. Voy.* t. 12. 1. Cayenne.
2403. **eburneirostris**, *Less.*; *Des Murs*, *I. O.* t. 52.
flavigaster, *Sw.*; flavigastra, *Sclat.* Guatemala.
albirostris, *Lafr.* Mexico.
2404. **triangularis**, *Lafr. Mag. de Zool.* 1843, t. 32. Bogota, Ecuador,
Venezuela.
2405. **erythropygius**, *Sclat.* Jalapa.
triangularis, *Sclat.*
2406. **pardalotus**, *V.*; *Lev. Prom.* t. 30.
flammeus, *Licht.*; guttatus, p., *Lafr.* Cayenne.
Bogota, Bolivia.
2407. **palliat**, *Des Murs*; *Casteln. Voy.* t. 15. 1. Gualaquiza.
2408. **nanus**, *Laur.* Panama.
2409. **elegans**, *Pelz.* Brazil.
2410. *Beauperthuyssii*, *Lafr.* "
susurrans, *Sclat.* ?
2411. guttatus, *Licht.* "
2412. guttatoides, *Lafr.* Cayenne.
2413. mentalis, *Laur.* W. Mexico.
2414. *Eytoni*, *Sclat. P. Z. S.* 1853, pl. 52. Lower Amazon,
Brazil.
2415. *Kieneri*, *Lafr.*; *Casteln. Voy.* t. 14. 1. Ega.
2416. *D'Orbignyianus*, *Pucher.* Peru.

2417. *ocellatus*, *Tsch.* Peru.
 2418. *obsoletus*, *Ill.* Brazil.
 2419. *chunchotambo*, *Tsch. F. P. t. 22. 1.* Peru.
 2420. *lacrymosus*, *Lawr.* Brazil.

677. XIPHORHYNCHUS, *Sw.* 1827.

Dendrocolaptes, 3 div., *Tem.* 1830, et 4 div., *Cuv.* 1829. *Zi-*
phorhynchus, *Sw.* 1837.

Sw. C. of B. f. 281 b; *G. of B. i. p.* 140, pl. 43. f. 1; *Reich. S.*
A. t. 36. f. .

a. XIPHORHYNCHUS.

2421. *procurvus*, *Tem. P. C.* 28; *V. Gal. des Ois. t.* 175. Brazil, Bolivia.
falcularius, *V.*; *trochilirostris*, *Lafr.*
 2422. *Lafresnayanus*, *D' Orb. Voy. A. M. t.* 53. 2. Bolivia.
procurvus, *Lafr.*
 2423. *venezuelensis*, *Lafr.* Venezuela.
 2424. *granadensis*, *Lafr.* New Granada.
 2425. *thoracicus*, *Sclat.* Ecuador.
 2426. *procuroides*, *Lafr.* Cayenne.
 2427. *trochilirostris*, *Licht. Abh. Ak. Berl.* 1818, t. 3. Brazil.
procurvus, *Lafr.*; *Wiedi, Hartl.*
 2428. *brevirostris*, *Lafr.* "
 2429. *isabella*, *Verr.* "
 2430. *pusillus*, *Sclat.* Bogota.

678. b. DRYMORNIS, *Eyton*, 1852.

2431. *Pucherani*, *Lafr.*; *Des Murs, I. O. t.* 68. "
 2432. *Brydgesii*, *Eyton, Contr. Orn.* 1849, pl. . Bolivia.

679. PICOLAPTES, *Less.* 1831.

Thripobrosus, *Cab.* 1847.

G. of B. i. p. 140.

a. PICOLAPTES.

2433. *tenuirostris*, *Licht.*; *Spix, A. B. t.* 91. 2. Brazil.
fuscus, *V.*; *Spixii*, *Less.*; *guttata*, *Less. Cent. Zool. t.* 32.
 2434. *angustirostris*, *V.* Paraguay.
bivittatus, p., *Lafr.* Bolivia.
 2435. *bivittatus*, *Licht. Abh. Ak. Berl.* 1820, t. 2. 2. Brazil, Bolivia.
angustirostris, p., *G. R. Gr.* Argentine Rep.
 2436. *miniatus*, *Ill.* Paraguay.
rubricaudatus, *V.*

2437. *falcinellus*, *Licht.*
squamatus, *Lafr.* Buenos Ayres.
2438. *ocellatus*, *Spix*, *A. B.* t. 91. 1.
guttatus, *Spix.* Brazil.
2439. *compressus*, *Cab.* Costa Rica.
- 680.** *b. LEPIDOCOLAPTES*, *Reich.* 1853.
2440. *squamatus*, *Licht.*; *Spix*, *A. B.* t. 90. 2.
Wagleri, *Spix*; *maculiventris*, *Less.* Trinidad.
Brazil.
2441. *leucogaster*, *Sw.*
Wagleri, p., *G. R. Gr.* Mexico.
2442. *Souleyetii*, *Lafr.*; *Des Murs*, *I. O.* t. 69. Ecuador.
2443. *lineaticeps*, *Lafr.* Mexico.
2444. *Lafresnayi*, *Cab. & H.* Venezu., Bolivia.
2445. *Warsciwiczi*, *Cab. & H.* Peru.
2446. *atripes*, *Eyton.* Bolivia.
2447. *validirostris*, *Eyton.*
- 681.** *c. DACRYOPHORUS*, *Bp.* 1854.
2448. *lacrymiger*, *Lafr.*; *Des Murs*, *I. O.* t. 70. Ecuador, Bogota.
2449. *affinis*, *Lafr.*
angustirostris, *Bp.* Jalapa.
2450. *albilineatus*, *Lafr.* Mexico, Columb.
2451. *fuscicapillus*, *Pelz.* Brazil.
- 682. DENDROCINCLA**, *G. R. Gr.* 1840.
Dryocopus, *Max.* 1831, *nec Boie*, 1826.
G. of B. i. p. 141, pl. 43. f. 5; *Reich. S. A.* t. 36. f.
- a. DENDROCINCLA.*
2452. *turdina*, *Licht. Abh. Ak. Berl.* 1820, t. 2. 1.
turdinea, *Burm.* "
2453. *atrirostris*, *Lafr.*; *D'Orb. Voy.* t. 54. 1
olivacea et fumigata, *Laur.?*
turdinus, var., *Lafr.* Bolivia, Ecuad.
2454. *fumigata*, *Licht.*; *Lev. Prom.* t. 28.
fuliginosus, *V.* Brazil.
2455. ? *Delattarii*, *Bp.* Nicaragua.
2456. *minor*, *Pelz.* Brazil.
2457. *tyrannina*, *Lafr.* Bogota.
2458. *longicauda*, *Natt.* Rio Negro.
N 2

683. *b. DENDROMANES, Sclat. 1859.*

2459. *anabatina*, *Sclat. Pr. Z. S.* 1859, pl. 150. Mexico, VeraPaz,
Oaxaca.
2460. *homochroa*, *Sclat.* Oaxaca.
2461. *merula*, *Licht.* Guiana, Amaz.
2462. *meruloides*, *Lafr.* Venezuela.
melulina, *Cab. & H.*
2463. *ruficeps*, *Sclat. & Salv.* Panama.

684. SITTASOMUS, Sw. 1827.

Synallaxis, 2 div., *Cuv.* 1829.

Dendrocolaptes, 4 div., *Tem.* 1820.

Sittosomus, *Cab. & H.* 1859.

Sw. C. of B. f. 281 d; *G. of B.* i. p. 141, pl. 43. f. 3; *Reich.*
S. A. t. 36. f. .

a. SITTASOMUS.

2464. *erythacus*, *Licht. Abh. Ak. Berl.* 1820, t. 1. 2, 3; *P. C.*
72. 1. S. Brazil.
sylviellus, *Tem.*; *Temminckii*, *Less.* Bolivia.
2465. *amazonus*, *Lafr. & Dev.*; *Casteln. Voy.* t. 15. 3. Ecuador.
erythacus, *Sclat.* Rio Negro.
2466. *sylvioides*, *Lafr.* Mexico.
pectinicauda, *Cab. & H.*
2467. *griseus*, *Jard.* Tobago.
2468. *pallescens*, *Lafr.*
2469. ? *Orbignyianus*, *Lafr.*
2470. *olivaceus*, *Max.* S. Brazil.
2471. *stictolæmus*, *Pelz.* Borba, Brazil.

685. *b. MARGARORNIS, Reich. 1853.*

2472. *squarniger*, *Lafr.*; *D' Orb. Voy.* t. 542. Bolivia, Ecuador.
perlatus, *Less.* New Granada.
2473. *gutturalis*, *Lafr.* Bolivia.
2474. *certhioides*, *Lafr.* Argentine Rep.
2475. *rubiginosus*, *Lawr.* Costa Rica.
2476. *brunnescens*, *Sclat. Pr. Z. S.* 1857, pl. 116. Bogota, Veragua.
2477. *guttatus*, *Lawr.* Ecuador.

686. *c. SIPTORNIS, Reich. 1853.*

2478. *flammulatus*, *Less.* Brazil.

687. GLYPHORHYNCHUS

et Sphenorhynchus, *Max.* 1831. *Sittacilla*, *Less.* 1837. *Zenophasia*, *Sw.* 1837. *Xenophasia*, *Strickl.* 1841. *Neops*, *Bp.* 1854, *nec V.*

G. of B. i. p. 141, pl. 43. f. 2; *Reich. S. A. t.* 36. f.

2479. **cuneatus**, *Licht. Abh. Ak. Berl.* 1818, t. 3. 1. Brazil.
ruficaudus, *Max.*; *platyrhyncha*, *Sw.*
2480. **Castelnaudii**, *Des Murs*; *Casteln. Voy.* t. 15. 2. Bogota.
cuneatus, *p.*, *Sclat.* Pallatanga.
2481. **major**, *Sclat.* Vera Paz.
cuneatus, *Lawr.*; *pectoralis*, *Sclat. & Salv.*

688. PYGARRHICHUS, *Licht.* 1837.

Dendrodromus, *Gould*, 1839.

Dromodendron, *G. R. Gr.* 1840.

Dromodendrum, *Agass.*

Pigarrhicus, *Des Murs*, 1853.

Pygarhicus, *Hartl.*

Pygarhicus, *Bp.* 1850.

G. of B. i. p. 149, pl. 45. f. 4; *Reich. S. A. t.* 36. f.

2482. **albogularis**, *King, Voy. Beagle*, pl. 27. S. Chili.
leucosternus, *Gould*; *sitellus*, *Licht.*

Subfam. VI. **Sittinæ**, *Bp.* 1831.**689. SITTA**, *L.* 1735.

Sitella, *Rafin.* 1815.

Sw. C. of B. f. 72; *G. of B. i.* p. 147, pl. 45. f. 1; *Reich. S. A. t.* 36. f.

a. **SITTA**.

2483. **europæa**, *L.*; *P. E.* 623. 1; *Naum. Vög.* t. 139; *Gould, B. E.* pl. 236. N. Europe.
uralensis, *Licht.*; *sericea*, *Tem.*
asiatica, *Gould*; *roseilia*, *Tem.*
2484. **cæsia**, *Wolf & Mey.*; *Gould, B. E.* pl. 234. C. S. Europe.
europæa, *Flem.*; *Krueperi*, *Tristr.*?
europæa, var., *Blas.*; *affinis*, *Bl.*
2485. **syriaca**, *Ehr.*; *Gould, B. E.* pl. 235. S.E. Europe.
Neumayer, *Mich.*; *rupestris*, *Tem.*
saxatilis, *Schinz.* Candahar.
N. Africa.
2486. **himalayensis**, *Jard. & S. I. O.* pl. 146; *Gould, B. As.* pl. Himalayas.
vitticauda, *James*; *indica*, *Burt.* Sikkim.
nipalensis, *Hodgs.*
2487. **castaneoventris**, *Frankl.*; *Jard. & S. I. O.* pl. 145; *Gould, B. As.* pl. S. & C. India.
castanea, *Less.*; *ferrugineoventris*, *Gould.*

2488. **cinnamomeoventris**, *Bl.*; *Gould, B. As. pl.* Himalayas.
nipalensis, Bp.; *castaneoventris, Hodgs.* Sikkim.
2489. **leucopsis**, *Gould, B. As. pl.* Simla.
castanilia, Bp. N.W.Himalayas.
2490. **carolinensis**, *Lath.*; *V. Gal. des Ois. t. 171*; *Baird, B.* E. N. America.
N. A. pl. 33. 4.
melanocephala, V.
2491. **canadensis**, *Lath.*; *P. E. 623. 3*; *Wils. A. O. pl. 2. 4.* N. America.
stulta, V.; *varia, Wils.*
2492. **pusilla**, *Lath.*; *Wils. A. O. pl. 15. 2.* S. Atlantic States.
2493. **pygmæa**, *Vig. Beechey's Voy. pl. 4. 2.* N.W. America.
2494. **aculeata**, *Cass.*; *Baird, B. of N. A. pl. 33. 3.* E. of Rocky Mts.
2495. **Krueperi**, *Pelz. Ibis, 1865, pl. 7.* Asia Minor.
2496. **villosa**, *Verr. N. Arch. du Mus. i. t. 5. 1.* N. China.
- 690.** *b. CALLISITTA, Bp. 1850.*
2497. **formosa**, *Bl.*; *Gould, B. As. pl.* Sikkim.
- 691.** *c. DENDROPHILA, Sw. 1837.*
Orthorhynchus, Horsf. 182 ? , nec Cuv. 1829.
2498. **frontalis**, *Horsf.*; *P. C. 72. 3.* Java, Sumatra.
velata, Tem. Borneo, Burmah.
2499. **corallina**, *Hodgs.* Nepal.
frontalis, Bl. Ceylon, Pegu.
2500. **azurea**, *Less.*; *G. R. Gr. & M. G. B. pl. 45.* C. Asia.
flavipes, Sw.; *gymnophrys, Kuhl*; *Schl. de Dierg. fig. p. 159.*
gymnopsis, Schl.
- 692.** *d. HYPERPES, Newt. 1863.*
Sitta, p., Schl. & Poll.
2501. **corallirostris**, *Newt. Pr. Z. S. 1863, pl. 13.* Madagascar.
- 693. SITTELLA**, *Sw. 1837, nec Rafinq. 1815.*
G. of B. i. p. 148, pl. 45. f. 2; *Reich. S. A. t. 36. f. .*
733. 2502. **chrysoptera**, *Lath. Syn. suppl. pl. 127*; *Gould, B. A.* New S. Wales.
iv. pl. 101.
7370. 2503. **leucocephala**, *Gould, B. A. iv. pl. 102.* N.S.W., N. Aus.
2504. **leucoptera**, *Gould, B. A. iv. pl. 103.* N. Australia.
7011. 2505. **pileata**, *Gould, B. A. iv. pl. 104.* S.&W. Australia.
melanocephala, Gould.
2506. **tenuirostris**, *Gould.* S. Australia.

694. ACANTHISITTA, *Lafr.* 1843.*Acanthidositta*, *Agass.**G. of B. i.* p. 148, pl. 45. f. 3; *Reich. S. A. t.* 36. f. .a. **ACANTHISITTA**.

34. 2507. **chloris**, *Sparbm. M. C. t.* 33; *Mag. de Zool.* 1842, t. 27. New Zealand.
tenuirostris, *Lafr.*
 ♀, *citrina*, *Gm.*
citrinella, *Forst.*
juv., *punctata*, *Quoy & G. Voy. Astrol. t.* 18. 1.

695. b. **XENICUS**, *G. R. Gr.* 1853.

- 2508.
- longipes**
- ,
- Gm. Voy. Ereb. & Terr. pl.*
3. 1. „

77. 2509. **Stokesi**, *G. R. Gr.*
longipes ♀, *G. R. Gr.?* „

- 2510.
- gilviventris**
- ,
- Pelz.*

- 2511.
- Haasti**
- ,
- Buller.*

S. Island, New
Zealand.FAM. VII. **CERTHIIDÆ**, *Vig.* 1825.Subfam. I. **Certhiinae**, *Bp.***696. CERTHIA**, *L.* 1735, 1744, 1758, 1766.*Ispida*, p., *L.* 1748, 1756. *Falcatores*, *Klein*, 1759.*Sw. C. of B. f.* 280 a, b; *G. of B. i.* p. 143, pl. 44. f. 5; *Reich. S. A. t.* 38. f. .

- 2512.
- familiaris**
- ,
- L.*
- ;
- P. E.*
- 681;
- Naum. Vög. t.*
- 140;
- Gould, B. E. pl.*
237. Europe.

Nattereri, *Bp.*; *Costæ*, *Bailly.**scandulosa*, *Pall.*; *brachydactyla*, *Natt.*

- 2513.
- americana**
- ,
- Bp.*
- ;
- Wils. A. O. pl.*
8. 1. America.
-
- familiaris*
- ,
- Wils.*
- ;
- albifrons*
- ,
- Bl.?*

- 2514.
- mexicana**
- ,
- Reich.*
- ;
- Baird, B. N. A. pl.*
83. 2. Mexico.
-
- americana*
- , p.,
- Baird.*

- 2515.
- himalayana**
- ,
- Vig.*
- ;
- Gould, B. As. pl.*
- Himalaya Mts.
-
- asiatica*
- ,
- Sw.*

- 2516.
- nepalensis**
- ,
- Hodgs.*
- ;
- Gould, B. As. pl.*
- Nepal.
-
- himalayana*
- ,
- Bl.*

- 2517.
- discolor**
- ,
- Bl.*
- ;
- Gould, B. As. pl.*
- Sikkim.

697. CAULODROMUS, *G. R. Gr.* 1847.*Rimator*, *Bl.* 1847. *Merva*, *Hodgs.* 1847.*G. of B. i.* p. 143, pl. 44. f. 4; *Reich. S. A. t.* 38. f. .

2518. **Gracei**, *G. R. Gr. & M. G. B.* pl. 44. 2; *Calc. Journ. N. H.* 1847, p. 32. Darjeeling.
malacoptilus, *Bl.*; *Jerdonii*, *Hodgs.*

698. SALPORNIS, *G. R. Gr.* 1847.

G. of B. i. p. 144, pl. 44. f. 3; *Reich. S. A. t.* 38. f.

2519. **spilonota**, *Frankl.*; *G. R. Gr. & M. G. B.* pl. 44. 1; Behar.
Gould, B. As. pl.

Subfam. II. **Tichodrominæ**, *Bp.* 1849.

Certhianæ, *p.*, *G. R. Gr.* 1840. *Climacterinæ*, *Cab.* 1860.

699. TICHODROMA, *M.* 1811.

Petrodroma, *V.* 1816. *Jetrodroma*, *Boie*, 1826.

G. of B. i. p. 144, pl. 44. f. 1; *Reich. S. A. t.* 38. f.

2520. **muraria**, *L.*; *P. E.* 372; *Lev. Prom.* t. 20, 21; *Naum. Vög.* Europe.
t. 141; *Gould, B. E.* pl. 239. Egypt, Abyssin.
phœnicoptera, *Tem.* Nepal.
subhimalayana, *Hodgs.*; *nipalensis*, *Bp.*
muraria, *p.*, *Hodgs.*

700. CLIMACTERIS, *Tem.* 1820.

Sw. C. of B. f. 73; *G. of B. i.* p. 145, pl. 44. f. 2; *Reich. S. A. t.* 38. f.

a. **CLIMACTERIS.**

- 42 2521. **leucophæa**, *Lath.*; *P. C.* 281. 1; *Gould, B. A.* iv. pl. 98. N. S. W., S. Aus.
picumnus, *Tem.*; *leucoptera*, *Lath.* Celebes, Timor.
Bailloni, *V. Gal. des Ois.* t. 172 ?
2522. **pyrrhonota**, *Gould.* Australia.
leucophæa, *p.*, *Gould.*
- 569 2523. **scandens**, *Tem.* *P. C.* 281. 2; *Gould, B. A.* iv. pl. 93; New S. Wales, S.
Kittl. Kupf. Vög. t. 6. 1. Austr., Nor. I.
2524. **melanura**, *Gould, B. A.* iv. pl. 97. N. Australia.
2525. **rufa**, *Gould, B. A.* iv. pl. 94. W. Australia.
2526. **erythrops**, *Gould, B. A.* iv. pl. 95. New S. Wales.
2527. **melanota**, *Gould, B. A.* iv. pl. 96. N. Australia.
melanonota, *Gould.*

701. *b.* **RHABDORNIS**, *Reich.* 1854.

2528. **mystacalis**, *Tem. P. C.* 335; *Kittl. Kupf. Vög.* t. 6. 2. Luzon.

FAM. VIII. **MENURIDÆ**, *Bp.* 1849.

Cracidæ, p., *Vig.* 1825. Penelopidæ, p., *Bp.* 1831. Megapodidæ, p., *Sw.* 1837. Eriodoridæ, p., 1847, *et* Pteroptochidæ, 1859, *Cab.*

Subfam. I. **Menurinæ**, *G. R. Gr.* 1847.

Megapodinæ, p., 1840, *et* Troglodytinæ, p., *G. R. Gr.* 1841.

702. MENURA, *Davies*, 1800.

Parkinsonius, *Bechst.* Megapodius, *Wagl.* 1827.

Mænura, *Cuv.* 1829. Mænura, *Less.* 1828.

Sw. C. of B. f. 302; *G. of B.* i. p. 153, pl. 47. f. 9; *Reich. S. A.* t. 57. f.

2529. **superba**, *Davies, Linn. Trans.* vii. pl. 22; *V. Gal. des Ois.* t. 192; *Gould, B. A.* iii. pl. 14.

New S. Wales.

menura, *Wagl.*; lyra, *Shaw*; novæ hollandiæ, *Lath.*

mirabilis, *Bechst.*; vulgaris, *Flem.*; paradisia, *Sw.*

lyrata, *Less.*

5570 2530. **Alberti**, *Gould, B. A.* suppl. pl.

Richmond River.

2531. **Victoriæ**, *Gould.*

Port Phillip.

Subfam. II. **Orthonycinæ**, *G. R. Gr.* 1840.**703. ORTHONYX**, *Tem.* 1820.

Sw. C. of B. f. 77; *G. of B.* i. p. 151, pl. 44. f. 6; *Reich. S. A.* t. 38. f.

a. **ORTHONYX.**

128 2532. **spinicauda**, *Tem. P. C.* 428, 429; *Gould, B. A.* iv. pl. 99. New S. Wales.
maculatus, *Steph.*; Temminckii, *Vig.*

2533. **Spaldingi**, *Rams.*

Rocking. Bay,
Queensland.

704. b. **МОЮА**, *Less.* 1837.

Clitonyx, *Reich.* 1853.

77/ 2234. **ochrocephala**, *Gm. Voy. Astrol.* t. 17. 1; *G. R. Gr. & M. G. B.* pl. 46.

chloris, *Forst.*; icterocephala, *Lafr.*

heteroclita, *Quoy & G.*; hua, *Less.*

New Zealand.
South Islds.

2535. **albicilla**, *Less.*; *Voy. Ereb. & Terr.* pl. 5. 2.

senilis, *Dubus.*

New Zealand.
South Islds.

FAM. IX. **PTEROPTOCHIDÆ**, *Sclat.* 1858.

Certhiadae, p., *G. R. Gr.* 1840. *Merulidae*, p., *Sw.* 1837. *Eriodoridae*, p., *Cab.* 1847.

Subfam. I. **Pteroptochinae**, *Cab.* 1859.

Crateropodinae, p., *Sw.* 1837. *Troglodytinae*, p., *G. R. Gr.* 1840. *Myiotherinae*, p., *Cab.* 1847.

705. HYLACTES, *King*, 1830.

Megalonyx, *Less.* 1831. *Hylaetes*, *D'Orb.* 1844.

G. of B. i. p. 154, pl. 47. f. 4; *Reich. S. A.* t. 57. f. .

2536. **Tarnii**, *King*; *D'Orb. Voy. A. M.* t. 8. 1.
ruficeps, *Lafr.*

Isl. of Chiloe.
Conception.

2537. **castaneus**, *Phil. & Landb.*; *Sclat. & Salv. E. O.* pl. 29. Chili.

2538. **megapodius**, *Kittl. Mém. Acad. Pétersb.* 1831, t. 4; *Sw. Z. I.* pl. 117. "
rufus, *Less.*; *macropus*, *Sw.*

706. PTEROPTOCHOS, *Kittl.* 1830.

Leptonyx, *Sw.* 1832. *Pteroptochus*, *Wiegman.* 1836. *Platyurus*, p., *Sw.*

G. of B. i. p. 155, pl. 47. f. 3; *Reich. S. A.* t. 57. f. .

a. **PTEROPTOCHOS.**

2539. **rubecula**, *Kittl. Mém. Acad. Pétersb.* 1831, t. 2; *D'Orb. Voy. A. M.* t. 7. 2.
rufogularis, *D'Orb.*

Chili.
I. of Chiloe.

2540. **albicollis**, *Kittl. Mém. Acad. Pétersb.* 1831, t. 3; *D'Orb. Voy. A. M.* t. 8. 2.
medius, *Less. Ill. de Zool.* t. 60.

Chili.

707. b. **ACROPTERNIS**, *Cab.* 1859.

Ommatornis, *Sclat. MS.*

2541. **orthonyx**, *Lafr. Mag. de Zool.* 1844, t. 53.

New Granada.

708. c. **LIOSCELES**, *Sclat.* 1864.

2542. **thoracicus**, *Sclat. Pr. Z. S.* 1864, pl. 38.

Costa Rica, R.
Amazon.

709. d. **TRIPTORHINUS**, *Cab.* 1847.

Platyurus, p., *Sw.*

Reich. S. A. t. 57. f. .

2543. **paradoxus**, *Kittl. Mém. Acad. Pétersb.* 1831, t. 5.
chilensis, *Ménétr.*; *lepturus*, *Sw.*

Chili.
I. of Chiloe.

710.*e. AGATHOPUS, Sclat. 1858.*2544. *micropterus, Sclat.*

Rio Napo.

711.*f. SCYTALOPUS, Gould, 1836.**Sylviaxis, Less. 1840.**Reich. S. A. t. 57. f. .*2545. *magellanicus, Gm.; Jard. Contr. Orn. pl. 77.*

Str. of Magellan.

fuscus, Gould; niger, Sw.; æthiops, Hartl.

Chili, Patagonia.

obscura, King; speluncæ, Ménétr.

Falkland Isld.

*fuliginosum, Less.; albifrons, Landb.*Terra del Fuego,
I. of Chiloe.2546. *indigoticus, Licht.; Jard. Contr. Orn. pl. 76. 2, & pl. 78.*

Brazil.

*albiventris, Ménétr.; albicularis, Gould.*2547. *polygramma, n. sp.?*

Guatemala.

2548. ? *fuscoides, Lafr.*

Chili.

*fuscus, var.?*2549. *undulatus, Jard. & S. Ill. O. pl. 19; Contr. Orn. 1851, pl. 76. 1.*

— ?

2550. *nanus, Lafr.*

I. of Chiloe.

712.*g. MERULAXIS, Less. 1830.**Platyurus, Sw. 1837. Malacorhynchus, Ménétr. 1834, nec Sw.**Sarochalinus, Cab. 1847. Merularis, D' Orb.**Reich. S. A. t. 57. f. .*2551. *rhinolophus, Max.; Cent. Zool. t. 30; Sw. B. Braz. pl. 55, 56.*

Brazil.

*ater, Less.; cristatellus, Ménétr.**corniculatus, Sw.*2552. *analis, Lafr.*

Paraguay, Chili.

2553. ? *senilis, Lafr.*

Bogota.

2554. ? *squamiger, Lafr.*

I. of Chiloe.

713. RHINOCRYPTA, G. R. Gr. 1841.*Rhinomya, I. Geoffr. 1832, nec Rob. 1830.**Megalonyx, Less. 1837. Rhinomyia, Agass.**G. of B. i. p. 154 a, pl. 47. f. 10; Reich. S. A. t. 57. f. .*2555. *lanceolata, I. Geoffr.; D' Orb. Voy. A. M. t. 7. 1; Mag. de Zool. 1832, t. 3.*

Patagonia.

FAM. X. **TROGLODYTIDÆ**, *Sclat.* 1862.Liotrichidæ, p., *Cab.* 1847.Subfam. I. **Troglodytinæ**, *G. R. Gr.* 1840, & *Cab.* 1847.Troglodytænæ, *Sw.* 1831.**714. TESIA**, 1837,*et* *Oligura*, 1844, *Hodgs.**G. of B. i.* p. 156.a. **TESIA**.2556. **castaneocoronata**, *Burt.*; *G. R. Gr. & M. G. B.* pl. 47. 1. E. Himalaya.
flaviventris, *Hodgs.*2557. **cyaniventris**, *Hodgs.*; *Gould, B. As.* pl. S.E. Himalaya.
auriceps, *Hodgs.*; *olivacea*, *M'Clell.***715.**b. **ANURA**, 1841,*et* *Pnoëpyga*, 1844, *et* *Propyga*, *et* *Proepygia*, 1846, *Hodgs.**Microura*, *Gould*, 1837. *Micrura*, *Strickl.* 1841.*Aipunemia*, *Sw.* 1831? *Æpynemia*, *Strickl.* 1840.*G. of B.* pl. 47. f. 5; *Reich. S. A. t.* 57. f. .2558. **squamata**, *Gould, I. A.* pl. Himalayas.
albiventer, *rufiventer*, *unicolor et concolor*, *Hodgs.*2559. **pusilla**, *Hodgs.* Darjeeling.2560. **caudata**, *Bl.* Nepal.2561. **longicaudata**, *Moore.* N.W. Himalaya.**716. TROGLODYTES**, *V.* 1807.*Troglodites*, *Cuv.* 1817, *nec L.* 1744.*Anorthura*, *Renn.* 1831.*Sylvia* (*Troglodytæ*), *Meyer*, 1815.*Sw. C. of B. f.* 71; *G. of B. i.* p. 157, pl. 47. f. 1; *Reich. S. A.*
t. 57. f. .a. **TROGLODYTES**.2562. **parvulus**, *Koch*; *P. E.* 651. 2; *Naum. Vög. t.* 83. 4;
Gould, B. E. pl. 130. Europe.
trogloodytes, *L.*; *europæus*, *Cuv.*
regulus, *Meyer.*2563. **nipalensis**, *Hodgs.*; *Gould, B. As.* pl. Nepal.
subhimalayanus, *Hodgs.*2564. **fumigatus**, *Tem.* Japan.2565. **punctatus**, *Bl.* Darjeeling.

2566. *hyemalis*, *V.*; *Wils. A. O.* pl. 8. 6. E. United States.
troglodytes, *Wils.* Cordova?
hyemalis, var. *pacificus*, *Baird.* Pacific co., U.S.

717.*b. THRYOTHORUS,*

- et Thryothorus*, *V.* 1816.
Thryotorus, *Reich.* 1850. *Telmatodytes*, *Cab.* 1850.
Thriothers, *Aliq.* *Thryophilus*, *Baird.*
Reich. S. A. t. 57. f. .
2567. *ludovicianus*, *Lath.*; *P. E.* 730. 1; *Wils. A. O.* pl. 12. 5. United States.
caroliniana, *Wils.*; *arundinaceus et littoralis*, *V.*; *louisianæ*,
Less. Mexico.
2568. *longirostris*, *V. Gal. des Ois.* t. 168. Brazil.
2569. *nigricapillus*, *Selat.* Ecuador.
2570. *pleurostictus*, *Selat. Cat. of A. B.* pl. 4. Vera Paz.
2571. *Berlandieri*, *Couch*; *Baird, B. N. A.* pl. 83. 1. N.E. Mexico.
2572. *petenicus*, *Salv.* Guatemala.
albinucha, *Cabot.*
2573. *leucotis*, *Lafr.* Mex., L. Amaz.,
Panama, Cay. Brazil.
2574. *Eidouxii*, *Bp.*
2575. *polyglottus*, *V.* "
omnivorus, *Licht.*
2576. *brunneus*, *Lawr.* Nicaragua.
2577. *minor*, *Pelz.* Brazil.
2578. *mexicanus*, *Licht.* Mexico.
guttulatus, *Hartl.*; *murarius*, *Licht.*
2579. *erythrophthalmus*, *Licht.* "
2580. *deflexus*, *Licht.* "
2581. *rosaceus*, *Less.* Chili.

718.*c. PHEUGOPEDIUS, Cab. 1850.*

- Thryothorus*, *Sundev.* 1835.
2582. *coraya*, *Gm.*; *P. E.* 701. 1. Cayenne.
2583. *melanos*, *V.*; *Spix, A. B.* t. 73. 2. Brazil.
genibarbis, *Sw.*; *coraya*, *Licht.* Bolivia.
2584. *mysticalis*, *Selat.* Ecuador.
2585. *fasciatoventris*, *Lafr.* Bogota.
albogularis, *Selat.* Panama.
2586. *rutilus*, *V.*; *Sw. B. Braz.* pl. 15. Brazil, Trinidad.
rutilans, *Sw.*; *gularis*, *Cuv.* Tobago.
2587. *maculipectus*, *Lafr.* S. Mex. to Guat.

2588. *euophrys*, *Sclat.* Quito.
 2589. ? *albicollis*, *Cuv.* Brazil.
 2590. *atroglaris*, *Salv.* Costa Rica.
 2591. *thoracicus*, *Salv.* "
 2592. *felix*, *Sclat.* Mexico.
- 719.** *d. THRYOPHILUS*, *Baird*, 1864.
 2593. *rufalbus*, *Lafr.* New Granada.
 venezuelanus, *Cab.*; *longirostris*, *Lawr.* Ecuador, Guiana.
 cumanensis, *Licht.* Panama, Trin.
 2594. *modestus*, *Cab.* Costa Rica.
 leucotis, *Lawr.* Guatemala.
 2595. *Galbraithi*, *Lawr.* Panama.
 leucotis, *p.*
 2596. *castaneus*, *Lawr.* "
 nigricapillus, *Lawr.* Veragua.
 2597. *albipectus*, *Cab.* New Granada.
 2598. *sinaloa*, *Baird.* N.W. America.
 2599. *poliopleurus*, *Baird.* Guatemala.
 rufalbus, var. *poliopleurus*, *Baird.*
 2600. *Schottii*, *Baird.* Mexico.
 nigricapillus, *Cass.* Isth. of Darien.
 2601. *striolatus*, *Max.*; *Spix*, *A. B. t.* 79. 2. Brazil.
- 720.** *e. THRYOMANES*, *Sclat.* 1861.
 Telmatodytes, *p.*, *Cab.*
- 719/ 2602. *Bewickii*, *Aud. B. A. ii.* pl. 118. N. America.
 leucogastra, *Gould.* Mexico.
 spilurus, *Vig. Beechey's Voy.* pl. 4. 1. California.
- 721.** *f. CISTOTHORUS*, *Cab.* 1850.
 2603. *stellaris*, *Naum.*; *Aud. B. A. ii.* pl. 124. United States.
 brevirostris, *Nutt.*; *Aud. B. A. ii.* pl. 175. Mexico.
 2604. *interscapularis*, *Licht.* Brazil.
 2605. *elegans*, *Sclat. & S.* C. America.
 2606. *polyglottus*, *V.* Brazil.
- 722.** *g. TELMATODYTES*, *Cab.* 1850.
 2607. *arundinaceus*, *V.*; *Wils. A. O. ii.* pl. 12. 4. N. America.
 palustris, *Wils.* Greenland, Mex.
 var. *paludicola*, *Baird.* Pacific co., U.S.

723. *h. HYLEMOTHROUS, Max. 1831.*

2608. **platensis**, *Gm.*; *P. E.* 730. 2. Brazil, N. Patag.,
Bahia, Blanca,
Falkland I.
2609. **furvus**, *Gm.*; *Brown, Ill.* pl. 18; *V. Gal. des Ois.* t. 167.
2610. **hornensis**, *Less.* Chili.
fasciolatus, Burm.
2611. **aedon**, *V.*; *Wils. A. O.* pl. 8. E. of U. S.
domestica, Wils.; *fulvus, Nutt.*
furvus, p., Naum.
2612. **musculus**, *Licht.* Brazil.
æquinoctialis, Sw. B. Braz. pl. 13.
2613. **brunneicollis**, *Sclat. & S. E. O.* pl. 23. 2. Mexico.
2614. **americanus**, *Aud. B. A.* ii. pl. 119. N.E. of U. S.
2615. **intermedius**, *Cab.* Oaxaca.
hypædon et aedon, Sclat. Guatemala.
2616. **tessellatus**, *Lafr.* Peru, Veragua.
tecellata, D' Orb.
2617. **inquietus**, *Baird.* Panama.
hypædon, Lawr.
2618. **magellanicus**, *Gould.* Str. of Magellan.
2619. **martinicensis**, *Sclat.* Martinique.
2620. **striatulus**, *Lafr.* Bogota.
2621. **audax**, *Tsch.* Peru.
2622. **solstitialis**, *Sclat. & S. Ex. Orn.* pl. 23. 1. Pinipi, Matos.
2623. **Parkmanni**, *Aud. B. Am.* ii. pl. 122. W. of U. States.
sylvestris, Gamb. California.
2624. **murinus**, *Less.* Peru.
2625. **chilensis**, *Less.* Chili.
quereza, Cuv.
2626. **pallidus**, *Lafr.* Patagonia.
2627. **guarayanus**, *Lafr.* Bolivia.
2628. **rufulus**, *Cab.* Guiana.

724. DONACOBIOUS, Sw. 1831.*Cichla, p., Wagl.* 1827.*G. of B. i. p.* 223, pl. 57. f. 6; *Reich. S. A.* t. 57. f. .*a. DONACOBIOUS.*

2629. **cyaneus**, *Müll.*; *P. E.* 392; *Sw. Zool. Ill.* pl. 27. Brazil.
atricapillus, L.; *braziliensis et japacani, Gm.*; *longirostris,*
Pall. Paraguay.

vociferans, *Sw.*; *vociferus*!, *Sclat.*
pratensis, *V.*

2630. *albolineatus*, *Lafr.*; *D'Orb. Voy. A. M.* t. 12. 1. Bolivia.

725. *b. HELEODYTES*, *Cab.* 1850.

Furnarius, *Sw.* 1837. *Buglodytes*, *Bp.* 1853.

2631. *griseus*, *Sw.* Santa Martha.
albicilius, *Bp.*

2632. *albobrunneus*, *Laur.* Panama.

2633. *minor*, *Cab.* Chili.

726. CAMPYLORHYNCHUS

et *Kampylorhynchus*, *Spix*, 1824. *Cichla*, *Wagl.* 1827, *nec Bl.* 1851.

G. of B. i. p. 158, pl. 47. f. 7; *Reich. S. A.* t. 57. f. .

2634. *variegatus*, *Gm.*; *Spix*, *A. B.* t. 79. 1. Bahia.
scolopaceus, *Licht.*

2635. *brunneicapillus*, *Lafr. Mag. de Zool.* 1835, t. 47; *Cass. B. Texas*, pl. 25. N. Mexico.

2636. *zonatus*, *Less. Cent. Zool.* t. 70. Guatemala, Mex.

2637. *zonatoides*, *Lafr.* Bogota.

2638. *brevirostris*, *Lafr.* ”

2639. *megalopterus*, *Lafr.*; *Des Murs, I. O.* pl. 54. S. Mexico.

2640. *pallescens*, *Lafr.* Ecuador.
megalopterus, *Sclat.*

2641. *capistratus*, *Less.*; *Des Murs, I. O.* t. 63. C. America.

2642. *pardus*, *Verr. & Bp.* New Granada.

2643. *hypostictus*, *Gould.* Peru.

2644. *unicolor*, *Lafr.* Bolivia.
scolopaceus, *Lafr.*

2645. *rufinucha*, *Lafr.* V. Cruz, Xalapa.
capistratus, *p., Sclat.*

2646. *nuchalis*, *Cab.* Trinidad.

2647. *unicoloroides*, *Lafr.* Bolivia.

2648. *jocosus*, *Sclat. Cat. of A. B.* pl. 3. S. Mexico.

2649. *guttatus*, *Gould.* Mexico.

2650. *cinnamomeus*, *Lafr.* Guayaquil.

2651. *striaticollis*, *Sclat.* Bogota.

2652. *affinis*, *Xantus*; *Elliot, B. N. Am.* pl. Lower Calif.

2653. *gularis*, *Sclat.* Mexico.

2654. *nigriceps*, *Sclat.* Mexico.
 2655. *balteatus*, *Baird.* Guayaquil.
 pallescens, *Sclat.*
 2656. *brevipennis*, *Laur.* Venezuela.
 2657. *humilis*, *Sclat.* Mazatlan.

727. CYPHORHINUS, *Cab.* 1844.

Leucolepis, *Reich.* 1850.

Cyphorinus, *Sclat.* 1862.

G. of B. i. p. 155, pl. 47. f. 6; *Reich. S. A. t.* 57. f.

a. CYPHORHINUS.

2658. **modulator**, *Lafr.*; *Casteln. Voy.* t. 17. 2. Peru.
 thoracicus, *Tsch.*; *rufigularis*, *Des Murs.*
 affinis, *Sw. B. of Braz.* pl. 57.
 2659. **musicus**, *Bodd.*; *P. E.* 706. 2; *Sw. B. Braz.* pl. 14. Cayenne.
 cantans, *Gm.*; *arada*, *Lath.* Bolivia.
 rubecula et carinatus, *Sw.*
 2660. **Lawrencei**, *Laur.*; *Sclat. & S. Exot. Orn.* pl. 21. Panama.
 cantans, *Laur.*
 2661. **phæocephalus**, *Sclat. & S. Exot. Orn.* pl. 22. Ecuador.

728. *b. MICROCERCULUS*, *Sclat.* 1861.

Cyphorinus, b, *Sclat.* 1862.

2662. **bambla**, *Bodd.*; *P. E.* 703. 2. Cayenne.
 troglodytes, *Less.*
 2663. **philomela**, *Salv.* Vera Paz.
 bambla, *Laur.*
 2664. **marginatus**, *Sclat.*; *Casteln. Voy.* t. 16. 3. Bogota.
 bicolor, *Des Murs.* E. Peru.
 2665. *albigularis*, *Sclat. Pr. Z. S.* 1855, pl. 88. Panama.
 2666. *luscini*, *Salv.* Panama.
 philomela, *Laur.*; *philomela, p.*, *Baird.* Sta Fé, Veragua.
 2667. *cinctus*, *Natt. & Pelz.* Brazil.

729. *c. HENICORHINA*, *Sclat. & S.* 1863.

Heterorhina, *Baird*, 1864, *nec Microcerculus, p.*, *Sclat.* 1862.

2668. **prostheleucus**, *Sclat.* Cordova, Guat.
 2669. **griseicollis**, *Lafr.* Bogota.
 2670. **pusillus**, *Sclat.* Oaxaca.
 2671. *leucostictus*, *Cab.* Guiana, Mexico.
 prostheleuca, *Baird.* Ecuad., Panama,
 Veragua.

2672. *leucophrys*, *Tsch.*
guttatus, *Hartl.* Peru.
 Costa Rica.
- 730.** *d. SALPINCTES*, *Cab.* 1847.
Reich. S. A. t. 57. f.
2673. *obsoletus*, *Say*; *Bp. A. O. i. pl. 1, 2.*
latifasciatus, *Licht.?* W. America.
- 731.** *e. CATHERPES*, *Baird*, 1858.
Salpinctes, *p., Cab.*
2674. *mexicanus*, *Sw. Zool. Ill. pl. 9.*
guttulatus, *Lafr.*; *albifrons*, *Giraud.* R. Grande.
 Mexico.
- 732.** *f. ODONTORHYNCHUS*, *Pelz.* 186 .
2675. *cinereus*, *Natt. & Pelz.* Brazil.
- 733.** *g. CINNICERTHIA*, *Less.* 1844.
Presbys, *Cab.* 1851. *Thelydrias*, *Reich.* 1853.
2676. *unirufus*, *Lafr.*
cinnamomea et unicolor, *Less.* Bogota.
2677. *canifrons*, *Lafr.*
unirufa, *p., Sclat.* "
2678. *unibrunneus*, *Lafr.* Ecuador.

Subfam. II. *Tatarinæ*, *G. R. Gr.***734. TATARE**, *Less.* 1831.*Tatarea*, *Reich.* 1849.*G. of B. iii. app. p. 8, pl. suppl. 186. f. 1*; *Reich. S. A. t. 37. f.**a. TATARE.*

- 7915- 2679. *longirostris*, *Gm.*; *Voy. Coqu. t. 23. 2.*
caffra, *Sparrm. M. C. t.*
otaitiensis, *otatare et fuscus*, *Less.*
musæ, *Forst.* Society I.
 Tonga I.
 Marquesas I.
2680. ? *æquinoctialis*, *Lath.* Christmas I.

735. *b. HYBRISTES*, *Reich.* 1850.*Reich. S. A. t. 57. f.*

2681. *luscinius*, *Quoy & G. Voy. l' Astrol. t. 5. 2.* Iadrone I.

Tribe III. DENTIROSTRES, *Cuv.*FAM. I. LUSCINIDÆ, *G. R. Gr.* 1841.

Meliphagidæ, Pipridæ et Sylviadæ, *Vig.* 1825. Motacillidæ et Paridæ, *Boie*, 1826. Rhacnemididæ, Sylvicollidæ et Sylviadæ, *Cab.* 1847.

Subfam. I. Malurinæ, *G. R. Gr.* 1840.

Sylvianæ, p., et Motacillinæ, p., *Vig.* 1825.

736. ORTHOTOMUS, *Horsf.* 1820.

Edela, *Less.* 1831. *Sutoria*, *Nichols.* 1851.

Sw. C. of B. f. 135; *G. of B.* i. p. 161, pl. 48. f. 1; *Reich. S. A.* t. 58. f. .

2682. **sepium**, *Horsf.*; *P. C.* 599. 1; *Mag. de Zool.* 1836, t. 51. Java, Sumatra.

2683. **edela**, *Tem. P. C.* 599. 3. Sumatra.
sepium, *Raffl.*; *Less. (Cent.).* Malayan peninsula.

2684. **cucullatus**, *Tem. P. C.* 599. 2. Java, Sumatra.

2685. **ruficeps**, *Less. (Tr.).* Malacca.
sericeus, *Tem.*

2686. **flavoviridis**, *Moore.* ,
edela, *Bl.*

2687. **longicaudus**, *Gm.*; *Mag. de Zool.* 1836, t. 52, 53. India, Ceylon.
sutoria, *Gm.*; *guzuratta*, *Lath.* Burmah.
Bennettii et lingoo, *Sykes.*
ruficapilla, *Hutt.*; *sphenurus*, *Sw.*
patia, *Hodgs.*; *agilis*, *Nichols.*

2688. **coronatus**, *Jerd. & Bl.* Sikkim.

2689. **phyllorrhapheus**, *Swinh.* S. China.
phyllorapheus, *Jerd.*

2690. **Derbyanus**, *Moore, Pr. Z. S.* 1854, pl. 76. Philippine Isl.

2691. **atroregularis**, *Tem.* Borneo, Malac.

2692. **cineraceus**, *Bl.* Malacca.
sepium, *Lafr.*

2693. **longirostris**, *Sw.* N.S. Wales (*Sw.*),
Malacca?

2694. **maculicollis**, *Moore.* Malacca.

2695. **Hugelii**, *Pelz.* New Holland (?).

737. PRINIA, *Horsf.* 1820.

Dasyocharis, *Cab.* 1850.

G. of B. i. p. 162, pl. 48. f. 2; *Reich. S. A.* t. 58. f. .

a. PRINIA.

2696. **familiaris**, *Horsf. Zool. Res. pl. ; Sw. Zool. Ill. pl. 97.* Java, Sumatra.
olivacea, Raffl. ; prinia, Tem.
2697. **socialis**, *Sykes ; Fras. Zool. Typ. pl.* S. India, Nepal.
2698. **Hodgsoni**, *Bl.* Himalaya M.
gracilis, Jerd.
2699. **gracilis**, *Frankl.* India.
lingoo, Sykes.
2700. **cinereocapilla**, *Hodgs.* Nepal.
2701. **sonitans**, *Swinh.* I. of Formosa.
2702. **flaviventris**, *Deless.* Ind., Ass., Syl.,
 Bur., Malaya.
2703. *Stewartii, Bl.* C. India.
2704. *Beavani, Wald.* Tenasserim.
2705. *rufescens, Bl.* Burmah.
2706. *Adamsi, Jerd.* Poonah.

738. b. FRANKLINIA, *Bl. 1855.*

2707. **Buchanani**, *Bl.* India, Scinde.
rufifrons, Frankl. ; brunnifrons, Hodgs.
2708. *Cleghorniae, Jerd.* Delhi.

739. c. HOREITES, *Hodgs. 1844.*

Nivicola, Hodgs. 1844.

2709. **brunneifrons**, *Hodgs.* Nepal.
2710. **schistilata**, *Hodgs.* "
brunneifrons, p., Jerd.
2711. **pollicaria**, *Hodgs.* "
brunneifrons, p., Bl.
2712. **major**, *Hodgs.* "
2713. **robustipes**, *Swinh.* I. of Formosa.

740. d. DRYMOIPIUS, *Bp. 1854.*

2714. **polychroa**, *Tem. P. C. 466. 2.* Java.
Blythii, Bp.
2715. **neglecta**, *Jerd.* Upper India.
sylvatica, Bl.
2716. **sylvatica**, *Jerd.* S. India.
2717. **longicauda**, *Tick.* Nepal.
nipalensis, Hodgs. ; macroura, Jerd.

2718. **inornata**, *Sykes*; *Fras. Zool. Typ.* pl.
macroura, *Frankl.*; *Franklinii*, *Bl.* India.
2719. **valida**, *Bl.* Ceylon.
robustus, *Bl.*
2720. **extensicauda**, *Swinh.* S. China.
2721. *striolata*, *Pelz.* Kashmir.
2722. *flavirostris*, *Swinh.* I. of Formosa.
2723. *pekinensis*, *Swinh.* N.E. Amoy.
2724. ? *leucophrys*, *Boie.* Java.
2725. ? *phragmitoides*, *Kuhl.* „
- 741.** *e. Suya*, 1837,
et Decurus, 1841, *et Decura*, 1844, *Hodgs.*
2726. **crinigera**, *Hodgs.* Nepal, Bootan.
2727. **fuliginosa**, *Hodgs.* Nepal.
atroregularis, p.?, *Bl.*
2728. **atroregularis**, *Moore.* Darjeeling.
2729. *striata*, *Swinh.* I. of Formosa.
2730. *gangetica*, *Jerd.* Upper Ganges.
- Drymochaera*
742. DRYMOICA, *Sw.* 1827.
Drymœa, *Agass. et Cab.* 1850.
G. of B. i. p. 163, pl. 48. f. 3; *Reich. S. A.* t. 58. f. .
- a. DRYMOICA.
2731. **maculosa**, *Bodd.*; *P. E.* 752. 2; *Smith I. S. A. Z.* pl. 76. 1;
Lev. O. A. t. 129, 130. S. Africa.
macroura, *Lath.*; *capensis*, *Steph. & Smith.*
2732. **ocularia**, *Smith, I. S. A. Z.* pl. 75. 1. „
2733. **pectoralis**, *Smith, I. S. A. Z.* pl. 75. 2. S. Afr., Latakoo.
2734. **substriata**, *Smith, I. S. A. Z.* pl. 72. 1. S. Africa,
Olifant's R.
2735. **pallida**, *Smith, I. S. A. Z.* pl. 72. 2. S. & W. Africa,
Namaqualand.
melanorhyncha, *Jard.* Natal.
2736. **Smithii**, *Bp.*; *Smith, I. S. A. Z.* pl. 73. 1. S. Afr., Cape Col.
ruficapilla, *Smith.*
2737. **Levaillantii**, *Smith, I. S. A. Z.* pl. 73. 2; *Gould, B. A.*
iii. pl. 41. Cape Town,
Orange River.
tinniensi, *Licht.*; *magna et campestris*, *Gould.*
2738. **terrestris**, *Smith, I. S. A. Z.* pl. 74. 2. S. Afr., Latakoo,
et Kurrichain.
2739. **subruficapilla**, *Smith, I. S. A. Z.* pl. 76. 2. S. Afr., Cape Col.

2740. *affinis*, *Smith*, *I. S. A. Z.* pl. 77. 1. S. Africa.
2741. *cherina*, *Smith*, *I. S. A. Z.* pl. 77. 2. S. Africa, Port Natal.
2742. *aberrans*, *Smith*, *I. S. A. Z.* pl. 78. "
2743. *chiniana*, *Smith*, *I. S. A. Z.* pl. 79. S. Africa.
procerula, *Sundev.* N. of Kurrichain.
2744. *natalensis*, *Smith*, *I. S. A. Z.* pl. 80. S. Africa.
2745. *subcinnamomea*, *Smith*, *I. S. A. Z.* pl. 111. 1. S. Africa, Little Namaqualand.
2746. *fasciolata*, *Smith*, *I. S. A. Z.* pl. 111. 2. S. Africa, N.E. of Latakoo.
fasciiventris, *Sundev.*
2747. *curvirostris*, *Sundev.* Caffraria, Natal.
2748. *Morelii*, *Poll.* " Madagascar.
2749. *madagascariensis*, *Hartl.* "
2750. *clamans*, *Rüpp. Z. Atl.* t. 2 a ; *P. C.* 466. 2. Nubia, Kordofan.
2751. *inquieta*, *Rüpp. Z. Atl.* t. 36 b. Arabia.
famula, *Hempr. & E.*
2752. *lugubris*, *Rüpp. S. U. V.* t. 11. E. Africa, Abyss.
bizonura, *Heugl.*
2753. *ruficapilla*, *Fras.* W. Africa.
nigrirostris, *Fras.*
2754. *lateralis*, *Fras.* "
2755. *Strangeri*, *Fras.* "
Strangei, *Hartl.*
2756. *uropygialis*, *Fras. Zool. Typ.* pl. . 2. "
2757. *fortirostris*, *Jard.* "
2758. *rufa*, *Fras. Zool. Typ.* pl. . 3. "
2759. ? *subflava*, *Gm.* ; *P. E.* 584. 2, var. 3. Senegal.
2760. ? *fuscata*, *Gm.* ; *P. E.* 584. 1. "
2761. ? *flavicans*, *V.* ; *Lev. O. A.* t. 127. S. Africa.
limonella, *Licht.* ; *subflava*, *p.*, *G. R. Gr.* Namaqualand.
2762. *undata*, *Lath.* ; *P. E.* 582. 2. Senegal.
rufigastra, *V.*
2763. *scotoptera*, *Sundev.* Caffraria, E. Sennaar.
2764. *fulvescens*, *Sundev.* Caffraria.
2765. *chloris*, *Sundev.* "
2766. *flavogularis*, *Sundev.* "
2767. *flavicans*, *Strickl.* S.W. Africa.

2768. *obscura*, *Sundev.* Natal, Caffraria.
2769. *bivittata*, *Peters.* Mossambique.
2770. *fulvifrons*, *Sundev.* Natal.
2771. *rodericana*, *Newt. Pr. Z. S.* 1865, pl. 1. 3. Rodriguez.
2772. *Antinorii*, *Salvad.* N.E. Africa.
2773. *pachyrhyncha*, *Heugl.* Djour.
validus, *Heugl.*
2774. *iodoptera*, *Heugl. Ibis*, 1869, pl. 1. 2. „
2775. *robusta*, *Rüpp. S. U. &c. t.* 13. Abyssinia.
2776. *mystacea*, *Rüpp. S. U. t.* 10. Gondar, Abyss.,
 “affinis, Smith?,” Heugl.; superciliosa, p.?, Heugl. W. Africa.
2777. *rufifrons*, *Rüpp. F. A. t.* 41. 2. Abyss., W. Afr.
2778. *pulchella*, *Rüpp. Z. Atl. t.* 35 *a.* Kordofan.
 sylvietta, *Heugl.*
2779. *ruficeps*, *Rüpp. Z. Atl. t.* 36 *a.* Abyss., W. Afr.
2780. *erythrogonis*, *Rüpp. S. U. &c. t.* 12. Abyssinia.
 bizonura, *Heugl.*
2781. *marginalis*, *Heugl.* N.E. Africa.
 erythrogonys, p., Finsch.
2782. *striaticeps*, *Tristr.* Sahara.
 saharæ, Loche.
2783. *eremita*, *Tristr.* Palestine.
2784. *cinerascens*, *Heugl.* Sennaar.
 semitorques, p., Heugl. Keren.
2785. *superciliosa*, *Sw. B. of W. Afr.* pl. 11. Gambia.
 mystacea, p., Guér. & Lafr.; “affinis, Smith?,” Heugl. E. Africa.
 tenella, Cab.; Decken, Reisen, t. 2. 1. W. Africa.
2786. *nævia*, *Hartl.* „
2787. *erythroptera*, *Jard. Contr. Orn.* 1849, pl. „
2788. *erythropters*, *Hartl.* „
2789. *murina*, *Heugl.* Abyssinia.
2790. *cantans*, *Heugl.* N.E. Afr., Abyss.
 lugubris?, Heugl.; subruficapilla, p., Finsch.
2791. *concolor*, *Heugl. Ibis*, 1869, pl. 2. 1. N.E. Africa.
2792. *flaveola*, *Heugl. Ibis*, 1869, pl. 2. 2. Abyssinia.
2793. *Malzaci*, *Heugl.* N.E. Africa.
2794. *leucopyga*, *Heugl.* E. Sennaar.
2795. *cordofana*, *Heugl.* Kordofan.

2796. *simplex*, *Heugl.* N.E. Africa.
 2797. *virgata*, *Heugl.* "
 2798. *Anchietæ*, *Bocage.* W. Africa.
 2799. *elegans*, *Hartl.* Africa.
 2800. *lais*, *Hartl.* Natal.
 2801. *ruflata*, *Hartl.* Damaraland.
 2802. ? *valida*, *Peters.* E. Africa.
 2803. *Ortleppi*, *Tristr.* Colesberg.
 2804. *marginata*, *Heugl. Ibis*, 1869, pl. 1. 1. N. E. Africa.
- 743.** *b. CISTICOLA*, *Kaup*, 1829.
Schœnicola, *Blas.* 1862. *Drymoica*, p., *Sw.*
Reich. S. A. t. 58. f. .
2805. *schoenicola*, *Bp.*; *P. C.* 6. 3. S.W. Europe.
cisticola, *Tem.* Egypt, N. Arabia.
2806. *cursitans*, *Frankl.*; *Jerd. Ill. Ind. Orn.* pl. 6. India.
schoenicola, p., *Jerd.*
subhimalayana, *Hodgs.*
brunniceps, *Tem. & Sch. F. J.* t. 20 c. Nepal.
brunneicephala, *Bl.* Japan.
tintinnabulans, *Swinh.* China, Formosa.
2807. *exilis*, *Lath.*; *Gould, B. A.* iii. pl. 42. New S. Wales,
 S. Australia.
 2808. *lineacapilla*, *Gould, B. A.* iii. pl. 43. N. Australia.
 2809. *ruficeps*, *Gould, B. A.* iii. pl. 45. New S. Wales,
 Lombok, Flores, Timor.
 2810. ? *fuscicapilla*, *Wall.* Timor, Flores.
2811. *Ayresii*, *Hartl. Ibis*, 1863, pl. 8. 2. Natal.
 2812. *omalura*, *Bl.* Ceylon.
 2813. *Tytleri*, *Bl.* Dacca.
 2814. *erythrocephala*, *Jerd.* Malabar.
 2815. *volitans*, *Swinh.* I. of Formosa.
 2816. *isura*, *Gould, B. A.* iii. pl. 45. N. S. W., Lomb.,
 Flores, Timor.
 2817. *rustica*, *Wall.* Bouru.
 2818. *oryziola*, *Müll.* Timor, Java.
 2819. *isodactyla*, *Peters.* Mossambique.
 2820. *procera*, *Peters.* Tette, Mossamb.
 2821. *madagascariensis*, *A. Newt.* Madagascar.
cursitans, p. ?, *Hartl. & F.*

2822. *ferruginea*, *Heugl. Ibis*, 1869, t. 3. 2. C. Africa.
troglodytes, *Antin.*; *uropygialis*, p., *Finsch*.
2823. *semitorques*, *Heugl.* N.E. Africa.
2824. *eximia*, *Heugl. Ibis*, 1869, pl. 3. 1. U. Gazelle River.
2825. *hætomacephala*, *Cab.*; *Decken, Reisen*, t. 2. 2. E. Africa.
stulta, *Hartl. & F.*
- 744.** c. GRAMINICOLA, *Jerd.* 1863.
2826. *bengalensis*, *Jerd.* Ganges, Cachar.
- 745.** d. HEMIPTERYX, *Sw.* 1837.
2827. *tetrix*, *V.*; *Lev. O. A.* t. 131; *Smith, I. S. A. Z.* pl. 74. 1. S. Africa.
2828. *immaculata*, *Hartl.* „
oligura, p., *Heugl.*
2829. *oligura*, *Heugl.*; *Ibis*, 1869, pl. 3. 3. N.E. Africa.
brunnescens, *Heugl.*
2830. *iodopyga*, *Heugl.* N.E. Afr., Teuta.
2831. *habessinica*, *Heugl.* N.E. Africa.
- 746.** e. BURNESIA, *Bl.* 1855.
2832. *gracilis*, *Rüpp. Atl.* t. 2. 6; *P. C.* 466. 1. Egypt, W. Afr.
lepida, *Bl.*; *Gould, B. As.* pl. Tiberias?
tetrix, *Aud.* Bengal, Sindh.
- 747.** f. CATRISCUS, *Cab.* 1850.
2833. *apicalis*, *Licht.* S. Africa.
brevirostris, *Sundev.* Natal.
alexinæ, *Heugl.* C. Africa.
- 748.** g. MELOCICHLA, *Hartl.* 1857.
2834. *Bairdi*, *Cass.* W. Africa.
2835. *mentalis*, *Fras.*; *Jard. Contr. Orn.* 1849, pl. „
- 749.** h. EUPRINODES, *Cass.* 1859.
Drymoterpe, *Heine*, 1859.
2836. *rufigularis*, *Fras. Zool. Typ.* pl. 42. 1. Fernando Po.
2837. *olivacea*, *Strickl.* „
Stricklandi, *Bp.*
rufigularis, juv. ?, *Cass.*
2838. *schistacea*, *Cass.* W. Afr., Camma.
- 750.** i. STIPHORNIS, *Tem.*; *Hartl.* 1855.
2839. *erythrothorax*, *Tem.* W. Africa, Da-
bocrom.

- 751.** *j. HYLIA, Cass. 1859.*
 2840. *superciliaris, (Tem.) Hartl.* W. Africa.
prasina, Cass. Ashanti, Gaboon.
- 752.** *k. BÆOSCELES, Heine, 1860.*
 2841. *badiceps, Fras.* Fern. Po, Cam-
 ma, C. Lopez.
- 753.** *l. APALIS*
et Apales, Sw. 1837. Hapalus, Agass.
 2842. *thoracica, Shaw; Lev. O. A. t. 123. 1.* S. Africa.
gutturalis, Boie.
- 754.** *m. EROESSA, Hartl. 1866.*
Damia, Poll. MS.
 2843. *tenella, Hartl. Pr. Z. S. 1866, p. 219, fig. head; Poll. &* Madagascar.
V. D. F. de Madag. t. 18. 2.
pusilla, Poll. MS.
- 755.** *n. BÆOCERCA, Heine, 1829.*
 2844. *virens, Cass.* W. Africa.
microura, Cass.
- 756.** *o. ELLISIA, Hartl. 1861.*
Drymoica, p., Schl.
 2845. *typica, Hartl.; Poll. & V. D. F. de Madag. t. 28. 2.* Madagascar.
Ellisii, Schl. & Poll.
 2846. *Lantzi, Grandid.* "
 2847. *chloropetoides, Grandid.* "
 2848. *? madagascariensis, Lath.; Briss. Orn. iii. t. 22. 1.* "
- 757.** *p. EREMOMELA, Sundev. 1850.*
 2849. *flaviventris, Burch.* S. Africa.
icteropygialis, Lafr. ?
 2850. *pusilla, Hartl.* W. Afr., Senegal.
 2851. *brachyura, V.; Lev. O. A. t. 125.* S. Africa, Natal.
chloris, Boie. Damaraland.
 2852. *icteropygialis, Lafr.*
icteropyga, Cab.
 2853. *usticollis, Sundev.* S. Africa.
 2854. *scotops, Sundev.* "
 2855. *viridiflava, Hartl.* W. Afr., Seneg.
 2856. *lutescens, Less.* W. Africa.

2857. *elegans*, *Heugl.*
canescens, *Antin.* C. Africa.
2858. *griseoflava*, *Heugl.* Bogosland.
- 758.** *q. DRYODROMAS*, *Hartl. & Finsch*, 1869.
2859. *fulvicapilla*, *V.*; *Lev. O. A. t.* 124. 1, 2. S. Africa.
natalensis, *Hartl. Ibis*, 1863, pl. 8. 1. Natal.
2860. *albigularis*, *Hartl. & F.* ”
2861. *damarensis*, *Wahlb.* Damaraland.
2862. *flavida*, *Strickl.* ”
2863. *caniceps*, *Cass.* W. Afr., Camma.
- 759.** *r. CAMAROPTERA*, *Sundev.* 1850.
Syncopta, *Cab.* 1853. *Sincopta*, *Heugl.*
2864. *brevicaudata*, *Rüpp. Atl. t.* 35. 6. N.E. Africa.
clamans, *Heugl.*; *griseoviridis*, *Müll.* S. & W. Afr., Nat.
olivacea, *Sundev.* Damaraland.
2865. *tincta*, *Cass.* W. Africa.
olivacea, *p.*, *Heugl.*; *brevicaudata*, *p.*, *Hartl. & F.* Gaboon, Mudi R.
2866. *concolor*, *Hartl.* Guinea.
olivacea, *Tem.*
2867. *icterica*, *Strickl.* Fernando Po.
superciliaris, *Fras.* Camma, Ashanti.
2868. *Salvadoræ*, *Würt.* N.E. Africa.
- 760. SYLVIETTA**, *Lafr.* 1839.
Trochlotides et Oligura, *Rüpp.* 1845.
Oligocercus, *Cab.* 1853. *Sylviella*, *Sundev.*
Reich. S. A. t. . f. .
2869. *microura*, *Rüpp. F. A. t.* 41. 1; *Lefebv. Voy. Abyss. t.* 6. N.E. Africa.
brachyura, *Lafr.*; *rufescens*, *p.*, *Sundev.* W. Africa.
brevicauda, *Lefebv. Voy. Abyss. t.* 6; *brachyptera*, *Bp.*
2870. *rufescens*, *V.*; *Lev. O. A. t.* 135. S. Africa.
crombec, *Lafr.*
meridionalis, *Bp.*; *brachyura*, *Strickl.*
microura, *Bocage.*
- 761. CALAMANTHUS**, *Gould*, 1837.
Praticola, *Sw.* 1837, *nec Kaup*, 1829.
G. of B. i. p. 164; *Reich. S. A. t.* 58. f. .
- a. CALAMANTHUS.*
2871. *campestris*, *Gould, B. A. iii.* pl. 71. S. & W. Austr.
2872. *fuliginosus*, *Fig. & Horsf.*; *Gould, B. A. iii.* pl. 70. Tasmania.
anthoides, *Sw.*

762. *b. HYLACOLA, Gould, 1842.**G. of B. i. pl. 48. f. 5; Reich. S. A. t. 58. f. .*2873. **pyrrhopygius**, *Vig. & Horsf.; Gould, B. A. iii. pl. 39.* New S. Wales,
S. Australia.2874. *cantus, Gould, B. A. iii. pl. 40.* S. Australia.**763.** *c. CHTHONICOLA, Gould, 1847.**Reich. S. A. t. 58. f. .*7385 • 2875. **sagittatus**, *Lath.; Gould, B. A. iii. pl. 72.* New S. Wales.
minimus, Vig. & Horsf. S. Australia.**764. MALURUS, V. 1816.***G. of B. i. p. 165, pl. 48. f. 7; Reich. S. A. t. 58. f. .*31 • 2876. **cyaneus**, *Lath. Syn. pl. 53; V. Gal. des Ois. t. 163; Gould, B. A. iii. pl. 18.* New S. Wales.*superba, Shaw.* S. Australia.2877. **longicaudus**, *Gould, B. A. iii. pl. 19.* Tasmania.2878. **melanotis**, *Gould, B. A. iii. pl. 20.* S. Australia.2879. **splendens**, *Quoy & G. Voy. Astrol. t. 10. 1.* W. Australia.
*pectoralis, Gould, B. A. iii. pl. 21.*9840 • 2880. **elegans**, *Gould, B. A. iii. pl. 22.* "2881. **pulcherrimus**, *Gould, B. A. iii. pl. 23.* "31 • 2882. **Lambertii**, *Vig. & H.; Lewin, B. N. H. pl. 15; Gould, B. A. iii. pl. 24.* New S. Wales.2883. **cæruleicapillus**, *Gould.* N.S. & N.E. Aus.,
Nicholson R.2884. **amabilis**, *Gould, B. A. iii. pl. 25.* Cape York.2885. **coronatus**, *Gould, B. A. suppl. pl.* N.W. Australia.7570 • 2886. **leucopterus**, *Quoy. & G. Voy. Astrol. t. 23. 3; Gould, B. A. iii. pl. 25.* Australia.4655 • 2887. **dorsalis**, *Lewin, B. N. H. pl. 14; Gould, B. A. iii. pl. 26.* New S. Wales.
melanocephalus, Vig. & Horsf.
*Brownii, Jard.*2888. **Brownii**, *Vig. & Horsf.; Gould, B. A. iii. pl. 27.* "
cruentatus, Gould. N. Australia.2889. **hypoleucus**, *Gould.* Cape York.2890. **leuconotus**, *Gould, B. A. suppl. pl.* Int. of Australia.2891. **callainus**, *Gould, B. A. suppl. pl.* "**765. STIPITURUS, Less. 1831.***Malurus, Boie, 1826.**G. of B. i. p. 165, pl. 48. f. 8; Reich. S. A. t. 58. f. .*9841 • 2892. **malachurus**, *Shaw, Lev. O. A. t. 130. 2; Gould, B. A. iii. pl. 31.* Australia.*palustris, V.; gularis, Griff.* Tasmania.

766. AMYTIS, *Less.* 1831 *nec Sav.* 1826.*G. of B. i.* p. 166, pl. 48. f. 12; *Reich. S. A. t.* 58. f. .2893. **textilis**, *Quoy & G. Voy. Uranie*, t. 23. 1; *Gould, B. A. iii.* New S. Wales,
pl. 28. S. & N.E. Aus.2894. **striatus**, *Gould, B. A. iii.* pl. 29; *Less. Tr. d' Orn.* t. 67. 2. New S. Wales.
*textilis, Less.*2895. **macrourus**, *Gould, B. A. iii.* pl. 30. W. Australia.**767. ATRICHIA**, *Gould*, 1844, *nec Schrank*, 1803.*G. of B. i.* p. 166, pl. 48. f. 4; *Reich. S. A. t.* 57. f. .2896. **rufescens**, *Ramsay*.Richmond Riv.,
E. Australia.
W. Australia.2897. **clamosa**, *Gould, B. A. iii.* pl. 34.**768. SPHENURA**, *Licht.* 1823.*Dasyornis, Vig. & H.* 1826.*Malurus*, 2 div., *Tem.* 1820. *Timalia*, p., *Sw.**G. of B. i.* p. 167, pl. 48. f. 11; *Reich. S. A. t.* 58. f. .

a. SPHENURA.

2898. **brachyptera**, *Lath.*; *Jard. & S. I. O.* pl. 73; *Gould, B.*
A. iii. pl. 32.

New S. Wales.

pectoralis, Steph.; *australis, Vig. & H.*2899. **longirostris**, *Gould, B. A. iii.* pl. 33.

W. Australia.

2900. **Broadbenti**, *McCoy*; *Gould, B. A. suppl.* pl.Portland Bay,
Australia.**769.** b. PYCNOPTILUS, *Gould*, 1850.2901. **floccosa**, *Gould, B. A. suppl.* pl.

Int. of N. S. W.

770. CHÆTORNIS, *G. R. Gr.* 1848.*Dasyornis*, p., *et Sphenura, Bl.**G. of B. i.* p. 167, pl. 48. f. 9; *Reich. S. A. t.* 58. f. .2902. **striata**, *Jerd.*

India.

*locustelloïdes et collurioceps, Bl.***771. CINCLORAMPHUS**, *Gould*, 1837.*Cinclorhamphus, Strickl.* 1841.*Cintorhamphus, Wieg.**Ptenædus, Cab.* 1850. *Megalurus*, p., *Sw.**Sw. C. of B. f.* 212; *G. of B. i.* p. 168, pl. 48. f. 3; *Reich. S. A.*
t. 58. f. .2903. **cruralis**, *Vig. & H.*; *Gould, B. A. iii.* pl. 74.

New S. Wales.

2904. **cantillans**, *Gould, B. A. iii.* pl. 75.

Australia.

*cantatoris, Gould.***772. MEGALURUS**, *Horsf.* 1820.*G. of B. i.* p. 168, pl. 48. f. 10; *Reich. S. A. t.* 58. f. .

a. MEGALURUS.

2905. **palustris**, *Horsf.*; *P. C.* 65. 2. Java.
marginalis, *Reinw.*

2906. **citrinus**, *G. R. Gr. & M. G. B.* pl. 48. "
palustris, *juv?*, *G. R. Gr.*

2907. **timorensis**, *Wall.* Timor.

17461. *intercedens* *Scl*
 773.

b. SPHENÆACUS, *Strickl.* 1841.

Malurus, *Tem.* 1820. *Dasyornis*, *Vig. & H.* 1826. *Timalia*,
p., *Sw.* *Sphenæacus*, *Bp.* 1850. *Sphenura*, *Reich.* 1850.
Reich. S. A. t. 58. f.

2908. **africanus**, *Gm.*; *Lev. O. A.* t. 112. 2. S. Africa.
afra, *Gm.*; *tibicen*, *Licht.*
dubia, *Forst.*; *cantor*, *Less.*

7007 2909. **galactotes**, *Tem. P. C.* 65; *Gould, B. A.* iii. pl. 36. New S. Wales.
galactodes, *Aliq.* N. Australia.

2910. **punctatus**, *Quoy & G. Voy. Astrol.* t. 18. 3. New Zealand.

2911. **fulvus**, *G. R. Gr.* "
punctatus, *p.?*, *Buller.*

2912. **pycnopygius**, *Strickl.* Damaraland.

2913. **rufescens**, *Buller.* Rocky isle near
 Chatham Isl.

774. c. POODYTES, *Cab.* 1850.

Sphenæacus, *p.*, *Gould.*

2914. **gramineus**, *Gould, B. A.* iii. pl. 36. Australia.

775. d. — ?

Ptenædus, *p.*, *Cab.* *Ptenædus*, *Gould.*

7382 2915. **rufescens**, *Vig. & H.*; *Gould, B. A.* iii. pl. 76. "

776. c. LATICILLA, 1845,

et Sphenæacus, 1849, *Bl.*

Eurycercus, *Bl.* 1844 (*nec Baird*, 1843).

2916. **Burnesii**, *Bl.* Sindh.

Subfam. II. Calamodytinæ, *G. R. Gr.*

Sylviana, *Vig.* 1825. *Philomelina*, *Sw.* 1831.

Luscinia, *G. R. Gr.* 1841. *Sylviana*, *Platyrhynchina*, *p.*,

Calamoherpina, *Bp.* 1838.

Todina, *p.*, *et Parina*, *p.*, *Cab.* 1847.

777. CALAMODYTA, *Meyer*, 1815.

Acrocephalus, *Naum.* 1819. *Calamoherpe*, *Boie*, 1822.

Hydrocopsichus, *Kaup*, 1829. *Muscipeta*, *Reid & H.* 1835.

Agrobates, *Jerd.* 1839, *nec* 1837. *Acrobates*, *Bp.* 1850.
Arundinaceus, *Less.* 1831. *Phragmaticola*, *Bl.* 1844.
Malacocercus, *Hodgs.* 1844. *Phragmaticola*, *G. R. Gr.* 1849.
Junco, *Reich.* 1850?, *nec* *Wagl.* 1831.
G. of B. i. p. 171; *Reich. S. A.* t. 61. f. .

a. CALAMODYTA.

2917. **arundinacea**, *L.*; *P. E.* 513; *Naum. Vög.* t. 81. 1;
Gould, B. E. pl. 106. C. & S. Europe.
turdoides, *Meyer*; *junco*, *Pall.* Arab., S. & W. Af.
lacustris, *Naum.*; *turdina*, *Glog.*
2918. **brunnescens**, *Jerd.* India.
abornis, *Hodgs.*; *arundinaceus*, *p., Bl.*
2919. **orientalis**, *Schl. F. J.* t. 21 B. Japan, China.
magnirostris, *Swinh.* Moluccas.
2920. **longirostris**, *Gould, B. A.* iii. pl. 38. W. Australia.
2921. **agricola**, *Jerd.* India.
2922. **palustris**, *Bechst.*; *Gould, B. E.* pl. 109. C. & S. Europe.
pratensis, *Jaub.* Egypt.
2923. **dumetorum**, *Bl.* India.
montana, *Sykes*; *arundinacea*, *Hodgs.*
2924. **fasciolata**, *G. R. Gr.* Batchian I.
fasciatus, *Bl.*
2925. **insularis**, *Wall.* Gilolo, Morty I.
2926. **cantans**, *Tem. & Schl. F. J.* t. 19. Japan.
2927. **gracilirostris**, *Hartl.* Nat., Cape Town.
2928. **brevipennis**, *Dohrn.* Cape Verd Isl.
2929. **rufescens**, *Blas.* S. Africa.
2930. **stentoria**, *Ehr.*; *Ibis*, 1864, pl. 1. Damietta.
macrorhyncha, *Müll.*
2931. **cantillans**, *Tem. & Schl. F. J.* t. 20. Japan, China.
2932. **languida**, *Ehr.* E. Africa.
2933. **canturians**, *Swinh.* Chi., I. of Formo.
2934. **minuta**, *Swinh.* I. of For., S. Chi.
2935. **aralensis**, *Eversm.* Aral M.
2936. **Newtoni**, *Hartl.*; *Poll. & V. D. F. de Madag.* t. 28. 1. Madagascar.
2937. **fumigata**, *Swinh.* Amoy.
2938. **obscura**, *Heugl.*
pallida, (*Ehr.*) *Heugl.*

778. *b. ARUNDINAX, Bl. 1845.*Phragmaticola, *Bl.*2939. *aedon, Pall.*olivacea, *Bl.*

India, Malacca.

S. China, E. Asia,
Andaman I.**779.** *c. CALAMOHERPE, Boie, 1826, nec 1822.*Salicaria, *Selby, 1833.*2940. *arundinacea, Gm.; P. E. 581. 2; Naum. Vög. t. 81. 2;*
*Gould, B. E. pl. 108.*palustris, *Crep.; strepera, V.*salicaria, *Gm.*

Europe.

S. Africa, Natal.

2841. *beaticula, V.; Lev. O. A. t. 121. 1.*loquax, *Boie.*

S. Africa.

2942. *horticola, Naum. Vög. t. 370. 1.*obscuricapilla, *Dubois; nigrifrons, Bechst. ?*arundinacea, *β, Blas.*

C. & S. Europe.

2943. *australis, Gould; Lewin, B. N. H. pl. 18; Gould, B. A. iii.*
*pl. 37.*arundinaceus, *Lewin.*New S. Wales,
S. Australia.

Bouru.

2944. *fruticola, Naum. Vög. t. 370. 2.*

Europe.

2945. *bistrigiceps, Swinh.*Maackii, *Schrenck.*

Amur R.

2946. *sorghophila, Swinh.*

S. China.

2947. *brunneipectus, Bl.*

Himalayas.

780. *d. EPARNETES, Reich. 1850.*Calamoherbe, *p., Bl. & Hartl.**Reich. S. A. t. 57. f. .*2948. *syrinx, Kittl. Mém. Ac. Pétersb. ii. t. 8; Voy. Pôle Sud, t. 20. 5.* Carol. I., Ualau.**781.** *e. PSAMATHIA, Hartl. 1868.*2949. *Annæ, Hartl. Pr. Z. S. 1868, pl. 2.*

Pelew I.

782. *f. DUMETICOLA, Bl. 1845.*Horornis, *p., Hodgs.*2950. *affinis, Hodgs.*thoracica, *Bl.*

Nepal.

2951. *flaviventris, Hodgs.*

"

2952. *fortipes, Hodgs.*

"

783. *g. PSEUDOLUSCINIA, 1838,**et Lusciniopsis, 1841, Bp.*2953. *luscinioides, Savi; Naum. Vög. t. 370. 3, 4; Gould, B.*
*E. pl. 104.*Savii, *Bp.*

S. Europe.

England.

- 784.** *h. CETTIA, Bp. 1838.*
Bradyptetus, p., Cab.
 2954. *sericea, Natt.; P. E. 655. 2; Gould, B. E. pl. 114, 115. S. Europe.*
cetti, Marm.; platina et fulvescens, V.; altisonans, Rüpp.
 2955. *bæticata, V.; Lev. O. A. t. 121. 2. S. Africa.*
Isabella, Boie; bæticula, G. R. Gr.
 2956. *orientalis, Tristr. Palestine.*
 2957. *africana, Bp. S. Africa.*
 2958. *brevirostris, Sundev. "*
- 785.** *i. BRADYPTETUS, Sw. 1827.*
Bradypterus, G. R. Gr. 1840.
 2959. *cinnamomea, Rüpp. F. A. t. 42. 1. Abyssinia.*
 2960. *brachyptera, V.; Lev. O. A. t. 122. S. Africa.*
platyurus, Sw.; saltator, Boie.
 2961. *sylvatica, Sundev. S. Af., Kuruman.*
- 786.** *j. PHELEXIS, Hartl. 1866.*
 2962. *Victorini, Sundev. S. Afr., Knysna.*
 2963. *Layardi, Hartl. Ibis, 1866, pl. 6. Natal, George, S. Africa.*
- 787.** *k. CALAMODUS, Kaup, 1829.*
Calamodytes, p., Meyer.
Muscipeta, Koch, 1815. Caricicola, Brehm, 1855.
 2964. *schoenobænus, L.; Naum. Vög. t. 82. 1; Gould, B. E. Europe.*
pl. 110. Egypt, Palestine.
phragmitis, Bechst.
 2965. *aquatica, Lath.; Descr. de l'Egypte, t. 13. 4; Naum. C. & S. Europe.*
Vög. t. 82. 4, 5; Gould, B. E. pl. 111. 1.
salicaria, Bechst.; paludicola, V.
 2966. *? salicaria, Koch; Naum. Vög. t. 82. 2, 3. Europe.*
cariceti, Naum.; aquatica, p., Blas.
striata, Brehm.
- 788.** *l. IDUNA, Keys. & B. 1841.*
 2967. *caligata, Licht.; Naum. Vög. t. 375. 2. C. & S.E. Europe.*
salacaria, Pall. nec L.; scita, Eversm. Russia, Siberia.
"rama, Sykes," Bl.
 2968. *fumigata, Swinh. Amoy.*
caligata, Licht.?

789. *m. LUSCINIOLA, G. R. Gr. 1841.*

2969. *melanopogon*, *Tem.*; *Naum. Vög. t. 370. 3*; *Gould, B. E. pl. 111. 2.* S. Europe.
Bonellii, Naum.; *fuscescens, V.?*

2970. *lanceolata, Tem.* "

790. *n. POTAMODUS*

et Pottamodus, Kaup, 1829. Calamoherbe, Brehm, 1828, nec Boie.

Cettia, Bp. 1838. Bradypterus, Cab. 1850.

Tiltria, Reich. 1850. Lusciniopsis, p., Blas.

Calamodyta, G. R. Gr. 1848. Curruca, p., Sw.

2971. *fluviatilis, Mey. & W.*; *Descr. de l'Egypte, t. 13. 3*; *Gould, B. E. pl. 102.* S.E. Europe.
stagnalis, Naum.

791. *o. LOCUSTELLA, Kaup, 1829.*

Sibillatrix, Macgill. 1839, nec Kaup, 1829.

Psithyrædus, Glog. 1842. Parnopia, Blas. 1862.

Motacilla (Corydalis), Pall. 1831.

G. of B. i. pl. 49. f. 5; *Reich. S. A. t. 49. f. .*

2972. *locustella, Penn.*; *P. E. 581. 3*; *Naum. Vög. t. 83. 2. 3*; *Gould, B. E. pl. 103.* C. & S. Europe.
Rayi, Gould; *næviæ, Bechst.*
fluviatilis, Naum.

2973. *ochotensis, Middend. Sibir. Reise, t. 16. 7, 8.* Siberia, Japan.
japonica, Cass. S. China.

2974. *certhiola, Pall.*; *Wern. Ic. Tem. M. t. .*; *Gould, B. E. pl. 105.* N. Asia, Heligol.
Rayii, Bl.

2975. *rubescens, Bl.* Ind., L. Bengal.

2976. *Hendersonii, Cass.* S. China.
macropus, Swinh.; *certhiola?*, *Bl.*

792. *p. TRIBURA, Hodgs. 1844.*

Locustella, p., Bl.

2977. *luteoventris, Hodgs.* Nepal.
affinis, G. R. Gr. & M. G. B. pl. 49. 1.

2978. *squamiceps, Swinh.* Canton.

793. AEDON, Boie, 1826.

Erythropygia, Smith, 1835.

Agrobates, Sw. 1837. Aëdon, Strickl. 1841.

G. of B. i. p. 173, pl. 49. f. 2; *Reich. S. A. t. 59. f. .*

2979. *galactodes, Tem. P. C. 251. 1*; *Naum. Vög. t. 367. 1, 3*; *Gould, B. E. pl. 112.* Europe, Spain.
rubiginosus, Meyer. Palestine.

2980. **familiaris**, *Ménétr.*; *Naum. Vög.* t. 367. 2?
galactodes, var. β , *Blas.*
minor, *Cab.* Athens, Persia.
N. Africa.
Abyssinia.
2981. **leucophrys**, *V.*; *Lev. O. A.* t. 118.
pipiens, *Steph.*
pectoralis, *Smith, Ill. S. A. Z.* pl. 49. S. Africa.
2982. **paena**, *Smith, Ill. S. A. Z.* pl. 50. S. Af., Kuruman,
Damaraland.
2983. **signata**, *Sundev.* S. Africa.
2984. **leucoptera**, *Rüpp. S. U.* t. 15. Shoa.
2985. **sperata**, *Gm.*; *Lev. O. A.* t. 183. S. Africa.
familiaris, *Steph.*
2986. **Galtoni**, *Strickl.*
sperata, var., *Sundev.* Damaraland.
2987. **sinuata**, *Sundev.* Cape of G. Ho.
- 794. THAMNOBIA**, *Sw.* 1831.
Saxicoloides, *Less.* 1837.
G. of B. i. p. 185, pl. 50. f. 6; *Reich. S. A.* t. 60. f. .
- a. THAMNOBIA.
2988. **fulicata**, *Lath.*; *P. E.* 185. 1; *Lev. O. A.* t. 188. 2. S. Africa.
ptygmatura, *V.*; *leucopterus*, *Less.* ?
2989. **cambaiensis**, *Lath.* S. Asia.
erythrurus, *Less.*; *fulicata*, *Tick.* India, Nepal.
2990. **coryphæus**, *V.*; *Lev. O. A.* t. 120. S. Afr., C. Town.
2991. **atrata**, *Sw.* Africa ?
- 795.** b. PENTHOLEA, *Cab.* 1850.
2992. **frontalis**, *Sw.*; *Rüpp. S. U. &c.* t. 17. W. Africa.
albifrons, *Rüpp.* Shoa.
- 796.** c. — ?
- Cercotrichas*, *Cab.* 1850, et p. *Boie*, 1831.
Mimus, 2 div., *Boie*, 1828.
Sphenura, p., *Bp.* 1850.
2993. **podobe**, *Müll.*; *P. E.* 354. Nubia, Abyssin.
erythropterus, *Gm.* W. Africa.
2994. **luctuosa**, *Lafr.* N.E. Africa.
melanoptera, *Ehrenb.*
- 797.** d. THAMNOLEA, *Cab.* 1850.
2995. **albiscapulata**, *Rüpp. F. A.* t. 26. 1. Abyssinia.
humeralis, *Rüpp.*
cinnamomeiventris, p., *Bp.*
2996. **cinnamomeiventris**, *Lafr. Mag. de Zool.* 1836, t. 56. S. Africa.
albiscapulata, p., *Layard.*

2997. *cæsiogastra*, Bp. Abyssinia.

2998. *Schimperi*, Verr.

2998. *e. PŒOPTERA*, Bp. 1853.

2999. *lugubris*, Müll. Gaboon.

2999. *f. PARINIA*, Hartl. 1857.

3000. *leucophæa*, Hartl. "

Subfam. III. *Sylvianæ*, Cab. 1847.

Luscininæ, p., *et Sylvinæ*, p, G. R. Gr.

Philomelinæ, p., Sw. 1837.

800. SYLVIA (*Lath.* 1790) *auct.*

a. THAMNODUS, Kaup, 1829.

Psoridus, Rafiq. 1815?

Sylvia, 1838, *et Pyrophthalma*, 1841, Bp.

Melizophilus, p., Cab.

G. of B. i. p. 173.

3001. *melanocephala*, Gm. P. C. 245. 3; Gould, B. E. pl. 129.

ruscicola, V.; *ochrogenion*, Linderm.

S. Europe.

Egypt.

3002. *Bowmani*, Tristr.

Palestine.

801. *b. MELIZOPHILUS*, Leach, 1816.

Thamnodus, p., Kaup.

3003. *undata*, Bodd.; P. E. 655. 1; Gould, B. E. pl. 129.

provincialis, Gm.; *dartfordiensis*, Lath.

ferruginea, V.

S.W. Europe.

3004. *sarda*, Marm.; P. C. 245; Gould, B. E. pl. 127.

Sardinia.

3005. *nigricapilla*, Cab.

N.E. Africa.

802. *c. ALSÆCUS*, Kaup, 1829.

Alsoeus, G. R. Gr. 1848.

3006. *subalpina*, Bon.; P. C. 6. 2, *et* 251. 2, 3; Gould, B. E. pl. 124.

leucopogon, Meyer; *passerina*, Tem. P. C. 24. 1.

mystacea, Ménétr.

S. Europe.

Egypt, Tangier.

3007. *conspicillata*, Marm.; P. C. 6. 1; Gould, B. E. pl. 126.

icterops, Ménétr.

S. Europe.

Tangier, Palest.

3008. *delicatula*, Hartl. *Ibis*, 1859, pl. 10. 1.

deserti, Loche; *Doriæ*, De Fil.

N. Africa.

Persia.

3009. *deserticola*, Tristr.

Sahara.

3010. *nana*, Hempr. & Eh.

N.E. Africa.

803. *d. ERYTHROLEUCA, Kaup, 1829.*Stoparola, *Bp.*3011. ? passerina, *Gm.***804.** *e. STERPAROLA, Bp. 1841.*Staparola, *G. R. Gr.* 1848.Sylvia, *V.* 1816, *nec Lath.*Silvia, *Audouin.*Philacantha, *p., Glog.**G. of B. i.* pl. 49. f. 4; *Reich. S. A. t.* 61. f.3012. **cinerea**, *Bp.*; *P. E.* 579. 3 et 581. 1; *Naum. Vög. t.* 78.1, 2; *Gould, B. E.* pl. 125. 1.sylvia, *L.*; cineraria et fruticeti, *Bechst.*

Europe, Egypt.

Nubia, Palestine.

3013. **curruca**, *Lath.*; *P. E.* 380. 3; *Naum. Vög. t.* 77. 1; *Gould,**B. E.* pl. 125. 2.sylvia, *Pall.*; garrula, *Retz.*

Europe, Egypt.

Palestine.

3014. **affinis**, *Bl.*cinerea, *Jerd.*

India.

3015. ? lugens, *Rüpp. F. A. t.* 42. 2.

Abyssinia.

805. *f. SIBILATRIX, Kaup, 1829.*Ficedula, *Koch*, 1816. *Curruca, Flem.* 1828 ?Sylvicola, *Eyton*, 183 ? , *nec Sw.* 1837.Phyllopneuste, *p., Boie*, 1828.Phyllopseuste, *p., Meyer*, 1815.Phyllopseustes, *Glog.* 1834.3016. **sylvicola**, *Lath.*; *P. C.* 245. 3; *Naum. Vög. t.* 80. 2;*Gould, B. E.* pl. 131. 3.sibilatrix, *Bechst.*

C. & S. Europe.

Palestine.

806. *g. MONACHUS, Kaup, 1829.*Ficedula, *Briss.* 1760, *nec Moehr.* 1752.Sylvia (*Curruca*, *p.*), *Meyer*, 1815.*Curruca, Koch*, 1816, *nec Bechst.* 1802.Philomela, *Sw.* 1837. *Epilais*, *p., Cab.* 1851.Philacantha, *p., Glog.* 1834.3017. **atricapilla**, *L.*; *P. E.* 580. 1, 2; *Naum. Vög. t.* 77. 2, 3;*Gould, B. E.* pl. 120.moschata, *Gm.*

C. & S. Europe.

W. & N. Africa,

Palestine.

Madeira.

3018. **Heinekeni**, *Jard. & S. I. O.* pl. 94. 1.atricapilla, *var.*3019. **Rüppellii**, *Tem. P. C.* 245. 1; *Gould, B. E.* pl. 122.capistrata, *Rüpp. Atl. t.* 19.

S.E. Eur., Greece.

N. Africa.

3020. **ruficapilla**, *Naum. Vög. t.* 368.rubricapilla, *Landb.*; *Naumani, Müll.*

Europe.

807. *h. ADOPHONEUS, Kaup, 1829.**Curruca, Brehm*, 1828. *Philacantha*, *p., Glog.*

3021. **orpheus**, *Tem. P. E.* 579. 1; *Naum. Vög.* t. 76. 3, 4; *Gould, B. E.* pl. 119.
grisea, *V.*; curruca, *Brehm.* S.W. Europe.
Arabia, Egypt,
Palestine.
India.
3022. **Jerdoni**, *Bl.*; *P. Z. S.* 1851, pl. 42.
orphea, *Jerd.*; cucullatus, *Nichols.*
3023. **crassirostris**, *Rüpp.* Syria.
- 808.** *i. PHILACANTHA, Glog.* 1834.
Nisoria, *Bp.* 1838. *Adophoneus*, *p., Kaup.*
Adyphonus, *Blas.* 1862.
3024. **nisoria**, *Bechst.*; *Naum. Vög.* t. 76. 1, 2; *Gould, B. E.* pl. 128.
undata, *Bp.* C. Europe.
Palestine.
- 809.** *j. EPILAIS, Kaup,* 1829.
Adornis, *G. R. Gr.* 1841. *Curruca*, *Sw.* 1837.
Philomela, *p., Pall.* *Philacantha*, *p., Glog.*
3025. **hortensis**, *Gm.*; *P. E.* 579. 2; *Naum. Vög.* t. 78. 3; *Gould, B. E.* pl. 121.
aedonia, *V.*; borin!, *Bodd.* Europe.
salicaria, *L.?*
- 810.** *k. CHLOROPETA, A. Smith,* 1847.
Ficedula (*Chloropeta*), *Blasius,* 1862.
3026. **natalensis**, *Smith, Ill. S. A. Z.* pl. 112. 2. P. Natal.
3027. **olivetorum**, *Strickl.*; *Schl. Bijdr. Dierk. Amst.* 1848, t. 3; *Gould, B. E.* pl. 107; *Des Murs, I. O.* t. 58. 2. S. Europe.
3028. **elæica**, *Lind.*; *Schl. Bijdr. Dierk. Amst.* 1848, t. 4; *Des Murs, I. O.* t. 58. 1.
ambigua, *Schl.*; *Preglii, Fr.* "Greece.
3029. **obscura**, *Smith, I. S. A. Z.* pl. 112. 2. Natal, Latakoo.
3030. **mæsta**, *Hartl.* Gaboon.
3031. **cinerascens**, *Selys.* S.W. Europe.
arigonis, *Brehm.*
- 811.** *l. ASILUS, Moehr.* 1752, nec *L.* 1748.
Sylvia, 1822. *Phylloscopus*, 1826, et *Phyllopneuste*, *Boie*, 1828.
Sylvia (*Phyllopseustæ*, *p.*), *Meyer*, 1815.
3032. **trochilus**, *L.*; *P. E.* 651. 1; *Naum. Vög.* t. 80. 3; *Schl. Bijdr. Dierk. Amst.* 1848, t. 7; *Gould, B. E.* pl. 131. 1. Europe.
flaviventris, *V.*; fitis, *Koch.* Egypt, Nubia.
icterina, *Tem.* W. India.
3033. **Bonelli**, *V.*; *P. C.* 124. 3; *Naum. Vög.* t. 369. 4; *Schl. Bijdr. Dierk. Amst.* 1848, t. 6; *Gould, B. E.* pl. 134. C. & S. Europe.
Nattereri, *Tem.*; prasinopyga, *Licht.* W. & N. Africa.
montana, *Brehm.* Palestine.

3034. **rufa**, *Lath.*; *Naum. Vög.* t. 80. 4, t. 369. 2, 3; *Schl. Bijdr. Dierk. Amst.* 1848, t. . 8; *Gould, B. E.* pl. 131. 2.
abietina, *Nils.*; hypolais, *Penn.*
Europe.
Egypt, Palest.
3035. **Eversmanni**, *Bp.*
trochilus, var. β , *Blas.*; icterina, *Eversm.*
C. & E. Europe.
Egypt.
3036. **opaca**, *Rüpp.*
Abyssinia.
3037. *sylvestris*, *Brehm*; *Naum. Vög.* t. 369. 1.
3038. *brevirostris*, *Strickl.*
tristis, p., *Jard.*
Asia Minor.
3039. *viridula*, *Hempr. & Ehr.*
N. Africa.
3040. *umbrivirens*, *Rüpp.*
umbrinovirens!, *G. R. Gr.*
Abyssinia.
W. Africa.
3041. *Schwarzi*, *Radde.*
E. Siberia.
- §12.** *m. PHYLLOPSEUSTE*, *Meyer*, 1815.
Asilus, *Bechst.* 1802. *Muscipeta*, p., *Koch*, 1816.
Curruca, *Boie*, 1822. *Hippolais*, *Brehm*, 1828.
Hypolais, *Cab.* 1850. *Salicaria*, *De Fil.*
Sylvia, *Sw.* 1837. *Phyllopneustes*, *Bp.* 1838.
Ficedula, *Schl.* 1848.
3042. **hypolais**, *L.*; *P. E.* 581. 2; *Naum. Vög.* t. 80. 1; *Schl. Bijdr. Dierk. Amst.* 1848, t. . 1; *Gould, B. E.* pl. 133.
salicaria, *Retz.*; *ambigua*, *Duraz.*
italica, *De Fil.*; *icterina*, *Gerbe.*
Europe.
3043. **polyglotta**, *V.*; *Schl. Bijdr. Dierk. Amst.* 1848, t. . 2;
Des Murs, I. O. pl. 57. 1.
hypolais, *Gerbe.*
S. Europe.
3044. **pallida**, *Gerbe.*
cinerascens, *Selys.*
Algeria.
3045. *icterina*, *V.*; *Gould, B. E.* pl. 132; *Des Murs, I. O.* t. 57. 2.
polyglotta, *Selys.*
S. Europe.
3046. *Upcheri*, *Tristr.*
Palestine.
3047. *flavescens*, *G. R. Gr.*
Batchian I.
3048. **tristis**, *Bl.*
trochilus, *Jerd.*; *brevirostris*, *Strickl.*
India.
3049. **lugubris**, *Bl.*
hippolais, *Jerd.*; *flaveolus*, *G. R. Gr.*
xanthogaster, *Hodgs.*?
" Sikkim.
3050. **nitida**, *Lath.*
hippolais, p., *Jerd.*; *Swainsoni*, *Hodgs.*
S. India.
3051. **fuscata**, *Bl.*
sibirica, *Midl.*; *brunneus*, *Bl.*
"fulvivent", *Hodgs.*" apud *Bl.*
Siberia, China.
India.
3052. **affinis**, *Tick.*
India, Tenass.

3053. *indica*, *Jerd.* C. India.
griseola, *Bl.*
3054. *sylvicultrix*, *Swinh.* China.
javanica, *Blas.*
3055. *coronata*, *Tem. & Schl. F. J. t. 18.* Japan.
3056. *magnirostris*, *Bl.* India.
indicus et javanicus, *Bl.*; *trochilus*, *Hodgs.*
3057. *brunnea*, *Bl.* "
fuscatus, *juv.*, *Jerd.*
3058. *montana*, *Bl.* "
3059. *tenellipes*, *Swinh.* China.
3060. *xanthodryas*, *Swinh.* "
3061. *plumbeitarsa*, *Swinh.* "
rufa, *Schrenck*; *borealis*?, *Blas.*
3062. *presbytis*, *Müll.* Timor.
- 813.** *n. ACANTHOPNEUSTE*, *Blas.* 1862.
3063. *borealis*, *Blas.*; *Middend. Reise*, ii. t. 16. 1, 2, 3; *Naum.*
Vög. t. 375. 1. N.E. Asia.
Eversmanni, *Midd.* Heligoland.
3064. *validirostris*, *Jerd.* Madras.
borealis, *Blas.*?
- 814.** *o. REGULOIDES*, *Bl.* 1847.
Phyllobasileus, *Cab.* 1850.
3065. *proregulus*, *Pall.* Dauria.
chloronotus, *Hodgs.* Himala., Burm.
3066. *inornata*, *Bl.* India, Himala.
proregulus, *Keys. & Bl. et p. Jerd.*
nitidus, *Hodgs.*; *modestus*, *Bl.*
3067. *superciliosa*, *Gm.*; *Naum. Vög.* t. 378. 2, 3; *Gould*,
B. E. pl. 149. N. Asia, Engl.
modestus, *Gould*; *proregulus*, *p.*, *Pall.* Heligo., Germ.
cristatus, *var.*, *Newm.* China.
3068. *calendula*, *L.*; *Edw. B.* pl. 254. 2; *Wils. A. O.* pl. 5. 3. N. Amer., R. Mt.
rubineus, *V.* California.
3069. *viridipennis*, *Bl.* Tenas., Sikkim.
3070. *Cuvieri*, *Aud. B. A.* pl. Pennsylvania.
- 815.** *p. TICKELLIA*, *Jerd. & Bl.* 1861.
3071. *Hodgsoni*, *Moore.* Sikkim.
- 816.** *q. ABRORNIS*, *Hodgs.* 1844.
Habrornis, *Agass.*

3072. **erochroa**, *Hodgs.*
pulchra, *Hodgs.* Nepal, Sikkim.
 Darjeeling.
3073. **flaveola**, *Bl.*
lugubris, p., *Moore.* India.
3074. **viridana**, *Bl.*
rufa et affinis, *Bl.* ; *tenuiceps*, *Hodgs.* S. India.
3075. **xanthoschistos**, *Hodgs.*
schisticeps, *Bl.* Nepal.
3076. **schisticeps**, *Hodgs.*
flavogularis, *Bl.* ; *melanops*, *Jerd.* "
3077. **albogularis**, *Hodgs.*
albiventris, *Jerd.* & *Bl.* "
3078. **griseofrons**, *Hodgs.* "
3079. **xanthogaster**, *Hodgs.*
lugubris, p., *Jerd.* "
3080. **trochiloides**, *Sundev.*
nitidus, *Hodgs.* ? ; *reguloides*, *Bl.* Himalayas.
 Calcutta.
3081. **magnirostris**, *Bl.*
trochilus ? , *Hodgs.* India.
3082. **poliogenys**, *Bl.* Nepal.
3083. **castaneiceps**, *Hodgs.* ; *G. R. Gr. & M. G. B.* pl. 49. 2. "
3084. **affinis**, *Hodgs.* "
3085. **occipitalis**, *Jerd.* Nellare.
3086. **cantator**, *Tick.* Assam.
3087. **trivirgata**, *Tem. Contr. Orn.* 1849, pl. Java, Sumatra.
3088. **maculipennis**, *Bl.* Nepal or Sikkim.
3089. **albosuperciliaris**, *Bl.* Cashmere.
3090. **superciliaris**, *Tick. & Bl.* Sikkim.
3091. **flaviventris**, *Jerd.*
albigularis, *Jerd. & Bl.* ; *superciliaris*, p., *Bl.* Sikkim, Darjeel.
3092. **viridipennis**, *Bl.* Tenas., Bor., Dar.
3093. **Armandi**, *M. Edw. N. Arch. du Mus.* i. t. 2. 1. N. China.
- 817.** *r. NEORNIS*, *Hodgs.* 1844.
3094. **flavolivacea**, *Hodgs.*
cacharensis, *Hodgs.* Nepal.
3095. **montana**, *Horsf.* Java.
3096. **assimilis**, *Hodgs.*
brevicaudata, *Bl.* Nepal.

818.s. HORORNIS, *Hodgs.* 1844.3097. **fuliginiventris**, *Hodgs.*

Nepal.

819.

t. CRYPTOLOPHA

et Seicercus, *Sw.* 1837.*Calicipeta*, *Bl.* 1844.3098. **Burkii**, *Burt.*

India, Nepal.

auricapilla, *Sw.*; *bilineata*, *Less.**strigiceps*, *Hodgs.*; *arrogans*, *Sundev.***820.**u. PINDALUS, *Hartl.* 1862.3099. **ruficapilla**, *Sundev.*; *Ibis*, 1862, pl. 5.

Cafiraria.

821. REGULUS, *Cuv.* 1799-1800.*Sylvia phyllopseustæ*, p., *Meyer*, 1815.*G. of B. i.* p. 174, pl. 49. f. 1; *Reich. S. A. t.* 62. f. .3100. **cristatus**, *Koch*; *Naum. Vög.* t. 93. 1, 2; *Gould, B. E.* pl. 148. 1.

C. & S. Europe.

flavicapilla, *Naum.*; *regulus*, *L.**vulgaris*, *Steph.*; *crococephalus*, *Brehm.*3101. **ignicapillus**, *Tem.*; *P. E.* 652; *Naum. Vög.* t. 93. 4, 5, 6; *Gould, B. E.* pl. 148. 2.*pyrocephalus*, *Brehm*; *mystaceus*, *V.*

"

3102. **himalayensis**, *Gould.*

Himalayas.

cristatus, *Bl.*3103. **maderensis**, *V. Harc.*

Madeira.

3104. **satrapa**, *Licht.*; *Bp. A. O.* pl. 2. 4.*cristatus*, *V.*; *tricolor*, *Nutt.*

N. Amer., Rocky Mt., Vancou. I.

3105. **surinamensis**, *Gould.*

Surinam.

822. SERICORNIS, *Gould*, 1837.*G. of B. i.* p. 188, pl. 51. f. 3; *Reich. S. A. t.* 59. f.3106. **frontalis**, *Vig. & H.*; *Gould, B. A.* iii. pl. 49.

New S. Wales.

parvulus, *Gould.*

S. Australia.

3107. **maculata**, *Gould, B. A.* iii. pl. 51.

Australia.

3108. **magnirostris**, *Gould, B. A.* iii. pl. 52.

New S. Wales.

magnirostra, *Gould.*3109. **osculans**, *Gould, B. A.* iii. pl. 48.

S. Australia.

3110. **citregularis**, *Gould, B. A.* iii. pl. 46.

New S. Wales.

barbata, *Lath.?*3111. **laevigaster**, *Gould, B. A.* iii. pl. 50.

N. Australia.

3112. **humilis**, *Gould, B. A.* iii. pl. 47.

Tasmania.

823. ACANTHIZA, *Vig. & H.* 1825, *nec Fisch.* 1807.*G. of B.* i. p. 189.*a. ACANTHIZA.*

3113. **nana**, *Vig. & H.*; *Gould, B. A.* iii. pl. 60. N. S. W., S. Aus.
3114. **lineata**, *Gould, B. A.* iii. pl. 61. "
3115. **pusilla**, *Lath.*; *White's Journ.* pl. p. 257; *Gould, B. A.* iii. pl. 53. New S. Wales.
3116. **diemenensis**, *Gould, B. A.* iii. pl. 54. Tasmania.
- Ewingii, Gould, B. A.* iii. pl. 55; *diemensis, Bp.*
3117. **inornata**, *Gould, B. A.* iii. pl. 59. W. & S. Australia.
3118. **magna**, *Gould, B. A.* suppl. pl. Tasmania.
3119. **flavolateralis**, *G. R. Gr.* New Caledonia.
3120. **macularia**, *Quoy & G. Voy. de l'Astrol.* t. 10. 3.
2121. **Buchanani**, *Vig. & H.* Australia.
3122. **uropygialis**, *Gould, B. A.* iii. pl. 56. New S. Wales.
3123. **apicalis**, *Gould, B. A.* iii. pl. 57. W. Australia.
3124. **pyrrhopygia**, *Gould, B. A.* iii. pl. 58. Australia.

824. *b. GEOBASILEUS, Cab.* 1850.

3125. **chrysorrhœa**, *Quoy & G. Voy. Astrol.* t. 10. 2; *Gould, B. A.* iii. pl. 63. Austr., Tasman.
3126. **reguloides**, *Vig. & H.*; *Gould, B. A.* iii. pl. 62. N. S. W., S. Aus.

825. *c. GERYGONE, Gould, 184 ?**Psilopus, Gould, 1837, nec Poli, 1795.**G. of B.* i. pl. 51. f. 4; *Reich. S. A.* t. 59. f.

3127. **albogularis**, *Gould, B. A.* ii. pl. 97. New S. Wales.
- olivaceus, Gould?* W. Australia.
3128. **personata**, *Gould, B. A.* suppl. pl. Cape York.
3129. **flaviventris**, *G. R. Gr. Voy. Ereb. & Terr.* pl. 4. 1. New Zealand.
3130. **albifrontata**, *G. R. Gr. Voy. Ereb. & Terr.* pl. 4. 2. "
3131. **chrysogaster**, *G. R. Gr.* Aru, Mys., Waig.
3132. **inornata**, *Wall.* Timor.
3133. **superciliosa**, *Wall.* "
3134. **fusca**, *Gould, B. A.* ii. pl. 98. New S. Wales.
3135. **culicivora**, *Gould, B. A.* ii. pl. 99. W. Australia.
3136. **magnirostris**, *Gould, B. A.* ii. pl. 100. N. Australia.
3137. **lævigaster**, *Gould, B. A.* ii. pl. 101. "
3138. **chloronotus**, *Gould, B. A.* ii. pl. 102. "

3139. *modesta*, *Pelz.* Norfolk I.
 3140. *aucklandica*, *Pelz.* New Zealand.
 3141. *igata*, *Quoy & G. Voy. Astrol.* t. 11. 2. „
 3142. *assimilis*, *Buller.* „
 3143. *palpebrosa*, *Wall.* Aru I.
 3144. *neglecta*, *Wall.* Waigiou, Mysol.
 3145. *Grayi*, *Wall.* Ké.
 citrinella, *G. R. Gr.*
 3146. *sulphurea*, *Wall.* Solor I., Flores,
 Borneo.
 3147. — ? Luzon.
 modesta, *Cab.*
 3148. ? *longirostris*, *Quoy & G. Voy. Astrol.* t. 10. 4. Australia.
 3149. *brevirostris*, *Gould.* New S. Wales.
826. *d. PYRRHOLEMUS*, *Gould*, 1840.
 Pyrrholæmus, *G. R. Gr.* 1848.
 Pyrrholaimus, *Reich.* 1849.
 Reich. S. A. t. 59. f. .
 3150. *brunnea*, *Gould*, *B. A.* iii. pl. 68. S. & W. Australia.

Subfam. IV. *Luscininæ*.**827. LUSCINIA**, *L.* 1735.

- Motacilla*, p., *L.*, 1758-66. *Sylvia*, *Scop.* 1760.
Ficedula, *Klein*, 1759. *Fauvette*, *Cuv.* 1797-98.
Sylvia (*Curruca*), *Meyer*, 1815. *Curruca*, *Bechst.* 1802.
Oitrus et Philomela, *Rafin.* 1815. *Daulias*, *Boie*, 1831.
Philomela, *Selby*, 1833. *Lusciola*, *Keys. & Bl.* 1840.
Erithacus (*Philomela*), *Degl.* 1849.
G. of B. i. p. 172, pl. 49. f. 3; *Reich. S. A.* t. 61. f. .
 3151. *vera*, *Sundev.*; *P. E.* 615. 2; *Naum. Vög.* t. 74. 2; *Gould*,
 B. E. pl. 116. Europe, Egypt.
 luscinia, *L.*; *philomela*, *Bp.*; *acedon*, *Pall.* W. Asia, E. Afr.
 3152. *philomela*, *Bechst.*; *Naum. Vög.* t. 74. 1; *Gould*, *B. E.*
 pl. 117. S. E. Europe.
 major, *Br.*; *turdoides*, *Bl.* W. Africa, Asia.

828. RUTICILLA, *Brehm*, 1828.

- Ficedula*, *Boie*, 1826, *nec Mochr.* 1752.
Phoenicura, *Sw.* 1831. *Sylvia*, *Flem.* 1822.
Sylvia (*Vermivoræ*), p., *Meyer*, 1815.
G. of B. i. p. 180, pl. 50. f. 10; *Reich. S. A.* t. 60. f. .

a. RUTICILLA.

3153. **phœnicurus**, *L.*; *P. E.* 351. 1, 2; *Naum. Vög. t.* 79. 1, 2;
Gould, B. E. pl. 95. Europe, India.
ruticilla et muraria, Sw. N. & W. Africa.
tithys, Hutt.
3154. **tithys**, *Scop.*; *Edw. B.* pl. 29; *Naum. Vög. t.* 79. 3, 4;
Gould, B. E. pl. 96. C. & S. Europe.
erythaca, L.; *gibraltariensis et atrata, Gm.* W. & N. Africa.
Cairii, Degl.
3155. **semirufa**, *Hempr. & Ehr.* Palestine.
3156. **erythroprocta**, *Gould, B. As.* pl. Erzeroom.
3157. **mesoleuca**, *Ehr.* Seneg., Abyssin.
marginella, Bp.; *Bonapartei, V. Müll.*
3158. **Moussieri**, *Olph Gall.*; *Ibis*, 1860, pl. 11. Algeria.
3159. **aureora**, *Pall. Zoogr. t.* 27; *Schl. F. J. t.* 21.
Reevesi, Gr. China, Japan,
 Assam, Him.M.
3160. **leucoptera**, *Bl.* Jav., Malac., Tim.
3161. **rufiventris**, *V.*; *Lev. O. A. t.* 188. 1. India.
leucoptera, Sw.
atrata, Jard. & S. I. O. pl. 86. 3.
indica, Bl.; *nipalensis, Hodgs.*
3162. **frontalis**, *Vig.*; *Gould, C. B.* pl. 26. 1. N. India.
tricolor, Hodgs.; *melanura, Less.*
3163. **cæruleocephala**, *Vig.*; *Gould, C. B.* pl. 25. 2. "
3164. **schisticeps**, *Hodgs.* Nepal.
3165. **Hodgsoni**, *Moore, Pr. Z. S.* 1854, pl. 58. "
ruticilla, Hodgs.; *Reevesi et erythrogastra, Bl.*
3166. **fuliginosa**, *Vig.*
plumbea, Gould; *rubricauda et lineoventris, Hodgs.*; *simplex, Less.* N. India.
3167. **erythronota**, *Eversm.*; *Pall. Zoogr. App. t.* . Asia, Russia.
3168. **pectoralis**, *Heugl.* Bahr el Abiad.
3169. **rufogularis**, *Moore, Pr. Z. S.* 1854, pl. 59. N. India.
3170. **Vigorsi**, *Moore, Pr. Z. S.* 1854, pl. 60. "
erythrogastra ♀, Jerd.
3171. **nigrogularis**, *Moore, Pr. Z. S.* 1854, pl. 61. Nepal.
3172. **phœnicuroides**, *Moore, Pr. Z. S.* 1854, pl. 57. N. India.
3173. **arborea**, *Bp.* India.

829. b. CHAMARRORNIS, *Hodgs.* 1844.

Chæmorrhous, Bp. *Chæmarrhornis, Agass.*

3174. **leucocephala**, *Vig.*; *Gould, C. B.* pl. 26. 2. Himalaya M.

830. *c. ADELURA*, Bp. 1853.

Chæmorrhous, Bp. 1856.

3175. *erythrogastra*, *Güld. Nov. Comm. Petro.* xix. t. 16, 17; *Gould, B. As.* pl.

E. & S.E. Eur.

*tricolor et grandis, Gould.**aurea*, var. *ceraunia*, *Pall.***831.** *d. LARVIVORA*, *Hodgs.* 1837.3176. *cyanea*, *Hodgs.*

Nepal, Madras.

brunnea, Hodgs.; superciliaris, Jerd.

Ceylon.

3177. *gracilis*, *Swinhoe.*

China, Malacca.

3178. *sibilans*, *Swinh.*

Macao.

832. *e. CALLENE*, 1847,*et Cinclidium*, 1842, *Bl.**Jerdonia*, *Bl.* 1855.3179. *frontalis*, *Bl. I. A. S. B.* xii. pl. .

Nepal, Sikkim.

3180. *rufiventris*, *Bl.*

Neilgherries.

*major, Jerd.*3181. *albiventris*, *Fairb. Pr. Z. S.* 1867, pl. 39; *Gould, B. As.* pl.Pulney Hills,
S. India.**833. NOTODELA**, *Less.* 1831.*Muscisylvia*, 1844, *et Myiomela*, 1846, *Hodgs.**G. of B. i.* p. 178, pl. 50. f. 8; *Reich. S. A. t.* 60. f. .3182. *leucura*, *Hodgs.*

Himalayas.

3183. *diana*, *Less. Bélang. Voy.* t. 3.

Pegu.

3184. *montium*, *Swinh.*

I. of Formosa.

834. NEMURA, *Hodgs.* 1844.*Nematura*, *Agass. Ianthia*, *Bl.* 1847.*G. of B. i.* p. 180, pl. 50. f. 7; *Reich. S. A. t.* 60. f. .*a. NEMURA.*3185. *cyanura*, *Pall.; F. J.* t. 21.

Japan.

*ruflata, Swinh.*3186. *ruflata*, *Hodgs.; Jard. Contr. Orn.* 1850, pl.

Himalaya M.

cyanura ♀, *Hodgs.; Tytleri, James.*3187. *hyperythra*, *Bl.; Jard. Contr. Orn.* 1849, pl.

Darjeeling.

3188. *Hodgsoni*, *Moore, Pr. Z. S.* 1854, pl. 62.

Nepal.

835. *b. TARSIGER*, *Hodgs.* 1844.3189. *chrysæa*, *Hodgs.; Jard. Contr. Orn.* 1850, pl.

Nepal, Sikkim.

3190. *superciliaris*, *Hodgs.; Jard. Contr. Orn.* 1849, pl.*chrysæus*, p., *Hodgs.; flavolivacea, Hodgs.*

836. c. *POGONOCICHLA*, *Cab.* 1847.Tarsiger, p., *Bl.*3191. *stellata*, *V.*; *Lev. O. A. t.* 157.

S. Africa.

margaritata, *Sundev.*"cucullatus, *Gould*," *Bl.***837. HODGSONIUS**, *Bp.* 1850.Bradibates, 1846 (*nec Tsch.* 1838), *et* Bradypetes, 1844 (*nec*
G. R. Gr. 1840), *Hodgs.*Sylvania, *Bl.* 1847, *nec Nutt.* 1832.*G. of B. i. p.* 181, pl. 50. f. 11; *Reich. S. A. t.* 60. f. .3192. *phoenicuroides*, *Hodgs.*

Nepal.

838. ERYTHACUS, *Cuv.* 1799, 1800.Dandalus, *Boie*, 1826. Sylvia (Vermivoræ), *Meyer*, 1815.Sylvia (Humicolæ), *Naum.*Rubecula, *Brehm*, 1828. Ficedula, *Boie*, 1822.Sialia, *Selby*, 1831, *nec Sw.* 1827.Erythaca, *Sw.* 1831.Daudalus!, *G. R. Gr.* 1846.Erythacus (Rubecula), *Degl.* 1849.*G. of B. i. p.* 181, pl. 50. f. 13; *Reich. S. A. t.* 60. f. .3193. *rubecula*, *L.*; *P. E.* 360. 1; *Naum. Vög. t.* 75. 1, 2; *Gould*,
B. E. pl. 98.

Europe.

familiaris, *Bl.*

N.E. Africa.

3194. *akahige*, *Tem. P. C.* 571; *Schl. F. J. t.* 21 b.

Japan.

3195. *komadori*, *Tem. P. C.* 570; *Schl. F. J. t.* 21 c.

"

839. CYANECULA, *Brehm*, 1828.Pandicilla, *Bl.* 1833.Erithacus (Cyanecula), *Degl.* 1849.*G. of B. i. p.* 182, pl. 50. f. 14; *Reich. S. A. t.* 60. f. .

a. CYANECULA.

3196. *suecica*, *L.*; *P. E.* 361. 2, *et* 610; *Naum. Vög. t.* 75. 3, 4, 5,
& t. 366. 1-4; *Gould, B. E.* pl. 97.

C. Europe.

cyanecula, *Meyer.*

N. Africa.

3197. ? *leucocyana*, *Brehm*; *Naum. Vög. t.* 364. 1, 2, & t. 365.
1, 2.

S. Europe.

suecica, p., *Altum*; *cyanecula*, p., *Wolf & Mey.*

Egypt.

3198. *cærulecula*, *Pall.*; *Kittl. Kupf. Vög. t.* 17. 2.

India.

suecica, β , *Blas.*; *suecica*, p., *Bl.**suecicoides*, *Hodgs.*; *indica*, *Bl.**cyane*, *Eversm. ?*; *fastuosa*, *Less.*3199. *major*, *Bp.*

Abyssinia.

3200. ? *Wolfii*, *Brehm*; *Naum. Vög. t.* 364. 3, 4, & t. 365. 3, 4.

S. Europe.

suecica, p., *Bp.*3201. *dichrosterina*, *Cab.*

N.E. Africa.

840. *b. CALLIOPE*, Gould, 1836, *nec* Ogil. 1836.

Accentor, Boie, 1826. Melodes, Keys. & Bl. 1840.

Erithacus (Calliope), Degl. 1849.

Reich. S. A. t. 60. f. .

3202. *camtschatkensis*, Gm.; Lath. Syn. suppl. pl.; Gould,
B. E. pl. 114.

N. Asia, France.

calliope, Pall.; Latham, Gould.

India, Nepal,
Philippine I.
Himalayas.3203. *pectoralis*, Gould, I. A. pl.**841. GRANDALA**, Hodgs. 1843.

G. of B. i. p. 184, pl. 50. f. 3; Reich. S. A. t. 60. f. .

3204. *cælicolor*, Hodgs.; G. R. Gr. & M. G. B. pl. 50; Gould,
B. As. pl.

Nepal.

schistacea, Hodgs.

Subfam. V. **Saxicolinæ**, Sw. 1831.

Saxicolina, Vig. 1825.

Luscininæ et Erythacinæ, p., G. R. Gr.

842. SAXICOLA, Bechst. 1802.

Vitiflora, Leach, 1816. Cenanthe, V. 1816.

Lucotoa, Würt.

G. of B. i. p. 178, pl. 50. f. 9; Reich. S. A. t. 60. f. .

a. **SAXICOLA**.3205. *cenanthe*, L.; P. E. 554; Naum. Vög. t. 89. 1, 2; Gould,
B. E. pl. 90.

Europe.

vitiflora, Pall.; cinerea, V.; rostrata, Ehr.?

Palestine?

3206. *albicollis*, V.; P. C. 275. 1; Naum. Vög. t. 376; Gould,
B. E. pl. 92.

S.W. Europe.

rufescens, Blas.; aurita, Tem.

xanthomelæna, Ehr.?

3207. *stapazina*, L.; Edw. B. pl. 31. 2; Naum. Vög. t. 90. 1, 2;
Gould, B. E. pl. 91.

S. Europe.

3208. *leucomela*, Pall. Zoogr. t. 28; Gould, B. E. pl. 89.

S.E. Europe.

longirostris, pleschanka et melanoleuca, Gm.

3209. *capistrata*, Gould, B. As. pl.

Hindostan.

leucomela, Jerd.

3210. *lugens*, Licht.; P. C. 257. 3.

S.E. Europe.

leucomela, Tem., et var. β , Blas.

Africa.

3211. *atrogularis*, Bl.; Gould, B. As. pl.

India, Sindh.

deserti, Jerd.

Punjab.

3212. *deserti*, Rüpp.; P. C. 359. 2.

Egypt, Nubia.

3213. *pallida*, Rüpp. Atl. t. 34. 1; P. C. 472. 1.

Nubia.

Isabellina, Tem.

3214. **Stricklandii**, Bp. Damaraland.
albicans, Walkb.
3215. **lugubris**, Rüpp. F. A. t. 28. 1. Abyssinia.
3216. **Isabellina**, Rüpp. Atl. t. 34. 2. Nubia, Abyss.
saltatrix, Ménétr.
squalida, Eversm.; saltator, Bp.; cenanthe, β , Blas.
3217. **philothamna**, Tristr. Ibis, 1859, pl. 9. Sahara.
3218. **eurymelæna**, Hempr. & Ehr. S. Palestine.
deserti, p., Hartl. & F.
3219. **amphileuca**, Hempr. & Ehr. ”
3220. **libanotica**, Hempr. & Ehr. ”
saltator, p.?, Bp.
3221. **rufocinerea**, Rüpp. F. A. t. 27. Abyssinia.
3222. **cenanthoides**, Vig. N.W. America.
cenanthe, p., Baird. Canada.
3223. **gutturalis**, Licht.; Bull. Sc. Mosc. 1850, t. 8. 2. Russ., Afr., Asia.
salina, Eversm.
3224. **montana**, Gould, B. As. pl. Afghanistan.
isabellina ♀, Hartl.
3225. **sordida**, Rüpp. F. A. t. 26. 2. Abyssinia.
3226. **halophila**, Tristr. Sahara.
3227. **homochroa**, Tristr. ”
3228. **moesta**, Licht. Egypt.
3229. **castor**, Hartl. S. Africa.
cinerea, var., Tristr.
3230. **pollux**, Hartl. ”
3231. **leucorrhœa**, Gm.; P. E. 583. 2. Senegal.
3232. **rostrata**, Hempr. & Ehr. S. Palestine.
3233. **leucuroides**, Lafr. & Guér.; Ferr. & Gal. Voy. en Abyss. t. Abyssinia.
3234. **Arnotti**, Tristr. Ibis, 1869, pl. 6. S. Afr., Adam
Kok's N. Land.
3235. **Atmorii**, Tristr. Damaraland.
3236. ? **Schlegelii**, Wahlb. ”
3237. **modesta**, Tristr. ”
- 843.** b. CAMPICOLA, Sw. 1827.
3238. **pileata**, Gm.; Lev. O. A. t. 181, 182. S. Africa.
imitatrix, V.; hottentotta, Gm.
mimus, Forst.
3239. **Livingstonii**, Tristr. S. Africa, Tette.
q

3240. **bifasciata**, *Tem. P. C. 472. 2*; *Pr. Z. S. 1865*, pl. 23. S. Africa.
spectabilis, Hartl.
3241. *Bottæ, Bp.* Africa.
- 844.** c. CERCOMELA, *Bp. 1856.*
3242. **melanura**, *Rüpp.*; *P. C. 257. 2.* Abyssinia.
asthenia, Bp. Coast of Red Sea.
3243. *fusca, Bl.* N.W. India.
3244. *lypura, Ehr.* Palestine.
3245. *erythræa, Ehr.* "
3246. *frenata, Heugl.* N.E. Africa.
albigularis, Rüpp. MS.; *isabellina, juv., Rüpp.*
3247. *Heuglini, Hartl. & F.* "
leucorrhoides, Heugl.
- 845.** d. DROMOLAEA, *Cab. 1850.*
- Vitiflora, Boie, 1826, nec Leach, 1816.*
3248. **monticola**, *V.*; *Lev. O. A. t. 185.* S. Africa.
rupicola, Boie; *capensis, Sw.*; *leucomelana, Burch. ?*
3249. **cinerea**, *V.*; *Lev. O. A. t. 184. 2.* "
Levaillantii, Smith; *tractrac, Boie.*
3250. **leucura**, *Gm.*; *Descr. de l'Egypte*, t. 5. 1; *Gould, B. E.*
 pl. 88. S. Europe.
cachinnans, Tem. N. & W. Africa.
3251. **picata**, *Bl.*; *Gould, B. As. pl.* Sindh.
3252. **monacha**, *Rüpp.*; *P. C. 359. 1.* Nubia.
gracilis, Licht.
3253. **leucopygia**, *Brehm.* Palestine.
3254. **leucocephala**, *Brehm.* Sahara.
leucura, Loche; *cursoria, V. ?*
3255. *opistholeuca, Strickl.*; *Jard. Contr. Orn. 1849*, pl.; *Gould,*
B. As. pl. India.
leucura, Bl.; *leucuroides, Jerd.*
3256. *æquatorialis, Hartl.* W. Africa.
3257. *chrysopygia, Defil.* Damavend.
3258. *albipileata, Bocage.* Dombe, Angola.
3259. *incompta, Licht.* S. Africa.
3260. — ?
monacha, Loche. N.E. Africa.
3261. *cursoria, V.*; *Lev. O. A. t. 190.* S. Africa.

- 846.** *e. AGRICOLA*, Verr. 1853.
 3262. *infuscata*, Smith, I. S. A. Z. pl. 28. S. Africa.
- 847.** *f. MYRMECOCICHLA*, Cab. 1850.
 3263. *formicivora*, V.; Lev. O. A. t. 186, 187. "
leucoptera, Sw.
 3264. *æthiops*, Licht. Senegal.
 3265. *Quartini*, Bp. Abyssinia.
 3266. *melas*, Licht.; Rüpp. Wirbl. t. 28. 2. "
melæna, Rüpp. Shoa.
 3267. *nigra*, V.; Lev. O. A. t. 189. S. Africa.
- 848.** *g. OREICOLA*, Bp. 1853.
Oreicoca!, Bp.
 3268. *pyrrhonota*, V. Timor.
caprata ♀, Pucher.
 3269. *melanoleuca*, V. "
 3270. *luctuosa*, Müll. "
 3271. ? *gutturialis*, V. "
 3272. ? *merula*, Quoy & G. New Ireland.
- 849.** *h. RHODOPHILA*, Jerd. 1867.
Oreicola, p.
 3273. *Jerdoni*, Bl.; Gould, B. As. pl. Burmah.
melanoleuca, Jerd.
- 850. PRATINCOLA**, Koch, 1816.
Praticola, Kaup, 1819. *Curruca*, Leach, 1816.
Fruticicola, Macgill. 1839. *Saxicola*, Boie, 1822.
Rubetra, G. R. Gr. 1840.
Motacilla (Enanthe), Pall. 1831.
G. of B. i. p. 179, pl. 50. f. 12; Reich. S. A. t. 60. f. .
 3274. *rubicola*, L.; P. E. 678. 1; Naum. Vög. t. 90. 3, 4, 5; C. S. Europe.
Gould, B. E. pl. 94. W. & N. Africa.
maura, Pall.; muscipeta, Scop.
 3275. *rubetra*, L.; P. E. 678. 2; Naum. Vög. t. 89. 3, 4; Gould, Europe, N. & W.
B. E. pl. 93. Africa.
 3276. *torquata*, L.; Lev. O. A. t. 180. S. Africa.
pastor, Cuv.; *rubicola*, var. *capensis*, V.
sybilla, Cab.
albofasciata, Rüpp. U. S. t. 16; *borbonica*, Bory de St. Vin.
 3277. ? *sybilla*, Gm. Madagascar.
torquata, p., Hartl. & F.; *maura*, p., Tem.
 3278. ? *Hemprichii*, Ehrenb. N.E. Africa.
torquata, p., Hartl. & F.

3279. **salax**, Verr.
olax, Strickl. W. Africa.
3280. **arborea**, Poll. Madagascar.
3281. **atrata**, Kelaart. Ceylon.
3282. **caprata**, L.; P. E. 235. 1, 2.
fruticola, Horsf.; bicolor et erythropygia, Sykes.
atrata, Bl.; melanoleuca, Hodgs.
sylvatica, Tick. India.
Timor, Celebes.
3283. **indica**, Bl.; Gould, B. As. pl.
saturation, Hodgs.; rubicola, Sykes. India.
3284. **insignis**, Hodgs. Nepal.
3285. **leucura**, Bl.; Gould, B. As. pl. Sindh.
3286. **ferrea**, Hodgs. Himal., Bootan.
3287. **fervida**, Gm.; P. E. 583. 1. Senegal.
3288. **senegalensis**, L. "
- *Lamprolaima* 136132 12572.
851. PETROICA, Sw. 1832.
Petroeca, Cab. 1850.
G. of B. i. p. 182, pl. 50. f. 15; Reich. S. A. t. 60. f.
- a. PETROICA.
- 2206 3289. **multicolor**, Vig. & H.; Lath. Syn. pl. 100; Lewin, B. Australia, Van
N. H. pl. 17; Gould, B. A. iii. pl. 3. Diemen's Land.
- 3678 3290. **Goodenovii**, Vig. & H.; Jard. & S. I. O. pl. 8. 2; Gould,
B. A. iii. pl. 5. Australia.
- 5697 3291. **phoenicea**, Gould, B. A. iii. pl. 6. N. S. W., S. Aus.,
Van Diemen's L.
3292. **erythrogastra**, Gm.; Gould, B. A. iii. pl. 4. Norfolk I.
modesta et pulchella, Gould; multicolor, Gm.
3293. **hypoleuca**, G. R. Gr. N. Guin., Mysol,
Waigiou.
- 1697 3294. **pusilla**, Peale, U. S. Expl. Exp. pl. 9. 4. Samoan I.
12808 *Thalassidroma* *Nick*
3295. **similis**, G. R. Gr. New Hebrides.
3296. **Fosteri**, G. R. Gr. Botany Island.
minutus, Forst.
- 852.** b. **ERYTHRODRYAS**, Gould, 1842.
Reich. S. A. t. 60. f.
3297. **rhodinogastra**, Drap.; Zool. Journ. i. pl. 13; Gould,
B. A. iii. pl. 1. Van Diemen's L.
Latham, Vig.; rhodogastra, Lath. S. Australia.
- 8652 3298. **rosea**, Gould, B. A. iii. pl. 2. New S. Wales.
3299. ? **coccinigastra**, Lath. Syn. suppl. pl. 134. "

853. *c. MELANODRYAS, Gould, 1863.*

3300. **cucullata**, *Lath.*; *Sw. Zool. Ill.* pl. 43; *Gould, B. A.* iii. pl. 7.

New S. Wales.
S. & W. Austr.

bicolor, *Sw.*

3301. **picata**, *Gould.*

N.W. Australia.

854. *d. AMAURODRYAS, Gould, 1863.*

3302. **vittata**, *Quoy & G. Voy. Astrol.* t. 3. 2; *Gould, B. A.* iii. pl. 8.

Van Diemen's L.

fusca, Gould.

855. *e. PÆCILODRYAS, Gould, 1863.*

3303. **cerviniventris**, *Gould, B. A.* suppl. pl.

N.W. Australia.

3304. **superciliosa**, *Gould, B. A.* iii. pl. 9.

N. Australia.

856. *f. MYIOMOIRA, Reich. 1850.*

Reich. S. A. t. 67. f. .

3305. **toittoi**, *Garn. Voy. Coqu.* t. 15. 3.

New Zealand.

3306. **Dieffenbachii**, *G. R. Gr. Voy. Ereb. & Terr.* pl. 6. 1.

Chatham Isld.

3307. **macrocephala**, *Gm.*; *Lath. Syn.* pl. 55.

New Zealand.

minutus, Forst.; *australis, Steph.*

Forsterorum, G. R. Gr.

Var.

Auckland I.

857. *g. MIRO, Less. 1831.*

Myioseopus, Reich. 1850.

Reich. S. A. t. 67. f. .

3308. **albifrons**, *Gm.*; *Voy. Ereb. & Terr.* pl. 6. 2.

New Zealand,
South Island.

ochrotarsus, Forst.; *saxicolina, Licht.*

3309. **longipes**, *Garn. Voy. Coqu.* t. 19. 1.

New Zealand,
North Island.

novæ zeelandiæ, Less.

australis, Sparrm. M. C. t. 69?

858. DRYMODES, 1840,

et Hylodes, 1841, Gould.

G. of B. i. p. 183, pl. 50. f. 2; *Reich. S. A.* t. 60. f. .

3310. **brunneopygia**, *Gould, B. A.* iii. pl. 10.

S. & W. Austr.

3311. **superciliaris**, *Gould, B. A.* suppl. pl.

Cape York.

859. SIALIA, Sw. 1827.

Sialis, Lafr.

G. of B. i. p. 184, pl. 50. f. 5; *Reich. S. A.* t. 60. f. .

3312. **Wilsonii**, *Sw.*; *P. E.* 396; *Wils. A. O.* pl. 3. 5.

North America.
Texas.

sialis, L.

azurea, V.; *Lev. O. A.* t. 158.

- 779/ 3313. **mexicana**, Sw.; Aud. B. A. ii. pl. 135. W. of N. Amer.
occidentalis, Towns. Rio Grande.
cæruleicollis, Vig. Voy. Beechey, pl. 3. Califor., Mexico.

3314. **arctica**, Rich. & Sw. F. B. A. pl. 39; Aud. B. A. ii. pl. 136. Rocky Mts.
macroptera, Baird. Mexico, Califor.

860. ORIGMA, Gould, 1837.

Orygma, Des Murs, 1853.

G. of B. i. p. 185, pl. 50. f. 4; Reich. S. A. t. 60. f. .

3315. **rubricata**, Lath.; Lewin, B. N. H. pl. 16; Gould, B. A. iii. pl. 69. New S. Wales.
solitaria, Lewin.

Subfam. VI. **Accentorinæ**, G. R. Gr. 1840.

Sylvianæ, p., Sw. 1827. Parinæ, p., Sw. 1837. Saxicolinæ, p., Cab. 1847.

861. ACCENTOR, Bechst. 1802.

Prunella, V. 1816 (suppressed in 1818).

Laiscopus, Glog. 1842.

G. of B. i. p. 187, pl. 51. f. 1; Reich. S. A. t. 59. f. .

a. ACCENTOR.

3316. **alpinus**, Gm.; P. E. 668. 2; Naum. Vög. t. 92. 1, t. 378. 1; Gould, B. E. pl. 99. S. Europe.
montanus, Gm.; collaris, Scop.
mauritanicus, Lath.

3317. **immaculatus**, Hodgs.; Gould, B. As. pl. Nepal.
mollis, Bl.

3318. **nipalensis**, Hodgs.; Gould, B. As. pl. "
cacharensis, Hodgs.

3319. **altaicus**, Brandt; Gould, B. As. pl. Siberia, India.
himalayanus et variegata, Bl.
alpinus, V.

3320. **atroregularis**, Brandt; Gould, B. As. pl. Siberia.

3321. **Huttoni**, Moore. Simla.
atroregularis, Hutt.

862. b. SPERMOLEGUS, Kaup, 1829.

3322. **montanellus**, Pall.; Naum. Vög. t. 92. 2. N. Asia, Amur-
land, Vienna.
3323. **Temminckii**, Brandt; Gould, B. E. pl. 101. W. Siberia.
montanellus, Tem.

863. c. THARRHALEUS, Kaup, 1829.

Sylvia (Vermivoræ, p.), Meyer, 1815.

3324. **modularis**, L.; P. E. 615. 1; Naum. Vög. t. 92. 3, 4; Gould, B. E. pl. 100. Europe.

3225. **strophiat***us*, *Hodgs.*; *G. R. Gr. & M. G. B.* pl. 51;
Gould, B. As. pl. Himalaya Mts.
 3326. *rubidus*, *Tem. & Schl. F. J. t.* 32. Japan.
 3327. *rubiculoides*, *Hodgs.* Nepal.

FAM. II. **PARIDÆ**, *Boie*, 1826.Ampelidæ, p., *Jerd.* 1863. Sylvidæ, p.Subfam. I. **Parinæ**, *Bp.* 1838.Parianæ, *Sw.* 1831.**864. PARUS**, *L.* 1735.*Sw. C. of B. f.* 214, *h, k*; *G. of B. i.* p. 191.a. **PARUS**.

3328. **major**, *L.*; *P. E.* 3. 1; *Naum. Vög. t.* 94. 1; *Gould, B. E.*
 pl. 150. Europe.
fringillago, *Pall.*
 3329. **ater**, *L.*; *Naum. Vög. t.* 94. 2; *Gould, B. E.* pl. 155. 1. „
carbonarius, *Pall.*
 3330. **Ledouci**, *Malh.* Algeria, N. Afr.
 3331. **afer**, *Gm.*; *Lev. O. A. t.* 138.
cinerascens, *V.* W. Africa.
 3332. **varius**, *Tem. & Schl. F. J. t.* 35. Japan.
 3333. **minor**, *Tem. & Schl. F. J. t.* 33. „
 3334. **cinnamomeiventris**, *Gould.* I. of Formosa.
 3335. **cinereus**, *V.*; *P. C.* 287. 2; *Lev. O. A. t.* 139. 1; *Gould,*
B. As. pl. Himal., Ceylon.
atriceps, *Horsf.*; *cæsius*, *Tick.* Java, Flores.
nipalensis et schistinotus, *Hodgs.*
 3336. **nuchalis**, *Jerd. Ill. Ind. Orn.* pl. 46. E. Ghats.
 3337. **monticolus**, *Vig.*; *Gould, C. B.* pl. 29. 2; *id. B. As.* pl. Himalayas.
 3338. **elegans**, *Less.* India.
quadrivittatus, *Lafr.*
 3339. **semilarvatus**, *Salvad.* Himalayas.
 3340. **fuscus**, *V.*; *Lev. O. A. t.* 139. 2. — ?
 3341. **commixus**, *Swinh.* Amoy.
 3342. — ?; *Gould, B. As.* pl. — ?
minor, *Gould.*
 3343. **Atkinsoni**, *Jerd.* Sikkim.

3344. *Griffithii*, *Bl.* Assam.
3345. *insperatus*, *Swinh.* I. of Formosa.
3346. *viridescens*, *Swinh.* "
3347. *bokharensis*, *Jaub.* Bokhara.
- 865.** *b. PÆCILE*, *Kaup*, 1829.
Pæcila, *G. R. Gr.* 1847. *Paecila*, *Bp.* 1850.
Poikilis, *Blas.* 1863.
G. of B. i. pl. 52. f. 2; *Reich. S. A. t.* 62. f. .
3348. *palustris*, *L.*; *Naum. Vög. t.* 94. 4, t. 379. 4; *Gould, B. E. pl.* 155. 2. Europe.
fructiceti, *Wallengr.?*; *atricapillus*, *Gm.* Siberia.
3349. *borealis*, *Selys*; *Naum. Vög. t.* 379. 2. N. Europe.
palustris, *β*, *Blas.*
3350. ? *alpestris*, *Baill.*; *Naum. Vög. t.* 379. 3. C. S. Europe.
palustris, *γ*, *Blas.*
3351. *lugubris*, *Natt.*; *Naum. Vög. t.* 379. 1; *Gould, B. E. pl.* 151. 1. S.E. Eur., Dal-
mat., Hungary.
3352. *cinctus*, *Bodd.*; *P. E.* 708. 3; *Gould, B. E. pl.* 151. 2. N.E. Europe.
sibiricus, *Gm.*; *japonicus*, *Steph.*; *lugubris*, *Zetterst.*
3353. *septentrionalis*, *Harr.*; *Cass. Ill.* 1852, pl. 14. Missouri to
Rocky Mts.
3354. *atricapillus*, *L.*; *Wils. A. O. pl.* 8. 4. E. of N. Amer.
palustris, *Nutt.*
3355. *occidentalis*, *Baird.* N. Pacific coast
of U. S.
3356. *meridionalis*, *Sclat.* E. Mexico.
3357. *montanus*, *Gamb. Journ. Ac. Phil.* 1847, pl. 8. 1. Pacific coast of
U. S.
3358. *rufescens*, *Towns.*; *Aud. B. Am. ii. pl.* 129. "
sitchensis, *Kittl.*
3359. *hudsonicus*, *Forst.*; *Aud. B. Am. ii. pl.* 128. N.E. of N. Amer.
3360. *ferrugineus*, *Lund*; *N. S. Fn. & Fl. Fenn.* 1848, t. 1. 1. N. Europe.
3361. *lapponicus*, *v. Wright*; *N. S. Fn. & Fl. Fenn.* 1848, t. 1. 2. "
sibiricus, *Nils.*
3362. *kamschatkensis*, *Bp.* Kamschatka.
3363. *carolinensis*, *Aud. B. A. ii. pl.* 127. S. Atl. States.
3364. *frigoris*, *Selys.* N. Europe.
- 866.** *c. CYANISTES*, *Kaup*, 1829.
Cyanistis, *Bp.* 1853.
3365. *cyaneus*, *Pall.*; *Mus. Carls. t.* 25; *Naum. Vög. t.* 95. 3; *Gould, B. E. pl.* 153. Siberia, E. C.
Europe.
saebyensis, *Sparrm.*; *kujaeck*, *Gm.*
3366. *cæruleus*, *L.*; *P. E. S. 2*; *Naum. Vög. t.* 95. 1, 2; *Gould, B. E. pl.* 154. Europe, Asia
Minor.

3367. **ultramarinus**, *Bp.*; *G. R. Gr. & M. G. B.* pl. 52. N. Africa.
cæruleus, *β*, *Blas.*; *cæruleanus*, *Malh.*
numidicus et violaceus, *Lev.*
teneriffæ, *Less.* ?
- 867.** *d. MACHLOLOPHUS*, *Cab.* 1850.
3368. **spilonotus**, *Bl.*; *Jard. Contr. Orn.* 1852, pl. 1; *Gould*, Darjeeling, Sikkim.
B. As. pl.
xanthogenys, *Bl.*
3369. **xanthogenys**, *Vig.*; *Gould, C. B.* pl. 29. 1; *id. B. As.* pl. N.W. Himal.
aplonotus, *Bl.*
3370. **Jerdoni**, *Bl.*; *Gould, B. As.* pl. Neilgherries.
xanthogenys, *Jerd.*
3371. **melanolophus**, *Vig.*; *Gould, C. B.* pl. 30. 2; *id. B. As.* pl. N.W. Himalaya.
3372. *subviridis*, *Tick.* Moulmein.
- 868.** *e. LOPHOPHANES*, *Kaup*, 1829.
Parus, *L.* 1758.
Reich, S. A. t. 62. f. .
3373. **cristatus**, *L.*; *P. E.* 502. 2; *Naum. Vög. t.* 94. 3; *Gould*, Europe.
B. E. pl. 156.
3374. **dichrous**, *Hodgs.*; *Gould, B. As.* pl. Nepal.
3375. **rufonuchalis**, *Bl.*; *Gould, B. As.* pl. Simla.
3376. **Beavani**, *Bl.* Sikkim.
3377. **rubidiventris**, *Bl.*; *Jard. Contr. Orn.* 1852, pl. . Nepal.
melanolophus, *Hodgs.*
3378. **æmodius**, *Hodgs.* "
- 869.** *f. BAEOLOPHUS*, *Cab.* 1850.
Parus, *L.* 1766. *Baculophus*, *Bp.* 1853.
Lophophanes, *p.*, *Cass.*
3379. **bicolor**, *L.*; *Wils. A. O.* pl. 8. 5. E. N. America.
indicus, *Sparrm.*
3380. **atricristatus**, *Cass. Ill. B. Calif.* pl. 3; *Journ. Ac. Phil.* Calif., S. Rocky
 1847, pl. 8. Mountains.
3381. **inornatus**, *Gamb. Journ. Ac. Phil.* 1847, pl. 8; *Elliott*, Calif., Rocky M.
B. N. A. pl. 3.
3382. **Wollweberi**, *Westerm.*; *Baird, B. N. A.* pl. 53. 1. S. Rocky M.
annexus, *Cass. Pr. Ac. Phil.* 1850, pl. 1. Texas.
galeatus, *Cab.*
- 870.** *g. MELANIPARUS*, *Bp.* 1850.
Penthestes, *Reich.* 1850. *Pentheres*, *Cab.* 1850.
Melanoparus, *Verr.* 1855.
3383. **niger**, *V.*; *Lev. O. A. t.* 137. 1. S. Africa.
luctuosus, *Licht.*

3384. **leuconotus**, *Guér.*; *Rüpp. S. U. t. 18*; *Ferr. & Gal. Voy. en Abyss. t. 9. 1.*
dorsatus, Rüpp. Shoa.
3385. **leucopterus**, *Sw.*
melanoleucus, Würt. W. Africa.
3386. **funereus**, *Verr.* Gaboon.
3387. **leucomelas**, *Rüpp. F. Abyss. t. 37. 2.*
leucopterus, p., Hartl. Abyssinia.
- 871.** *h. MELANOCHLORA, Less. 1839.*
Crataionyx, Eyton, 1839. Crataeonyx, Agass.
Ptilobaphus, Reich. 1850.
3388. **sultaneus**, *Hodgs.*; *Gould, B. As. pl.* Nepal.
3389. **flavocristatus**, *Lafr. Mag. de Zool. 1837, t. 80.*
sumatranus, Less.; atra et flava, Eyton; sultanea, p., Jerd. Sumatra.
 Malacca.
- 872.** *i. PSALTRIA, Tem. 1832.*
3390. **exilis**, *Tem. P. C. 600. 4*; *Gould, B. As. pl.* Java.
- 873.** *j. PSALTRIPARUS, Bp. 1851.*
3391. **melanotis**, *Hartl.*; *Baird, B. N. A. pl. 53. 3.*
personatus, Bp.; melanotus, Sandb. E. Mexico.
 Guatemala.
3392. **minimus**, *Towns.*; *Aud. B. Am. ii. pl. 130.* Pac. coast of U.S.
3393. **plumbeus**, *Baird, B. A. pl. 33. 2.* S. Rocky M.
- 874.** *k. AURIPARUS, Baird, 1864.*
3394. **flavifrons**, *Sundev.*; *Baird, B. N. A. pl. 63. 2.*
ornatum, Lawr. Rio Grande.
- 875.** *l. ORITES, Moehr. 1752.*
Mecistura, Leach, 1816. Acredula, Koch, 1816.
Paroides, Brehm, 1828. Megistura!, G. R. Gr. 1840.
Ægithalus, Glog. 1842, nec Boie, 1822.
Reich. S. A. t. 62. f. .
3395. **caudatus**, *L.*; *P. E. 502. 3*; *Naum. Vög. t. 95. 4, 5, 6*; *N. Eur., Amur,*
Gould, B. E. pl. 157. Siber., N. Brit.
3396. **roseus**, *Bl.*
vagans, Leach; longicaudata, Macgill. France, Lombar.,
 Tuscany, on
 Bosphorus.
3397. **tephronotus**, *Günth. Ibis, 1865, pl. 4.* On Bosphorus.
3398. **trivirgatus**, *Tem. & Schl. F. J. t. 34.* Japan.
3399. **glaucogularis**, *Gould, B. As. pl.* China.
3400. **Swinhooi**, *Pelz. Reise Novara, t. 3. 1.* Shanghai.

876. SUTHORA, 1838,

et Temnoris, 1841, *et* Hemirynchus, 1843, *Hodgs.*
Paradoxornis, p., *G. R. Gr.* 1841. *Sutura*, *Des Murs*, 1853.
G. of B. i. p. 192, pl. 52. f. 1; *Reich. S. A. t.* 62. f. .

a. SUTHORA.

3401. **nipalensis**, *Hodgs.*; *Gould, B. As.* pl. upp. fig. Nepal.
atrifrons, *Hodgs.*

3402. **fulvifrons**, *Hodgs.*; *Gould, B. As.* pl. ,
nipalensis, p., *Hodgs.*

3403. **poliotis**, *Bl.*; *Gould, B. As.* pl. 2. low. fig. ,
nipalensis, p., *Gould*; *pictifrons*, *Hodgs.*

3404. **Webbiana**, *G. R. Gr. Pr. Z. S.* 1852, pl. 49; *Gould, B. As.* pl. China.

3405. **bulomachus**, *Swinh. Ibis*, 1866, pl. 9. I. of Formosa.

877. *b.* CHLENASICUS, *Bl.* 1845.

Suthora, p., *Bl.* 1849.

3406. **ruficeps**, *Bl.* Sikkim, Darjeel.

878. CERTHIPARUS, *Lafr.* 1842.

Certhioparus, *Agass.*

G. of B. i. p. 193, pl. 52. f. 6; *Reich. S. A. t.* 62. f. .

3407. **novæ zealandiæ**, *Gm.*; *Voy. Ereb. & Terr.* pl. 5. 1. New Zealand. 18210
urostigma, *Forst.*

3408. **maculicaudus**, *G. R. Gr. Voy. Astrol. t.* 11. 3. ,
zealandicus, *Quoy & G.*

879. SPHENOSTOMA, *Gould*, 1837.*a.* SPHENOSTOMA.

G. of B. i. p. 194, pl. 52. f. 5; *Reich. S. A. t.* 62. f. .

3409. **cristatum**, *Gould, B. A.* iii. pl. 17. E. & S. Australia.

880. *b.* XEROPHILA, *Gould*, 1840.

3410. **leucopsis**, *Gould, B. A.* iii. pl. 67. S. Australia.

881. PARISOMA, *Sw.* 1831.

Parosoma, *Agass.*

Sw. C. of B. f. 214, e, i; *G. of B. i.* p. 194, pl. 52. f. 3; *Reich. S. A. t.* 62. f. .

a. PARISOMA.

3411. **subcæruleum**, *V.*; *Lev. O. A. t.* 126. S. Africa.
erythropygia, *Licht.*; *rufiventris*, *Sw.*

3412. **Galinieri**, *Guér. & Lafr.*; *Ferr. & Gal. Voy. en Abyss. t.* 13. E. Africa.
frontale, *Rüpp. S. U. t.* 22. Abyssinia.

3413. *Layardi*, *Hartl.* S. Africa.
 3414. *melanurum*, *Cass.* CammaR., W. Af.
882. *b. ÆGITHALOPSIS*, *Heine*, 1859.
 3415. *olivascens*, *Cass.* W. Africa.

Subfam. II. *Ægithalinae*, *Reich.* 1850.

883. ÆGITHALUS, *Boie*, 1822, *et Vig.* 1825.

Pendulinus, *Brehm*, 1828, *nec V.* 1816.

Paroides, *Brehm*, 1828 (*Isis*).

Sw. C. of B. f. 214, *g*; *G. of B.* i. p. 193, pl. 52. f. 4; *Reich.*

S. A. t. 62. f. .

a. ÆGITHALUS.

3416. *pendulinus*, *L.*; *P. E.* 618. 3, *et* 708. 1; *Naum. Vög.*
t. 97; *Gould, B. E.* pl. 159. S.E. Europe.
narbonensis, *Gm.*

884. *b. ANTHOSCOPIUS*, *Cab.* 1850.

3417. *minutus*, *Shaw*; *Lev. O. A.* t. 134. S. Africa.
Smithii, *Jard.*; *anthophilus*, *Boie.*
pensilis, *Hartl.*

3418. *capensis*, *Gm.*; *Sonn. Voy.* t. 112. „

3419. *pensilis*, *Licht.* „

3420. *punctifrons*, *Sundev.* Sennaar.

3421. *parvulus*, *Würt. & Heugl.* Djour.
punctatus, *Sundev.* ?

3422. *flavifrons*, *Cass. Pr. Ac. Phil.* 1858, pl. 1. 1. Gaboon.

885. *c. ÆGITHALISCUS*, *Cab.* 1850.

Oritiscus, *Bp.* 1854. *Bites*, *Sundev.* 1857.

3423. *erythrocephalus*, *Vig.*; *Gould, C. B.* pl. 30. 1. Himalaya M.

3424. *leucogenys*, *Moore*; *Gould, B. As.* pl. Afghanistan.

3425. *anophrys*, *Swinh.* Amoy.

3426. *concinus*, *Gould, B. As.* pl. China.

886. *d. CEPHALOPYRUS*, *Bp.* 1853.

3427. *flammiceps*, *Burt.*; *Jard. Contr. Orn.* 1850, pl. 66. 2. C. Asia.
sanguinifrons, *Hay.* N.W. Himalaya.

887. *e. PANURUS*, *Koch*, 1816.

Calamophilus, *Leach*, 1816. *Mystacinus*, 1822, *et Ægythalus*,
 1826, *Boie.* *Callimophilus*, *Selby*, 1840. *Hypenites*, *Glog.*
 1842.

Reich. S. A. t. 62. f. .

3428. **biarmicus**, *L.*; *P. E.* 618. 1, 2; *Naum. Vög.* t. 96; *Gould, B. E.* pl. 158. C. S. Europe.
barbatus, Blas.; *ruscicus, Gm.*
3429. **sibiricus**, *Bp.* Kamtschatka.
- 888.** *f. SYLVIPARUS, Burt.* 1835.
3430. **modestus**, *Burt.* Himalaya.
sericophrys, Hodgs.; *minutus, Jerd.* N. Ghats.
- 889.** *g. ACANTHIPARUS, Gould,* 1855.
3431. **niveogularis**, *Gould, B. As.* pl. N. India.
3432. **jouchistos**, *Hodgs.*; *Gould, B. As.* pl. Nepal, Darjeel.

Subfam. III. **Poliophtilinae**, *Sclat.* 1862.

- 890. POLIOPHTILA**, *Sclat.* 1854.
Culicivora, Sw. 1837, *neo* 1827, *et p. G. R. Gr.* 1848.
Reich. S. A. t. 62. f. .
3433. **cærulea**, *L.*; *Edw. B.* pl. 302; *Wils. A. O.* pl. 18. 5. Guiana.
cana, Gm.; *leucogastra, Sclat.* N. Gran., Guat.
3434. **leucogastra**, *Max.*; *P. E.* 704. 1; *Sw. Z. S.* pl. 57. Brazil.
atricapilla, Sw.
dumicola, Bp.
3435. **boliviana**, *Sclat. Pr. Z. S.* 1852, pl. 47. Bolivia.
3436. **superciliaris**, *Laur.* Panama.
3437. **Buffoni**, *Sclat.*; *P. E.* 704. 1. Cayenne.
cærulea, var., Gm. Bogota.
3438. **dumicola**, *V.* Bolivia.
bivittata, Lafr.
3439. **mexicana**, *Bp.* Mexico.
cærulea, p. ?, Baird.
3440. **albiloris**, *Sclat. & S.* Guatemala.
3441. **Lembeyei**, *Gundl.* Cuba.
cærulea, p. ?
3442. **plumbea**, *Baird, B. N. A.* pl. 33. 1. Colorado.
3443. **nigriceps**, *Baird.* Mazatlan.
3444. **? bilineata**, *Licht.* Carthag., Esmer.
Bahahoyo.
3445. **melanura**, *Laur.*; *Cass. Ill.* pl. 27. R. Grande & Gila.
atricapilla, Laur.; *mexicana, Cass.*

FAM. III. **CHAMÆADÆ**, *Baird*, 1864.Subfam. I. **Chamæanæ**, *G. R. Gr.***891. CHAMÆA**, *Gamb.* 1847.3446. **fasciata**, *Gamb. Journ. Ac. Phil.* 1849, pl. 8. 3.

California.

FAM. IV. **MNIOTILTIDÆ**, *Sclat.* 1862.Tanagridæ, p., *Bp.* Sylvicolidæ, *Baird*, 1864.Subfam. I. **Mniotiltinæ**, *G. R. Gr.* 1848.Sylvicolinæ, *Bp.* 1838.**892. MNIOTILTA**, *V.* 1816.Oxyglossus, *Sw.* 1827. Certhia, *V.* 1806.*Sw. C. of B.* f. 132, a, 213, f, l; *G. of B.* i. p. 195, pl. 53. f. 1;
Reich. S. A. t. 61. f.a. **MNIOTILTA**.3447. **varia**, *L.*; *Wils. A. O.* pl. 19. 3; *V. Gal. des Ois.* t. 169.
maculata, *Wils.*; borealis, *Nutt.*
var. longirostris, *Baird*.E. of U. States.
Guatemala.
West Indies.**893.** b. **COMPSOTHYLPIS**, *Cab.* 1850.Sylvicola, *Sw.* 1827, nec *Humph.* 1797.Chloris, *Boie*, 1826, nec *Moehr.* 1752.Parula, *Bp.* 1838. Ficedula, *Des Murs*, 1853.*Sw. C. of B.* f. 213, m, 214, a, f.3448. **americana**, *L.*; *P. E.* 731. 1, & 709. 1?; *Wils. A. O.* pl.
28. 3; *Aud. B. A.* ii. pl. 91.
eques, *Bodd.*; ludoviciana, *Gm.*
torquata, *V.*; pusilla, *Wils.*E. of U. States,
West Indies.
Guatemala.3449. **pitiayumi**, *V.*; *P. C.* 293. 1; *Sw. Zool. Ill.* pl. 139.
brasiliانا, *Licht.*; venusta, *Tem.*
plumbea, *Sw.*Brazil.
Paragu., Trinidad.3450. **superciliosa**, *Hartl.*
mexicana, *Licht.*

Guatemala.

3451. **inornata**, *Baird.*
brasiliانا, *Sclat. & S.*"
Costa Rica.3452. **gutturalis**, *Cab.*

"

3453. **mexicana**, *Bp.*

Mexico.

superciliosa, p., *Baird.*

894. c. PROTONOTARIA, Baird, 1858.

3454. *citrea*, Bodd.; *P. E.* 704. 2; *Wils. A. O.* pl. 24. 3; *Aud. B. A. ii.* pl. 106. S. Atlantic & Gulf States.
protonotarius, Gm.
auricollis, Gm.; *Briss. Orn.* iii. t. 26. 1. W. Indies.

895. d. HELMINTHOPHAGA, Cab. 1850.

Sw. C. of B. f. 132, b, 213, h, i.

3455. *pinus*, L.; *Edw. B.* pl. 277. 1; *Wils. A. O.* pl. 15. 4; *Aud. B. A. ii.* pl. 111. E. of N. Amer.
solitaria, Wils.
3456. *ruficapilla*, Wils. *A. O.* pl. 27. 3; *Fauna B. Am.* pl. 42. 1. „
rubricapilla, Wils.; *leucogastra*, Shaw. Greenland.
nashvillei, V.; *mexicana*, Holb.
3457. *celata*, Say; *Bp. A. O.* pl. 5. 2; *Aud. B. A. ii.* pl. 112. Mississippi to Pacif., N. Mex.
3458. *peregrina*, Wils. *A. O.* pl. 25. 2; *Fauna B. Am.* pl. 42. 2; *Aud. B. A. ii.* pl. 110.
tennessaei, V.; *missouriensis*, Max.? E. of U. States.
3459. *chrysoptera*, L.; *Edw. B.* pl. 299; *Wils. A. O.* pl. 15. 5; E. of N. Amer.,
Bp. A. O. pl. 1. 3; *Aud. B. A. ii.* pl. 107. Bogota, Cuba.
flavifrons, Gm. C. America.
3460. *Bachmani*, *Aud. B. A. ii.* pl. 108. S. Atl. Stat., Cuba.
3461. *virginiae*, Baird, *B. N. A.* pl. 79. 1. S. Rocky M.
3462. *Luciae*, Coop.; *Elliot, B. A.* pl. 5. Colorado R.

896. e. HELMITHEROS, Rafinq. 1819.

Hylophilus, Boie, 1826, nec Tem. 1823.
Vermivora, Sw. 1827. *Dacnis*, Bp. 1828.
Helinaia, Aud. 1839. *Hemitheros*, Aliq.
Helmitherus, Baird, 1864.
Sw. C. of B. f. 213, g.

3463. *vermivora*, Gm.; *Edw. B.* pl. 305; *Wils. A. O.* pl. 24. 4; E. of U. States,
Aud. B. A. ii. pl. 105. S. E. Mexico.
pennsylvanica, Sw.; *migratorius*, Rafinq. Guatemala.
fulvicapilla, Sw. Cuba, Florida.
3464. *Swainsonii*, *Aud. B. A. ii.* pl. 104. S. Carolina,
 Georgia, Cuba.

897. f. PERISSOGLOSSUS, Baird, 1864.

3465. *tigrina*, Gm.; *Wils. A. O.* pl. 54. 3; *Aud. B. A. ii.* pl. 85. E. of U. States.
maritima, Wils. Cuba.

898. g. DENDROICA, G. R. Gr. 1842.

Ficedula, Cuv. 1799, 1800, nec Moehr. 1752.
Sylvicola, G. R. Gr. 1841, nec Sw. 1827.
Dendroeca, Agass.
Rhimamphus, Rafinq. 1815? *Rhimanphus*, G. R. Gr. 1848.
Reich. S. A. t. 61. f.

3466. **coronata**, *L.*; *Wils. A. O.* pl. 17. 4, & 45. 3; *Aud. B. A.* ii. pl. 76.
virginianus et canadensis, L.; *umbra, cincta et pinguis, Gm.* E. of N. Amer.
xanthopygia et xanthorhoa, V. Puget's Sound.
3467. **Audubonii**, *Towns.*; *Aud. B. A.* ii. pl. 77. W. of U. States.
3468. **occidentalis**, *Towns.*; *Aud. B. A.* ii. pl. 93. Calif., Guatem.
chrysopareia, Sclat.; *niveiventris, Salv.*
3469. **Townsendii**, *Nutt.*; *Aud. B. A.* ii. pl. 92. N.W. America,
 Mex., Guatem.
3470. **nigrescens**, *Towns.*; *Aud. B. A.* ii. pl. 94. W. America.
Halseii, Giraud? N. Mexico.
3471. **canadensis**, *L.*; *Wils. A. O.* pl. 15. 7; *Aud. B. A.* ii. pl. 95; *Sagra, Cuba*, t. 9. 1, 2. E. of U. States.
cærulescens, Gm.; *pusilla et leucoptera, Wils.* S. to W. Indies.
palustris, Steph.; *macropus, V.*
sphagnosa, Bp.; *pannosa, Gosse, Ill.* pl. 37.
3472. **Blackburniæ**, *Gm.*; *Wils. A. O.* pl. 23. 3, & 44. 3; *Aud. B. A.* ii. pl. 87. E. of U. States.
parus, Wils.; *lateralis, Steph.* Guat., West Indies, Bahamas.
chrysocephala et incana, Gm.?; *melanorhoa, V.* Bogota.
3473. **cærulea**, *Wils. A. O.* pl. 17. 5, & 27. 2; *Aud. B. A.* ii. pl. 86. E. of U. States.
rara, Wils.; *azurea, Steph.*; *bifasciata, Say.*
populorum, V.
3474. **striata**, *Forst.*; *V. O. A. S.* t. 75, 76; *Wils. A. O.* pl. 30. 3; *Aud. B. A.* ii. pl. 78. Cuba, Greenl.
3475. **æstiva**, *Gm.*; *V. O. A. S.* t. 95; *Wils. A. O.* pl. 15. 5; *Aud. B. A.* ii. pl. 89. U. States.
carolinensis, Lath.; *flava, V.*; *citrinella, Wils.* Guatemala.
Childreni et Rathbonia, Aud.; *rubiginosa, Pall.*
citrinus, Rafinq.? *chryseolus, Bp.*
3476. **maculosa**, *Gm.*; *V. O. A. S.* t. 93; *Wils. A. O.* pl. 23. 3; *Aud. B. A.* ii. pl. 96. E. of U. States.
magnolia, Wils. Cuba.
3477. **palmarum**, *Gm.*; *V. O. A. S.* t. 73; *Wils. A. O.* pl. 28. 4; *Aud. B. A.* ii. pl. 90. E. of U. States.
petechia, Wils.; *ruficapilla, Bp.* West Indies.
3478. **dominica**, *L.*; *P. E.* 686. 1; *V. O. A. S.* t. 72; *Wils. A. O.* pl. 12. 6. E. of U. States.
superciliosa, Bodd.; *flavicollis et pensilis, Gm.* Mex., W. Indies.
3479. **olivacea**, *Giraud, B. Tex.* pl. 7. 2; *Cass. B. Tex.* pl. 47. Mexico.
tæniata, Dubus.
3480. **eca**, *Gosse, Ill. B. of Jam.* pl. 34. Jamaica.
3481. **Vieillotii**, *Cass.* Panama, Mexico.
erythachorides, Baird; *ruficeps, Cab.?* New Granada,
 Costa Rica.
3482. **virens**, *Gm.*; *V. O. A. S.* t. 93; *Wils. A. O.* pl. 27. 3; *Aud. B. A.* ii. pl. 84. N. Am., Cub., Heligol., Greenl.,
 Guat., Mexico.

3483. *castanea*, *Wils. A. O.* pl. 14. 4, & pl. 23. 4; *Aud. B. A.* ii. pl. 80. E. of U. States.
autumnalis, *Wils.* Guatemala.
3484. *pinus*, *Wils. A. O.* pl. 19. 4; *Aud. B. A.* ii. pl. 82, *id. O. B.* pl. 3. E. of U. States.
Vigorsii, *Aud.*
3485. *pennsylvanica*, *L.*; *Wils. A. O.* pl. 14. 5; *Aud. B. A.* ii. pl. 81. E. of U. S., Pana-
icterocephala, *Lath.* ma, Guatema.
Bahamas.
3486. *discolor*, *V. O. A. S.* t. 98; *Wils. A. O.* pl. 25. 4; *Aud. B.* A. ii. pl. 97. Atlantic States.
minuta, *Wils.* Cuba, St. Croix,
Bahamas.
3487. *pharetra*, *Gosse, I. B. Jam.* pl. 38. Jamaica.
3488. *aureola*, *Gould, Voy. Beagle*, pl. 28. Galapagos.
3489. *Graciae*, *Coues; Elliot, B. N. A.* pl. 6. Arizona.
3490. *montana*, *Wils. A. O.* pl. 44. 2; *Aud. B. A.* ii. pl. 98. Virginia.
tigrina, *V. O. A. S.* t. 94. St. Domingo.
3491. ? *atricapilla*, *Landb.* Chili.
3492. *Kirtlandii*, *Baird, Ann. L. N. Y.* 1852, pl. 6; *Cass. Ill. Calif.* pl. 47. N. Ohio, Baham.
3493. *carbonata*, *Aud. B. A.* ii. pl. 109. Kentucky.
3494. *chrysopareia*, *Selat. & S.* Guatemala.
3495. *Gundlachi*, *Baird.* Cuba.
albicollis (*Briss. Orn.* iii. t. 26. 5) *et chloroleuca* (*Briss. Orn.* iii. t. 26. 2), *Gm. ??* St. Domingo.
æstiva, *Lemb.*
3496. *petechia*, *L.; Edw. B.* pl. 256. 2. Jamaica.
æstiva, *Gosse.*
3497. — ? , *Baird.* Martinique.
ruficapillus, *Gm.*; *Briss. Orn.* iii. t. 22. 4; *erithachorides*, *Rafinq. ?*; *æstiva*, *Newt. ?*; *petechia*, *Cass. ?* St. Croix, St. Tho.
3498. *rufigula*, *Baird.* W. Indies.
ruficapilla, *V. ?* Martinique.
3499. *pityophila*, *Gundl.* Cuba.
3500. *Adelaidæ*, *Baird.* Porto Rico.

*

* 899. *Thaumasioptera*, *Schiff.* 1854. (Type unknown).

Subfam. II. *Trichadinæ*, *G. R. Gr.*Geothlypinæ, *Baird*, 1864.**900. OPORORNIS**, *Baird*, 1858.

3501. *formosa*, *Wils. A. O.* pl. 25. 3; *Aud. B. A.* ii. pl. 74. E. of U. States.
æquinoctialis, *V. O. A. S.* t. 81? Guat., Isthmus
Panam., Cub.
3502. *agilis*, *Wils. A. O.* pl. 39. 4; *Baird, B. N. A.* pl. 79. 2; *Aud.*
B. A. ii. pl. 99. E. of U. States.
tephrocotis, *Nutt.*?

901. TRICHAS, *Sw.* 1827, *nec Glog.* 1827.Geothlypis, *Cab.* 1847.*G. of B.* i. p. 197, pl. 53. f. 3; *Reich. S. A.* t. 61. f. .

- 7736 3503. *marilandica*, *Wils.*; *P. E.* 709. 2; *Wils. A. O.* pl. 6. 1;
Aud. B. A. ii. pl. 102. N. America.
trichas, *L.*; *mystaceus*, *Steph.* California.
personatus, *Sw.*; *Roscoe, Aud. O. B.* pl. 24.
brachydactylus, *Sw.*
3504. *velata*, *V. O. A. S.* t. 74; *Aud. B. A.* ii. pl. 103. W. Indies.
cucullata, *Lath.*; *canicapilla*, *Max.* S. America.
Delafieldii, *Aud.*; *caniicephala*, *Less.*
3505. *Macgillivrayi*, *Aud. B. A.* ii. pl. 100; *Baird, B. N. A.* Pacific coast of
pl. 79. 4. N. America.
Tolmiei, *Towns.*; *philadelphia*, *Aud.*
Tolmiei, *Nutt.*; *vegata*, *Licht.*
3506. *semiflava*, *Sclat.* Ecuador.
3507. *poliocephala*, *Baird.* W. co. of Mex.
æquinoctialis, *Sclat. & S.?* Guatemala.
3508. *melanops*, *Baird.* E. Mexico.
3509. *philadelphia*, *Wils. A. O.* pl. 14; *Baird, B. N. A.* pl. 79. 3; E. of U. States, C.
Aud. B. A. ii. pl. 101, America.
3510. *speciosa*, *Sclat.* E. Mexico.
3511. *æquinoctialis*, *Gm.*; *P. E.* 685. 1; *V. O. A. S.* t. 81. N.E of S. Amer.,
Cayen., Trin.
3512. *formosa*, *Sclat.* Mexico.
3513. *rostrata*, *Bryant, Bost. Soc. N. H.* 1866, fig. p. 67. Bahamas.

Subfam. III. *Setophaginæ*, *Baird*, 1864.**902. SETOPHAGA**, *Sw.* 1827.*Cetophaga*, *Less.* 1828. *Erythrosoma*, *Sw.* 182?*Sylvania*, *Nutt.* 1832.

Sw. C. of B. f. 133, *h*, *e*, 213, *a*, *b*; *G. of B.* i. p. 264, pl. 63.
f. 4; *Reich. S. A.* t. 64. f. .

a. SETOPHAGA.

3514. **ruticilla**, *L.*; *V. O. A. S.* t. 35, 36; *Wils. A. O.* pl. 6. 6. N. America.
flavicauda, *Gm.*
3515. **picta**, *Sw. Zool. Ill.* pl. 3; *Baird, B. N. A.* pl. 77. 2;
Giraud, Texas B. pl. 6. 1. Mexico.
leucomus, *Giraud*; *tricolor*, *Licht.*
3516. **multicolor**, *Bp.* "
3517. ? **russeicauda**, *V. O. A. S.* t. 71. Penna.
3518. ? **tricolor**, *Müll.*; *P. E.* 391. 2.
nigra, *Bodd.*; **multicolor**, *Gm.*

903. b. MYIOBORUS, *Baird*, 1865.

3519. **verticalis**, *Lafr.*; *D'Orb. Voy. A. M.* t. 35. 1. Bogota, Peru.
3520. **flammea**, *Kaup.* Guatemala.
intermedia, *Hartl.* Costa Rica.
3521. **melanocephala**, *Tsch. F. P.* t. 12. Peru, Bolivia.
3522. **ruficoronata**, *Kaup.* Bogota, Quito.
3523. **ornata**, *Boiss.* Bogota.
flaveola, *Lafr.*; *citreola*, *Licht.*
3524. **miniata**, *Sw.*; *Giraud, B. Tex.* pl. 3. 2; *Baird, B. N. A.*
 pl. 58. 1. Mexico.
vulnerata, *Wagl.*; *castanea*, *Less.*; *Derhami*, *Giraud.*
larvata, *Licht.*
3525. **aurantiaca**, *Baird.* Costa Rica.
3526. **torquata**, *Baird.* "
3527. — ? , *Baird.* Ecuador.
ruficoronata, *Sclat.*
3528. **brunneiceps**, *Lafr.*; *D'Orb. Voy. A. M.* t. 29. 3. Bolivia.
virescens, *Burm.*
3529. **castaneocapilla**, *Cab.* Guiana.
brunneiceps, *p.*
3530. **leucomphomma**, *Kaup.* Bogotá.
ornata, *p. ?*, *Baird.*

904. c. CARDELLINA, *Dubus*, 1850.

3531. **amicta**, *Dubus.* Mexico.
rubrifrons, *Giraud*; *erythropis*, *Licht.*

905. d. ERGATICUS, *Baird*, 1865.

Cardellina, *p.*, *Baird.*

3532. **rubra**, *Sw.*; *Mag. de Zool.* 1836, t. 54; *Giraud, B. Tex.* pl. 4. 2. N. Mexico.
miniata, Lafr.; *leucotis, Giraud.*
argyrotis, Licht.
3533. **versicolor**, *Salv. Pr. Z. S.* 1863, pl. 24. 1. Guatemala.
- 906.** *e. WILSONIA, Bp.* 1838.
Myiodiotes, Aud. 1839. *Myioctonus, Cab.* 1850.
Cardellina, Dubus, 1850.
Sw. C. of B. f. 133, *d.*
3534. **mitrata**, *Gm.*; *V. O. A. S. t.* 77; *Wils. A. O.* pl. 26. 3; *Aud. B. A. ii.* pl. 71. U. States.
cucullata, Wils.; *Selbyi, Aud. O. B.* pl. 9. Guatem., Cuba.
3535. **pusilla**, *Wils. A. O.* pl. 26. 4; *Aud. B. A. ii.* pl. 75. U. States, Russ.
Wilsonii, Bp.; *petasodes, Licht.?* Amer., Mexic.,
pileolata, Pall. Costa Rica.
3536. **canadensis**, *L.*; *Wils. A. O.* pl. 26. 2; *Aud. B. A. ii.* pl. 72. U. States.
pardalina, Bp.; *nigricincta, Lafr.* E. Mexico.
3537. **minuta**, *Wils. A. O.* pl. 1. 5; *Aud. B. A. ii.* pl. 67. E. of U. States.
pumilia, Nutt.
3538. **Bonapartei**, *Aud. B. A. ii.* pl. 73; *Faun. B. Am.* pl. 47. N. of N. Amer.
canadensis, p.?, *Sw. & Baird.*
- 907.** *f. EUTHLYPIS, Cab.* 1850.
Phyllopneustes, p., Boie, 1828.
Myiodiotes, p., Aud.
3539. **lachrymosa**, *Licht.* Mexico, Guat.
- 908.** *g. BASILEUTERUS, Cab.* 1847.
Myiothlypis, Cab. 1850?
3540. **vermivora**, *V.* N. of S. Amer.
auricapilla, Sw. Trinidad, Braz.
3541. **leucoblepharum**, *V.*; *D' Orb. Voy. A. M. t.* 12. 2. S. Braz., Parag.
superciliosus, Sw.?
3542. **bivittata**, *Lafr.* Ecuador, Peru.
tristriatus, Tsch.?; *vermivorus, p.*
3543. **coronata**, *Tsch. F. P. t.* 14. 1. Peru, Ecuador.
3544. **culcivora**, *Bp.*; *Giraud, B. Tex.* pl. 6. 2. Mexico, Guat.
Brasieri, Giraud. Costa Rica.
3545. **uropygialis**, *Slat. Pr. Z. S.* 1865, pl. 10. 2. Braz.?, Panama.
semicervinus, Lavr.
3546. **semicervina**, *Slat. Pr. Z. S.* 1865, pl. 10. 1. Ecuador.
3547. **stragulata**, *Licht.* Brazil.
rivularis, Max.?

3548. *chrysogastra*, *Tsch.* Peru, Ecuador.
 3549. *hypoleuca*, *Cab.* Brazil.
 bivittatus, p. ?, *Baird.*
 3550. *cinereicollis*, *Sclat. Pr. Z. S.* 1865, pl. 9. 2. New Granada.
 3551. *mesoleuca*, *Sclat. Pr. Z. S.* 1865, pl. 9. 1. Demerara.
 3552. *viridicata*, *V.* Bolivia.
 elegans, *Lafr.* Chiquiros.
 3553. *leucophrys*, *Natt. & Pelz.* Brazil.
- 909.** *h. IDIOTES*, *Baird*, 1865.
 Basileuterus, p., *Bp.*
3554. *rufifrons*, *Sw.* Mexico.
 aurigula, *Licht.*
3555. *Delattrii*, *Bp.* "
 brunneiceps, *Bp.* Guatemala?
3556. *Belii*, *Giraud*, *B. Tex.* pl. 4. 1. Mexico.
 chrysophrys, *Sclat.* Guatemala.
3557. *melanogenys*, *Baird.* Costa Rica.
3558. *mesochrysa*, *Sclat.* Bogota.
 Delattrii, *Sclat.* Costa Rica?
3559. *griseiceps*, *Sclat. & S.* Venezuela.
- 910.** *i. MYIOTHLYPIS*, *Cab.* 1850.
 Basileuterus, p., *Sclat.*
3560. *flaveola*, *Baird.* Paraguay.
 luteoviridis, *Bp.* ?; *nigricristatus* ♀, *Sclat.*
3561. *nigrocristata*, *Lafr.* Quito, Bolivia.
 nigricapillus, *Sclat.*

FAM. V. MOTACILLIDÆ, *Boie*, 1826.Subfam. I. Motacillinæ, *Sw.* 1831.Motacillina, *Vig.* 1825.**911. MOTACILLA**, *L.* 1735.

Pallenura, *Pall.* Motacilla (*Ripariæ*), *Glog.* 1834.

G. of B. i. p. 203, pl. 54. f. 1; *Reich. S. A.* t. 59. f. .

a. MOTACILLA.

3562. *alba*, *L.*; *P. E.* 652. 1, 674. 1; *Naum. Vög.* t. 86; *Gould*, E. Eu., As. Min.,
 B. E. pl. 143. N. Afr., Caffr.,
 Green, Pales.

3563. ? *gularis*, Sw. W. Afr., Gamb.
 alba, p., *Hartl. & F.*
3564. *Yarrelli*, Gould, B. E. pl. 141; *Yarr. Br. B.* ii. fig. p. 403;
Naum. Vög. t. 377. 1. C. & N.W. Eur.
 alba, var. β , *Blas.*
 lugubris, *V.*
3565. *lugubris*, Pall.; Gould, B. E. pl. 142. N. Asia.
 alba, var. γ , *Blas.*; *Yarrellii*, p., *Bp.*; leucoptera, *Vig.* Persia.
 albeola, var. *lugens*, Pall.
3566. *japonica*, *Swinhoe.* Japan.
lugens, *Schl. F. J.* t. 25. E. Asia.
3567. *luzoniensis*, *Scop.*; *Sonn. Voy.* 29. Ind., Ass., Phil. I.
 alboides, *Hodgs.*; leucopsis, Gould. Burmah, China.
 alba, var. *paradoxa*, *Schrenck.*
3568. *Hodgsoni*, G. R. Gr. Nepal.
3569. *maderaspatana*, Gm.; *Lath. Hist.* vi. pl. 54; Gould, India, Ceylon.
 B. As. pl. Himalayas.
maderas, *Steph.*; *variegata*, *Steph.*
picata, *Frankl.*
3570. *dukhunensis*, *Sykes*; Gould, B. As. pl. S. & W. Indies,
 alba, p., *Hartl. & F.* N.W. Prov.
 Ceylon.
3571. *personata*, Gould, B. As. pl. Bengal?, Persia.
dukhunensis, *Jerd.*
3572. *Vaillantii*, Cab.; *Lev. O. A.* t. 178; *Kittl. Kupf. Vög.* S. & W. Africa.
 t. 21. 2.
vidua, var. *major*, *Sundev.*; *capensis*, p., *Licht.*
Aguimp, p., *et Levaillantii*!, *Layard.*
3573. *capensis*, L.; *P. E.* 28. 2; *Lev. O. A.* t. 177. S. Africa.
afra, Gm. Damaraland.
3574. *longicauda*, *Rüpp. F. A.* t. 29. 2. Abyss., Nubia.
vidua, *Sundev.*; *capensis*, *Licht.*; *Lichtensteini*, Cab. Natal.
3575. *flaviventris*, *Verr.* Madagascar.
3576. *ocularis*, *Swinhoe*; *Kittl. Kupf. Vög.* t. 21. 1. E. Siberia.
 alba, var. *lugens*, *Schrenck.* China, Formosa.
 albeola, var. *kamtschatica*, Pall. Amoor, Kamts.
3577. ? *cærulescens*, *Lath.* New S. Wales?
australis, *Steph.*; *boarula*, var. B, *Lath.*
- 912.** b. BUDYTES, Cuv. 1817.
Berdytes!, *Flem.* 1822. *Budites*!, *Boie*, 1822.
Bodytes!, *Costa*, 1854.
Motacilla dolichonyches, *Glog.* 1834.
Reich. S. A. t. 59. f. .
3578. *flava*, L.; *P. E.* 674. 2; *Edw. B.* pl. 258; *Naum. Vög.* Eur., N. & S. Afr.
 t. 88; Gould, B. E. pl. 146.
boarula, L.; *chrysogastra*, *Bechst.*

- neglecta, *Gould*; flava, var. 2. vulgaris, *Sundev.*
fasciata, *Brehm*; *Lindermayeri*, *C. Brehm.*
3579. **melanocephala**, *Licht.*; *Naum. Vög.* t. 374; *Rüpp. Atl.* S.E. Europe,
t. 33. N.E. Africa.
flava, var. a, *Schl.*; flava, var. 5. africana, *Sundev.* Asia Minor.
3580. **cinereocephala**, *Savi*; *Naum. Vög.* t. 373; *Bp. F. It.* Italy.
t. 31. 2. Dalmatia.
borealis, var. β , *Blas.*; flava, var., *Schl.*
Feldeggi, Mich.; dalmatica, *Bruch.*
flava, var. 4. dalmatica, *Sundev.*
3581. **campestris**, *Pall.*; *Naum. Vög.* t. 372. E. Europe.
flaveola, var. β , *Blas.*; flava, p., *Hartl. & F.*
3582. **Rayi**, *Bp.*; *Gould, B. E.* pl. 145. Europe.
flaveola, *Tem.*; flava, p., *Hartl. & F.* W. Africa.
3583. **citreola**, *Pall.*; *Gould, B. E.* pl. 144; *Naum. Vög.* t. 377. E. Europe.
2, 3, 4.
sheltobrischa, *Lepech.*
citrinella, *Pall.*; aureicapilla, *Less.*
3584. **citreoloides**, *Hodgs.* Nepal.
citreola, *Jerd.*; "aureicapilla, V.," *Bl.* Andamans.
calcaratus, *Hodgs.*
3585. **viridis**, *Scop.* India.
beema et melanocephala, *Sykes.*
neglecta et flava, *Jerd.*
dubius, fuliventris et schisticeps, *Hodgs.*
3586. **flavescens**, *Shaw.* Moluccas.
flava, *Horsf.*; flava, var. B, *Lath.* Cel., Tim., Java.
3587. ? **nigricapilla**, *Bp. Fauna Pontica*, t. 2; *Bull. S. Imp. Mosc.* Dalmatia,
1850, t. 8. 3. Sweden, Lapl.
melanocephala, *Savi*; flava, var. 4. borealis, *Sundev.*
atricapilla, *Brehm.*
3588. **Kaleniczeneki**, *Andr. Bull. des Sc. de Mosc.* 1842, t. 20. E. & S.E. Eur.
melanocephala, var. β , *Blas.*
3589. borealis, *Sundev.* N. Europe.
flava, var. b, *Blas.*
3590. flaveola, *Gould.* C. & W. Europe.
flava, var. c, *Blas.*; flava, p., *Hartl. & F.*
3591. ophthalmica, *Fl. Prev. & Des Murs*; *Lefebv. Voy. Abyss.* t. 7 Abyssinia.
(lunulata, on plate).
- 913.** c. CALOBATES, *Kaup*, 1829.
Motacilla, *Pallenura*, *Pall.* 1831.
3592. **boarula**, *Penn.*; *P. E.* 28. 1; *Edw. B.* pl. 259; *Naum.* C. & S. Europe.
Vög. t. 87; *Gould, B. E.* pl. 147. N.E. Africa.
sulphurea, *Bechst.*; grisea, *Müll.*
melanope, *Pall.*

3593. *bistrigata*, *Raffl.* Sumatra, Java.
sulphurea, *Horsf.*; *javensis*, *Bp.*
boarula, *p.*, *Tem.* & *Schl.*; *viridis*, *p.*, *Bp.*
flava, *Vig.* Australia?

914. *d. LIMONIDROMUS*, *Gould*, 1862.

Nemoricola, *Bl.* 1847, *nec Hodgs.* 1837.

Nemorivaga, *Fitz.* 1864.

3594. *indica*, *Gm.*; *Lev. O. A. t.* 179; *Gould, B. As.* pl. India.
variegata, *V.*; *thoracica*, *Müll.* Malacca, Born.
affinis, *Tick.*

915. GRALLINA, *V.* 1816.

Tanypus, *Oppel*, 1811, *nec Meig.* 1803.

G. of B. i. p. 204, pl. 54. f. 5; *Reich. S. A. t.* 59. f. .

- 2196 3595. *picata*, *Lath.*; *V. Gal. des Ois. t.* 150; *Gould, B. A. ii.* Australia.
 pl. 54.
 4657 *cyanoleucus*, *Lath.*; *australis*, *Oppel.*
melanoleuca, *V.*

916. ENICURUS, *Tem.* 182 ?

Enicura, *Less.* 1839. *Henicurus*, *Agass.*

Allocoturus, *Van der Hoev.* 1856.

Sw. C. of B. f. 128; *G. of B. i. p.* 203, pl. 54. f. 6; *Reich. S. A. t.* 59. f. .

3596. *Leschenaultii*, *V.*; *P. C.* 113. Java, Sumatra.
speciosa, *Horsf.*; *Gal. des Ois. t.* 145; *coronatus*, *Tem.*
 3597. *velatus*, *Tem. P. C.* 160. Java.
 3598. *maculatus*, *Vig.*; *Gould, C. B.* pl. 27, *et B. As.* pl. Himalaya M.
 3599. *guttatus*, *Gould, B. As.* pl. Him. M., Sikk.
 3600. *immaculatus*, *Hodgs.* Nepal.
 3601. *schistaceus*, *Hodgs.* "
 3602. *chinensis*, *Gould, B. As.* pl. China.
 3603. *Scouleri*, *Vig.*; *Gould, B. As.* pl. Himalaya M.
heterurus, *Hodgs.*
nigrifrons, *Hodgs.* Sikkim.
 3604. *ruficapillus*, *Tem. P. C.* 534. Java, Sumatra.
 3605. *diadematus*, *Boie.* Sumatra.
 3606. *frontalis*, *Bl.* Malayan penin.

917. EPHTHIANURA,

et Epthianura, *Gould*, 1837.

Cinura, *Brehm*, 1844. *Cynura*, *Cab.* 1847.

Hephthianura, *Reich* 1850.

G. of B. i. p. 205, pl. 54. f. 2; *Reich. S. A. t.* 60. f. .

7052. 3607. **albifrons**, *Jard. & S. Ill. Orn.* pl. 56; *Gould, B. A.* iii. pl. 64. New S. Wales.
torquata, *Brehm.* S. & W. Aus.
3608. **aurifrons**, *Gould, B. A.* iii. pl. 65. New S. Wales,
S. Australia.
- 7369* 3609. **tricolor**, *Gould, B. A.* iii. pl. 66. New S. Wales.

Subfam. II. **Enicocichlinæ**, *Sclat.* 1862.

(Henicocichlinæ.)

918. ENICOCICHLA, *G. R. Gr.* 1840.

- Seiurus*, *Sw.* 1827. *Siurus*, *Strickl.* 1841.
Senurus, *Reich.* 1849. *Henicocichla*, *Agass.*
Exochocichla, *Van der Hoev.* 1856.
G. of B. i. p. 188, pl. 51. f. 2; *Reich. S. A.* t. 58. f.
3610. **noveboracensis**, *Gm.*; *P. E.* 752. 1; *Wils. A. O.* pl. 22. 5. East of U. S.
Guatemala.
aquaticus, *Wils.*; *tenuirostris*, *Sw.*
anthoides, *V.*; *fuscescens*, *Gm.*
P'Herminieri, *Less.*
sulfurascens, *D'Orb. Sagra's Cuba*, t. 6. Cuba.
3611. **Gossii**, *Bp.*; *Ill. B. of Jam.* pl. 28. Jamaica.
noveboracensis, *Gosse & p. Baird.*
3612. **aurocapilla**, *L.*; *Edw. B.* pl. 252; *Wils. A. O.* pl. 14. 2. E. of U. States.
coronatus, *V.* C. Amer., Jam.
3613. **ludoviciana**, *Aud. B. A.* pl. 19; *Baird, B. N. A.* pl. 80. 2. E. of U. States.
motacilla, *V. O. A. S.* t. 65?; *major*, *Cab.* S. Mexico, Cuba,
Jamaica.

Subfam. III. **Anthinæ**, *Sclat.* 1862.**919. ANTHUS**, *Bechst.* 1802.

Alauda, 1 div., *Ill.* 1811.
G. of B. i. p. 205; *Reich. S. A.* t. 58. f. , a-d.

a. **ANTHUS.**

3614. **spinoletta**, *L.*; *P. E.* 661. 2; *Naum. Vög.* t. 85. 2, 3, 4. C. & S. Europe.
aquaticus, *Bechst.*; *montanus*, *Koch.* N.E. Africa.
Coutellii, *Aud.* England.
3615. **obscurus**, *Gm.*; *Naum. Vög.* t. 371. 1, 2; *Gould, B. E.* pl. 138. N. Eur., Eng.
rupestris, *Nils.*; *campestris*, *Bew.*; *petrosa*, *Mont.*
montanus, *Koch.*
aquaticus, *Selby*; *immutabilis*, *Degl.*; *aquaticus*, β , *Blas.*
3616. **Raaltani**, *Tem.* S. Africa.
3617. **brachyurus**, *Sundev.* "

3618. **leucophrys**, *V. Gal. des Ois.* t. 262. S. Africa.
3619. **ludovicianus**, *Gm.*; *Wils. A. O.* pl. 89; *Aud. B. A.* iii. pl. 140. N. America.
rubra, *Gm.*; *rufa*, *Wils.*; *rubens*, *Merr.*
pipiens, *Aud.*; *pennsylvanica*, *Bonn.*?
spinoletta, *Bp.*
Reinhardtii, *Holb.*
Heligoland.
Greenland.
Rocky M., B.Col.
3620. **chii**, *V.*; *Spir.* *A. B.* t. 76. 2. Brazil, Parag.
turdinus, *Merr.*
3621. **correndera**, *V.* Paraguay.
variegata, p.?, *Lafr.* Falkland I.
3622. **furcatus**, *Lafr.* Patag., Bolivia.
3623. **scapularis**, *Licht.* S. Africa.
3624. **caffer**, *Sundev.* "
3625. **obtusipennis**, *Sundev.* "
lineiventris, *Sundev.*
3626. ? **fuliginosus**, *Less.* Cape.
3627. **Calthropæ**, *Layard.* S. Africa.
3628. **fuscus**, *V.* Parag., Brazil.
3629. **pœcilopterus**, *Max.* Brazil.
3630. **paytensis**, *Less.* Brazil, Peru.
3631. **breviunguis**, *Spir.* *A. B.* t. 76. 1. Brazil.
furcatus, p., *G. R. Gr.* Trinidad.
- 920.** *b. PEDIOCORYS*, *Baird*, 1864.
3632. **bogotensis**, *Sclat. Proc. Z. S.* 1855, pl. 101. Bogota.
rufescens, *Lafr.* Ecuador.
- 921.** *c. NOTIOCORYS*, *Baird*, 1864.
3633. **niger**, *Bodd.*; *P. E.* 738. 1. Brazil, B. Ayres.
rufa, *Gm.* (sp. 28); *parvus*, *Lawr.*
variegatus, *V.*; *chii*, p., *Aliq.*
sordidus, *Less.* Panama, Peru.
Chili.
- 922.** *d. NEOCORYS*, *Sclat.* 1857.
3634. **Spraguei**, *Aud. B. Amer.* vii. pl. 486. Missouri.
Sprangera, *Bp.* Saskatchewan.
- 923.** *e. AGRODROMA*, *Sw.* 1837.
3635. **campestris**, *Bechst.*; *P. E.* 661. 2; *Naum. Vög.* t. 84. 1; C. & S. Europe.
Gould, B. E. pl. 137. N. & W. Africa.
rufescens, *Tem.*; *rufus*, *V.*
grandior, *Pall.*?
mosellana, *obscura*, *lusitana*, *testacea*, *minor et maculata*,
Gmel.?

3636. **cinnamomeus**, Rüpp.; Jerd.
mariquensis, Smith; similis, Jerd. Abyssinia.
S. Africa, Natal.
3637. **sordidus**, Rüpp. F. A. t. 39. 1.
Gouldii, Fras.; similis, p. Jerd. Abyssinia.
3638. **Gustavi**, Swinh. Amoy.
- 924.** f. CINGEDIUM, Sundev. 1850.
3639. **chloris**, Licht.
- 925.** g. PIPASTES
et Pippastes, Kaup, 1829.
Dendronanthus, Bl. 1847. Dendranthus, Agass.
3640. **plumatus**, Müll.; P. E. 660. 1; Naum. Vög. t. 84. 2;
Gould, B. E. pl. 139. Europe.
trivialis, Gm.; arborea, Bechst. Japan.
spipola, Pall.; turdina, Scop. N.W. Provinces.
minor, Lath. Nepal.
3641. **agilis**, Sykes; Gould, B. As. pl.
maculatus, Bl.; arboreus, Hodgs. India, S. China.
Amoor, Japan.
3642. **batchianensis**, n. sp.?
arborea, var., G. R. Gr. Batchian I.
3643. **montanus**, Bl.
rufescens, Jerd. Neilgherries.
3644. **Blackistoni**, Swinh.
"aquaticus, Schrenck," Swinh. China.
Kamtschatka.
- 926.** h. SPIPOLA, Leach, 1816.
Megistina, V. 1816. Leimoniptera, Kaup, 1829.
Limonoptera, Agass. Anthus, Bl. 1848.
3645. **pratensis**, L.; P. E. 660. 2; Naum. Vög. t. 84. 3; Gould,
B. E. pl. 136. Europe.
trivialis, Mont.; sepiarius, V. Greenland.
Berthelotii, Bolle; Stromei, Lath. Madeira.
ignotus, Gm.; tristis, Baill.
3646. **cervinus**, Pall.; Descr. de l'Egypte, t. 5, 6; Gould, B. E.
pl. 140. N.E. Europe.
pratensis, Eversm.; rufigularis, Brehm. Asia, N. Africa.
Cecilii, Audouin; pratensis rufigularis, Schl.
3647. **rosaceus**, Hodgs. Himalaya M.
cervinus, Hodgs.; aquaticus, Bl. S. China, Bur.
axillaris, Gould; pratensis, hortulanus et pelopus, Hodgs.;
rufosuperciliaris, Bl. Andamans, I. of
Formosa.
3648. ? **japonicus**, Schl.; Tem. & Schl. F. J. t. 24. Japan.
pratensis japonicus, Tem. & Schl. N. China.
cervinus, p., Swinh. Amoor.

927. i. *CORYDALLA*, Vig. 1825.*Corydilla*, Sw. Cichlops, Hodgs. 1844.*Reich. S. A. t.* 58. f. .3649. **Richardi**, V.; P. C. 101; *Naum. Vög.* t. 371. 3, 4; *Gould*, B. E. pl. 135.macronyx, *Glog.*; longipes, *Hobb.*rupestris, *Ménétr.*S. Eur., Africa.
India, England.
Him., Malayana,
Ceylon.
China.
Amoy.3650. ? **chinensis**, Bp.infuscatus, *Bl.*; *Richardi*, p., *Swinh.*3651. **rufulus**, V. *Gal. des Ois.* t. 161.agilis, *Jerd.*; pallescens, *Sundev.*ubiquitarius, *Hodgs.*India, Assam.
Burmah.3652. **striolatus**, *Bl.*thermophilus et rufescens, *Hodgs.*

India.

3653. **malayensis**, *Eyton.*rufula, p., *Jerd.*

Malacca.

3654. **medius**, *Wall.*

Timor, Lombock.

3655. **Hasseltii**, *Tem.*

Borneo.

7008. 3656. **australis**, V.; *Gould*, B. A. iii. pl. 73.pallescens, *Vig. & H.*Australia.
Van Diemen's I.3657. **aucklandicus**, G. R. Gr.

novæ zealandiæ, p., G. R. Gr.

Auckland I.

13886. 3658. **novæ zealandiæ**, Gm.littorea, *Forst.*

New Zealand.

3659. ? **euonyx**, *Cab.*pratensis, *Raffl.*; malayensis, *Bl.*rufulus, p., *Bl.*

Java, Sumatra.

3660. *Grayi*, Bp.; *Portl. Voy.* pl. 37.novæ zealandiæ, var. β , *Lath.*

New Zealand.

928. j. *MACRONYX*, Sw. 1827.*Macronix*, Bp. 1831.2007. 3661. **capensis**, L.; P. E. 504. 2; *Lev. O. A.* t. 198.

flavicollis, V.

S. Africa.

3662. **croceus**, V.; *Jard. & S. I. O.* pl. 22; *Lev. O. A.* t. 196.

flavigastra, Sw.; flaviventris, Bp.

flavicollis, *Bianc.*3663. **flavicollis**, *Rüpp. F. A.* t. 38. 1.

Abyssinia.

3664. **Ameliæ**, *Tarr.*; G. R. Gr. & M. G. B. pl. 54.

Natal.

3665. **striolatus**, *Heugl.*

N.E. Africa.

929. k. — ?*Heterura*, Hodgs. 1841, nec *Sieb.* 1837.*Cynchlorhamphus*, *Jard.*3666. **sylvanus**, Hodgs.; *Jard. Contr. Orn.* 1848, pl.

Himalaya M.

FAM. VI. **TURDIDÆ**, *G. R. Gr.* 1840.Merulidæ, *Boie*, 1826.Subfam. I. **Turdinæ**, *Bp.* 1831.Merulina et Cossyphina, *Vig.* 1825.**930. TURDUS**, *L.* 1735.Ixocossyphus, *Kaup*, 1829.Turdula, *Webb et Berth.* 1836-46.*G. of B. i.* p. 218, pl. 56. f. 5; *Reich. S. A. t.* 53. f.a. **TURDUS**.3667. **viscivorus**, *L.*; *P. E.* 489; *Naum. Vög. t.* 66. 1; *Gould, B. E.* pl. 77.

N. & C. Europe.

3668. **Hodgsoni**, *Lafr.*viscivorus, *Hodgs.*

Nepal, Kumaon.

N.W. Him.

931. b. **PSOPHOCICHLA**, *Heraug.* 1860.3669. **strepitans**, *Smith, I. S. A. Z.* pl. 37.

S. Africa.

letsitsirupa, *Smith*; crassirostris, *Licht.*3670. **guttatus**, *Vig.*; *Smith, I. S. A. Z.* pl. 39.

,,

3671. **simensis**, *Rüpp. F. A. t.* 29. 1.

N.E. Africa.

strepitans, p., *Bp.*3672. **Gurneyi**, *Hartl. Ibis*, 1864, pl. 9.

Natal.

932. c. **ARCEUTHORNIS**, *Kaup*, 1829.3673. **pilaris**, *L.*; *P. E.* 490; *Naum. Vög. t.* 67. 2; *Gould, B. E.* pl. 76.

N. & C. Europe.

calandrotte, *Müll.*; musicus, *Pall.*3674. **Naumanni**, *Tem.*; *Naum. Vög. t.* 68. 1, et t. 358; *Ibis*, 1862, pl. 10.Eur., Dal., Italy,
Japan, China,
Amoor.dubius, *Bp.*; ruficollis, var., *Pall.*3675. **fuscatus**, *Pall.*; *P. C.* 514; *Naum. Vög. t.* 68. 2, et t. 359.

Eur., Sib., Him.

obscurus, *Gm.*; eunomus, *Tem.*

Japan.

*Naumanni, Tem. & Schl.**Playfairi, Bl.*3676. **Davidianus**, *M.-Edw.*

N. China.

933. d. **HYLOCICHLA**, *Baird*, 1864.*Turdus, Kaup*, 1829. *Merula*, p., *Sw.*3677. **musicus**, *L.*; *P. E.* 406; *Naum. Vög. t.* 66. 2; *Gould, B. E.* pl. 78. 1.

Eur., N.E. Afr.

3678. **iliacus**, *L.*; *P. E.* 51; *Naum. Vög.* t. 67. 1; *Gould, B. E.* pl. 78. 2.
mauris, *Müll.*
var. a, *illuminus*, *Naum. Vög.* t. 356. N. Europe.
N.W. Himalaya.
Greenland.
3679. **mustelinus**, *Gm.*; *Wils. A. O.* pl. 11.
melodus, *Wils.*; *densus*, *Bp.* E. of U. States.
Cuba, Honduras.
3680. **nanus**, *Aud. B. A.* iii. pl. 147. W. of N. Amer.
3681. **fuscescens**, *Steph.*; *Wils. A. O.* pl. 43.
mustelinus, *Wils.*; *Wilsoni*, *Bp.*; *minor*, *Gm.*? E. of N. Amer.
Cuba, Panama.
3682. **Swainsoni**, *Cab.*; *Wils. A. O.* pl. 43. 2.
solitarius, *Wils.* (fig.); *Wilsoni*, *Sw.*
olivaceus, *Giraud*; *obsoletus*, *Lawr.*
minutus, *Lafr.*
carolinus, *Müll.*?; *P. E.* 556. 2?; *brunneus*, *Bodd.*? E. of N. Amer.
Mexico, Peru.
Greenland.
Belgium, Italy
Bogota.
3683. **ustulatus**, *Nutt.*; *Baird, B. N. A.* pl. 81. 1.
cestulatus!, *Nutt.* Oregon.
Columbia R.
3684. **Pallasii**, *Cab.*; *Aud. B. A.* iii. pl. 146.
soltarius, *Wils.*; *minor*, *Bp.*
guttatus, *Cab.*; *minimus*, *Seligm.* E. of N. Am., Ger.
Cuba.
3685. **Auduboni**, *Baird.*
silens, *Sw.* S. Mex., Roc. M.
3686. **Aliciae**, *Baird, B. N. A.* pl. 81. 2. Mississippi,
Missou., Labr.
- 934.** *e. OREOCINCLA, Gould, 1857.*
Turdulus, Hodgs. 1844.
Reich. S. A. t. 53. f. .
3687. **varius**, *Pall.*; *Naum. Vög.* t. 354; *Gould, B. E.* pl. 81.
aurea, *Holl.*; *squamatus*, *Brehm.*
Whitei, *Eyton*; *lunulatus*, *Blas.* Germ., Heligol.
England, France,
Japan.
3688. **malayanus**, *Sundev.*; *Horsf. Zool. Res.* pl.
varius, *Horsf.*; *Horsfieldii*, *Bp.* Java.
- 7276 3689. **lunulatus**, *Lath.*; *Gould, B. A.* iv. pl. 7.
varius, *Vig. & H.*; *novæ hollandiæ et macrorhynchus*, *Gould.* New S. Wales.
Van Diemen's L.
3690. **mollissimus**, *Bl.*; *Naum. Vög.* t. 353.
rostratus et oreocincloudes, *Hodgs.*
Hodgsoni, *Homey. et p. Bp.* Himalaya M.
3691. **dauma**, *Lath.*
parvirostris, *Gould*; *varius*, *Jerd.* India.
3692. **nilgiriensis**, *Bl.*
varius, *Jerd.*; "imbricata, *Layard*," *Bl.* Neilgherries.
3693. **spilopterus**, *Bl.* Ceylon.
3694. **inframarginatus**, *Bl.* Andaman I.
3695. **Hancii**, *Swinh.* I. of Formosa.

- 935.** *f. ANTHOCINCLA*, *Bl.* 1862.
 3696. *Phayrei*, *Bl.* Tounghoo.
- 936.** *g. MERULA*, *Leach*, 1816, *nec Moehr.* 1752.
Turdus, *L.* 1744.
Sw. C. of B. f. 122; *Reich. S. A. t.* 53. f. .
 3697. *merula*, *L.*; *P. E.* 2 et 555; *Naum. Vög. t.* 71; *Gould*,
B. E. pl. 72. Europe.
vulgaris, *Ray.* Egypt.
var. syriaca, *Tristr.* Palestine.
3698. *simillimis*, *Jerd.* Neilgherries.
3699. *unicolor*, *Gould*, *B. As.* pl. Cashmere.
3700. *boulboul*, *Lath.*; *Gould*, *C. B.* pl. 14, et *B. As.* pl. Himalaya M.
pæcilopterus, *Vig.*
3701. *nigropileus*, *Lafr.* India.
brachypus, *Bl.*; *simillimis*, p. ?, *Bp.*
3702. *castaneus*, *Gould*; *G. R. Gr. & M. G. B.* pl. 56; *Gould*,
B. As. pl. "
rubrocanus, *Hodgs.*
3703. *sinensis*, *Cuv.* China.
mandarina, *Bp.*
3704. *albocinctus*, *Royle, Ill. Him. Bot.* pl. 8. 3; *Gould*, *B. As.* pl. Himalaya M.
collaris, *Sorel.*; *niveicollis*, *Hodgs.*
albicollis, *Royle.*
3705. *javanicus*, *Horsf.* Java, Sumatra.
concolor, *Tem.* Borneo, Timor.
fumidus, *Müll.*; *Schlegelii*, *Sclat.*
3706. *hypopyrrhus*, *Hartl.* Java.
nigrierissus, *Schiff.* Borneo.
3707. *badius*, *Lath.*; *White's Voy.* pl. p. 157. Australia.
3708. *poliocephalus*, *Lath.*; *Jard. & S. I. O.* pl. 37. Norfolk Island.
nestor, *Gould.*
3709. *xanthopus*, *Forst.* New Caledonia.
3710. *vanikorensis*, *Quoy & G. Voy. Astrol. t.* 7. 2. I. of Vanikoro,
 Samoan I.
3711. *vinitinctus*, *Gould.* Lord Howe's I.
3712. *candianus*, *Bl.* Ceylon.
3713. *ulietensis*, *Gm.* Society I.
badius, *Forst.*
3714. *dactylopterus*, *Bp.* Syria.
- 937.** *h. CICHLOSELYS*, *Bp.* 1853.
3715. *cardis*, *Tem.*; *P. C.* 518; *Schl. F. J. t.* 29, 30. Japan.
dissimilis, *Bl.*

18746 *boulboul*14915 *V. sinensis*

3716. **Wardii**, *Jerd. I. Ind. Orn.* pl. 8. India.
melanoleuca, Hartl.
micropus et picaoides, Hodgs.
3717. **Kinnisii**, *Kelaart.* Ceylon.
3718. **sibiricus**, *Gm.*; *Naum. Vög.* t. 363; *Schl. F. J.* t. 31. N. Asia.
leucocilla, Pall.; *atrocyaneus, Homey.* Germany.
aureus ♀, Pall.
3719. **mutabilis**, *Tem.* Java.
leucocilla, Hartl.; *sibiricus, p., Tem.*
- 938.** *i. THORACOCINCLA, Reich. 1850.*
Copsichus, Kaup, 1829, nec Wagl. 1827.
Reich. S. A. t. 53. f.
3720. **torquatus**, *L.*; *P. E.* 171, 172; *Naum. Vög.* t. 70 & t. 361. Europe.
 3; *Gould, B. E.* pl. 73.
europæus, Müll.
- 939.** *j. CICHLOIDES, Kaup, 1829.*
3721. **atrogularis**, *Tem.*; *Naum. Vög.* t. 69, et 361. 1, 2; *Gould, B. E.* pl. 75. N. Asia.
dubius, Bechst.; *Bechsteinii, Naum.* Germany, Him.
leucogaster, Bl.
3722. **ruficollis**, *Pall.*; *Naum. Vög.* t. 360; *Gould, B. As.* pl. N. Asia, Heligol.
erythrura, Hodgs. Himalayas.
3723. **pallidus**, *Gm.*; *P. C.* 515; *Schl. F. J.* t. 26. N. Asia, Italy.
daulias, Tem. I. of Formosa.
3724. **chrysolais**, *Tem. P. C.* 537; *Schl. F. J.* t. 28. Japan, China,
 I. of Formosa.
3725. **olivaceus**, *L.*; *Lev. O. A.* t. 98, 99, 100. Africa, Abyss.
ochrogaster, Sparrm. Lombardy.
3726. **pelios**, *Bp.* C. Asia?
icterorhynchus, Württ.
3727. **libonyanus**, *Smith, I. S. A. Z.* pl. 38. S. Africa.
3728. **rufulus**, *Drap.* Malacca.
modestus, Eyton; *javanicus, Bl.*
3729. **dissimilis**, *Bl.* Bengal.
hyperythrus, Bl.
3730. **protomomelas**, *Cab.* Himalayas.
3731. **olivacinus**, *Bp.* S. Africa.
3732. **olivaceofuscus**, *Hartl. Abh. d. Nat. ver. in Hamb.* ii. t. 3. I. of St. Thomas.
3733. **Smithii**, *Bp.*; *Smith, I. S. A. Z.* pl. 36. S. Africa.
obscura, Smith.
3734. **hortulorum**, *Sclat.* S. China.

3735. *Cabanisi*, Bp. Caffraria.
3736. *Deckeni*, Cab.; *Decken, Reisen*, iii. t. 1. E. Africa.
3737. *Goudoti*, *Verr. N. Arch. du Mus.* i. t. 5. 2. Madagascar.
- 940.** *k. HODOIPORUS*, *Reich.* 1850.
Planesticus, Bp. 1853. *Turdus*, *b*, *Sclat.*
Reich. S. A. t. 53. f. .
3738. *phæopygus*, Cab.; *Pr. Z. S.* 1867, pl. 29; *Sclat. & S. Exot. Orn.* pl. 75. Cayenne, Brazil.
jamaicensis, *Jard.*; *Poiteauii*, p., *Less.*
3739. *jamaicensis*, Gm.; *Gosse, Ill. B. Jam.* pl. 24. Jamaica.
capucinus, *Hartl.*; *leucophthalma*, *Hill.*
Lereboulleti, Bp.
3740. *gymnophthalmus*, Cab.; *Sclat. & S. Exot. Orn.* pl. 76. Venezuela.
nudigenis, *Lafr.*; *gymnopsis*, *Tem.*
3741. *Grayi*, Bp. Mexico.
tristis, *Sw.?*; *helvolus*, *Licht.* Guatemala.
luridus, Bp. Costa Rica.
3742. *leucomelas*, V.; *Sclat. & S. Exot. Orn.* pl. 72. Paraguay.
amaurochalinus, Cab.; *Poiteau*, p., *Less.* Brazil.
albiventer ♀, *Spix*, *A. B.* t. 69. 2.
crotopezus, *Burm.*; *ignobilis*, *Sclat.*; *olivaceus*, *Lafr.*; *rufiventris* ♀, *D'Orb.*
3743. *albiventer*, *Spix*, *A. B.* t. 63. f. 1; *Sclat. & S. Exot. Orn.* pl. 74. Cayenne, Brazil.
ephippialis et albiventris, *Sclat.*; *humilis*, *Licht.* Ecuador.
3744. *cæsius*, Bp. Panama.
Grayii, p., *Sclat.*
3745. *rufiventris*, V.; *Spix*, *A. B.* t. 68. S.E. Brazil.
chochi, V.; *rufiventer*, *Spix.*
3746. *falklandicus*, *Quoy & G.* Falkland I.
magellanicus, *King*; *maluinarum*, *Licht.* Chili, Hermit I.
3747. *migratorius*, L.; *P. E.* 556. 1; *Wils. A. O.* pl. 2; *Naum.* U. States.
Vög. t. 362. Mex., Germany,
canadensis, *Müll.*
3748. *flavirostris*, *Sw.* W. Mexico.
rufopalliatu, *Lafr.*; *palliatu*, Bp.?
3749. *leucauchen*, *Sclat.* Guatemala.
3750. *albicollis*, V.; *Sclat. & S. Exot. Orn.* pl. 71. Brazil.
3751. *assimilis*, Cab. Mexico, Guatem.
tristis, Cab.
3752. *crotopezus*, V.; *Spix*, *A. B.* t. 70; *Sclat. & S. Exot. Orn.* Brazil.
pl. 73.
albicollis, *Spix.*
3753. *fulviventris*, *Sclat.* New Granada.

3754. *plebejus*, *Cab.* Costa Rica.
 3755. *serranus*, *Tsch.* W. Peru.
 3756. *confinis*, *Baird.* Cape Juan Lucas.
 3757. *fumigatus*, *Licht.* E. Brazil.
 ferrugineus, *Max.*
- 941.** *l. HESPEROCICHLA*, *Baird*, 1864.
- 7707 3758. *nævius*, *Gm.*; *V. O. A. S. t. 66*; *Faun. B. Amer. pl. 38.* N. & N.W. Amer.
 meruloides, *Rich. & Sw.*; *atricollis*, *V.*
- 942.** *m. RHODINOCICHLA*, *Hartl.* 1853.
 Cichlallopia, *Bp.* 1853. *Cichalopia*, *Sclat.* 1854.
 Cichlolopia, *G. R. Gr.* 1855.
3759. *roseus*, *Less. Ill. de Zool. t. 5*; *Pr. Z. S. 1850*, pl. 32. Venezuela.
 vulpinus, *Hartl.*
- 943.** *n. SEMIMERULA*, *Sclat.* 1861.
 Hodoiporus, *p., Reich.* *Turdus*, *c, Sclat.*
3760. *gigas*, *Fras.*; *Sclat. & S. Ex. Orn. pl. 70.* N. Gran., Ecuad.
 3761. *fuscater*, *Lafr.*; *D' Orb. Voy. A. M. t. 9. 1.* Bolivia, Peru.
 3762. *chiguanco*, *Lafr.*; *D' Orb. Voy. A. M. t. 9. 2.* Peru, Ecuador.
 3763. *nigrescens*, *Cab.* Costa Rica.
 3764. *subcinereus*, *Sclat.* Chiliana.
- 944.** *o. — ?*
 Merula, *Sclat.* 1862. *Turdus*, *d, Sclat.*
 Semimerula, *p., Baird.* *Cichlopsis*, *G. R. Gr. nec Cab.*
3765. *aurantius*, *Gm.*; *Gosse, Ill. B. Jam. pl. 23.* Jamaica.
 leucogenys, *Lath.*; *saltator*, *Hill.*
3766. *rufitorques*, *Hartl.*; *Dubus, E. O. t. 19, 20.* Guatemala.
 3767. *xanthoscelus*, *Jard. Contr. Orn. 1847*, pl. 1. Tobago.
 3768. *atrosericeus*, *Lafr.* Venez., Ecuador.
 3769. *infuscatus*, *Lafr.* Jalapa, Guatem.
 3770. *olivater*, *Lafr.*
3771. *pinicola*, *Sclat. Cat. of A. B. pl. 1.* Jalapa.
 pæcilopterus, *Licht.*
3772. *obsoletus*, *Laur.* N. Gran., Verag.
- 945.** *p. MYIOCICHLA*, *Schiff.* 1853.
3773. *flavipes*, *V.*; *Spix, A. B. t. 67. 2.* S.E. Brazil.
 carbonarius, *Licht.*; *ardosiacus*, *Cuv.*
- 946.** *q. MELANOPTILA*, *Sclat.* 1857.
3774. *glabrirostris*, *Sclat. Pr. Z. S. 1857*, p. 275 (caput). Honduras.

- 947.** *r. CATHARUS*, *Bp.* 1850.
Anepsia, p. !, *Reich.*
3775. *melpomene*, *Cab.*
aurantiistrois, *Sclat.*
S. Mexico, Guat.
Costa Rica.
3776. *occidentalis*, *Sclat.*
W. Mexico.
3777. *griseiceps*, *Salv.*
Veragua.
3778. *aurantiistrois*, *Hartl.*; *Jard. Contr. Orn.* pl. 72.
immaculatus, *Bp.*
Venezuela.
3779. *Frantzii*, *Cab.*
Costa Rica, Guat.
3780. *gracilirostris*, *Salv.*
Costa Rica.
- 948.** *s. MALACOCICHLA*, *Gould*, 1854.
Catharus, b, *Sclat.*
3781. *dryas*, *Gould*, *Pr. Z. S.* 1854, pl. 75.
Guatemala.
3782. *fuscater*, *Lafr.*
N. Gran., Ecaud.
3783. *maculatus*, *Sclat.*
Rio Napo, Ecuad.
3784. *mexicanus*, *Bp.*
Mex., Costa Rica,
Guatemala.
- 949.** *t. MARGAROPS*, *Sclat.* 1859.
Cichlalopia, *Bp.* 1857 *nec* 1853.
Colluricincla, p., *Gould.*
3785. *fuscatus*, *V. O. A. S.* t. 57 bis.
fusca, *Gould.*
St. Domingo.
St. Croix.
3786. *densirostris*, *V.*
Guadeloupe.
3787. *montanus*, *Lafr.*
cinereus, *V.*; *squamatus*, *Cuv.*
"
- 950.** *u. CICHLHERMINIA*, *Bp.* 1853.
3788. *l'Herminierii*, *Lafr.*
Bonapartei, *Sclat.*
I. of Guadeloupe.
- 951.** *v. NESOCICHLA*, *Gould*, 1855.
3789. *eremita*, *Gould.*
Trist. d'Acunha.
- 952.** *w. GEOCICHLA*, *Kuhl*, 182 ?
Merula, p., *Sw.*
3790. *citrinus*, *Lath.*
Macei, *V.*; *lividus*, *Tick.*; *rubecula*, *M'Clell.*
albonotatus, *Cuv.*; *turdoides*, *Hodgs.*
India.
3791. *rubecula*, *Gould.*
citrinus, *Tem. P. C.* 445.
Java, Sumatra.
3792. *cyanotus*, *Jard. & S. Ill. Orn.* pl. 46.
citrinus, p., *G. R. Gr.*
India.

3793. **Peronii**, *V.*; *Arch. du Mus.* vii. t. 19.
rubiginosa, *Müll.*; *novæ hollandiæ*, *Less.* Sunda Islands.
3794. **interpres**, *Kuhl*; *P. C.* 458.
"avensis, Gr." *Bl.* Java, Sumatra.
3795. **erythronotus**, *Sclat.* Celebes.
3796. **unicolor**, *Tick.*
homochroa, Hodgs. Himalayas.
3797. **albiceps**, *Swinhoe, Ibis*, 1866, pl. 5. I. of Formosa.
3798. **innotatus**, *Bl.*
albogularis, Bl.? Nicobar I.
Malacca.
- 953.** *x. CHAMETYLAS, Heine*, 1859.
Geocichla, p., Cass.
3799. **compsonotus**, *Cass.* W. Africa.
- 954.** *y. MONTICOLA*, 1822, *et*
Petrocossyphus, 1826, *Boie.*
Reich. S. A. t. 53. f.
3800. **saxatilis**, *L.*; *P. E.* 562; *Naum. Vög. t. 73*; *Gould, B.*
E. pl. 86. C & S.E. Europe.
infaustus, Gm.; *montana, Koch.* N. & W. Africa.
3801. **rupestris**, *V.*; *Lev. O. A. t. 101, 102.*
rupicola, Licht.; *rocar, Steph.*
montana, Sw. S. Africa.
3802. **explorator**, *V.*; *Lev. O. A. t. 103.*
perspicax, Shaw; *brevipes, Waterh.* "
3803. **erythropterus**, *G. R. Gr.*
affinis, p., Bl. Ternate, Gilolo.
3804. **philippensis**, *Müll.*; *P. E.* 339.
eremita, Gm. Philippine I.
- 955.** *z. — ?*
Petrocossyphus, Boie, 1828.
Petrocincla, Sykes.
3805. **cyanus**, *L.*; *P. E.* 250; *Naum. Vög. t. 72*; *Gould, B. E.*
pl. 87. S. Europe.
solitarius, Lath.; *azureus, Lebr.* N. Africa.
3806. **pandoo**, *Sykes.*
maal, Sykes; *longirostris et affinis, Bl.*
cyaneus, p. India.
3807. **solitarius**, *Müll.*; *P. E.* 636 *et* 564. 2.
manilla et olivaceus, Bodd.
manillensis, Gm.
cyaneus, var. d., Bl. Philippine I.
Celebes, Java.
China.

956. aa. PETROPHILA, Sw. 1837.

Orocetes, *G. R. Gr.* 1840. Orocaetes, *Agass.*
Reich. S. A. t. 53. f. .

3808. **cinclorhynchus**, *Vig.*; *Gould, C. B.* pl. 19. Himalayas.
 cyanocephala, *Sw.*; aurantiventer, *Less.*
 melanotus, *Dubus.*

3809. **erythrogaster**, *Vig.*; *Gould, C. B.* pl. 13. ,,
 rufiventris, *Jard. & S.*; ferrugineoventris, *Less.*

3810. **gularis**, *Swinh. Ibis*, 1863, pl. 3. Pekin.

957. ZOOTHERA, *Vig.* 1831.

G. of B. i. p. 217, pl. 56. f. 4; *Reich. S. A.* t. 57. f. .

a. ZOOTHERA.

3811. **monticola**, *Vig.*; *Gould, C. B.* pl. 22. Himalaya M.
 rostratus, *Hodgs.*

3812. **marginata**, *Bl.* Aracan.
 marmorata!, *G. R. Gr.* Khasia Hills.

958. b. ANDROMEDON, *Tem.* 1838.

Myiophaga, p., *Less.* 1831.

3813. **andromedon**, *Tem. P. C.* 392. Java, Lombeck,
 Timor.

959. c. CICHLOPASSER, *Bp.* 1853.

3814. **terrestris**, *Kittl. Mém. Ac. St. Pétersb.* 1831, t. 18. I. of Bonin.

960. MIMUS, *Boie*, 1826.

Orpheus, *Sw.* 1827. *Mimetes*, *Glog.* 1842. *Calandria*, *Des Murs.*
Orphæus, *Stein.* 1839. *Leucomimus*, *Bryant*, 1866.
G. of B. i. p. 220, pl. 56. f. 1; *Reich. S. A.* t. 53. f. .

a. MIMUS.

3815. **polyglottus**, *L.*; *Wils. A. O.* pl. 10. 1. N. Amer., Jama.
 leucopterus, *Vig.* Mexico.
 var. portoricensis, *Bryant.* Porto Rico.
 var. bahamensis, *Bryant.* Inagria, Baha.

3816. **orpheus**, *L.*; *Edw. B.* pl. 78.; *V. O. A. S.* t. 68. Jamaica,

3817. **gilvus**, *V. O. A. S.* t. 68 bis. British Guiana.

3818. **triurus**, *V.* Paraguay.
 tricaudatus, *Lafr.*

3819. **calandria**, *Lafr.*; *D'Orb. Voy. A. M.* t. 10. 2. ,,
 orpheus, *Gould*; saturninus, *Max.* S. Brazil.

3820. ? **modulator**, *Gould.* ,
 calandria, p., *G. R. Gr.*

3821. **megalopterus**, *Lawr.* New Granada.
 columbianus, *Cab.*; gilvus, *Jard.*

3822. **leucospilos**, *v. Pelz.* Chili.
peruvianus, *Peale*; longicaudatus, p. ?, *Selat.*
3823. **thenca**, *Mol.*; *D' Orb. Voy. A. M. t. 10. 3.* „
australis, *Less.*
3824. **dorsalis**, *Lafr.*; *D' Orb. Voy. A. M. t. 11. f. 1.* Bolivia.
3825. **patagonicus**, *Lafr.*; *D' Orb. Voy. A. M. t. 11. f. 2.* Patagonia.
3826. **dominicus**, *L. P. E. 558. 1.* St. Domingo.
merle, *Müll.*; orpheus, p., *Baird.*
3827. **trifasciatus**, *Gould, Voy. Beagle*, pl. 16. Gala., Charles I.
3828. **melanotis**, *Gould, Voy. Beagle*, pl. 18. Galapa., Chat. I.
3829. **parvulus**, *Gould, Voy. Beagle*, pl. 17. Galapa., Albe. I.
melanotis, p. ?, *Bp.*
3830. **Hillii**, *March.* Jamaica.
orpheus, *Hill.*
3831. **lividus**, *Licht.*; *Spix, A. B. t. 71. 2.* S.E. Brazil.
orpheus, *Spix.*
- 4691 3832. **longicaudatus**, *Tsch. F. P. t. 15. 2.* E. Peru.
3833. **thilius**, *Mol.* Chili.
3834. **Gundlachii**, *Cab.* Cuba.
3835. **gracilis**, *Cab.* Guat., Hond.,
Costa Rica.
- 961.** *b. SCOTIOMIMUS, Bryant, 1866.*
3836. **bahamensis**, *Bryant.* Bahama I.
- 962.** *c. OROSCOPTES, Baird, 1858.*
3837. **montanus**, *Towns.*; *Aud. B. A. ii. pl. 139.* Rocky M., Mex.
- 963.** *d. MELANOTIS, Bp. 1850.*
3838. **cærulescens**, *Sw.*; *P. C. 498.* S. Mexico.
melanotis, *Tem.*
erythrophthalmus, *Licht. ?*
3839. **hypoleucus**, *Hartl.* Guatemala.
albiventris, *Lafr.*
- 964.** *e. SPODESILAURO, Reich. 1850.*
Myioturdus, p., *Sundev. 1835.*
Galeoscoptes, *Cab. 1850.*
Felivox, *Bp. 1854.*
Reich. S. A. t. 53. f. .
3840. **carolinensis**, *L.*; *Wils. A. O. pl. 20. 3; Voy. Cuba, t. 7;*
Naum. Vög. t. 384. 1. E. of N. Amer.
lividus, Wils.; felivox, V. Panama, Cuba,
Germany.

965. *f. MIMOCICHLA, Sclat. 1861.*3841. **rubripes**, *Tem. P. C.* 409; *Voy. Cuba*, t. 4. Cuba.3842. **schistacea**, *Baird.* „**966.** *g. MIMOKITTA, Bryant, 1864.**Mimocitta*, *Newt. Galeoscoptes, b, Sclat.*3843. **plumbeus**, *L.* 1758; *P. E.* 560. 1; *V. O. A. M.* t. 58. Bahama.3844. **ardosiacea**, *V.* St. Domingo.*plumbeus*, *L.* 1766.*var. portoricensis, Bryant.* Porto Rico.**967.** *h. HARPORHYNCHUS, Cab. 1847.**Toxostoma*, *Wagl.* 1831, *nec Rafing.* 1815.*Harpes*, *Gamb.* 1847, *nec Goldf.* 1839.*Mimus*, *Reich.* 1850.*Reich. S. A.* t. 53. f. .3845. **curvirostris**, *Sw.*; *P. C.* 441; *Baird, B. N. A.* pl. 51. Mexico, Texas.
vetula, Wagl.; *turdinus, Tem.*3846. **redivivus**, *Gamb.*; *Pér. Voy. Atl* t. 37; *Cass. B. Calif.*
pl. 42. California.3847. **Lecontei**, *Lawr.*; *Baird, B. N. A.* pl. 50. „3848. **crissalis**, *Henry*; *Baird, B. N. A.* pl. 52. S. Rocky M.3849. **ocellatus**, *Sclat. Pr. Z. S.* 1862, pl. 3. S. Mexico.3850. **cinereus**, *Xantus*; *Elliot, B. of N. A.* pl. Low. California.**968.** *i. METHRIOPTERUS, Reich. 1850.**Mimus*, *Boie*, 1828. *Toxostoma*, *Cab.* 1847.*Reich. S. A.* t. 55. f. .3851. **rufus**, *L.*; *P. E.* 645; *Wils. A. O.* pl. 14. 1; *Naum. Vög.* E. of N. Amer.,
t. 384. 2. Heligoland.3852. **longirostris**, *Lafr. Mag. de Zool.* 1839, t. 1; *Baird, B.*
N. A. pl. 52. E. Mexico.**969. CINCLOCERTHIA, G. R. Gr. 1840.***Stenorhynchus*, *Gould*, 1835, *nec Meig.* 1823.*L'Herminierus*, *Less.* 1843?*G. of B.* i. p. 134, pl. 41. f. 3; *Reich. S. A.* t. 37. f. .*a. CINCLOCERTHIA.*3853. **ruficauda**, *Gould*; *Sclat. & Salv. Exot. Orn.* pl. 10. Nevis, Guade.
tremulus, Lafr.
*gadeloupensis et infaustus, Less.?*3854. **gutturalis**, *Lafr.*; *Sclat. & S. Ex. Orn.* pl. 12. Martinique.3855. **macrorhyncha**, *Sclat. & S. Ex. Orn.* pl. 11. St. Lucia.
malacorhyncha!, *Hartl.*

3870. **albicapilla**, *V.* W. Africa.
albiceps, *Cuv.*; leucoceps, *Sw.*
3871. **verticalis**, *Hartl.*; *B. of W. Afr.* pl. 32. "
albicapilla, *Sw.*; Swainsoni, *Bp.*
monachus, *Heugl.*
3872. **pyrrhopygia**, *Hartl.* "
3873. **poensis**, *Strickl.*; *Fras. Zool. Typ.* pl. . "
3874. **gutturalis**, *Guér.*; *Ferr. & Gal. Voy. en Abyss.* t. 5.
albigularis, *v. Pelz.*; *Ibis*, 1867, pl. 1. Palestine.
Filoti, *De Fil.* ♀; Finota, *Aliq.*
3875. **semirufa**, *Rüpp. Wirb.* t. 21. Abyssinia.
nigrocapilla, *Guér.*
3876. **humeralis**, *Smith, I. S. A. Z.* pl. 48. S. Africa.
3877. **cyanocampter**, *Cab.* W. Africa.
3878. **diademata**, *Cab.* "
3879. **intermedia**, *Cab.*; *Decken, Reisen*, t. 12. E. Africa.
3880. **Heuglinii**, *Heugl. Orn. N. O. Afr.* t. 13. Keren.
3881. **Bocagei**, *Hartl. & F.* Bogosland.
3882. ? **auraticollis**, *V.*; *Lev. O. A.* t. 119.
aurigularis, *Voigt.*
3883. ? **melanictera**, *V.*; *Lev. O. A.* t. 117.
australasie, *Shaw.*
- 975. COPSYPHUS**, *Wagl.* 1827.
Gryllivora, *Sw.* 1831. *Lalage, Boie*, 1828 *nec* 1826.
Dahlia, 1836, *et Polypeira*, 1841, *Hodgs.*
G. of B. i. p. 177, pl. 50. f. 1; *Reich. S. A.* t. 60. f. .
- a. COPSYPHUS.
3884. **saularis**, *L.*; *Edw. B.* pl. 181; *Gould, B. As.* pl. India.
intermedia, Jerd.; *docilis, Hodgs.*; *melanoleuca, Less.* Tenasserim.
magnirostra, Sw. Two Cent. & a quart. f. 46, a?
3885. **amœnus**, *Horsf.*; *Sw. Two Cent. & a quart.* f. 46, c?. Java.
brevirostris, Sw.?; *saularis, p., G. R. Gr.*
pluto, Tem.; *Schl. Handl. Dierk.* t. 2. 19. Borneo, Labuan.
chalybæus et leucopterus, Cuv.
3886. **mindanensis**, *Gm.*; *P. E.* 627. 1; *Gould, B. As.* pl.; Philippine I.,
Sw. Two Cent. & a quart. f. 46, b. Malacca.
saularis, p. Siam.
musicus, Raffl.; *intermedia et rosea, Sw.* Sumatra.
3887. **luzoniensis**, *Kittl. Kupf. Vög.* t. 11. 2. Philippine I.
3888. **pica**, *v. Pelz.*; *Poll. & V. D. F. de Madag.* t. 29. Madagascar.

3889. *ceylonensis*, *Sclat.* Ceylon.
brevirostris, *Bl.*
3890. *imerina*, *Hartl.* Madagascar.
melanura, *Lafr.*
3891. ?? *suratensis*, *Gm.*
3892. ?? *pectoralis*, *Steph.*; *Lev. O. A. t.* 110.
- 976.** *b. CERCOTRICHAS*, *Boie*, 1831.
Kittacincla, *Gould*, 1836. *Cittacincla*, *Agass.*
3893. *macrourus*, *Gm.*; *Lath. Syn. pl.* 39; *Lev. O. A. t.* 114. India, Ceylon.
longicauda, *Sw.*; *tricolor*, *V.*
3894. *suavis*, *Sclat.*; *Gould, B. As. pl.* S. Borneo.
3895. *auricularis*, *Swinh. Ibis*, 1866, pl. 4. I. of Formosa.
3896. *Stricklandii*, *Dillw. N. H. Labuan*, pl. Labuan.
- 977.** *c. GERVAISIA*, *Bp.* 1853.
3897. *albispecularis*, *Eyd. & Gerv. Mag. de Zool.* 1836, t. 64, 65. Madagascar.
3898. *sechellarum*, *A. Newt. Ibis*, 1865, pl. 8. Seychelles.

FAM. VII. HYDROBATIDÆ, *G. R. Gr.*

Cinclidæ, *Bp.* 1850.

Subfam. I. *Hydrobatinæ*, *G. R. Gr.*

Cinclinæ, *Cab.* 1847.

978. HYDROBATA, *V.* 1816.

Cinclus, *Bechst.* 1802, *nec Moehr.* 1752.

Aquatilis, *Mont.* 1813.

G. of B. i. p. 215, pl. 55. f. 1; *Reich. S. A. t.* 52. f.

3899. *cinclus*, *Gm.*; *P. E.* 940; *Gould, B. E. pl.* 83. C. & S. Europe.
aquaticus, *Bechst.*; *europæus*, *Steph.*
gularis, *Lath.*
3900. *albicollis*, *V.* Switz., Lebanon.
bicolor, *V.*; *aquaticus*, *Tristr.*
aquaticus, var. *rufiventris et albiventris*, *Hempr. & Ehr.*
meridionalis, *rufipectoralis*, *et rupestris*, *Brehm.*
3901. *melanogastra*, *Tem.*; *Gould, B. E. pl.* 84. W. Europe.
aquaticus, var. β , *Blas.*; *cinclus*, *L.*
septentrionalis et peregrinus, *Brehm.*
3902. *asiatica*, *Sw.*; *Gould, C. B. pl.* 24; *B. As. pl.* N. India.
tenuirostris, *Gould.*
Pallasii, *Vig.*
maculatus, *Hodgs.*

3903. **cashmirensis**, *Gould, B. As.* pl. cinclus, *Adams*. Cashmere, Tibet, Persia.
3904. **sordida**, *Gould, B. As.* pl. Cashmere.
3905. **mexicana**, *Sw.*; *Bp. A. O.* pl. 16. 1. *pallasii*, *Bp.*; *americanus*, *Rich.*; *unicolor*, *Bp. Mortoni, Towns.*; *Townsendii*, *Aud.* Rocky M., N. Am.
3906. **leuconota**, *Sclat. Cat. of A. B.* pl. 2. leucocephalus, *Lafr.* New Granada. Ecuador.
3907. leucogaster, *Eversm.*; *Gould, B. As.* pl. aquaticus, var. γ , *Blas.*; cinclus, var., *Pall.* aquaticus, p., *Schl.* W. Siberia.
3908. *Pallasii*, *Tem.*; *Gould, B. E.* pl. 85; *Schl. Handl. Dierk.* t. 2. 23. E. Siberia, Heligoland. cinclus, var., *Pall.*; aquaticus, var. δ , *Blas.* Japan.
3909. marila, *Swinh.* I. of Formosa.
Pallasi, *Gould & Swinh.*
3910. leucocephala, *Tsch. F. P.* t. 15. 1. Peru, Bolivia.
3911. ardesiaca, *Salv. Ibis*, 1867, pl. 2. Veragua.

FAM. VIII. EUPETIDÆ, *G. R. Gr.*Cinclidæ, p., et Mesitidæ, *Bp.* 1850.Subfam. I. Eupetinae, *Bp.* 1850.979. EUPETES, *Tem.* 182 ?*G. of B.* i. p. 207, pl. 55. f. 7; *Reich. S. A.* t. 52. f. .

a. EUPETES.

3912. macrocerus,
- Tem. P. C.*
- 516.

Sumatra.

980. b. AJAX, *Less.* 1837.

3913. ajax,
- Tem. P. C.*
- 58.
-
- typicus,
- Less.*

"

3914. cærulescens,
- Tem. P. C.*
- 574.

New Guinea.

Subfam. II. Mesitinae, *Bp.* 1850.981. MESITES, *I. Geoffr.* 1838.*Mesenas*, *Reich.* Mesitornis, *Bp.* 1855.*G. of B.* iii. p. 491, pl. 124. 3; *Reich. S. A.* t. 24. f. .

3915. variegata,
- I. Geoffr.*
- ;
- Des Murs, I. O.*
- t. 11, 12.
-
- unicolor,
- Des Murs.*

Madagascar.

FAM. IX. PYCNONOTIDÆ, *Bl.* 1849.Brachypodidæ, *Cab.* 1851.Subfam. I. Pycnonotinæ, *G. R. Gr.* 1840.Brachypodinæ, *Sw.* 1831. Ixodinæ, *Bl.* 1849.Dierurina, *p.*, *Vig.* 1825.**982. MICROSCELIS**, *G. R. Gr.* 1840.Galgulus, *Reich.* 1850, *nec Briss.* 1760.*G. of B. i. p.* 235, *pl.* 59. *f.* 4; *Reich. S. A. t.* 54. *f.* .*a. MICROSCELIS.*3916. **amaurotis**, *Tem. P. C.* 497; *Schl. F. J. t.* 31 *B.*

Japan.

squamiceps, *Kittl. Mém. Ac. Pétersb.* 1835, *t.* 16; *Kupf. Vög. t.* 12. *I.*

I. of Bonin.

3917. **philippensis**, *Gm.*; *Kittl. Kupf. Vög. t.* 12. *2.*

Philippine I.

3918. **melanoleucus**, *Gr.*

China.

983.*b. MICROTARSUS*, *Eyton*, 1839.Microscelis, 1850, *et Ixocherus*, 1853, *Bp.*Macroscelis, *Bl.* 1849.3919. **melanoleucus**, *Eyton.*

Malacca.

vidua *et sylvestris*, *Tem.*; *tristis*, *Bl.*

Sumat., Borneo.

3920. **Blanfordi**, *Jerd.*

Thayetmyo.

familiaris, *Bl.*

Upper Burmah.

3921. **olivaceus**, *Moore.*

Malacca.

984.*c. TRACHYCOMUS*, *Cab.* 1851.Piconotus, *Bp.* 1850.3922. **ochrocephalus**, *Gm.*; *Brown, Ill. Zool. pl.* 22; *P. C.* 136.

Java, Sumatra.

crispiceps, *Bl.*; *zeylanicus*, *Gm.?*

Pinang.

985. PYCNONOTUS, *Kuhl*, 1826.Brachypus, *Sw.* 1824, *nec Mey.* 1815.Hæmatornis, *Sw.* 1831. Ixos, *Strickl.* 1841.Piconotus, *G. R. Gr.* 1840.*Sw. C. of B. f.* 205, *h*; *G. of B. i. p.* 237; *Reich. S. A. t.* 54. *f.* .*a. PYCNONOTUS.*3923. **tristis**, *Müll.*; *P. E.* 317.

Egypt, Arabia.

capensis, *var.*, *Lath.*; *nigricans*, *V.*Levaillantii, *Tem.*; *xanthopygius*, *Ekrenb.*3924. **capensis**, *L.*; *Briss. Orn. ii. t.* 27. *3*; *Lev. O. A. t.* 105.

S. Africa.

3925. **arsinoë**, *Licht.*

Egypt, Arabia.

3926. **barbatus**, *Desfon.*

N. Africa.

obscurus, *Tem.*; *lugubris*, *Less.*

Spain.

3927. **ashanteus**, *Bp.* W. Africa.
3928. **xanthopygos**, *Hempr. & Ehr.* Palestine.
Vallombrosæ, Bp. ; xanthopygius, Tristr.
3929. **flavicollis**, *Sw.* W. Afr., Gambia,
 Sierra Leone.
 S. Africa.
3930. *cafer, L. ; P. E. 563. 1 ; Lev. O. A. t. 107. 1.*
hæmorrhœa, Gm. ; Brown, Ill. Zool. pl. 31. 1 ; fuscus, Müll.
3931. *aurigaster, V. ; Lev. O. A. t. 107. 2.* „ ?
3932. *tricolor, Hartl.* Angola.
aurigaster, Hartl. ?
3933. **flaviventris**, *Tick. ; Gr. I. Ind. Z. pl. 35. 1.* Nepal, Bootan,
melanocephalus, Gr. ; plumifera, Gould. Pegu.
3934. **xantholæmus**, *Jerd. I. Ind. Orn. pl. 35.* E. Ghat.
3935. *brunneus, Bl.* Malacca.
3936. *leucogrammicus, Müll.* Sumatra.
- 986.** *b. RUBIGULA, Bl. 1845.*
Brachypus, Sw. 1831, nec 1824.
Sphagias, Cab. 1851.
Sw. C. of B. f. 208, a.
3937. **dispar**, *Horsf. ; P. C. 137.* Java, Sumatra.
3938. **gularis**, *Gould ; Jerd. Ill. Ind. Orn. pl. 37.* Madras.
rubineus, Jerd.
- 987.** *c. MEROPIZUS, Bp. 1854.*
Pycnonotus, p., et Rubigula, p., Bl.
3939. **atricapillus**, *V. ; Lev. O. A. t. 140. 1.* Ceylon.
nigricapilla, Drap. ; aberrans, Bl.
monachus, G. R. Gr. ; monacus, Bp.
melanictera (Gm.), Walden ; gularis, Kelaart.
- 988.** *d. KELAARTIA, Bl. (apud Jerd.).*
3940. **penicillatus**, *Bl.* Ceylon, Mysore.
- 989.** *e. CROCOPSIS, Reich. 1850.*
Hæmatornis, p., Sw.
Reich. S. A. t. 54. f.
3941. **bimaculatus**, *Horsf. ; Less. C. de Zool. t. 75.* Java.
- 990.** *f. IXOS, Tem.*
Ixus, Nitzsch, 1840. Loidorus, Reich. 1850.
Lœdorus, Cab. 1851.
G. of B. i. pl. 59. f. 3 ; Reich. S. A. t. 54. f.
3942. **goiavier**, *Scop. ; Sonn. Voy. t. 28.* Philippines ?
psidii, Gm.

3943. **analís**, *Horsf.* Java.
 psidii, *Tem.*; *goiavier*, *Strickl.*
3944. **luteolus**, *Less.* India, Ceylon.
 flavirictus, *Strickl.*; *virescens*, *Tick.*
 Tickellii, *Bl.*
3945. **Susanii**, *Müll.* Sumat., Borneo.
3946. **flavescens**, *Bl.* Khasia Hills.
3947. **Finlaysoni**, *Strickl.* Pegu, Tenass.
3948. **sinensis**, *Gm.*; *Mag. de Zool.* 1836, t. 66; *Voy. Favor.*
 t. 14. S. China, Isl. of
 occipitalis, *Less.*; *palmarum*, *Tem.* Formosa.
3949. *Gourdini*, *Homb. & Jacq. Voy. Pôle Sud*, t. 14. 1. Borneo.
 Yourdini!, *G. R. Gr.*
3950. **inornatus**, *Kuhl.* Sumatra.
3951. **simplex**, *Less.* "
 plumosus, *Bl.*
3952. **Fisquetii**, *Eyd. & Gerv. Voy. Bonite*, t. 5. Malabar.
3953. — ? Sumatra.
 simplex, *Kuhl.*
991. *g.* **ALCURUS**, *Hodgs.* 1843.
3954. **striatus**, *Bl.* Himalayas.
 nipalensis, *Hodgs.* Nepal, Darjeel.
992. *h.* **HEMIXUS**, *Hodgs.* 1845.
 Hemipus, *Hodgs.* 1846. *Hemixos*, *Hodgs. et Bl.* 1845.
3955. **flavala**, *Hodgs.*; *G. R. Gr. & M. G. B.* pl. 59. Nepal, Bootan.
993. *i.* — ?
 Brachypus, *Cab.* 1851. *Hæmatornis*, *p., Sw.*
 Reich. S. A. t. 54. f. .
3956. **chrysorrhoides**, *Lafr.* India.
 cafer, *Sykes*; *pusillus et pseudocafer*, *Bl.*
 var. *intermedius*, *Hay*; *hæmorrhous*, *auct.*
 nigropileus, *Jerd.*
 atricapillus, *Jerd.*
 N.W. Provinces.
 Burmah.
 China.
3957. **pygmæus**, *Hodgs.* Nepal.
 cafer (*p., Lath.*), *M'Clell.*; *bengalensis*, *Bl.* S. Burmah.
3958. **crocorrhous**, *Strickl.*; *Brown, Ill.* pl. 31. 2. Java, Sumatra.
 hæmorrhous, *Horsf.*; *aurigaster*, *p., Cab.*
 chrysorrhœus, *Lath.*
994. *j.* **EUPHILOSUS**, *Reich.* 1850.
 Reich. S. A. t. 54. f. .

3959. **euptilosus**, *Jard. & S. I. O.* pl. 3. Malacca.
eutilosus, *Jerd.*
- 995.** *k.* **OTOCOMPSA**, *Cab.* 1851.
Copsychus, p., *Wagl.* 1827. *Ixos*, *Bp.* 1850.
3960. **jocosus**, *L.*; *P. E.* 508 ?; *Dixon, Voy.* pl. p. 360. China.
cristata, *Gm.*; *chinensis*, *Osb.*
erythrotis, *Sw.*
3961. **pyrrhotis**, *Hodgs.* Nepal.
jocosa, *Jerd.*
3962. **fuscocaudatus**, *Gould.* S. India.
3963. **erythrotis**, *Bp.* Java.
3964. **leucogenys**, *Gr. I. In. Z.* pl. 35. 3. Nepal, Bootan.
plumigerus, *Lafr.*; *cristatus*, *Burn.*
3965. **leucotis**, *Gould.* India, Persia.
3966. **tigus**, *Müll.* Sumatra.
3967. *emeria*, *Shaw, Nat. Misc.* pl. 645. Bengal.
monticola, *McClell.*; *jocosa*, p., *Jerd.* Nepal.
3968. **tympanistrigus**, *Müll.* Sumatra.
cristatellus, *Tem.*
- 996.** *l.* **SPIZIXOS**, *Bl.* 1845.
3969. **canifrons**, *Bl.*; *Gould, B. As.* pl. Khasia Hills,
Afghanistan.
3970. **semitorques**, *Swinhoe*; *Gould, B. As.* pl. I. of Formosa,
Foochow.
- 997.** *m.* **IXIDIA**, 1846,
et Ixodia, 1845, *Bl.*
3971. **cyaniventris**, *Bl.* Malacca.
aureum, *Eyton*; *poliopsis*, *Müll.* Sumatra, Tenass.
- 998.** *n.* **BRACHYPODIUS**, *Bl.* 1845.
Prosecusa, *Reich.* 1850. *Ixos*, p., *Tem.*
Reich. S. A. t. 54. f. .
3972. **melanocephalus**, *Gm.*; *Lath. Syn.* pl. 6; *P. C.* 147. Java, Sumatra.
atriceps, *Tem.*
3973. ? **metallicus**, *Eyton.* Malacca.
melanocephalus, p., *Bl.*
3974. **squamatus**, *Tem. P. E.* 453. 2. Java.
3975. **cinereoventris**, *Bl.* Tiperah Hills.
3976. **poliocephalus**, *Jerd. I. Ind. Orn.* pl. 31. Malabar.
- 999.** *o.* " **APALOPTERON**, *Schiff.*," *Bp.* 1853.
3977. **familiaris**, *Kittl. Mém. Ac. St. Pétersb.* 1835, t. 13. Isle of Bonin.

Subfam. II. **Phyllornithinæ**, *Cab.* 1847.Brachypodinae, p., *Sw.* 1837.**1000. PHYLLASTREPHUS**, *Sw.* 1831.Brachypus, p., *Sw.* 1831. Phyllostrephus, *Agass.*Phyllotrophus, *Sundev.* Phyllastrophus, *Bp.* 1854.Phyllostrophus, *Cass.* 1855.*Sw. C. of B. f.* 205, a, b; *G. of B. i. p.* 238, pl. 59. f. 6.3978. **capensis**, *Sw.*; *Lev. O. A. t.* 112. 1.

S. Africa.

terrestris, *Sw.*3979. **senegallus**, *Müll.*; *P. E.* 563. 2.

Senegal.

lugubris, *Bodd.*; *senegalensis*, *Gm.***1001. HYPsipETES**, *Vig.* 1831.*G. of B. i. p.* 237, pl. 59. f. 1; *Reich. S. A. t.* 54. f. .a. **HYPsipETES.**3980. **psaroides**, *Vig.*; *Gould, C. B.* pl. 10.

Himalayas.

3981. **ganeesa**, *Sykes*; *Jard. & S. I. O.* pl. 2.

Deccan.

3982. **M'Clellandii**, *Horsf.*

Bootan, Nepal.

viridis, *Hodgs.*3983. **neilgheriensis**, *Jerd.*

Neilgherries.

ganeesa, p., *Bl.*; *nilgiriensis*, *Bl.*

Ceylon.

3984. **virescens**, *Tem. P. C.* 382. 1.

Java, Sumatra.

3985. **malaccensis**, *Bl.*

Malac., Borneo.

3986. **nicobariensis**, *Moore*; *Reise Novara*, t. 3. 2.

Nicobars.

virescens, *Bl.*3987. **nigerrima**, *Gould, B. As.* pl.

I. of Formosa.

3988. **Tickellii**, *Bl.*

Tenasserim.

3989. **concolor**, *Bl.*

"

psaroides, *Horsf.*

Assam.

3990. **Holki**, *Swinh.*

Foochow.

3991. **niveiceps**, *Swinh.*

Swatow.

3992. **gularis**, *Cuv.*; *Arch. du Mus.* vii. pl. 18.

China.

philippensis, *Strickl.*

Philippine I.

1002. b. **IXOCINCLA**, *Bl.* 1845.Anepsia, *Reich.* 1850.*Reich. S. A. t.* 54. f. .3993. **madagascariensis**, *Müll.*; *P. E.* 557. 2.

Madagascar.

ourovang, *Gm.*

Mohilla.

3994. *borbonica*, *Gm.*; *Briss. Orn.* ii. t. 24. 3. I. of Bourbon.
atricilla, *Cuv.*

3995. *olivacea*, *Jard. & S. I. O.* pl. 168. Mauritius.

3996. *crassirostris*, *E. Newt.* Seychelles.

1003. c. *TYLAS*, *Hartl.* 1862.

3997. *Edwardi*, *Hartl. Pr. Z. S.* 1862, pl. 18; *N. Arch. du Mus.*
 i. t. 5. 2. Madagascar.
Goudoti, *Verr.*; *madagascariensis*, *Grandid. MS.*

1004. SIBIA, 1839,

et *Alcopus*, 1841, *Hodgs.*

Heterophasia, 1842, *et* *Actinodura*, 184 ? , *Bl.*

G. of B. i. p. 238, pl. 59. f. 2.

a. *SIBIA*.

3998. *picaoides*, *Hodgs.* Nepal, Sikkim.
cuculoides, *Bl.*; *cuculopsis* !, *Jerd.* Bootan.

1005. b. *MALACIAS*, *Cab.* 1851.

3999. *capistrata*, *Vig.* Himalayas.
melanocephalum, *Royle.*

4000. *gracilis*, *M^cClell.* Assam.

4001. *nigriceps*, *Hodgs.* Nepal.

4002. *melanoleuca*, *Bl.* Tenasserim.
picata, *Tick.*

4003. ? *auricularis*, *Swinh. Ibis*, 1866, pl. 4. I. of Formosa.

1006. CRINIGER, *Tem.*

Trichas, *Glog.* 1827, *nec Sw.* 1827.

Trichophorus, *Tem.* 1838, *nec Serv.* 1834.

Trichoxos, *Hartl. nec Less.*

Alcopus, *Hodgs.* *Tricophorus*, *Cass.* 1855.

Sw. C. of B. f. 38, 123, 207, a, b; *G. of B.* i. p. 235, pl. 59.
 f. 5; *Reich. S. A.* t. 54. f. .

a. *CRINIGER*.

4004. *tephrogenys*, *Jard. & S. I. O.* pl. 127. W. Af., Gambia,
gularis, *Sw.* Sierra Leone.

4005. *icterinus*, *Bp.* W. Af., Ashanti.

4006. *simplex*, *Tem.* Ashanti.

4007. *notatus*, *Cass. Journ. Ac. Phil.* 1862, pl. 22. 2. Moonda River.

4008. *tricolor*, *Cass.* Muni River.

4009. *canicapillus*, *Hartl.* W. Afr., Gambia.

4010. *chloronotus*, *Cass. Journ. Ac. Phil.* 1862, pl. 22. 1. Camma.

4011. *flavicollis*, *Sw.* W. Africa.

4012. *tephrolæmus*, *G. R. Gr.* Cameroon.

4013. **flaviventris**, *Smith, I. S. A. Z.* pl. 59. S. Africa.
4014. **cinerascens**, *Hartl.* Ashanti.
4015. **flaveolus**, *Gould.* Himalayas.
xanthogaster, Hodgs. Bootan, Nepal.
4016. **gularis**, *Horsf.* Java.
rufocaudatus, Eyton.
4017. **gutturalis**, *Müll.* Sumat., Borneo.
4018. **affinis**, *Homb. & Jacq. Voy. Pôle Sud*, t. 15. 1. Ceram, Amboina.
sulphurascens, Tem.; flavicauda, Bp.
4019. **longirostris**, *Wall.* Sula.
4020. **mysticalis**, *Wall.* Bouru.
4021. **chloris**, *Finsch.* Batchian, Gilolo.
simplex, Wall.; flavicauda, p., G. R. Gr. Morty, Sula.
4022. **phaioccephalus**, *Hartl.* Malacca.
Cantori, Moore.
caniceps, Lafr.
4023. **ictericus**, *Strickl.* India, Ceylon.
indicus, Jerd.
4024. **barbatus**, *Tem. P. C. 88.* W. Africa.
strigilatus, Sw.
4025. **olivaceus**, *Sw. Class. of B. f. 207, b (bill).* „
4026. **poliocephalus**, *Tem.* „
4027. **eximius**, *Hartl.* Dabocrom.
4028. **sulphuratus**, *Müll.* Borneo.
sulphureus, Tem.
4029. **striolatus**, *Müll.* Sumatra.
4030. **? criniger**, *Less.* „
4031. **ochraceus**, *Moore.* Tenasserim.
4032. **minutus**, *Hartl.* Malacca.
4033. **Charlottæ**, *Finsch.* Borneo, Sumatr.
- 1007.** *b. Ixonotus, Verr. 1851.*
4034. **guttatus**, *Verr.* W. Af., Gaboon.
- 1008.** *c. ВѢРОГОН, Heine, 1860.*
4035. **indicator**, *Verr.* W. Africa.
leucurus, Cass.
4036. **nivosus**, *Tem.* W. Af., Ashanti.

- 1009.** *d. PYRRHURUS, Cass. 1859.*
 4037. *palleszens, Hartl.* Gambia.
 4038. *scandens, Sw. B. W. Afr. i. pl. 30.* "
 4039. *leucopleurus, Cass.* Moonda R.
- 1010.** *e. TRICHITES, Heine, 1860.*
 4040. *serinus, Verr.* Gaboon.
xanthogaster, Cass.
- 1011.** *f. HYPOTRICHAS, Heine, 1860.*
 4041. *calurus, Cass. Journ. Ac. Phil. 1862, pl. 22. 3.* "
- 1012.** *g. XENOCICHLA, Hartl. 1857.*
Dasycephala, p., Sw. Trichophorus, p., Hartl.
Bleda, Bp. 1857.
 4042. *syndactylus, Sw.* W. Africa.
- 1013.** *h. BERNIERIA, Bp. 1854.*
Macrosphenus, p., Cass. Tatare, p., Poll. & V. D.
Rhamphocœnus, Less.
 4043. *minor, Bp.* Madagascar.
viridis, p., Cass.
 4044. *madagascariensis, Gm.* "
viridis, Less.; major, Bp.
- 1014.** *i. MACROSPHENUS, Cass. 1859.*
 4045. *flavicans, Cass.* W. Af., Camma.
- 1015.** *j. TRICHOPHOROPSIS, Bp. 1853.*
 4046. *typus, Bp.* Borneo.
Bemmeleni, Finsch; pulverulentus, p.?, Bp.
 4047. *pulverulentus, Müll.* Sumatra.
- 1016.** *k. IOLE, Bl. 1844.*
 4048. *olivaceus, Bl.* Malacca.
 4049. *viridescens, Bl.* Aracan, Malacca.
virescens, Bl. Tenasserim.
 4050. *viridis, Bp.* Borneo.
 4051. *virescens, Tem.* Java, Sumatra.
- 1017.** *l. SETORNIS, Less. 1839.*
 4052. *criniger, Hay.* Malacca.
sericea, Müll.

1018. ANDROPADUS, Sw. 1841.Polyodon, *Lafr.* 1832, *nec Lacép.* 1798.Brachypus, p., *Sw.* 1831.Pycnonotus, p., *Boie*, 1828.*Sw. C. of B.* f. 28, c, 205, g; *G. of B.* i. p. 236, pl. 59. f. 7; *Reich.**S. A. t.* 54. f. .4053. **importunus**, *V.*; *Lev. O. A. t.* 106. 2.

S. Africa.

clamosus, *Steph.*; vocifer et familiaris, *Sw.*brachypodioides, *Jard.*4054. **gracilirostris**, *Strickl.*

W. Africa.

4055. **latirostris**, *Strickl.*

"

4056. **virens**, *Cass.*

"

4057. **curvirostris**, *Cass.*

"

4058. **erythropterus**, *G. R. Gr.*

Ashanti.

4059. **flavescens**, *Hartl.*

Zanzibar, Tette.

4060. **insularis**, *Hartl.*

Madagascar.

4061. **oleaginis**, *Peters.*

Mozambique.

1019. YUHINA, 1836,et Polydon, 1841, *Hodgs.* Juhina, *Reich.* 1850.Odonterus, *Cab.* 1851.*G. of B.* i. p. 198, pl. 53. f. 5; *Reich. S. A. t.* 61. f. .

a. YUHINA.

4062. **gularis**, *Hodgs.*

Darjeeling.

4063. **nigrimentum**, *Hodgs.*

Nepal, Sikkim.

4064. **occipitalis**, *Hodgs.*; *Gould, B. As.* pl.

Himalayas.

1020. b. IXULUS, *Hodgs.* 1844.4065. **flavicollis**, *Hodgs.*; *Gould, B. As.* pl.

Darjeeling.

4066. **occipitalis**, *Hodgs.*; *Gould, B. As.* pl.

Khasia Hills.

4067. **castaneiceps**, *Moore*; *Gould, B. As.* pl.

"

4068. **striata**, *Bl.*

Burmah.

nanus, *Tick.*

Tenasserim.

1021. c. MYZORNIS, *Hodgs.* 1843.4069. **pyrrhoura**, *Hodgs.*; *G. R. Gr. & M. G. B.* pl. 53; *Gould, B. As.* pl.

Nepal, Sikkim.

1022. PHYLLORNIS, *Boie*, 183 ?Chloropsis, *Jard. & S.* 183 ?*Sw. C. of B.* f. 206, d; *G. of B.* i. p. 124, pl. 39. f. 6; *Reich. S.**A. t.* 35. f. .

4070. **javensis**, *Horsf.*; *Jard. Ill. Orn.* pl. 100 & 7; *Gould, B. As. pl.* Java.
 cochinchinensis, *var.*, *Raffl.*; *viridis*, *Horsf.*
 Sonneratii, *Jard.*; *Mülleri*, *Tem.*
 gampsorhynchus, *Jard. & S.*; *zosterops*, *Vig.*
4071. **cyanopogon**, *Tem. P. C.* 512. 1; *Gould, B. As. pl.* Sumatra.
 cochinchinensis, *Raffl.*; *mystacalis*, *Sw.*
 moluccensis, *Gr.*; *malabaricus*, *p.*, *Bl.*
4072. **Jerdoni**, *Bl.*; *Hard. I. Ind. Zool.* pl. 43; *Gould, B. As. pl.* India.
 gampsorhynchus, *Tick.*; *cæsmarhynchos*, *Tick.*
 cochinsinensis, *Jerd.*
4073. **Hodgsoni**, *G. R. Gr.*; *Gould, B. As. pl.* Himalayas.
 aurifrons, *Bl.*; *malabaricus*, *Jard.*
4074. **icterocephala**, *Tem. P. C.* 512. 2. Sumatra.
 malabaricus, *Tem.*
4075. **Hardwickii**, *Jard.*; *Deless. Voy. Ind.* t. 7; *Gould, B. As. pl.* Himalayas.
 curvirostris, *Sw.*; *auriventris*, *Deless.*
 cyanopterus, *Hodgs.*; *chrysogaster*, *M^cClell.*
4076. *media*, *Müll.* Sumatra.
4077. *venusta*, *Tem.* ”
4078. *aurifrons*, *Tem. P. C.* 484. 1. India.
 malabaricus, *p.*, *Jard.*
4079. *malabarica*, *Gm. Acad. der Wissensch.* 1856, t. 2. 1; *Gould, B. As. pl.* India.
 frontalis, *Natt. & Pelz.*; *aurifrons*, *Sykes.*
4080. *cochinchinensis*, *Gm.*; *P. E.* 643. 3. Sumatra, Java,
 Borneo.

Subfam. III. **Crateropodinae**, *Sw.* 1837.Timalinae, *p.*, *G. R. Gr.*Malurinae, *p.*, *et Troglodytinae*, *p.*, *Cab.* 1847.**1023. POMATORHINUS**, *Horsf.* 1820.*Pomathorrhinus*, *Bp.* 1831.*G. of B. i.* p. 228.*a.* POMATORHINUS.

4081. **montanus**, *Horsf. Zool. Res. Jav.* pl. Java.
4082. **erythrogenys**, *Vig.*; *Gould, C. B.* pl. 55. Himalaya.
 ferrugilatus, *Horsf.*
4083. **leucogaster**, *Gould.* N.W. Himalaya.
 olivaceus, *Bl.*
4084. **Horsfieldii**, *Sykes*; *Des Murs, I. O.* t. 22. S. India.

4085. *ruficollis*, *Hodgs.* S.E. Himalaya.
4086. *schisticeps*, *Hodgs.* Himalaya.
montanus, *M^cClell.*
4087. *melanurus*, *Bl.* Ceylon.
4088. *musicus*, *Swinh. Ibis*, 1863, pl. 6. I. of Formosa.
4089. *erythrocnemis*, *Gould, B. As.* pl. "
4090. *ferruginosus*, *Bl.* S.E. Himal., Dar.
4091. *bornensis*, *Cab.* Borneo.
montanus, *Müll.*
4092. *M^cClellandii*, *Bl.* Khasia Hills.
4093. *rubiginosus*, *Bl.*
4094. *albogularis*, *Bl.* Tenasserim.
4095. *Tickellii*, *Bl.* "
4096. *stridulus*, *Swinh.* Foochow.
- 1024.** *b. POMATOSTOMUS*, *Cab.* 1850.
Pomatorhinus, *Vig.* 1831.
G. of B. i. pl. 57. f. 5; *Reich. S. A.* t. 57. f. .
- 2265 4097. *temporalis*, *Vig. & H.; Gould, B. A.* iv. pl. 20. New S. Wales.
trivirgatus, *Tem.*; *frivulus*, *Lath.?*
4098. *rubeculus*, *Gould, B. A.* iv. pl. 21. N. Australia.
- 7569 4099. *supercilicus*, *Vig. & H.; Gould, B. A.* iv. pl. 22. Australia.
4100. *Geoffroyi*, *Less. Voy. Coqu. t.* 29. 2. New Guinea.
Isidori, *Less.* Waig., Mysol.
4101. *ruficeps*, *Hartl.*; *Gould, B. A.* suppl. pl. S. Australia.
- 1025.** *c. MERULANTHUS*, *Bl.* 1861.
4102. *Phayrei*, *Bl.* Assam.
- 1026.** *d. ORTHORHINUS*, *Bl.* 1844.
4103. *hypoleucos*, *Bl.*; *G. R. Gr. & M. G. B.* pl. 57. Aracan.
albicollis, *Horsf.*
- 1027.** *e. PTERORHINUS*, *Swinhoe*, 1868.
4104. *Davidi*, *Swinhoe.* Pekin.
- 1028.** *f. XIPHORHAMPIUS*, *Bl.* 1843.
Xiphirhynchus, *Bl.* 1842, *nec Sw.* 1827.
Xiphorhynchus, *Agass.*
4105. *superciliaris*, *Bl.*; *Jerd. l. In. Orn.* pl. 49; *Gould, B.*
As. pl. Sikkim.

1029. MALACOCIRCUS, Sw. 1832.Malacocercus, *Strickl.* 1841.*G. of B. i.* pl. 57. f. 7; *Reich. S. A. t.* 55. f. .*a. MALACOCIRCUS.*4106. **griseus**, *Lath.*; *Jerd. Ill. Ind. Orn.* pl. 19. Carnatic.
affinis, *Jerd.*4107. **malabaricus**, *Jerd.* India.
Somervillei et orientalis, *Jerd.*4108. **terricolor**, *Hodgs.* "
benegalensis, *Bl.*; *griseus*, *Hodgs.*
canorus, p., *Horsf. & M.*4109. **striatus**, *Sw. Zool. Ill. n. s.* pl. 127. Ceylon.4110. **cinereifrons**, *Bl.* "4111. *Somervillei*, *Sykes.* Bombay.
Sykesii, *Jerd.***1030. b. ARGYA, Less. 1831.***Argia*, *Agass. Sphenura*, *Bp.* 1830.*Malcolmia*, *Bl.* 1856.4112. **Malcolmi**, *Sykes*; *Gr. I. Ind. Z.* pl. 36. 1; *Fras. Zool.* S. India.
Typ. pl.
albifrons, *Gr.*4113. **acaciæ**, *Rüpp. Atl. t.* 8. Nubia, Egypt.4114. **squamiceps**, *Rüpp. Atl. t.* 12. Arabia.
Rüppellii, *Less.***1031. c. CHATARRHÆA, Bl. 1856.**4115. **gularis**, *Bl.* Burmah.4116. **caudatus**, *Dum.* Behar, India.
chatarrhæa, *Frankl.*
isabellinus, *Sw.*4117. ? **Huttoni**, *Bl.*
caudata, p., *Jerd.*4118. **Earlei**, *Bl.* Nepal.
geochrous, *Hodgs.*4119. **chalybeus**, *Bp.* Palestine.4120. **rubiginosus**, *Rüpp. S. U. t.* 19. Schoa.**1032. d. LAYARDIA, Bl. 1856**4121. **subrufus**, *Jerd.* Malabar.
pæcilorhyncha, *Lafr.*4122. **rufescens**, *Bl.* Ceylon.

1033. *e. ACANTHOPTILA, Bl. 1856.*

4123. **nipalensis**, *Hodgs.* Nepal.
leucotis et pellotis, Hodgs.

1034. CINCLOSOMA, Vig. & Horsf. 1825.

G. of B. i. p. 224, pl. 57. f. 11; Reich. S. A. t. 55. f. .

- 7475 4124. **punctatum**, *Lath.; Shaw, Z. of N. H. pl. 9; Gould, B. N. S. Wales, Van
 A. iv. pl. 4. Die. L., S. Aus.*
- 5701 4125. **castanotum**, *Gould, B. A. iv. pl. 5. S. & W. Austr.*
castaneonotum, Gould.
4126. **cinnamomeum**, *Gould, B. A. iv. pl. 6. S. Australia.*
4127. **castaneothorax**, *Gould, Pr. Z. S. 1848, pl. 6. New S. Wales.*

1035. CRATEROPUS, Sw. 1831.

Cratopus !, Jard.

G. of B. i. p. 224, pl. 57. f. 4; Reich. S. A. t. 55. f. .

a. CRATEROPUS.

4128. **Reinwardtii**, *Sw. Zool. Ill. pl. 80. W. Africa.*
melanocephalus, Cuv.
4129. **bicolor**, *Jard.; Smith, I. S. A. Z. pl. S. Africa.*
4130. **atripennis**, *Sw. W. Africa.*
capuzinus, Less.
4131. **platycircus**, *Sw. ,*
testaceus, Tem.
4132. **leucopygius**, *Rüpp. E. A. t. 30. 1. Abyssinia.*
4133. **plebejus**, *Rüpp. Atl. t. 23. W. Africa.*
cinereus, Heugl. Kordofan.
4134. **leucocephalus**, *Rüpp. Atl. t. 4. Abyss., Sennaar,*
White Nile.
4135. **limbatus**, *Harr. Schoa.*
4136. **fulvus**, *Desfont.; Exp. S. de l'Alg. t. 9 bis. 1. Algiers.*
numidica, Levaill.
4137. **Swainsoni**, *Smith. S. Africa.*
4138. **gymnogenys**, *Hartl. Angola.*
4139. **Salvadorii**, *Defil. Persia.*
4140. **rufescens**, *Heugl. N.E. Africa.*
4141. ? **sahara**, *Loche, R. et M. de Z. 1858, t. 11. 2. Algiers.*
4142. **Hartlaubi**, *Bocage. W. Africa.*
4143. **affinis**, *Bocage. ,*

1036. *b. ISCHYROPODUS, Reich. 1850.**Reich. S. A. t. 55. f. .*4144. **Jardinii**, *Smith. I. S. A. Z. pl. 6.*

S. Africa.

4145. **melanops**, *Hartl.*

Damaraland.

1037. *c. HYPERGERUS, Reich. 1850.**Hypochloreus, Cab. 1850.**Crateropus, 1840, et Moho, p., Less.**Reich. S. A. t. 54. f. .*4146. **atriceps**, *Less.; Sw. B. of W. Afr. pl. 31.*

W. Africa.

*orioloides, Sw.***1038.** *d. CICHLADUSA, Peters, 1863.**Bradyornis, p., Hartl.*4147. **arquatus**, *Peters; Ibis, 1868, pl. 9. 1.*

Mozambique.

*Spekei, Hartl.*4148. **guttatus**, *Heugl.; Ibis, 1868, pl. 9. 2.*

N.E. Afr., White Nile.

4149. **ruficaudus**, *Hartl.*

Gaboos.

1039. GARRULAX, Less. 1831.*Garrulaxis, Lafr. 1840. Garrularix !, G. R. Gr. 1846.**Crateropus, p., Sw.**G. of B. i. p. 225; Reich. S. A. t. 55. f. .**a. GARRULAX.*4150. **Belangeri**, *Less. Voy. Bélant. t. 4.*

Tenasser., Pegu.

4151. **Diardi**, *Less.*

Cochin China.

4152. **leucolophus**, *Hardw.; Gould, C. B. pl. 18.*

Himalayas.

4153. **chinensis**, *Scop.; Sonn. Voy. t. 107; Lev. Rolliers, t. 43.*

China.

*shanhu et melanopis, Gm.; leucogenys, Bl.**auritus, Daud.*4154. **perspicillatus**, *Gm.; P. E. 604.*

"

4155. **albogularis**, *Gould.*

Himalayas.

albigula, Hodgs.

Nepal.

4156. **pectoralis**, *Gould.*

Himalayas.

*grisaure, Hodgs.; melanotis, var., Bl.*4157. **moniliger**, *Hodgs.*

S.E. Assam.

*pectoralis, M'Clell.; M'Clellandi, Bl.*4158. **lugubris**, *Müll.*

Sumatra.

4159. **bicolor**, *Müll.*

"

*coronatus, v. Krel.*4160. **rufifrons**, *Less. Voy. Bélant. t. 5.*

India.

perspicillatus, Tem.; ruficeps, Sw.?

4161. **ruficeps**, *Gould, B. As.* pl. I. of Formosa.
4162. **palliatu**s, *Müll.* Samatra.
4163. **sannio**, *Swinh.* Amoy.
4164. **uropygialis**, *Cab.* Assam.
 pectoralis, *p., Jerd.*
4165. **strepitans**, *Tick.* Moulmein.
4166. **poliogenys**, *Bl.* Tenasserim.
4167. **rubiginosus**, *Bl.* Sumatra.
4168. **poliocephalus**, *Bl.* „
- 1040.** *b. LANTHOCINCLA, Gould.*
 G. of B. i. pl. 57. f. 1, 2.
4169. **ocellatus**, *Vig.; Gould, C. B.* pl. 15. Nepal, Sikkim.
4170. **rufigularis**, *Gould.* Himalaya.
 rufimenta, *Hodgs.*
4171. **cærulatus**, *Hodgs.* S.E. Himalaya.
4172. **ruficollis**, *Jard. & S. I. O.* pl. 21. Himalaya.
 lunaris, *McClell.*
4173. **mitratus**, *Müll. Tijdschr. v. Nat.* 1835, t. 5. 3. Sumatra.
4174. **pœcilorhynchus**, *Gould, B. As.* pl. I. of Formosa.
- 1041.** *c. THAMNOCATAPHUS, Tick.* 1849.
4175. **picatus**, *Tick.* Darjeeling.
- 1042.** *d. GAMPBORHYNCHUS, Bl.* 1844.
 Mesogenea, Hodgs. MS. Thamnocataphus, p., Tick.
4176. **rufulus**, *Bl.* Nepal.
 senilis, *Tick.* Sikkim.
- 1043. TROCHALOPTERON, Hodgs.** 1844.
 Trochalopterum, Agass.
 G. of B. i. p. 225; Reich. S. A. t. 55. f.
4177. **squamatum**, *Gould; Jard. & S. I. O.* pl. 4. Darjeeling.
 melanura, *Hodgs.*
4178. **phœniceum**, *Gould, I. A.* pl. S.E. Himalaya.
 puniceus, *Bl.*
4179. **subunicolor**, *Hodgs.* Darjeeling.
- 1044. PTEROCYCLUS, G. R. Gr.** 1846.
 Trochalopterum, p., Jerd.
 G. of B. i. p. 226, pl. 57. f. 3; Reich. S. A. t. 55. f.

a. PTEROCYCLUS.

4180. **erythrocephalus**, *Vig.*; *Gould, C. B.* pl. 17. N.W. Himalaya.
4181. **variegatus**, *Vig.*; *Gould, C. B.* pl. 18. Nepal, Simla.
Abeillei, Less.
4182. **chrysopterus**, *Gould.* Himalayas.
erythropterus, Hodgs.
4183. **affinis**, *Hodgs.* S.E. Himalaya.
4184. **cachinnans**, *Jerd. Madr. Journ.* 1839, pl. 13. Nielgherries.
Lafresnayi, Del.; *Delesserti, Lafr.*
4185. **Fairbanki**, *Blanf. I. As. S. B.* 1869, pl. 17^a. S. India.
4186. **setifer**, *Hodgs.* Nepal, Bootan.
imbricatus, Bl.; *lineatus, p., Bp.*
4187. *lineatus, Vig.* Sikkim, Nepal.
4188. *gularis, McClell.*; *Gould, B. As.* pl. Khasia Hills.
4189. *Jerdoni, Bl.* Banasore.
4190. *ruficapillus, Bl.* Khasia Hills.
4191. *merulinus, Bl.* Darjeeling?
4192. *melanostigmus, Bl.* Tenasserim.

1045. b. "LEUCODIOPTRON, *Schiff.*," *Bp.* 1853.

4193. **cancrus**, *L.*; *Edw. B.* pl. 184; *Albin, B. iii.* pl. 19; *Briss. Orn. ii. t. 23. 1.* China.
sinensis et faustus, L.
4194. **taivanus**, *Swinhoe.* I. of Formosa.

1046. ACTINODURA, *Gould*, 1836.

- Leiocinclu, Bl.* 1843. *Ixops, Hodgs.* 1843.
Actinura et Liocinclu, Agass.
G. of B. i. p. 226, pl. 57. f. 9; Reich. S. A. t. 55. f.
4195. **Egertoni**, *Gould; Fras. Z. T.* pl. ; *Gould, B. As.* pl. Nepal, Darjeel.
plumosa, Gould; rufifrons, Hodgs.
4196. **nipalensis**, *Gould, B. As.* pl. S.E. Himalaya.

1047. PELLORNEUM, *Sw.* 1831.

- Cinclidia, Gould*, 1837, *nec Hübn.* 1816.
Hemipteron, Hodgs. 1844.
Sw. C. of B. f. 210; G. of B. i. p. 227, pl. 57. f. 8; Reich. S. A. t. 53. f.
4197. **ruficeps**, *Sw.* India.
dumeticola, Tick.; *punctata, Gould.* Nepal.
olivaceum, Jerd. ?

4198. *fuscocapillum*, *Bl.*

Ceylon.

4199. *Tickellii*, *Bl.*

Tenasserim.

1048. TURNAGRA, *Less.* 1837.*Keropia*, *G. R. Gr.* 1840. *Ceropia*, *Agass.**Otagon*, *Bp.* 1850. *Sturnagra*, *Bl.**G. of B. i.* p. 227, pl. 57. f. 12; *Reich. S. A. t.* 55. f. .*a.* TURNAGRA.1021 4200. *turdus*, *Forst.*; *Voy. l'Astrol.* t. 7. 1.

N. Zeal., S. Isl.

crassirostris, *Gm.*; *capensis*, *Sparrm.**malaria*, *Quoy & G.*; *ferruginea*, *V.?*4201. *tanagra*, *Schl.*

New Zealand.

4202. *Hectori*, *Buller.*

N. Zeal., N. Isl.

1049. *b.* GRAMMATOPTILA, *Reich.* 1850.*Keropia*, *Bp.* 1850, *et p. G. R. Gr.**Kittasoma*, *Bl.* 1855.*Reich. S. A. t.* 85. f. .4203. *striata*, *Vig.*; *Gould, C. B.* pl. 37.

N. India.

1050. PSOPHODES, *Vig. & H.* 1826.*Timalia*, *p.*, *et Phosphodes*, *Sw.* 1837. *Timalia*, *p.*, *Sw.**G. of B. i.* p. 128, pl. 38. f. 6; *Reich. S. A. t.* 35. f. .7281 4204. *crepitans*, *Lath.*; *Jard. & S. I. O.* pl. 60; *Gould, B. A.* iii. pl. 15.

S.E. Australia.

auritus et olivaceus, *Lath.**gularis*, *Wagl.*; *Abeillei*, *Less.*4205. *nigrogularis*, *Gould, B. A.* iii. pl. 16.

W. Australia.

FAM. X. DICRURIDÆ, *Bl.* 1849.Subfam. I. *Dicrurinae*, *Sw.* 1837.*Dicrurina*, *Vig.* 1825.*Edolianæ*, *p.*, *et Oriolinæ*, *p.*, 1831, *Sw.**Dicrourinae et Pycnonotinæ*, *p.*, *Cab.* 1847.**1051. DICRURUS**, *V.* 1816.*Bhuchanga*, *Hodgs.* 1837.*Dicrourus*, *Glog.* 1842.*Balicassius*, *Bp.* 1854.*Sw. C. of B. f.* 204; *G. of B. i.* p. 287.*a.* DICRURUS.4206. *balicassius*, *L.*; *P. E.* 603.

Philippine I.

viridescens, *Gould*; *furcatus*, *Wagl.**afer*, *Licht.*

4207. **annectans**, *Hodgs.*
bhuthang, *Hodgs.*; affinis et *balicassius*, *Bl.*
furcatus, *Bp.* Assam, Burmah.
Malacca.
4208. **amboinensis**, *G. R. Gr.* Amboin., Ceram.
4209. **bracteatus**, *Gould*, *B. A.* ii. pl. 82.
balicassius, *Vig. & H.* New S. Wales.
N. Australia.
4210. **carbonarius**, *Müll.* N. Guin., Waig.,
Mysol.
4211. **assimilis**, *G. R. Gr.* Aru.
4212. **bimaensis**, *Tem.* Cele., Sumbava,
Lomb., Flores.
4213. **densus**, *Tem.* Timor.
balicassius, *Müll.*
4214. **pectoralis**, *Wall.* Sula.
4215. **cæruleus**, *Müll.*; *Lev. O. A.* t. 172.
cærulescens, *Lath.*; *tingah*, *Shaw.* India.
4216. **leucophæus**, *V.*; *Lev. O. A.* t. 170.
ceylonensis, *Steph.*; *cineraceus*, *Bl.*
cinereus, *Bl.* Ceylon?
Malacca.
4217. **furcatus**, *Gm.* „
leucopygialis, *Bl.*
4218. **leucogenis**, *Wald.* Pinang.
4219. **megalornis**, *G. R. Gr.* Kei.
4220. **atrocæruleus**, *G. R. Gr.* Batch., Gilolo,
Celebes.
4221. **picinus**, *Müll.* Sumatra.
4222. **andamanensis**, *Tytl.* Andamans.
4223. **lophorinus**, *V.*; *Lev. O. A.* t. 173.
edoliformis, *Bl.*; *balicassius*, *p.*, *Lath.* Ceylon.
4224. **leucops**, *Wald.* Celebes.
4225. **leucogaster**, *V.*; *Lev. O. A.* t. 171.
albiventer, *Steph.* Java.
4226. **comice**, *Less.* New Ireland.
cineraceus, *var.*, *Less.*
- 1052.** *b.* — ?
Dicrourus, *Bp.* 1854.
4227. **albirictus**, *Hodgs. As. Res.* xviii. pl.
macrocerus, *Bl.*; *balicassius*, *p.*, *Lath.*
balicassius, *Sykes.* India, Nepal.
Ceylon, Assam.
Burmah.
4228. **longicaudatus**, *Hay.* India, Nepal.
macrocerus, *Jerd.*; *pyrrhops*, *Hodgs.*
cineraceus, *G. R. Gr.*; *intermedius*, *Bl.* Ceylon.
Assam, Burmah.

4229. *macrocerus*, *V.*; *Lev. O. A. t.* 174. Java.
longus, *Tem.*; *biloba*, *Licht.*
forficatus, *Horsf.*
4230. *Waldeni*, *Poll. & V. D. F. de Madag. t.* 23. Mayotte.
forficatus, *Selat. ?*
4231. *himalayanus*, *Tytl.* Himalayas.
Waldeni, *Beav. ?*
- 1053.** *c. MUSICUS*, *Reich.* 1850.
Dicrourus, *Cab.* 1851.
Reich. S. A. t. 88. f. .
4232. *musicus*, *V.*; *Lev. O. A. t.* 167. S. Africa.
emarginata, *Licht.*
4233. *modestus*, *Hartl. Abh. d. Naturw. Ver. in Hamb. t.* 4. W. Africa.
ashantensis, *Tem.*
4234. *atripennis*, *Sw.* "
4235. *coracinus*, *Verr.* Gaboon.
4236. *divaricatus*, *Licht.* W. Africa.
canipennis, *Sw.*; *mystaceus*, *p., Bp.*
fugax, *Peters.* Tette, Inham-
bane.
4237. *lugubris*, *Ehrenb. Sym. Phys. t.* 8. 3. Abyssinia.
divaricatus, *p., Hartl.*
4238. ? *mystaceus*, *V.*; *Lev. O. A. t.* 169. S. Africa.
- 1054.** *d. EDOLIUS*, *Cuv.* 1817.
Drongus, *Rafinq.* 1815? *Drongo*, *Reich.* 1850.
Lanius, *L.* 1766. *Hedolius*, *Agass.*
Reich. S. A. t. 81. f. .
4239. *forficatus*, *L.*; *P. E.* 189; *Lev. O. A. t.* 166; *Gal. des*
Ois. t. 141? Madagascar.
cristatus, *V.* Zambesi.
- 1055.** *e. DISSEMURUS*, *Glog.* 1842.
Edolius, *Sundev.* 1835.
G. of B. i. pl. 70. f. 5; *Reich. S. A. t.* 88. f. .
4240. *malabaricus*, *Lath.*; *Sonn. Voy. t.* 111. India, Malabar.
platurus, *p., V.*; *cristatellus*, *Bl.* Tenasserim.
grandis, *Horsf.* Moalmaza.
4241. *brachyphorus*, *Tem.*; *Schl. Handb. Dierk. t.* 2. 24. Borneo.
brachypterus, *Schl.*
4242. *malabaroides*, *Hodgs.*; *Lath. Hist. B. pl.* 108. India, Himala.
grandis, *Gould*; *malabaricus*, *p., Lath.* Tenasserim.
retifer et paradiseus, *Jerd.*; *paradiseus*, *var., Bl.* Assam, Burmah.
orissæ et dentirostris, *Bl.*; *bengalensis*, *Hay ?*
4243. *formosus*, *Cab.* Java, Banda.

4244. **singularis**, n. sp. ? Malabar.
4245. **platurus**, *V.*; *Lev. O. A. t.* 175. Java.
 setifer (*retifer*), *Tem.*; *malabaricus*, *Cuv.*
 paradiseus, p., *Bl.*
 malayensis, *Bl.* Malacca.
4246. **paradiseus**, *L.* Siam.
 malabaricus, p., *Lath.*; *platurus*, p., *V.*
 rangoonensis, *Gould*; *Jard. & S. I. O. pl.* 38. Burmah.
4247. **affinis**, *Tytl.* Andamans.
- 1056.** *f. DICRANOSTREPTUS, Reich. 1850.*
Reich. S. A. t. 88. f. .
4248. **megarhynchus**, *Quoy & G. Voy. Astrol. t.* 6. New Guinea.
 mezorhynchus, *Jerd.* New Ireland.
- 1057. BHRINGA**, 1837,
et Melisseus, 1841, *Hodgs.*
G. of B. i. p. 287, pl. 70. f. 2; *Reich. S. A. t.* 88. f. .
4249. **remifer**, *Tem. P. C.* 178. Java, Sumatra.
 malabaricus, p., *Less.*
4250. **tectirostris**, *Hodgs.* Himalayas.
 remifer, p., *Hodgs.*; *rangoonsis*, *Horsf.* Assam, Burmah,
 Tenas., Malay.
- 1058. CHIBIA**, 1837,
et Cometes, 1841, *Hodgs.* *Criniger*, *Tick.*
Trichometopus, *Cab.* 1851. *Corvus*, p., *L.* 1766.
G. of B. i. p. 287, pl. 70. f. 6; *Reich. S. A. t.* 88. f. .
4251. **hottentottus**, *L.*; *P. E.* 226 ? India, Himala.
 barbatus, *Gr.*; *Crishna*, *Gould.* Assam.
 splendens, *Tick.*; *casia*, *Hodgs.*
 criniger, *Jerd.*
4252. **brevirostris**, *Cab.* China.
- 1059. CHAPTIA**, 1837,
et Propopterus, 1841, *Hodgs.*
G. of B. i. p. 287, pl. 70. f. 7; *Reich. S. A. t.* 88. f. .
4253. **ænea**, *V.*; *Lev. O. A. t.* 176. Bengal.
 æratus, *Steph.* Malabar coast.
 muscipetoides, *Hodgs.* Himalayas.
4254. **malayensis**, *Hay.* Malacca.
4255. **brauniana**, *Swinhoe.* I. of Formosa.
- 1060. MELÆNORNIS**, *G. R. Gr.* 1840.
Melasoma, *Sw.* 1837.
Bradyornis, p., *Sundev.* 1850.
Sw. C. of B. f. 204, d; *G. of B. i. p.* 288, pl. 70. f. 4; *Reich.*
S. A. t. 88. f. .

a. MELENORNIS.

4256. *edolioides*, *Sw. B. of W. Afr.* pl. 29. W. Africa.

4257. *Ludwigii*, *Smith, I. S. Afr. Z.* pl. 34. S. Africa.

1061. b. *MELANOPEPLA*, *Cab.* 1850.

Bradyornis, p., *Sundev.* 1850.

4258. *pammelæna*, *Stanl.* Africa.

atronitens, *Licht.*; *pammelina*, *Horsf. & M.*

lugubris, *Müll.*

melas, *Heugl.*; *nigerrima*, *Würt.*

edolioides, p., *Cab.*

1062. c. *BRADORNIS*, *Smith*, 1847.

Bradyornis, *Sundev.* 1850.

4259. *mariquensis*, *Smith, I. S. A. Z.* pl. 113. S. Africa.

4260. *major*, *Smith.* "

4261. ? *simplex*, *Sundev.* Caffraria.

4262. *chocolatina*, *Rüpp. S. U. t.* 14. N.E. Africa.

fumigata, *Guér.*; *pallida*, *Müll.*

1063. d. *SIGELUS*, *Cab.* 1850.

Bradyornis, p., *Hartl.* 1859.

4263. *silens*, *Shaw*; *Lev. O. A. t.* 74.

leucomelas et vittatus, *Sundev.*

incompta, *Licht.*

S. Africa.

4264. *senegalensis*, *Hartl.* W. Africa.

4265. *tænioptera*, *Sundev.* S. Africa.

silens, p. ?

Subfam. II. *Ireninæ*, *G. R. Gr.*

1064. IRENA, *Horsf.* 1820.

Irene, *Boie*, 1826.

G. of B. i. p. 288, pl. 70. f. 3; *Reich. S. A. t.* 53. f. .

4266. *puella*, *Lath.* India.

indica, *Hay.*

Tenasser., Siam.

4267. *malayensis*, *Horsf. Zool. Res.* pl.; *P. C.* 70, 225, 426. Java, Sumatra.

puella, *Horsf.*; *cyanea*, *Begbie.*

Malacca.

4268. *cyanogastra*, *Vig.*; *G. R. Gr. & M. G. B.* pl. 70. Philippine I.

FAM. XI. **ARTAMIDÆ**, Bl. 1849.Subfam. I. **Artaminæ**, Bp. 1850.

Oriolinæ, p., Cab. 1847.

Dicurina, p., Vig. 1825. Dicurina, p., Sw. 1837.

1065. ARTAMUS, V. 1816.

Ocypterus et Oxypterus, Cuv. 1817.

Leptopteryx, Horsf.

Sw. C. of B. f. 204, b, c; G. of B. i. p. 285, pl. 70. f. 1; Reich.

S. A. t. 88. f.

a. ARTAMUS.

4269. **leucorhynchus**, Gm.; P. E. 9. 1; V. Gal. des Ois. t. 144. Philippine I.
melaleuca, Wagl.; dominicanus, Gm. *eleu*
4270. **fuscus**, V.; Ann. du Mus. iv. t. 7. 1. India.
rufiventer, Valenc.; leucorhynchus, Jerd.
4271. **perspicillatus**, Tem. Timor.
4272. **monachus**, Tem. Celebes, Sula.
4273. **leucogaster**, Valenc. Ann. du Mus. iv. t. 7. 2; Kittl. Java, Moluccas.
Kupf. Vög. t. 30. 1. Timor.
leucorhynchus, Horsf.
4274. **sordidus**, Lath.; Ann. du Mus. iv. t. 8. 2; Kittl. Kupf. Australia.
Vög. t. 30. 2; Gould, B. A. ii. pl. 27. Tasmania.
tenebrosus, Lath.; albovittatus, Cuv.
lineatus, V.
4275. **cinereus**, V.; Ann. du Mus. iv. t. 9. 2; Gould, B. A. ii. W. & N. Australia,
pl. 29. Timor.
4276. **albiventris**, Gould, B. A. ii. pl. 30. N. Australia.
4277. **personatus**, Gould, B. A. ii. pl. 31. S. & W. Austral.
4278. **superciliosus**, Gould, B. A. ii. pl. 32. New S. Wales, S.
Australia.
4279. **leucopygialis**, Gould, B. A. ii. pl. 33. New S. Wales, S.
& N. Australia.
New Caledonia.
4280. **melanoleucus**, Forst.
Berardi, Bp.?; leucorhynchus, p., G. R. Gr.
melaleuca, p., Wagl.
4281. **mentalis**, Jard.; Ann. & Mag. N. H. 1845, pl. 8; Voy. Fiji Islands.
Pôle Sud, t. 9. 1.
vitiensis, Homb. & Jacq.
4282. **papuensis**, Tem. New Guin., Aru,
Mys., Timor.
4283. **melanops**, Gould. Int. of Australia.
4284. **Arnouxi**, Bp. New Caledonia.

1066.

b. —

Oxypterus, Bp. 1854.*Reich. S. A.* t. 88. f. .

7373

4285. **minor**, V.; *Ann. du Mus.* iv. t. 9. 1; *Gould, B. A.* ii. pl. 28.

New S. Wales.

fuscatus, Valenc.

Timor, Moluc.

1067.

c. —?

Leptopterus, Bp. 1854. *Artamia*, p., *Schl. & Poll.*4286. **chaberti**, Müll.; *P. E.* 32. 2; *Poll. & V. D. F. de Madag.* t. 27. 1.

Madagascar.

violaceus, Bodd.; *viridis*, Gm.*hirundinaceus*, Sw.?**1068.**

d. —?

Artamia, *Lafr. nec I. Geoffr.* 1832.*Leptopteryx*, p., *Wagl.*4287. **viridis**, Müll.; *P. E.* 374.*leucocephalus*, Gm.4288. **rufus**, L.; *P. E.* 298. 2; *Poll. & V. D. F. de Madag.* t. 26.*leucocephala* ♀, Bp.**1069.**e. *CYANOLANIUS*, Bp. 1854.4289. **bicolor**, L.; *P. E.* 298. 1; *Poll. & V. D. F. de Madag.* t. 24. 1-4.*madagascarina*, L.**1070.**f. *ANAIS*, Less. 1840.*G. of B.* i. p. 286.4290. *Clemenciae*, Less.

Borneo (?)

1071. ORIOLIA, *I. Geoffr.* 1838.*Artamia*, p., *Schl. & Poll.**G. of B.* i. p. 233, pl. 58. f. 4; *Reich. S. A.* t. 56. f. .4291. **Bernieri**, *I. Geoffr. Mag. de Zool.* 1839, t. 4; *Poll. & V. D. F. de Madag.* t. 25.

Madagascar.

1072. PSEUDOCHELIDON, *Hartl.* 1861.4292. **eurystomina**, *Hartl.*; *Ibis*, 1861, pl. 11.

W. Africa.

1073. ANALCIPUS, *Sw.* 1831.*Artamia*, *I. Geoffr.* 1832. *Philocarpus*, Müll. 1835.*Psarophalus*, *Jard. & S.* 1839.*Analcipus*, *Agass.* *Erythrolanius*, Less. 1840.*Oriolus*, p., *G. R. Gr.**Sw. C. of B.* f. 203; *S. A.* f. .4293. **sanguinolentus**, *Tem. P. C.* 499.

Java, Sumatra.

eruenta, *Wagl.*; *rubripectus*, Less.

Borneo.

4294. **Traillii**, *Vig.*; *Gould, C. B.* pl. 35.

Himalaya.

4295. **ardens**, *Swinh. Ibis*, 1862, pl. 13.

I. of Formosa.

FAM. XII. ORIOLIDÆ, Boie, 1826.

Subfam. I. Oriolinæ, Sw. 1831.

Oriolina, Vig.

1074. SPHECOTHERES, V. 1816.

Sphecotera, 1816, et Sphecothera, 1825, V.

Picnorhamphus, v. Rosenb. 1866.

G. of B. i. p. 231, pl. 58. f. 3; Reich. S. A. t. 56. f.

4296. **viridis**, V.; Quoy & G. Voy. Uran. t. 21; Gal. des Ois. t. 147. Timor.
grisea, p., Less.; asturinus, p., Geoffr.; virescens, V.

4297. **maxillaris**, Lath.; Jard. & S. I. O. pl. 79; Gould, B. A.
iv. pl. 15.

New S. Wales.

virescens, Jard. & S.; viridis et Viellotii, Vig. & H.

australis et canicollis, Sw.

asturinus, Geoffr.; grisea, Less.

4298. **flaviventris**, Gould, B. A. suppl. pl.
cucullatus, v. Rosenb.

Australia.

1075. ORIOLUS, L. 1766.

Turdus, L. 1748. Coracias, L.

Galbula, Scop. 1777. Oriolus, p., Lath. 1794.

G. of B. i. p. 231.

a. ORIOLUS.

4299. **galbula**, L.; P. E. 26; Naum. Vög. t. 61; Gould, B. E.
pl. 71.

oriolus, Scop.

C. & S. Europe.

W. & S. Af., Mad.,

Egypt & Nubia.

India.

4300. **kundoo**, Sykes.

galbula, Sykes; aureus, Jerd.

galbuloides, Gould.

1076.

b. — ?

Galbula, Bp. 1854.

4301. **auratus**, V.; Lev. O. A. t. 260; V. Gal. des Ois. t. 83.

S. & W. Africa.

bicolor, Tem.; chryseos, Heugl.

icterus, Würt.

4302. **notatus**, Peters.

Tette.

1077.

c. BRODERIPUS, Bp. 1854.

Euchlorites, Heine, 1859. Oriolus, c. Hippocrepides, Bp.

G. of B. i. pl. 58. f. 2; Reich. S. A. t. 56. f.

4303. **Broderipi**, Bp. Pr. Z. S. 1850, pl. 18.

Sumbava.

refulgens, Bp.; sumbawensis, Schl.

Lombok, Flores.

u 2

4304. **hippocrepis**, *Wagl.*; *P. E.* 570. Java, Sumatra.
coronatus, *Sw.*; *cochinchinensis*, *Horsf.*
indicus, *p.*, *Heine*; *chinensis*, *p.*, *Cab.*
4305. **chinensis**, *L.*; *G. R. Gr. & M. G. B.* pl. 58. Manilla.
acrorhynchus, *Vig.*
4306. **macrourus**, *Bl.* Nicobars.
4307. **indicus**, *Jerd. I. In. O.* pl. India, Tenasser.
chinensis, *Jerd.*; *maculatus*, *V.* I. of For., China.
4308. **tenuirostris**, *Bl.* Burmah.
4309. **frontalis**, *Wall. Pr. Z. S.* 1862, pl. 40. Sula.
4310. ? *Horsfieldii*, *Bp.* Java.
galbula, *Horsf.*; *indicus*, *p.*, *Heine*; *chinensis*, *p.*, *Cab.*
4311. *andamanensis*, *Tytl.* Andamans.
Horsfieldi, *p.?*, *Bl.*
- 1078.** *d. BARUFFIUS*, *Bp.* 1854.
4312. **intermedius**, *Tem.* W. Africa.
Baruffii, *Bp.*
4313. **moloxita**, *Rüpp. F. A. t.* 12. 1. E. Africa.
monachus, *p.*, *Cab.*
4314. **larvatus**, *Licht.*; *Lev. O. A. t.* 261. S. Africa.
coudougnan, *Tem.*; *capensis*, *Sw.*
monachus, *Wagl.*; *radiatus*, *Gm.?*
melanocephalus, *var.*, *V.*
arundinarius, *Burch.?*
4315. **nigripennis**, *Verr.* W. Afr., Gaboon.
4316. *brachyrhynchus*, *Sw.* W. Africa.
4317. *monachus*, *Gm.*
4318. *personatus*, *Heugl.* N.E. Africa.
larvatus, *p.*, *Heugl.*; *brachyrhynchus*, *Schl.*
- 1079.** *e. — ?*
4319. **melanocephalus**, *L.*; *P. E.* 79. Bengal, Nepal.
madaraspatanus, *Frankl.*
M'Coshii, *Tick.*; *Hodgsoni*, *Sw.?*
4320. **ceylonensis**, *Bp.* Ceylon.
melanocephalus, *Bl.* Malabar.
4321. *philippensis*, *Gr.* Philippine I.
- 1080.** *f. XANTHONOTUS*, *Bp.* 1854.
4322. **xanthonotus**, *Horsf. Zool. Res. Jav.* pl.; *P. C.* 214. Java.
leucogaster, *Reinw.*; *castanopterus*, *Bl.*

1081. *g. MIMETA, Vig. & Horsf. 1826.*Mimetes, *King*, 1827. Oriolus, p., *Sw.*

4323. **viridis**, *Lath.*; *Jard. & S. I. O.* pl. 61; *Gould, B. A.* iv. pl. 13.

New S. Wales.

sagittata, *Lath.*; variegatus, *V.*
meruloides, *Vig. & H.*

4324. **flavocinctus**, *Vig. & H.*; *Gould, B. A.* iv. pl. 14.

N. Australia.

4325. **Mülleri**, *Bp.*

New Guinea.

viridissimus, *Tem.*

Aru, Timor.

4326. **striatus**, *Quoy & G. Voy. Astrol.* t. 9. 2.

New Guinea.

melanotis, *Müll.*

Waigiou, Mysol.

4327. **variegatus**, *Cuv.*

Timor.

viridifusca, *Heine.*

4328. **virescens**, *Tem.*

"

chloris, *Müll.*

4329. **phæochromus**, *G. R. Gr.*

E. Gilolo.

4330. *affinis*, *Gould.*

Port Essington.

4331. *Forsteni*, *Bp.*

Ceram.

1082. *h. XANTHOMELUS, Bp. 1854.*Oriolus, p., *Sw.*

4332. **aureus**, *L.*; *Edw. B.* pl. 112; *V. O. D.* t. 11. 10.

New Guinea.

flavofulva, *L.*; aurantiaca, *Shaw.*

Waigiou.

paradiseus, *Sw.*Subfam. II. **Ptilonorhynchinae**, *G. R. Gr. 1846.*Coraciana, p., *Vig. 1825.***1083. SERICULUS**, *Sw. 1825.**G. of B.* i. p. 232, pl. 58. f. 1; *Reich. S. A.* t. 56. f. .

4333. **melinus**, *Lath.*; *Lewin, B. N. H.* pl. 1; *Gould, B. A.* iv. pl. 12.

New S. Wales.

chrysocephala, *Lewin*; regens, *Wagl.*regius, *Tem.*; magnirostris, *Gould*; mellinus, *Cab.*atricapilla, *Lath.*

4334. *Rawnsleyi*, *Diggles, Austr. Orn.* pl. .

Australia.

1084. PTILONORHYNCHUS, *Kuhl, 1820.*Ptelenorhynchus, *Tem. 1822.*Kitta, *Less. 1828.*Ptylonorhynchus, *Boie.*Ptilorhynchus, *Cab. 1847.**Sw. C. of B.* f. 17. 241; *G. of B.* ii. p. 324, pl. 80. f. 7; *Reich.**S. A.* t. 56. f. .

a. PTILONORHYNCHUS.

- 1277 4335. **holosericeus**, *Kuhl*; *P. C.* 395, 422; *Gould, B. A.* iv. pl. 10. New S. Wales.
squamulosus, Ill.; *violaceus, V.*
MacLeayii, Lath.

1085. b. AILUROEDUS, *Cab.* 1851.

Allureodus, Bp. 1853. *Chlorokitta, Kaup.* (cf. *Gray, 1855.*)

- 2195 4336. **crassirostris**, *Payk. N. Act. Ac. Upsal*, 1815, vii. t. 10;
P. C. 396; *Gould, B. A.* iv. pl. ,
 • *Smithii, Vig. & H.*; *viridis, V.*
virescens, Tem.

4337. **buccoides**, *Tem. P. C.* 575.

N. Guin., Salwat.

4338. **melanotis**, *G. R. Gr.*

Aru I.

1086. CHLAMYDERA, *Gould*, 1840.

Calodera, Gould, 1836, *nec Naum.* 1830.

Callidera et Chlamydodera, Agass.

G. of B. ii. p. 325, pl. 80. f. 3; *Reich. S. A.* t. 56. f. .

- 7366 4339. **nuchalis**, *Jard. & S. I. O.* pl. 103; *Gould, B. A.* iv. pl. 9. N. Australia.

- 4090 4340. **maculata**, *Gould, B. A.* iv. pl. 8.

E. co. of Austr.,
 S. Australia.

4341. **guttata**, *Gould, B. A.* suppl. pl.

N.W. Australia.

4342. **cerviniventris**, *Gould, B. A.* suppl. pl.

Cape York.

FAM. XIII. PITTIDÆ, *Bp.* 1850.

Brachyuridæ, Bl. 1849.

Subfam. I. Pittinæ, *Bp.* 1850.

Hypocnemidinae, Cab. 1847.

1087. PITTA, *V.* 1816.

Turdus, p., Ill. 1811. *Citta, Wagl.* 1827.

Myothera, Cuv. 1817. *Coloburis, Cab. & H.* 1859.

Brachyurus, Thunb. 1821, *et Bp.* 1850, *nec Fisch.* 1814.

Sw. C. of B. f. 127; *G. of B.* i. p. 213; *Reich. S. A.* t. 52. f. .

a. PITTA.

4343. **coronata**, *Müll.*; *P. E.* 258.

Moluccas.

"*brachyura, L., Cab.*; *bengalensis, Gm.*

Timor?

brachyura, Tem.; *abdominalis, Wagl.*

trioestegus, Sparrm. M. C. t. 84.

4344. **moluccensis**, *Müll.*; *Schl. Vog. Ned. Ind.* t. 4. 1.

Java, Sumatra.

cyanoptera, Tem. P. C. 218; *malaccensis, Bl.*

Borneo.

macrourus fasciatus, Bodd.?; *P. E.* 257.

hippocrepis, Wagl.

4345. **concinna**, *Gould*; *Mag. de Zool.* 1857, t. 11; *Schl. Vog. Ned. Ind.* t. 3. 1.
Lombok, Flores.
Mathildæ, *Verr.*; *Vigorsii*, *Bp.* Sumbawa.
4346. **Vigorsii**, *Gould*, *B. A.* iv. pl. 2; *Schl. Vog. Ned. Ind.* t. 3. 4.
brachyura, *Vig.*
4347. **strepitans**, *Tem. P. C.* 333.
Australia.
versicolor, *Sw.*
4348. **crassirostris**, *Wall.*
Sula Islands.
irena?, *Elliot.*
4349. **angolensis**, *V.*; *Des Murs*, *I. O.* t. 46.
W. Africa.
pulik, *Fras.*
4350. **malaccensis**, *Scop.*; *Sonn. Voy.* t. 110.
superciliaris, *Wagl.*
4351. **maculata**, *Tem.*
India.
malaccensis, var., *Schl.*
4352. **brachyura**, *Gm.*; *P. E.* 591; *Schl. Vog. Ned. Ind.* t. 3. 2, 3.
Timor.
irena, *Tem.* & *Schl.*; *elegans*, *Tem.*
4353. **nympha**, *Schl. F. J.* t. suppl. A.
Japan.
4354. **megarhyncha**, *Schl. De Dierk.* fig. p. 131; *id. Vog. Ned. Ind.* t. 4. 2.
Bangka.
4355. **oreas**, *Swinh.*
I. of Formosa.
4356. **simillima**, *Gould.*
Cape York.
- 1088.** *b. MELANOPITTA*, *Bp.* 1854.
4357. **cucullata**, *Hartl. Ann. N. H.* 1844, pl. 20.
Malacca.
rhodogastra, *Hodgs.*; *nigricollis*, *Bl.* Nepal.
malaccensis, *Müll.* & *Schl.*
4358. **novæ guineæ**, *Schl. Vog. Ned. Ind.* t. 2. 4.
New Guinea.
atricapilla, *Quoy* & *G. Voy. Astrol.* t. 8. 3. Aru, Salwatti.
4359. **sordida**, *Müll.*; *P. E.* 89; *Schl. Vog. Ned. Ind.* t. 2. 3, 4.
Philippine I.
atricapilla, *Cuv.*; *philippensis*, *V.* Timor, Borneo.
melanocephala, *Wagl.*; *brevicauda*, *Bodd.*
macrorhyncha, *Gr.*
4360. **sanghirana**, *Schl.*
I. of Sanghir.
4361. **papuensis**, *Schl.*
New Guinea.
4362. **leucoptera**, *Elliot.*
Ceylon (?).
atricapilla, p. ?, *Elliot.*
4363. **Forsteni**, *Müll.*; *Schl. Bijdr. tot de Dierk.* 1854, t. 2; *id. Vog. Ned. Ind.* t. 2. 1.
Celebes.
melanocephala, *Forst.*
4364. **Mülleri**, *Bp.*; *Elliot, Pittidæ*, pl. 26.
"Amboina.
atricapilla, *Müll.* & *Schl.*; *Muelleri*, *Cab.* & *H.*

4365. *bangkana*, *Schl. Vog. Ned. Ind.* t. 2. 5.

Bangka.

1089. c. *HYDRORNIS*, *Hodgs.**Heleornis*, 1844, et *Paludicola*, 1837 (*nec Wagl.* 1830), *Hodgs.*
Brachyurus, p., 1850, et *Gigantipitta*, 1854, *Bp.*4366. *nipalensis*, *Hodgs.*; *Gould, B. As. pl.*
nuchalis, *Bl.*

S.E. Himalaya.

4367. *cyanea*, *Bl.*; *G. R. Gr. & M. G. B.* pl. 55; *Gould, B. As. pl.*
nipalensis, *juv. ?*, *Bl.*; *gigas*, *Bl.*

Himalayas.

4368. *cærulea*, *Raffl.*; *P. C.* 217.
gigas, *Tem.*

Java, Sumatra.

4369. *maxima*, *Forst.*; *Schl. Voy. Ned. Ind.* t. 1. 4; *Bijdr. tot*
de Dierk. 1854, t. 1; *Schl. Handl. Dierk.* t. 11. 21.

Gilolo, Batchian.

1090. d. *PHŒNICOCICHLA*, *Cab. & H.* 1859.4370. *granatina*, *Tem. P. C.* 506.
coccinea, *Eyton.*

Borneo.

1091. e. *EUCICHLA*, *Reich.* 1850.*Pitta*, 1850, et *Eucycla*, 1854, *Bp.**G. of B. i.* pl. 55. f. 3; *Reich. S. A.* t. 52. f.4371. *guajana*, *Müll.*; *P. E.* 355; *V. Gal. des Ois.* t. 153; *Schl.*
Vog. Ned. Ind. t. 6. 1, 2, 3.
cyanurus, *Gm.*; *affinis*, *Horsf.*

Malacca.

Java.

4372. *elegans*, *Tem.*; *Voy. Bon.* t. 3; *Schl. Vog. Ned. Ind.* t. 6. 5.
irena, *Tem.*; *Boschi, Müll. & Schl.*
"hyans," *Jerd.*

Sumatra.

Malacca.

4373. *Schwaneri*, *Tem.*; *Schl. Vog. Ned. Ind.* t. 6. 4; *Gould, B.*
As. pl.

Borneo.

1092. f. *IRIDIPITTA*, *Bp.* 1854.4374. *Baudii*, *Müll. & Schl. Verh. Nat. Gesch.* t. 2; *id. Vog.*
Ned. Ind. t. 5. 1, 2.

"

4375. *iris*, *Gould, B. A.* iv. pl. 3.

N. Australia.

1093. g. *ERYTHROPITTA*, *Bp.* 1854.4376. *Macklotii*, *Tem. P. C.* 547; *Schl. Vog. Ned. Ind.* t. 4. 3; *N. Gui., Aru, Sal.,*
Diggles, Orn. Austr. pl. ? *N.E. Aus.*4377. *celebensis*, *Forst.*; *Schl. Vog. Ned. Ind.* t. 4. 4.
Forsteni, *Tem.*

Celebes.

4378. *erythrogaster*, *Cuv.*; *P. C.* 212.

Philippine I.

4379. *venusta*, *Müll.*; *P. C.* 590.

Sumatra.

4380. *cyanonota*, *G. R. Gr.*; *Elliot, Pittidæ*, pl. 20.

Ternate.

4381. *rufiventris*, *Heine; Elliot, Pittidæ*, pl. 19.
inornata, *G. R. Gr.*

Batchian.

Gilolo.

4382. **rubrinucha**, Wall.; Elliot, *Pittidæ*, pl. 18.

Bouru.

1094. PHILEPITTA, I. Geoffr. 1838.

Brissonia, Hartl. 1861. Buddinghia, Poll. MS.

G. of B. i. p. 214, pl. 55. f. 4; Reich. S. A. t. 56. f. .

4383. **castanea**, Müll.; P. E. 539. 2; Schl. & Poll. F. de Madag. t. 31. 1, 2, 3.

Madagascar.

jala, Bodd.; nigerrimus, Gm.; saui jala, Lath.

sericea, I. Geoff. Mag. de Zool. 1839, t. 8; Des Murs, I. O. t. 32.

Geoffroyi, Des Murs, I. O. 33.

Isidori, Des Murs; aterrima, Hartl.

"

4384. **Schlegeli**, Poll. F. de Madag. t. 32.

N.E. Madagasc.

FAM. XIV. **FORMICARIIDÆ**, Sclat. 1858.

Myiotheridæ, Boie, 1826. Eriodoridæ, 1847, et Hypocnemididæ, 1859, Cab.

Subfam. I. **Formicariinæ**, G. R. Gr. 1840.

Myiotherinæ, Sw. 1831, et Cab. 1847.

Hypocnemidinæ, Cab. 1847.

1095. GRALLARIA, V. 1816.

Myioturdus, 1826, et Myiotrichas, 1831, Boie.

Colobathris, Glog. 1842.

G. of B. i. p. 212, pl. 55. f. 13; Reich. S. A. t. 52. f. .

a. GRALLARIA.

4385. **varia**, Bodd.; P. E. 702; V. Gal. des Ois. t. 154. rex, Gm.; grallarius, Lath.; fusca, V.

Cayenne.

4386. **imperator**, Lafr.

S.E. Brazil.

rex, Max.; grallaria, Licht.; imperatrix, Cab. & H.

4387. **guatimalensis**, Prev. Voy. Venus, t. 2.

Guatemala.

4388. **squamigera**, Prev. Voy. Venus, t. 1.

New Granada.

4389. **modesta**, Sclat. Pr. Z. S. 1855, pl. 94.

"

4390. **monticola**, Lafr.; Des Murs, I. O. t. 53.

"

4391. **perspicillata**, Lawr.

Panama.

4392. **hypoleuca**, Sclat.

New Granada.

4393. **gigantea**, Lawr.

Ecuador.

4394. **macularia**, Tem.

British Guiana.

4395. **ochroleuca**, Max.

S.E. Brazil, E. Ecuador.

4396. *fulviventris*, *Sclat.* Rio Napo.
 4397. *quitensis*, *Less.* Quito.
 4398. *mexicana*, *Sclat.* S. Mexico.
 guatemalensis, *p.*, *Sclat.*
 4399. *nuchalis*, *Sclat.* Rio Napo.
 4400. *regulus*, *Sclat.* Ecuador.
 4401. *dives*, *Salv.* Costa Rica.
 4402. *fuscatra*, *Lafr.* Bogota.
- 1096.** *b. CODONISTRIS*, *Glog.* 1842.
 Grallaria, *p.*, *Sclat.*
4403. *brevicauda*, *Bodd.*; *P. E.* 706. 1. Cayenne.
 tinniensi, *Gm.* Ecu., Rio Napo.
- 1097.** *c. GRALLARICULA*, *Sclat.* 1858.
 Pr. Z. S. 1858, f. 2, p. 283.
4404. *flavirostris*, *Sclat.* Ecuad., N. Gran.
 4405. *nana*, *Lafr.* New Granada.
 4406. *loricata*, *Sclat.* Venezuela.
 4407. *ferrugineipectus*, *Sclat.* „
 4408. *costariensis*, *Laur.* Costa Rica.
- 1098.** *d. HYSIBEMON*, *Cab.* 1847.
 Hysibemon, *Bp.* 1850. *Grallaria*, *p.*, *Sclat.*
 Reich. S. A. t. 52. f. .
4409. *ruficapilla*, *Lafr.* N. Gran., Ecuad.
 4410. *rufula*, *Lafr.* New Granada.
- 1099.** *e. PITTASOMA*, *Cass.* 1860.
4411. *Michleri*, *Cass. Pr. Ac. Phil.* 1864, pl. 3. Panama.
- 1100.** *f. CHAMÆZA*, *Vig.* 1825.
 Chemæza, *Less.* 1839. *Chamæzosa*, *Cab.* 1847.
 Reich. S. A. t. 52. f. .
4412. *campanisona*, *Licht.*; *Jard. & S. I. O.* pl. 11. S.E. Brazil.
 brevicaudus, *V.*; *Mém. Ac. S. N. St. Pétersb.* 1835, t. 1; *meruloïdes*, *Vig.*
 marginatus, *Max.*; *strigilata*, *Cuv.*
4413. *olivacea*, *Tsch.* E. Peru, Venez.,
 New Granada.
 4414. *nobilis*, *Gould.* E. Peru.
 4415. *molissima*, *Sclat. Pr. Z. S.* 1855, pl. 96. New Granada.

4416. *turdina*, *Cab. & H.* Columbia.
 4417. *ruficauda*, *Cab. & H.* — ?

1101. FORMICARIUS, *Bodd.* 1783.

Myrmornis, *Herm.* 1783.

Myrmecophaga, *Lacép.* 1800–1801, *nec L.* 1740.

Formicicapa, *Daud.?* *Myiothera*, *Ill.* 1811.

Myrmothera, *V.* 1816. *Myrmecothera*, *Agass.*

Myocinclia, *Sw.* 1837. *Myiocinclia*, *G. R. Gr.* 1846.

Malurio, *Less.* 1839.

G. of B. i. p. 210; *Reich. S. A.* t. 52. f. .

a. FORMICARIUS.

4418. *cayanensis*, *Bodd.*; *P. E.* 821 et 703. 1. Cay., B. Guiana.
colma, et var. β , *Gm.* N. & S.E. Brazil.
tetema, *Ill.*; *fuscicapilla*, *V.*
ruficeps, *Spix*, *A. B.* t. 72. 1.
 4419. *nigrifrons*, *Gould.* N. Gran., E. Peru.
 4420. *analisis*, *Lafr.*; *D' Orb. Voy. A. M.* t. 6*. 1. Boliv., Cayenne,
 Trin., Ecuad.
 4421. *moniliger*, *Sclat.* S. Mexico.
 4422. *Hoffmanni*, *Cab.* Costa Rica, Pan-
 4423. *rufipectus*, *Salv. Pr. Z. S.* 1866, pl. 8. Veragua.
 4424. *crissalis*, *Cab.* Trin., Cayenne,
 Para.

1102. b. PHLEGOPSIS, *Reich.* 1850.

Phlogopsis, *Sclat.* 1861.

Reich. S. A. t. 57. f. .

4425. *nigromaculatus*, *Lafr.*; *D' Orb. Voy. A. M.* t. 6. 2. Boliv., Rio Napo.
 4426. *erythropterus*, *Gould.* S. America.
 4427. *trivittatus*, *Sclat.* Upper Amazon.
erythroptera ♀, *Pelz.*
 4428. *Macleannani*, *Lawr.*; *Sclat. & Salv. Exot. Orn.* pl. 9. Panama.

1103. c. RHOPOTERPE, *Cab.* 1847.

Urotomus, *Sw.?*

Reich. S. A. t. 52. f. .

4429. *torquatus*, *Bodd.*; *P. E.* 700. 1. Cayenne.
formicivorus, *Gm.*; *palikour*, *Ménétr.*

1104. d. MYRMELASTES, *Sclat.* 1858.

4430. *plumbeus*, *Sclat. Pr. Z. S.* 1858, pl. 143. Upper Amazon.
hyperythrus, *Gould.*
 4431. *nigerrimus*, *Sclat.* "
 4432. *corvinus*, *Lawr.* Panama.

1105. *e. GYMNOCHLA, Sclat. 1858.*

4433. **nudiceps**, *Cass. Pr. Ac. Phil. v. pl. 6.* Panama.
rufigularis et ferruginea, Lawr. New Granada.
4434. **chiroleucus**, *Sclat. & S.* Costa Rica.
nudiceps, Lawr.

1106. *f. HETEROCNEMIS, Sclat. 1855.*

- Holocnemis, Strickl. 1844, nec Schill. 1829.*
Reich. S. A. t. 52. f. .
4435. **lineatus**, *Gm.; Edw. B. pl. 346; P. E. 823. 1; Jard Contr.* Surinam, Gui-
Orn. 1849, pl. 18. 1. ana.
nævius, Gm.; flammatus, Strickl. Ann. N. H. xiii. pl. 3. Cayenne.
4436. **marginatus**, *Sclat.* Bogota.
4437. **albiventris**, *Pelz.* Brazil.
4438. **simplex**, *Sclat.* Surinam.

1107. *g. HYPOCNEMIS, Cab. 1847.*

- Hypocnemis, G. R. Gr. 1849.*
Reich. S. A. t. 52. f. .
4439. **cantator**, *Bodd.; P. E. 700. 2; Spix, A. B. t. 40. 2.* Cayenne.
tinnabulatus, Gm.
campanella, Lath.; striatus, Spix.
margaritacea, Licht.
4440. **pœcilonotus**, *Cuv.; Cab. Orn. Not. t. 4. 2.* British Guiana,
 New Granada.
4441. **argentatus**, *Des M.; Casteln. Voy. t. 17. 2.* Upper Amazon.
4442. **striativentris**, *Salvad.* Brazil.

1108. *h. MYRMOBORUS, Cab. & H. 1859.*

- Hypocnemis, b. Myrmoborus, Sclat.*
4443. **myiotherinus**, *Spix, A. B. t. 42. 1.* New Granada.
thamnophiloides, Voigt. Bogota, E. Peru.
melanolæma, Sclat. Pr. Z. S. 1854, pl. 72. 2.
ardesiaca, Max.
4444. **melanostictus**, *Sclat. Pr. Z. S. 1854, pl. 73.* E. Peru.
4445. **elegans**, *Sclat.* New Granada.
4446. **leucophrys**, *Tsch. F. P. t. 11. 2.* E. Peru, N. Gran.
myiotherina ♀, Spix, A. B. t. 42. 2. British Guiana.
4447. **schistaceus**, *Sclat.* Upper Amazon,
 Rio Javarri.
4448. **erythrophrys**, *Sclat. Pr. Z. S. 1854, pl. 72. 1.* New Granada.
angustirostris, Cab.
4449. **melanopogon**, *Sclat.* E. Peru.

4450. **nævius**, *Gm.*; *P. E.* 823. 2; *Casteln. Voy.* t. 17. 3.
punctulata, *Des Murs*.
4451. **Theresæ**, *Des Murs*, *Castel. Voy.* t. 16. 2.
4452. **nævioides**, *Lafr.*
4453. **flavescens**, *Natt. & Sc.*
4454. **hemileucus**, *Sclat. & S.*
4455. **melanura**, *Sclat. & S.*
4456. **obscurus**, *Cab. & H.*
4457. **hypoxanthus**, *Sclat. Pr. Z. S.* 1868, pl. 43.
4458. **lugubris**, *Ill.*
4459. **maculicauda**, *Pelz.*
4460. **margaritiferus**, *Pelz.*
4461. **striativentris**, *Salvad.*
- 1109.** *i.* MYRMECIZA, *G. R. Gr.* 1841.
Drymophila, *Sw.* 1824, *nec Tem.*
Myrmonax, *Cab.* 1847.
G. of B. i. pl. 55. f. 6; *Reich. S. A. t.* 52. f. .
4462. **loricatus**, *Licht. Ménér. Mém. l'Ac. Pétersb.* 1835, t. 4. 1, 2. S.E. Brazil.
leucopus, *Sw.*; *Yarrellii*, *Leadb.?*
squamosa, *Natt. & Pelz.?*
4463. **ruficaudus**, *Max.*
marginata, *Salvad.*; *loricata*, *p., G. R. Gr.*
4464. **hemimelænus**, *Sclat.*
guttatus, *Lafr.*
4465. **ferrugineus**, *Müll.*; *P. C.* 560. 2.
cinnamomeus, *Gm.*; *albicollis*, *V.*
4466. **longipes**, *V.*; *Sw. Zool. Ill.* pl. 23.
castanea, *Licht.*; *grallaria*, *Sw.*
4467. **immaculatus**, *Sclat. & S.*
exul, *Lawr.*
4468. **exsul**, *Sclat.*
4469. **læmostictus**, *Salv.*
4470. **stictopterus**, *Lawr.*
4471. **rufigularis**, *Lawr.*
ferruginea, *Lawr.*
- 1110.** *j.* CORYTHOPIS, *Sundev.* 1835.
Reich. S. A. t. 52. f. .
4472. **calcarata**, *Max.*
Delalandii, *Less.*
- Venezuela.
Upper Amazon.
Rio Javarri.
Pan., Mosquito,
Ecu., Costa Ric.
Amazon.
R. Ucayali.
"
Cayenne.
Upper Amazon.
Guiana.
Brazil.
"
Cayenne.
"
Bolivia.
Cayenne.
British Guiana.
Venez., Trinid.
New Granada.
Panama.
Ecuador.
Costa Rica.
"
New Granada.
S.E. Brazil.

4473. **anthoïdes**, *Cuv.* Cayenne.

4474. **nigricincta**, *Lafr.*; *D'Orb. Voy. A. M.* t. 6. 3.
calcarata, *p., Pelz.*

4475. **torquata**, *Tsch.* Peru.

1111. PITHYS, *V.* 1816.

Manikup!, *Desm.* 1805. **Pythis**, *Boie*, 1826.

Pitys, *Agass.*

Dasycephala, *p., Sw.* 1831.

Dasyptilops, *Cab.* 1859.

Reich. S. A. t. 52. f. .

a. PITHYS.

4476. **albifrons**, *Gm.*; *P. E.* 707. 1; *V. Gal. des Ois.* t. 129. Cayenne.
leucops, *V.* New Granada.

4477. **cristata**, *Natt. & Pelz.* Rio Vaupé.

1112. *b.* GYMNOPITHYS, *Schiff.* 1854.

Anolops, *Cab. & H.* 1859. **Pithys**, *b.* **Gymnopithys**, *Sclat.* 1862.

4478. **leucaspis**, *Sclat. Pr. Z. S.* 1854, pl. 70. New Granada, E.
Peru, R. Negro.

4479. **bicolor**, *Lawr.* Panama.
leucaspis, *Lawr.*

4480. **rufagula**, *Bodd.*; *P. E.* 644. 2. Cayenne.
pectoralis, *Lath.*; **rufigularis**, *Sclat.*

4481. **griseiventris**, *Pelz.* Brazil.

1113. CONOPOPHAGA, *V.* 1816.

Myagrus, *Boie*, 1826. **Myioturdus**, *p., Max.*

Conopophagus, *G. R. Gr.* 1840. **Conophaga**, *Lafr.* 1846.

Sw. C. of B. f. 228, *a*; *G. of B.* i. p. 255, pl. 63. f. 14; *Reich.*
S. A. t. 52. f. .

4482. **aurita**, *Gm.*; *P. E.* 822; *Gal. des Ois.* t. 127. Cayenne.
leucotis, *Gm.*

4483. **lineata**, *Max.*; *Mém. Ac. Pétersb.* 1835, t. 14. 1. S.E. Brazil.
vulgaris, *Ménétr.*

4484. **melanops**, *V.*; *Sw. B. of Braz.* pl. 72, 73; *Mém. Ac. Pétersb.*
1835, t. 14. 2, & t. 15. 1. "

perspicillata, *Licht.*; **ruficeps**, *Sw.*
nigrogenys, *Less.*; **dorsalis**, *Ménétr.*

4485. **torrida**, *Sclat.* Ecuad., Mexico,
Chamicurros.

4486. **castaneiceps**, *Sclat.*
ardesiaca, *Tsch.*

4487. **peruviana**, *Des M.*; *Casteln. Voy.* t. 16. 1. U. Amaz., Ecua.

4488. **ardesiaca**, *Lafr.* Bolivia.

4489. *melanogaster*, *Ménétr. Mém. Ac. St. Pétersb.* t. 15. 2. Brazil.
 4490. *cucullata*, *Sclat. Pr. Z. S.* 1866, pl. 119. New Granada.
 4491. *gutturalis*, *Sclat.* „
 4492. *Maximiliani*, *Cab. & H.* Brazil.
 perspicillatus, *Max.*

Subfam. II. **Formicivorinæ**, *Sclat.* 1858.Eriodorinæ, *Cab.* 1847.**1114. FORMICIVORA**, *Sw.* 1824.*Eridora*, *Glog.* 1827? *Formicivora*, *a*, *Sclat.**Myrmecophila*, *Fitz.* 1864.*G. of B.* i. p. 211, pl. 55. f. 9; *Reich. S. A.* t. 52. f. .*a.* FORMICIVORA.

4493. *grisea*, *Bodd.*; *P. E.* 643. 1; *Spix, A. B.* t. 41. 1. Cayenne, Para.
 nigricollis, *Sw.*; *leucophrys*, *Licht.*
 deluzæ, *Ménétr. Mém. Ac. St. Pétersb.* 1835, t. 5. 2.
 4494. *rufatra*, *Lafr.*
 grisea ♀, *Spix, A. B.* t. 40. 1. S.E. Brazil.
 superciliaris, *Max.*; *rufater*, *Lafr.*
 4495. *intermedia*, *Licht.* Trinidad.
 leucophrys, *Bp.* New Granada.
 4496. *virgata*, *Lawr.* Panama.
 4497. *schisticolor*, *Lawr.* Costa Rica.
 4498. *melanogaster*, *Natt. & Pelz.* Bahia.
 4499. *leucophthalma*, *Pelz.* „
 4500. *ruficauda*, *Natt. & Pelz.* Brazil.
 4501. *Lafresnayana*, *D'Orb. Voy. A. M.* t. 6. 1. Bolivia.
 4502. — ? Brazil.
 guttata, *Less.*

1115. *b. ELLIPURA*, *Cab.* 1847.*Tænidiura*, *Reich.* 1850. *Formicivora*, *b. Ellipura*, *Sclat.**Reich. S. A.* t. 52. f. .

4503. *ferruginea*, *Licht.*; *P. C.* 132. 3. S.E. Brazil.
 variegata, *Such.*
 4504. *caudata*, *Sclat. Pr. Z. S.* 1854, pl. 74. New Granada.
 4505. *malura*, *Tem.*; *P. C.* 353. 1, 2. S.E. Brazil.
 melanoleuchos, *V.?*
 4506. *squamata*, *Licht.*; *Mém. Ac. Pétersb.* 1835, t. 5. 1. „
 maculata, *Sw.*

4507. **Genei**, *De Fil.* S.E. Brazil.
4508. *striata*, *Spix, A. B. t. 40. 2.*
malura ♀, *Ménétr.*
4509. *erythrocerca*, *Sclat. Pr. Z. S. 1858, pl. 142.* Brazil?
4510. *rufa*, *Max.; Ménétr. Mém. Ac. St. Pétersb. t. 9. 1.* S.E. Brazil.
- 1116.** *c. MICRORHOPIAS, Sclat. 1860.*
Formicivora, c. Microrhopias, Sclat. 1862.
4511. **quixensis**, *Corn.* Ecuador.
rufiventris, Corn. Rio Napo.
4512. **callinota**, *Sclat. Pr. Z. S. 1855, pl. 96.* New Granada.
4513. **Boucardii**, *Sclat. Cat. A. B. pl. 16.* Mex., Vera Paz.
quixensis, Lawr.
4514. *strigilata*, *Max.; Sclat. & S. Exot. Orn. pl.* S.E. Brazil.
4515. *consobrina*, *Sclat.* Ecuador.
4516. *cinerascens*, *Sclat.* E. Peru.
4517. *bicolor*, *Natt. & Pelz.* Brazil.
- 1117.** *d. TERENCEA, Cab. & H. 1859.*
Leptorhynchus, p., Ménétr.
4518. **maculata**, *Max.; Mém. Ac. St. Pétersb. 1835, t. 10. 2.* S.E. Brazil.
striolatus, Ménétr.; vittata, V.?
4519. **caloptera**, *Sclat.* Ecuador.
4520. **melanoleuca**, *Natt. & Pelz.* Brazil.
- 1118.** *e. PSILORHAMPHUS, Sclat. 1854.*
Leptorhynchus, Ménétr. 1835, nec Guér. 1826.
4521. *guttata*, *Ménétr. Mém. Ac. St. Pétersb. 1835, t. 10. 1.* „
- 1119.** *f. CERCOMACRA, Sclat. 1858.*
4522. **cærulescens**, *V.; Ménétr. Mém. Ac. St. Pétersb. 1835,*
t. 6. 1, 2. „
4523. **cinerascens**, *Sclat.* Rio Napo.
cærulescens?, Sclat.
4524. **tyrannina**, *Sclat. Pr. Z. S. 1855, pl. 98.* Vera Paz, Boliv.,
Honduras.
4525. **nigricans**, *Sclat.* New Granada.
4526. **maculosa**, *Sclat.* Esmeraldas.
4527. **napensis**, *Sclat.* R. Napo.
cinerascens, Sclat. Cayenne.
4528. **approximans**, *Pelz.* Brazil.

4529. *atrothorax*, *Bodd.*; *P. E.* 701. 2. Cayen., Bolivia.
alapi, *Gm.*; *atricapilla*, *V.*?
4530. *melanura*, *Ménétr. Mém. Ac. St. Pétersb.* 1835, t. 8. 1, 2. Brazil.
atrothorax, p. ??, *Sclat.*
4531. *ruficauda*, *Pelz.* "
4532. *melanaria*, *Ménétr. Mém. Ac. St. Pétersb.* 1835, t. 9. 2. "
nigricans, p. ??, *Sclat.*
- 1120.** *g. PYRIGLENA*, *Cab.* 1847.
Reich. S. A. t. 52. f. .
4533. *leucoptera*, *V.*; *Sw. Zool. Ill.* pl. 27; *Mém. Ac. St. Pétersb.* t. 7. 1, 2. S.E. Brazil.
notodelos, *Cuv.*; *domicella*, *Licht.*; *melanura*, *Strickl.*
trifasciata, *Sw.*; *palliatum*, *Less.*?
leuconota, *Spir.*, *A. B.* i. 72. 2.
4534. *Ellisiana*, *Sclat. Pr. Z. S.* 1855, pl. 100. New Granada.
4535. *serva*, *Sclat.* Rio Napo.
4536. *atra*, *Sw.*; *Spir.*, *A. B.* ii. t. 39. 2. Brazil, Peru.
leuconotus, *Spir.*; *maura*, *Ménétr.*?
4537. *maculicaudis*, *Sclat.* Trinidad.
4538. *picea*, *Cab.* Peru.
atra, *Tsch.* Esmeraldas.
- 1121.** *h. PERCINOSTOLA*, *Cab. & H.* 1859.
Thamnophilus, *c.*, *Sclat.*
Pr. Z. S. 1867, fig. p. 980.
4539. *rufa*, *Bodd.*; *P. E.* 644. 1; *Pr. Z. S.* 1855, pl. 81. Cayenne.
funnebris, *Licht.*?; *rufifrons*, *Gm.*
cæsius, *Sclat.*; *leucostigma*, *Natt. & Lafr.*
4540. *fortis*, *Sclat. & S. Pr. Z. S.* 1867, pl. 45 (*funnebris on plate*). E. Peru.
4541. *minor*, *Pelz.* Rio Negro.
4542. *nigrescens*, *Cab. & H.* Cayenne.
- 1122.** *i. HERPSILOCHMUS*, *Cab.* 1847.
Reich. S. A. t. 52. f. .
4543. *pectoralis*, *Sclat.* Brazil.
4544. *rufimarginata*, *Tem. P. C.* 132. 1; *Ranz. Elem. di Orn.* t. 18. 2. S.E. Brazil.
variegata et scapularis, *Licht. & Max.*
4545. *pileata*, *Licht.* S.E. Braz., Boliv.
4546. *atricapilla*, *Natt. & Pelz.* Brazil.

4547. *longirostris*, *Natt. & Pelz.* Brazil.
4548. *dorsimaculata*, *Natt. & Pelz.* „
- 1123.** *j. MYRMOTHERULA*, *Sclat.* 1858.
Myrmotherium, *Cab. & H.* 1859.
4549. *pygmæa*, *Gm.*; *P. E.* 831. 2. Cayenne.
minuta, *D' Orb.?*; *pusilla*, *Cuv.* Bolivia.
4550. *surinamensis*, *Gm.*; *Lath. Syn.* pl. 62; *Pr. Z. S.* 1858, pl. 141. 1. Cayenne.
quadrivittata, *Cab.* British Guiana,
Rio Napo.
4551. *multostriata*, *Sclat. Pr. Z. S.* 1858, pl. 141. 2, 3. Upper Amazon.
4552. *albigula*, *Lawr.* Panama.
4553. *minuta*, *Licht. & Pelz.* Rio Negro?
- 1124.** *k. RHOPIAS*, *Cab. & H.* 1859.
Myrmotherula, *b. Rhopias*, *Sclat.*
4554. *gularis*, *Spix, A. B. t.* 41. 2; *Mém. Ac. Pétersb.* 1835, t. 2. 2. S.E. Brazil.
cinerea, *Max.*
4555. *guttata*, *V. Gal. des Ois.* t. 155. Cayenne.
pœciloptera, *Cuv.*
4556. *hæmatonota*, *Sclat.* E. Peru.
4557. *ornata*, *Sclat. Cat. of A. B.* pl. 15. New Granada.
4558. *erythrura*, *Sclat.* Rio Napo.
559. *fulviventris*, *Lawr.*
gularis, *Lawr.*
- 1125.** *l. MYRMOPHILA*, *Cab. & H.* 1859.
Myrmotherula, *c. Myrmophila*, *Sclat.*
4560. *brevicauda*, *Sw.* S.E. Brazil.
minor, *Salvad.*; *axillaris*, *p., Ménétr.*; *cirrhatu*s, *p., G. R. Gr.*
4561. *urosticta*, *Sclat. Pr. Z. S.* 1857, pl. 126. 1. Brazil.
4562. *Menetriesi*, *D' Orb.* Bolivia, E. Peru.
4563. *axillaris*, *V.*; *P. E.* 643. 2? Cayenne, Trinid.
fuliginosa, *p., Licht.*; *cirrhatu*s, *p., G. R. Gr.* Upper Amazon.
4564. *erythronota*, *Hartl.* S.E. Brazil.
4565. *Hauxwelli*, *Sclat. Pr. Z. S.* 1857, pl. 126. 2. E. Peru.
4566. *melæna*, *Sclat.* New Granada.
4567. *cinereiventris*, *Sclat. & S.* Cayenne, Suri-
nam, E. Peru.
4568. *melanogaster*, *Spix, A. B. t.* 43. 1. Brazil.
fuliginosa, *Licht.*; *axillaris*, *Burm.*
*cirrhatu*s, *p., G. R. Gr.*; *axillaris*, *p., Ménétr.*

4569. *unicolor*, *Ménétr. Mém. Ac. St. Pétersb.* 1835, t. 2. 1. New Granada.
fuliginosus, var., *Licht.*
4570. *assimilis*, *Pelz.* Brazil, R. Negro,
 R. Amazon.
4571. *luctuosa*, *Tem. & Pelz.* Bahía.
4572. *longipennis*, *Pelz.* Rio Negro.
- 1126. RAMPHOCÆNUS, V.** 1818.
Acontistes, *Sundev.* 1835. *Scolopacinus*, *Bp.* 1837. *Rhamphocænus*, *G. R. Gr.* 1847. *Rhamphocænus*, *Cab.* 1847.
G. of B. i. p. 157, pl. 47. f. 8; *Reich. S. A.* t. 57. f. .
4573. *melanurus*, *V.*; *Gal. des Ois.* t. 128; *Sw. Zool. Ill.* pl. 140. Brazil.
longirostris, *Licht.*; *rectirostris*, *Sw.*
gladiator, *Max.*
4574. *rufiventris*, *Bp.*; *Gr. & M. G. B. i.* pl. 47. 2. Coban.
4575. *cinereiventris*, *Selat. Pr. Z. S.* 1855, pl. 87. New Granada.
4576. *semitorquatus*, *Lawr.* "
4577. *Sanctæ Marthæ*, *Selat.* "
4578. *collaris*, *Natt. & Pelz.* Rio Negro.

Subfam. III. **Thamnophilinæ**, *Sw.* 1831.

Thamnophilina, *Vig.* 1825.
Eriodorinæ, p., *Cab.* 1847.

1127. THAMNOPHILUS, V. 1816.

Batara, *Tem.* 1820. *Tamnophilus*, *Bp.* 1831.
Thamnophilus, div. δ , *Selat.* 1858. *Thamnophilus*, *f, Selat.* 1862.
G. of B. i. p. 297.

a. THAMNOPHILUS.

4579. *doliatus*, *L.*; *Edw. B.* pl. 226; *P. E.* 297: 2; *Lev. O. A.* t. 77. 2? N. of S. America.
rubiginosus, *Lath.* Peru.
4580. *capistratus*, *Less.*; *Spix, A. B.* t. 35. 2, & 38. 1. Brazil.
radiatus, *Spix.*
doliatus, p., *G. R. Gr.*; *radiosus*!, *G. R. Gr.*
4581. *tenuipunctatus*, *Lafr.* New Granada.
4582. *palliatus*, *Licht.*; *Spix, A. B.* t. 33; *Sw. B. Braz.* pl. 65, 66. S.E. Brazil.
lineatus, *Spix*; *fasciatus et badius*, *Sw.*; *vestitus*, *Cuv.*
4583. *multistriatus*, *Lafr.* New Granada.
4584. *radiatus*, *V.* Paraguay.
albicans, *Lafr.* Bolivia.
 x 2

4585. *nigricristatus*, *Lawr.* Panama.
 4586. *nigriceps*, *Sclat.* New Granada.
 4587. *affinis*, *Cab. & H.* Xalapa.
 doliatus, p., *Sclat.*; *doliatus et affinis*, *Lawr.*
 4588. *tenuifasciatus*, *Lawr.* Rio Napo.
 4589. *nigrescens*, *Lawr.* Venezuela.
- 1128.** *b. BATARA*, *Less.* 1831, *et Sclat.* 1858.
 Tamnophilus, *Tem.* 1820. *Thamnophilus*, *Sw.* 1837.
 Thamnarchus, *Cab. & H.* 1859.
 Reich. S. A. t. 71. f. .
4590. *cinereus*, *V.*; *Zool. Journ.* i. pl. 7, 8; *Voy. Uranie*, t. 18,
 19; *Mikan, Del. Flor. et Faun. Bras. t.* S.E. Brazil.
 rufus et cristatellus, *V.*
 undulatus, *Mikan*; *Vigorsii*, *Such.*
 gigas, *Sw.*; *striata*, *Quoy & G.*
- 1129.** *c. NISIUS*, *Reich.* 1850.
 Lochites, *Cab. & H.* 1859.
 Thamnophilus, *a. Nisius*, *Sclat.* 1862.
 Reich. S. A. t. 71. f. .
4591. *Leachii*, *Such*; *Jard. & S. I. O.* pl. 41. "
 ruficeps, *Such*; *funebriis*, *Cuv.*
4592. *severus*, *Licht.*; *Jard. & S. I. O.* pl. 21. "
 lineatus, *V.?*; *niger et Swainsoni*, *Such.*
 othello, *Less. C. Z.* t. 19.
4593. *fuliginosus*, *Gould*; *Less. Tr. d' Orn.* t. 45. 2. Cayenne.
 viridis, *V.*; *lunulatus*, *Cuv.* B. Guiana.
4594. *unduliger*, *Pelz.* Brazil.
- 1130.** *d. HYPAEDALEUS*, *Cab. & H.* 1859.
 Thamnophilus, *a. Nisius*, p., *Sclat.* 1858. *Thamnophilus*, *b.*
 Hypaedaleus, *Sclat.* 1862.
 Sw. C. of B. f. 117?; *G. of B. i.* pl. 72. f. 2; *Reich. S. A. t.* 71. f. .
4595. *guttatus*, *V.*; *Spix, A. B. t.* 35. 1; *Zool. Journ.* i. pl. 6.
 suppl. "
 meleager, *Licht.*; *maculatus*, *Cuv.*
 meleagris!, *G. R. Gr.*
- 1131.** *e. TARABA*, *Less.* 1831.
 Diallactes, *Reich.* 1850.
 Thamnophilus, *b, Sclat.* 1858. *Thamnophilus*, *c. Tabara*, *Sclat.*
 1862.
 Reich. S. A. t. 71. f. .
4596. *major*, *V.*; *Spix, A. B. t.* 32. N. of S. Amer.
 stagurus, *Max.*; *albiventer*, *Spix.* Peru.
 bicolor et cinnamomeus, *Sw.*
 magnus, *Less.*; *albiventris*!, *G. R. Gr.*

4597. **melanurus**, *Gould, Pr. Z. S.* 1855, pl. 83. S. & C. Amer.
major, *Tsch.*
4598. **transandeanus**, *Sclat.* Guayaquil.
4599. **corvinus**, *Gould; Spix, A. B. t.* 39. 1. E. Peru.
melanocephs, *Spix*; melanocephalus, *Cab. & H.* Ecuad., Ucayali.
4600. **melanothorax**, *Sclat.* S. America.
4601. **hyperythrus**, *Gould.* Upper Amazon,
Low. Ucayali.
4602. **luctuosus**, *Licht.; Archiv. Mus. t.* 17. 1. E. Peru.
melas, *Cuv.*
4603. **melanocrissus**, *Sclat.* Vera Paz.
melanurus, *Sclat.*
4604. **Hollandi**, *Lawr.* Nicaragua.
4605. **Borbæ**, *Pelz.* R. Madeira.
4606. **cinereoniger**, *Pelz.* R. Napo.
4607. **Tschudii**, *Pelz.* R. Madeira.
4608. **moestus**, *Pelz.* Cayenne.
- 1132.** f. — ?
- Thamnophilus, c. Sclat.* 1858. *Thamnophilus, c. Tabara, p., Sclat.* 1862.
4609. **immaculatus**, *Lafr.* New Granada.
"Campterii, *G. R. Gr., Sclat.* Ecuador.
4610. **æthiops**, *Sclat.* E. Ecuador.
4611. **Bridgesi**, *Sclat.* Chiriqui.
4612. **punctatus**, *Cab.* Costa Rica.
- 1133.** g. **ERIONOTUS**, *Cab. & H.* 1859.
- Thamnophilus, div. β, Sclat.* 1858.
Thamnophilus, d. Erionotus, Sclat. 1862.
4613. **nigrocinerus**, *Sclat. Pr. Z. S.* 1855, pl. 81. N. Brazil.
4614. **cayanensis**, *Müll.; Leach, Zool. Misc. pl.* 17; *Lev. O. A. t.* 77. 1. Cayenne.
nævius, *Gm.*; punctatus, *Shaw.* N. Brazil.
cærulescens, *Lafr.*; amazonicus, *Lawr.* New Granada.
albonotatus, *Spix, A. B. t.* 37. 2 & t. 38. 2 ?
4615. **ambiguus**, *Sw.* S.E. Brazil.
nævius, *V.*; nigricans, *Max.*
ferrugineus, *Sw.?*; alveolus, *Cuv.*
4616. **pileatus**, *Sw.* "
maculatus, *Lafr.*; ventralis, *Sclat.*
cærulescens, *Cab.*; auratus, *V.*
4617. **amazonicus**, *Sclat. Pr. Z. S.* 1858, pl. 139. 1, 2. Brazil.
ruficollis, *Spix, A. B. t.* 37. 1.

4618. **capitalis**, *Sclat.* Rio Napo.
 4619. **strigilatus**, *Spix*, *A. B. t.* 36. 1. "
 4620. **murinus** (*Natt.*), *Sclat.* & *S.* Cay., E. Peru.
 4621. **sticturus**, *Pelz.* Brazil.
 4622. **cinereiceps**, *Pelz.* "
 4623. **cinereinucha**, *Pelz.* Rio Negro.
 4624. **stictocephalus**, *Pelz.* Brazil.
 4625. **punctuliger**, *Pelz.* "
 4626. **polionotus**, *Pelz.* "
 4627. **saturninus**, *Natt.* "
 4628. **incertus**, *Pelz.* "
- 1134.** *h. HYLOLOPHUS*, *Cab. & H.* 1859.
Thamnophilus, div. γ , *Sclat.* 1858.
Thamnophilus, *e. Hylolophus*, *Sclat.* 1862.
4629. **canadensis**, *L.*; *V. O. A. S. t.* 48, 49. Cayenne.
atricapillus et cirrhatus, *Gm.*; *pileatus*, *Lath.* Trinidad.
cristatus, *Max.*
4630. **albinuchalis**, *Sclat.* Guayaquil, Isl.
 4631. **pulchellus**, *Cab.* of Puna.
 4632. **cristatus**, *Max.*; *Arch. du Mus.* vii. t. 17. 2. Carthagena.
pæcilurus, *Cuv.* Brazil.
 4633. **leucauchen**, *Sclat. Pr. Z. S.* 1855, pl. 79. E. Peru.
 4634. **melanonotus**, *Sclat. Pr. Z. S.* 1855, pl. 80. New Granada.
 4635. **aspersiventer**, *Lafr.*; *D' Orb. Voy. A. M. t.* 4. 1, 2. Bolivia.
aspersiventris, *Sclat.*
schistaceus?, *D' Orb.*
- 1135.** *i. RHOPCHARIS*, *Cab. & H.* 1859.
Thamnophilus, *g. Rhopcharis*, *Sclat.* 1862.
4636. **torquatus**, *Sw.* S.E. Brazil.
scalaris, *Max.*; *atropileus*, *Lafr.* Bolivia.
pectoralis, *Sw.*
4637. **ruficapillus**, *V.*
argentinus, *Cab. & H.?*; *torquatus*, *p.?*, *Sclat.* Monte Video.
- 1136.** *j. PYGOPTILA*, *Cab.* 1859.
Pygiptila, *Sclat.* 1858.
4638. **maculipennis**, *Sclat.* Upper Amazon.
stellaris, *Sclat.* Rio Napo.
 4639. **margaritata**, *Sclat. Pr. Z. S.* 1854, pl. 70. E. Peru.

- 1137.** *k.* CYMBILAIMUS, *G. R. Gr.* 1840.
Cymbilæmus, *Cab. & H.* 1859.
4640. *lineatus*, *Leach, Zool. Misc.* pl. 6. Cayenne, Upper
 Amaz., Ecua.
- 1138.** *l.* DYSITHAMNUS, *Cab.* 1847.
Dasythamnus, *Burm.* 1856.
Reich. S. A. t. 71. f.
4641. *guttulatus*, *Licht.*; *P. C.* 179. 1, 2. S.E. Brazil.
strictothorax, *Tem.*; *guttatus*, *G. R. Gr.* Bolivia.
4642. *mentalis*, *Tem. P. C.* 179. 3. S.E. Br., E. Per.
poliocephala, *Max.* Bolivia.
olivaceus, *Tsch. F. P. t.* 11. 1?
4643. *semicinereus*, *Sclat. Pr. Z. S.* 1855, pl. 97, 147. New Granada.
4644. *xanthopterus*, *Burm.* S.E. Brazil.
4645. *plumbeus*, *Max.*
stellaris, *Spir, A. B. t.* 36. 2, 3. "
4646. *leucostictus*, *Sclat. Pr. Z. S.* 1858, pl. 140. Ecuador.
4647. *schistaceus*, *D' Orb. Voy. A. M. t.* 5. 1. Bolivia, Brazil.
fuliginosus, *Lafr.* Ecuador.
4648. *unicolor*, *Sclat.* Pallatanga.
4649. *striaticeps*, *Lawr.* Costa Rica.
4650. *rufiventris*, *Lawr.* Panama.
4651. ? *affinis*, *Pelz.* Brazil.
4652. *puncticeps*, *Salv.* Veragua.
4653. *ardesiacus*, *Sclat.* Rio Napo.
schistaceus, *p.*, *Sclat.*
- 1139.** *m.* THAMNOMANES, *Cab.* 1847.
Reich. S. A. t. 71. f.
4654. *cæsius*, *Licht.*; *P. C.* 17. 1, 2. S.E. Braz., Boliv.
4655. *glaucus*, *Cab.* Cayenne, Brazil,
 Rio Napo?
- 1140.** *n.* THAMNISTES, *Sclat. & S.* 1860.
4656. *anabatinus*, *Sclat. & S.* Vera Paz.
4657. *æquatorialis*, *Sclat.* Rio Napo.
- 1141.** *o.* NEOCTANTES, *Sclat.* 1868.
Xenops, *p.*, *et Pteroptochus*, *p.*, *Pelz.*
Proc. Z. S. 1868, fig. p. 572.
4658. *niger*, *Natt. & Pelz.* Rio Negro.
- 1142.** *p.* BIATAS, *Cab.* 1859.
Biastes, *Reich.* 1853, *nec Panz.* 1806.
4659. *nigropectus*, *Lafr. Rev. de Zool.* 1850, t. 1. Brazil.

FAM. XV. **ÆGITHINIDÆ**, *G. R. Gr.*Liotrichidæ, *Cab.* 1847.Subfam. I. **Leiothrichinæ**, *Sw.* 1831.Timalinæ !, p., *Cab.* 1847. Pachycephalinæ, p., et Formicariinæ, p., *G. R. Gr.* 1840.**1143. BRACHYPTERYX**, *Horsf.* 1820.Goldana, *G. R. Gr.* 1840.Formicivora, p., *Ménetr.* Alcippe, p., *Bl.**G. of B. i.* 209, pl. 55. f. 11; *Reich. S. A. t.* 52. f. .a. **BRACHYPTERYX.**4660. **montana**, *Horsf.*

Java.

4661. **albifrons**, *Boie.*

"

4662. **cruralis**, *Bl.*

Nepal, Sikkim.

homochroa, *Hodgs.*; aurifrons, *Jerd. & B.*4663. **nipalensis**, *Hodgs.*Darjeel., Nepal,
Sikkim.4664. **sejaria**, *Horsf.*; *P. C.* 448. 1.

Java.

leucophrys, *Tem.*; olivaceum, *Strickl.*4665. **rufifrons**, *Jerd. & Bl.*

Darjeeling.

4666. **hyperythra**, *Jerd. & Bl.*

"

1144. b. **DRYMOCHARES**, *Gould*, 1868.Brachypteryx, p., *Gould.*4667. **stellatus**, *Gould, B. As.* pl.

Sikkim.

1145. c. **KELAARTIA**, *Bl.* 1855.4668. **Palliseri**, *Kelaart.*

Ceylon.

Palisseri !, *Jerd.***1146.** d. **MICROCERCUS**, *Fitz.* 1864.Brachypteryx, p., *Kuhl.* Microua, p., *Bp.*4669. **lepturus**, *Kuhl.*

Java.

1147. LEIOTHRIX, *Sw.* 1831.Furcuria, *Less.* 1831.Bahila, 1838, et Calipyga, 1841, *Hodgs.*Leioptrix, *Less.* 1839. Liothrix, *Strickl.* 1841.Callipyga, *Agass.**Sw. C. of B.* f. 215; *G. of B. i.* p. 269, pl. 66. f. 2; *Reich. S. A.*
t. 70. f. .

a. LEIOTHRIX.

4670. *lutea*, Scop.; *P. C.* 287. 1. China.
sinensis, Gm.; *furcatus*, Tem.

4671. *callipyga*, Hodgs.; Gould, *B. As.* pl. Nepal.
lnteus, p., Bl.

1148. b. MESIA, 1838,
et Philacalyx, 1841, *et Fringilloparus*, 1844, Hodgs.
Philocalyx, Bl. 1842.

4672. *argentaureis*, Hodgs.; Gould, *B. As.* pl. Darjeeling.

1149. c. SIVA, 1838,
et Hemiparus, 1841, *et Ioropus*, 1844, Hodgs.
Alcippe, p., Bl.
Reich. S. A. t. 67. f.

4673. *cyanouroptera*, Hodgs.; Gould, *B. As.* pl. Himalayas.
lepidia, M'Clell.

4674. *strigula*, Hodgs.; Mag. de Zool. 1846, t. 19; Gould, *B. As.* pl. "
variegata, Deless. *Souv. Voy.* t. 8.
felicix, Less. ?; *chrysocephala*, James.

4675. *nipalensis*, Hodgs. Nepal.

1150. d. MINLA, 1838,
et Proparus, 1841, *et Certhiparus*, 1844, Hodgs.

4676. *ignotincta*, Hodgs. Himalayas.
ornata, M'Clell.

4677. *castaneiceps*, Hodgs. Nepal.

4678. *cinerea*, Bl. Sikkim.

1151. e. — ?
Proparus, Hodgs. 1844, *nec* 1841.

4679. *vinipectus*, Hodgs. Nepal.

4680. *chrysctis*, Hodgs. Sikkim.
chrysopterus et leucotis, Bl. ? Nepal.
chrysæus, Hodgs.

1152. f. MUSCITREA, Bl. 1847.

4681. *cinerea*, Bl. Aracan.

1153. PTERUTHIUS, Sw. 1831.

Ptererythius, Strickl. 1841.
Pterythrius, Cab. 1847. *Allotrius*, Reich. 1850.
Sw. C. of B. f. 216; *G. of B.* i. p. 270, pl. 66. f. 3; Reich.
S. A. t. 69. f.

a. PTERUTHIUS.

4682. *erythropterus*, Vig.; Gould, *C. B.* pl. 11; *id. B. As.* pl. Himalayas.

4683. **rufiventer**, *Bl.*; *G. R. Gr. & M. G. B.* pl. 66; *Gould*,
B. As. pl. (*rufiventris!* on *pl.*). Darjeeling.
 4684. **flaviscapis**, *Tem. P. C.* 589. f. 1.
flavipennis, *Kuhl.* Java, Sumatra.

1154. *b. —.*

Allotrius, *Boie*, 1835.

4685. **ænobarbus**, *Tem. P. C.* 589. f. 2. Java.
 4686. **melanotis**, *Hodgs.*; *Gould*, *B. As.* pl.
anobarbus, *p.*, *Jerd.* Nepal, Sikkim.
 4687. **xanthochloris**, *Hodgs.*; *Gould*, *B. As.* pl.
anobarbus ♀, *Jerd.* Bootan.
 4688. **æralatus**, *Tick.* Nepal.
 Tenasserim.

1155. CUTIA, 1836,

et Heterornis, 1841, *Hodgs.*

G. of B. iii. app. p. 15, suppl. pl. 186. f. 6; *Reich. S. A.* t. 80. f. .

a. CUTIA.

4689. **nipalensis**, *Hodgs.*; *Gould*, *B. As.* pl. Nepal, Bootan.

1156. *b. LEOPTILA*, *Bl.* 1847.

4690. **annectans**, *Bl.* Darjeeling.

1157. LIOPTILUS, *Cab.* 1850.

4691. **nigricapillus**, *V.*; *Lev. O. A.* t. 108.
cucullatus, *Ill.* S. Africa.

Subfam. II. **Ægithininæ**, *G. R. Gr.*

Cossyphina, *p.*, *Vig.* 1825. *Timalinæ*, *G. R. Gr.* 1841.

Napodinæ, *Cab.* 1851.

1158. TIMALIA, *Horsf.* 1820.

Napodes, *Cab.* 1850.

Thimalia, *Vig.*

G. of B. i. p. 229; *Reich. S. A.* t. 55. f. 2?

a. TIMALIA.

4692. **pileata**, *Horsf. Zool. Res. Jav.* pl. 1. Java.
 4693. **nigricollis**, *Tem. P. C.* 594. 2. Borneo.
erythronotus, *Bl.*; *nigroregularis*, *Eyton.*
 4694. **maculata**, *Tem. P. C.* 593. 1. Java, Sumatra.
pectoralis, *Bl.*; *squamatum*, *Eyton.*

4695. *acutirostris*, *Eyton*.
pyrrhophæa, *Hartl.*; *pyrrhoptera*, *Boie*.
erythroptera, *Bl.*; *pirrhoptera* !, *Bp.* Sunda I.
4696. *poliocephala*, *Tem. P. C.* 593. 2. Java, Sumatra.
4697. *leucotis*, *Strickl. Contr. Orn.* 1848, pl. Java.
4698. *grammicephala*, *Kuhl*; *P. C.* 448. 3.
grammiceps, *Tem.* "
4699. *striolata*, *Müll.* Sumatra.
4700. *quadristriata*, *Bl.* — ?
4701. *bicolor*, *Bl.* Malacca ?
- 1159.** *b. TIMALIDES*, *Bl.* 1855.
Sw. C. of B. f. 124.
4702. *thoracica*, *Tem. P. C.* 76. Java, Sumatra.
- 1160.** *c. DUMETIA*, *Bl.* 1849.
Pellorneum, *p.*, *Bl.* 1849.
4703. *albogularis*, *Bl.*; *Gould, B. As.* pl.
hyperythra, *Jerd.* S. Ind., Bengal,
Madras.
Ceylon.
4704. ? *bivittatus*, *Müll.* Timor.
4705. *hyperythra*, *Frankl. Mag. de Zool.* 1835, t. 40; *Gould, B.*
As. pl. C. India.
- 1161.** *d. SPHÆNICOLA*, *Bl.* 1844.
Sphænicola !, *G. R. Gr.* 1855.
4706. *platyura*, *Jerd.* Neilgherries.
- 1162.** *e. STACHYRIS*, *Hodgs.* 1844.
Stachyrhis, *Agass.* *Cilathora et Stachyrhis*, *Hodgs.* 1844.
Stachyrhis, *Agass.*
4707. *nigriceps*, *Hodgs.* S.E. Himalaya.
4708. *pyrops*, *Hodgs.*; *Gould, B. As.* pl.
pyrrhops, *Hodgs.*; *chrysæa*, *Adams.* Sikkim, Nepal.
4709. *chrysæa*, *Hodgs.* S.E. Himalaya.
4710. *ruficeps*, *Bl.* Nepal, Assam.
pileata, *McClell.*
4711. *larvata*, *Müll.* Sumatra.
4712. *præcognitus*, *Swinh.* I. of Formosa.
- 1163.** *f. ERPORNIS*, *Hodgs.* 1844.
Erpornis, *Agass.*
4713. *xanthochlora*, *Hodgs.* Nepal.
xantholeuca, *Hodgs.*

- 1164.** *g. PYCTORIS*, 1844,
et Chrysomma, 18 ? , *Hodgs. Pyctorhis, Agass.*
Pyctorhis, Jerd.
4714. *sinensis*, *Gm.*; *Jard. & S. I. O.* pl. 111; *Mag. de Zool.*
 1835, t. 39. India.
hypoleuca, Frankl.
bicolor, Lafr.; *Horsfieldii, Jard. & S.*
rufifrons, Hodgs.
4715. *longirostris*, *Hodgs.* Nepal.
Verreuxii, Tick.?
4716. *altirostris*, *Jerd.* Upper Burmah.
- 1165.** *h. MIXORNIS*, *Hodgs.* 1844.
4717. *gularis*, *Horsf. Zool. Res. Jav.* pl. 2; *Voy. Pôle Sud*,
 t. 19. 2. Java.
4718. *rubricapilla*, *Tick.*
chloris et ruficeps, Hodgs. Himalayas.
4719. *javanica*, *Cab.* Java.
gularis, Bp.
4720. *sumatrana*, *Bp.* Sumatra.
gularis, Raffl.
4721. *bornensis*, *Bp.* Borneo.
4722. *flavicollis*, *Müll.* Java.
4723. *similis*, *Bl.* Sumatra.
4724. *melanothorax*, *Tem. P. C.* 185. 2. Java.
poliopsis, Boie.
- 1166. ÆGITHINA**, *V.* 1816 (suppressed in 1818), *et Sw.*
 1837.
Egithalus !, *Sw.* 1837.
Iora, Horsf. 1820. *Brachypus*, p., *Sw.* 1831.
Sw. C. of B. f. 206, *a, e*, 214, *b*; *G. of B. i.* p. 199, pl. 53. f. 4;
Reich. S. A. t. 61. f. .
4725. *tiphia*, *L.*; *Edw. B.* pl. 79. India.
leucoptera, V.; *subviridis, Tick.*
4726. *zeylonica*, *Gm.*; *Brown, Ill.* pl. 15. 2; *Lev. O. A.* t. 141. India, Ceylon.
melanops, Sw.; *tiphia, Jerd.*; *multicolor, cingalensis et*
melanictera, Gm.
quadricolor, V.; *meliceps, Horsf.*
tiphia, var. nigra, Sundev.
4727. *scapularis*, *Horsf. Zool. Res.* pl. Java, Borneo.
viridissima, Tem.; *tiphia, Vig.* Sumatra.
4728. *viridis*, *Tem.* Borneo.
4729. *Lafresnayi, Hartl. M. de Z.* 1845, t. 60. Aracan.
innotata, Bl.

1167. MALACOPTERON, *Eyton*, 1839.Malacopterum, *Agass.**G. of B. i.* p. 208, pl. 55. f. 12; *Reich. S. A. t.* 52. f. .*a.* MALACOPTERON.4730. **magnum**, *Eyton*.

Sumatra, Borneo.

pileata, *Müll.*; majus, *Bl.*4731. **cinereum**, *Eyton*.

Malacca.

coronata, *Müll.*; mugnum, *Bl.***1168.***b.* KENOPIA, *Bl.* 1855.4732. **leucostigma**, *Müll.*

Borneo, Malac.

striata, *Bl.*; maculatus, *Eyton*.**1169.***c.* ALCIPPE, *Bl.* 1844.Setaria, *Bl.* 1844, *nec Oken*, 1815.4733. **affine**, *Bl.*

Malacca, Borneo.

atricapilla, *Müll.*

Sumatra.

4734. **nigrifrons**, *Bl.*

Ceylon.

4735. **atriceps**, *Jerd.*

India.

4736. **Morrisonia**, *Swinh.*

I. of Formosa.

4737. **brunneum**, *Gould, B. As. pl.*

„

4738. **monacha**, *G. R. Gr.*

Aru, N. Guinea.

murina, *Tem.?*

Waigiou, Ceram.

4739. **albigularis**, *Bl.*

Malacca.

fuscipes, *Lafr.*4740. **poiocephala**, *Jerd.*

Malabar.

4741. **phayrei**, *Bl.*

Aracan.

4742. **dumetoria**, *Cab.*

Java.

4743. **solitarium**, *Cab.*

Sumatra.

4744. **magnirostris**, *Moore.*

Malacca.

4745. **Cantori**, *Moore.*

Pinang.

4746. **murinum**, *Tem.*

New Guinea.

1170. MACRONUS, *Jard. & S.* 182 ?Macronous, *Bl.* 1849. *Brachypteryx*, p., *Sw.**G. of B. i.* p. 209, pl. 55. f. 10; *Reich. S. A. t.* 55. f. .*a.* MACRONUS.4747. **ptilosus**, *Jard. & S. I. O.* pl. 150.

Java, Sumatra

trichorrhos, *Tem. P. C.* 594. 1.

Borneo.

trichorrhis!, *G. R. Gr.*4748. **leucotis**, *Strickl. Contr. Orn.* 1848, pl.

Manilla.

1171. *b. CACOPITTA, Bp. 1850.*

4749. *loricatus*, Müll. Java, Sumatra.
 4750. *atrigrularis*, Bp. Borneo.
 margaritacea, Tem.
 4751. *lepidopleurus*, Tem. Java, Sumatra.
 4752. *perspicillatus*, Tem. "
 4753. *leucogrammicus*, Tem. Borneo.

1172. *c. TRICHASTOMA, 1842,
et Malacocincla, 1845, Bl.*

4754. *rostratus*, Bl. Malacca.
 4755. *Abbotii*, Bl. Nepal, Aracan.
 4756. *rubinus*, Tem. Sumatra.
 4757. *pyrrhogenys*, Tem. P. C. 442. 2. Java, Borneo.
 pyrrhogenys!, Tem.
 4758. *pyca*, Boie. Java, Sumatra.
 4759. *mystacalis*, Tem. Sumatra.
 4760. *olivaceus*, Bl. Malacca.
 4761. *concretus*, Müll. Borneo.
 hypoides, Tem.
 4762. *ruffrons*, Licht. Java, Sumatra.
 4763. *celebensis*, Strickl. Contr. Orn. 1849, pl. Celebes.

1173. *d. NAPOTHERA, Boie, 1835.
Reich. S. A. t. 52. f.*

4764. *bicolor*, Less. Sumatra, Borneo.
 ferruginosum, Bl. ; *rubicauda*, Müll.
 4765. *euryzonus*, Müll. Borneo.
 4766. *ruficapillus*, Pucher. Voy. Pôle Sud, t. 19. 1. "
 lepidocephala, Homb. & J. Sumatra.
 squamifrons, Pucher.
 4767. *lepidocephalus*, Müll. Java, Sumatra.
 4768. *pyrrhopterus*, Boie. Java.

1174. *e. DRYMOCATAPHUS, Bl. 1849.*

4769. *capistratoides*, Tem. ; Jard. Contr. Orn. 1849, pl. Borneo.
 nigrocapitata, Eyton. Malacca.
 4770. *poliogenys*, Müll. ; Jard. Contr. Orn. 1849, pl. Sumatra, Java.
 malaccensis, Hartl. ; *poliogenis*, Strickl.

4771. *umbratilis*, Müll.; *Jard. Contr. Orn.* 1849, pl. Borneo.
 4772. *fuscocapillus*, Bl. Ceylon.
 4773. *capistratus*, Tem. P. C. 185. 1. Java.
 4774. *epilepidotus*, Tem. P. C. 448. 2. Java, Sumatra.
 4775. *barbatus*, Cab. Sunda I.
- 1175.** f. *TURDINUS*, Bl. 1844.
4776. *macrodactylus*, Strickl. Malacca.
 albogularis, Hartl.
 4777. *brevicaudatus*, Bl. Tenasserim.
 4778. *guttatus*, Bl. "
 4779. *crispifrons*, Bl. "
- 1176.** g. *TRICHIXOS*, Less. 1839.
Turdirostrum, Hay, 1844. *Turdirostris*, Bl. 1849. *Bessethera*,
 Cab. 1850.
4780. *pyrropygus*, Less. Borneo.
 pyrrhonota, Tem.; *pyrrhomelanura*, Müll.
 superciliaris, Hay.
- 1177. ALETHE**, Cass. 1859.
Napothera, p., Hartl.
- a. *ALETHE*.
4781. *castanea*, Cass. *Journ. Ac. Phil.* 1862, pl. 23. W. Africa.
 4782. *maculicauda*, Hartl. Ashanti.
 4783. *striaticollis*, Hartl. Gaboon.
- 1178.** b. *ILLADOPSIS*, Heine, 1859.
Turdirostris, p., Cass.
4784. *fulvenscens*, Cass. W. Africa.

FAM. XVI. **MUSCICAPIDÆ**, Vig. 1825.Subfam. I. **Muscicapinæ**, Sw. 1831.*Hypoemidinae*, p., et *Platyrhynchinae*, p., Cab. 1847.**1179. PELTOPS**, Wagl. 1829.*Erolla*, Less. 1831. *Platystomus*, Sw. 1837.*G. of B.* i. p. 66, pl. 22. f. 2; *Reich. S. A.* t. 34. f. .

4785. *Blainvillii*, Garn. *Voy. Coqu.* t. 19. 2; *Sw. Nat. Libr.* x.
 pl. 29. New Gui., Waig.

1180. MONARCHA, *Vig. & H.* 1826.Drymophila, *Tem.* 182 ?Monacha, *Sw.* 1837.*G. of B.* i. p. 260, pl. 63. f. 1; *Reich. S. A.* t. 69. f. .*a. MONARCHA.*

- 34 4786. **carinata**, *Vig. & H.*; *Sw. Zool. Ill.* pl. 147; *P. C.* 418. 2;
Gould, B. A. ii. pl. 95. New S. Wales,
Timor.
4787. **cinerascens**, *Tem. P. C.* 430. 2. Timor, Sula,
Ternate, Gil.
New Guinea.
4788. **inornata**, *Garn. Voy. Coqu.* t. 16. 2.
carinata, p., *G. R. Gr.* Aru.
4789. **guttula**, *Garn. Voy. Coqu.* t. 16.
guttata, *G. R. Gr.* New Gui., Aru,
Waig., Mysol.
4790. **griseogularis**, *G. R. Gr.* Aru.
4791. **leucura**, *G. R. Gr.* Ké.
- 4995 4792. **leucotis**, *Gould, B. A.* suppl. pl. Louisiade.
4793. **castaneiventris**, *Verr. in Myzop.* *Viti* Samoan Islands.
4794. **alecto**, *Tem. P. C.* 430. 1. Molucca, Celeb.,
Timor.
- 4041 4795. **fulviventris**, *Hartl.* *cinerascens Temm*
inornata Garn. } *2nd Field* Echiquier group.
4796. **dichroa**, *G. R. Gr.* New Guinea.

1181. *b. SYMPOSIACHRUS*, *Bp.* 1854.

- 6996 4797. **trivirgata**, *Tem. P. C.* 481. 1. Timor.
4798. **Gouldii**, *G. R. Gr.*; *Gould, B. A.* ii. pl. 96.
trivirgata, *Gould.* New S. Wales.
Tasmania.
4799. **bimaculata**, *G. R. Gr.* Batchian.
4800. **nigrimentum**, *G. R. Gr.* Amboina.
4801. **loricata**, *Wall.*; *Pr. Z. S.* 1863, pl. 6. Bouru.
4802. **melanoptera**, *G. R. Gr.* Louisiade.
4803. **albiyentris**, *Gould.* Cape York.

1182. *c. ARGES*, *Less.* 1831.Monacha, *Reich.* ?*Sw. C. of B.* f. 145; *Reich. S. A.* t. 64. f. .

4804. **telescopthalma**, *Garn. & L. Voy. Coqu.* t. 18. 1. New Guin., Aru.
enado, *Less. Voy. Coqu.* t. 15. 2.
Var. Mysol.
4805. **chrysomela**, *Garn. & L. Voy. Coqu.* t. 18. 2; *Nat. Libr.* New Guin., Aru,
Flyc. pl. 14. New Ireland.
Var. Waigiou, Mysol,
Salwatti.

1183. *d. OPHRYZONE, Rams. 1868.*4806. *Kaupi, Gould, B. A. suppl. pl.*N.E. Australia
Queensland.**1184.** *e. POMAREA, Bp. 1854.*4807. *nigra, Sparrm. M. C. t. 23; Voy. Coqu. t. 17.**atra, Forst.; lutea, Gm.**pomarea, Less.; maupitiensis, Garn.*

Society, Tonga I.

4808. *Mendozæ, Hartl.**nigra, var., Forst.*

Marquesas.

1185. *f. METABOLUS, Bp. 1854.*4809. *rugensis, Homb. & J. Voy. Pôle Sud, t. 13.*

Carolina I.

4810. *Godeffroyii, Hartl. Pr. Z. S. 1867, pl. 38.*Yap of Hogoleu
group.**1186. MUSCICAPA, Briss. 1760, nec L. 1766.***Butalis, Boie, 1826 et 1828.**Muscicapa, 3 div., Sundev.**Sw. C. of B. f. 229, g; G. of B. i. p. 262.**a. MUSCICAPA.*4811. *griseola, L.; P. E. 565. 1; Naum. Vög. t. 64. 1; Gould, B. E. pl. 65.**ficedula, L.*

Europe.

4812. ? *africana, Bp.**griseola, Verr.*

S. & W. Africa.

4813. *cærulescens, Hartl.*

Natal.

4814. *hypogrammica, G. R. Gr.**griseosticta, Swinh.**griseola, var. daurica, Pall.*Ceram, Morty,
Gilolo, Batch.,
Celeb., Form.4815. *chocolatina, Rüpp. S. U. t. 20.**fumigata, Guér.; Ferr. & Gal. Voy. en Abyss. t. 7.*

Abyssinia.

4816. *gularis, Tem. & Schl. F. J. t. 16.*

Japan.

4817. *lugens, Hartl.*

Angola.

4818. *helianthea, Wall.*

Celebes.

4819. ? *madagascariensis, Grandid.*

Madagascar.

4820. *luteola, Pall.; Middendr. Sibir. Reis. ii. t. 17. 1-3.*

Siberia.

1187. *b. HEDYMELA, Sundev. 1846.**Butalis, G. R. Gr. 1840.**Muscicapa, Kaup, 1829.**G. of B. i. pl. 63. f. 9; Reich. S. A. t. 64. f. .*4821. *atricapilla, L.; P. E. 668. 1; Naum. Vög. t. 64. 2, 3, 4; Gould, B. E. pl. 63. 1.**maculata, Müll.; ficedula, Gm.**muscipeta, Bechst.; luctuosa, Scop.*

C. Europe.

4822. *collaris*, *Bechst.*; *Naum. Vög.* t. 65. 1, 2; *Gould, B. E.* pl. 63. 2. S.E. Europe.
albicollis, *Tem.*; *streptophora*, *V.*
atricapilla, var. β , *Gm.*
4823. *epulata*, *Cass.* Mooda River.
4824. *comitata*, *Cass.* Muni River.
4825. *speculigera*, *Selys.*
4826. *Riisii*, *Hartl.* Aguapim.
4827. *modesta*, *Hartl.* Gaboon.
4828. *picata*, *Sw.* W. Africa.
4829. *Cassinii*, *Heine.* "
4830. *aquatica*, *Heugl. Orn. N. O. Afr.* t. 16. 2. Djour.
4831. *melanura*, *Heugl.* C. Africa.
4832. *infusata*, *Cass.* W. Africa.
- 1188.** *c. MUSCICAPULA*, *Bl.* 1843.
4833. *superciliaris*, *Jerd.* S. India.
4834. *hemileucura*, *Hodgs.*; *Contr. Orn.* 1848, pl. Nepal.
superciliaris, p., *Bl.*
4835. *albogularis*, *Bl.* "
ciliaris, *Hodgs.*; *superciliaris*, p., *Bl.*
4836. *æstigma*, *Hodgs.* "
4837. *sapphira*, *Tick.*; *Jerd. I. Ind. Orn.* pl. 32. Nepal, Sikkim.
sapphira!, *G. R. Gr.*
- 1189.** *d. ALSEONAX*, *Cab.* 1850.
4838. *undulata*, *V.*; *Lev. O. A.* t. 156. S. Africa.
adusta, *Boie*; *fuscata*, *Sundev.* Mauritius (!).
- 1190.** *e. ERYTHROSTERNA*, *Bp.* 1838.
- Erythrostermia*, *Reich.* 1850.
Synornis, *Hodgs.* 1844. *Syornis*, *Agass.*
Reich. S. A. t. 67. f. .
4839. *parva*, *Bechst.*; *Naum. Vög.* t. 65. 3; *Gould, B. E.* pl. 64. S.E. & C. Eur.
minuta, *Tem. & Schl.* England.
4840. *leucura*, *Gm.* India.
albicilla, *Pall.*; *joulaimus*, *Hodgs.*
parva, *Sundev.*; *Tytleri*, *James.*?
rubeculoides, *Sykes.*
4841. *maculata*, *Tick.* S.E. Himalayas.
leucochista, *Hodgs.*; *melanoleuca*, *Bl.* Aracan, Tenas.
4842. *acornaus*, *Hodgs.* Nepal, E. Him.
leucura, p. ?; *acornus et poonensis*, *Hodgs.*

4843. *pusilla*, *Bl.* C. India.
acornus, *p.*, *Bl.*
4844. *solitaris*, *Müll.* Sumatra.
solitaria, *Bp.*
4845. *ruficularia*, *Kuhl.* Java.
rufigula, *Kuhl.*
- 1191.** *f. NEWTONIA*, *Poll.* 1866.
Erythrosterina, *p.*, *A. Newt.*
4846. *brunneicauda*, *A. Newt.*; *Poll. & V. D. F. Madag.* t. 18. 3. Madagascar.
- 1192.** *g. ZANTHOPYGIA*, 1847,
et Xanthopygia, 1849, *Bl.*
Charidyias, *Bp.* 1854. *Choredhyla*, *Jerd.* 1862.
4847. *tricolor*, *Hartl.* Malacca.
leucophrys, *Bl.*; *zanthopygia*, *Hay.* China.
4848. *narcissina*, *Tem. P. C.* 577. 1; *F. J.* t. 17, c. Japan.
chrysophrys, *Bl.* China.
hylocharis, *Tem. & S. F. J.* t. 17, ♀.
- 1193.** *h. HEMIPUS*, *Hodgs.* 1844.
Lanaria, *Bl.* 184 ?
4849. *picata*, *Sykes.* S. India.
hirundinacea, *Jerd.*; *tyrannides*, *Tick.* Nepal, Ceylon.
capitalis, *M'Clell.*; *picæcolor*, *Hodgs.*
- 1194.** *i. PYCNOSPHERYS*, 1850,
et Pycnophrys, 1849, *Strickl.*
4850. *grammiceps*, *Verr.*; *Contr. Orn.* 1849, pl. Java.
- 1195.** *j. HYLIOTA*, *Sw.* 1827.
Sw. C. of B. f. 229, h; *Reich. S. A.* t. 64. f. .
4851. *flavigaster*, *Sw. Flyc.* pl. 28. W. Africa.
4852. *violacea*, *Verr.* Gaboon.
- 1196.** *k. ERYTHROCERCUS*, *Hartl.* 1857.
4853. *M'Callii*, *Cass.* Mooda River.
4854. — n. sp.? Zambesi.
- 1197.** *l. MICROECA*, *Gould*, 1841.
Micraeca, *Aliq.*
Reich. S. A. t. 67. f. .
4855. *fascicans*, *Lath.*; *Gould, B. A.* ii. pl. 93. New S. Wales.
macroptera, *Vig. & H.* S. Australia.
leucophæa, *Lath.*?
platyrhyncha, *Quoy & G. Voy. Astrol.* t. 11. 1?

4856. *assimilis*, Gould. W. Australia.
- 7004- 4857. *flavigaster*, Gould, *B. A.* ii. pl. 94; *Voy. Pôle Sud*, t. 12*. 5. N. Australia.
4858. *flavovirescens*, G. R. Gr. N. Guin., Mysol,
Waigiou, Aru.
4859. ? *conspicillata*, G. R. Gr. New Guinea.
4860. *superciliosa*, Wall. Timor.
- 1198.** *m. ARTEMYIAS*, Verr. 1854.
Artemyias, Verr.
4861. *fuliginosus*, Verr. W. Africa.
infuscata, Cass.
- 1199. HEMICHELIDON**, Hodgs. 1844.
G. of B. i. p. 262, pl. 63. f. 13; *Reich. S. A.* t. 64. f. .
4862. *sibiricus*, Gm.
fuscedula, Pall.; *fuliginosus*, Hodgs. China, Nepal.
4863. *ferrugineus*, Hodgs. Himalaya.
rufescens, Jerd.; *ruflata*, Swinh. China, Ceylon.
mutui, Layard.
4864. *latirostris*, Raffl. Sumat., S. India.
poonensis, Sykes (?) Ceylon, Japan.
ponticerianus, Licht.; *cinereoalba*, Schl.
4865. *terricolor*, Hodgs. Himalayas.
- 1200. SMITHORNIS**, Bp. 1850.
Phrynorhamphus, Kaup, 1851.
- a. SMITHORNIS.*
4866. *capensis*, Smith, *I. S. A.* Z. pl. S. Africa.
4867. *rufolateralis*, G. R. Gr. *Pr. Z. S.* 1864, pl. 16. W. Africa.
- 1201.** *b. MEGABIAS*, Verr. 1854.
4868. *tricolor*, Elliot. Gaboon.
flammulatus, Verr.
- 1202.** *c. CASSINIA*, Hartl.
4869. *Fraseri*, Strickl. Fernando Po.
4870. *rubicunda*, Hartl. Gaboon.
- 1203.** *d. BIAS*, Less. 1831.
4871. *musica*, V. W. Africa.
flavipes, Sw.
- 1204. COCHOA**, 1836,
et Proserpinia, 1841, Hodgs.
G. of B. i. p. 280, pl. 68. f. 6; *Reich. S. A.* t. 89. f. .

a. COCHOA.

4872. **purpurea**, *Hodgs.*; *Gould, B. As.* pl. Nepal.
Hodgsoni, Bl.

4873. **viridis**, *Hodgs.*; *G. R. Gr. & M. G. B.* pl. 68; *Gould, B. As.* pl. „

1205. b. XENOGENYS, *Cab.* 1850.

Oreias, Tem. 1838, *nec Kaup*, 1829.

Oreias, G. R. Gr. 1846, *nec Desm.* 1804.

4874. **azurea**, *Tem. P. C.* 274. Java, Sumatra,
 Banda.

1206. NILTAVA, 1837,

et Chaitaris, 1841, *Hodgs.*

Chaitairis, Bl. 1843.

G. of B. i. p. 263.

a. NILTAVA.

4875. **sundara**, *Hodgs.*; *Gould, B. As.* pl. Himalayas.
sordidus, Hodgs.; *fastuosa, Less.*

4876. **Macgrigoriæ**, *Burt.*; *Gould, B. As.* pl. Bootan.
fulgiverter et auricularis, Hodgs.; *signata, M^cClell.*

1207. b. BAINOPUS, *Hodgs.* 1844.

Baenopus, Agass.

G. of B. i. pl. 63. f. 4.

4877. **grandis**, *Bl.*; *Gould, B. As.* pl. E. Himalayas.
irenoides, Hodgs.

1208. c. CYNORNIS, *Bl.* 1843.

Cynornis, G. R. Gr. 1846.

4878. **rubeculoides**, *Vig.*; *Gould, C. B.* pl. 25. 1. Himalayas.
brevipes, Hodgs.; *rubecola, Sw.*

4879. **banyumas**, *Horsf. Zool. Res. Jav.* pl. ; *P. C.* 226. Java, Sumatra.
rufigastra, Raffl.; *cantatrix, Tem.*
Tytlerii, James.

4880. **Jerdoni**, *G. R. Gr.* Madras, Behar,
banyumas, p., Bl. Deccan.

4881. **hyacinthina**, *Tem. P. C.* 30. Timor.
hyacintha!, *G. R. Gr.*

4882. **Tickellia**, *Bl.* C. India.
hyacintha, Tick.; *elegans, p., Bl.*

4883. **pallipes**, *Jerd.* Neilgherries.

4884. **ruficauda**, *Sw.* Himalayas.
æqualicauda, Bl.; *rubecula, p., Jerd.* Kumaon, Carnatic.

4885. *elegans*, *Tem. P. C.* 596. 2. Sumatra.
rubeculoides, *p., Bl.*
Var. Pegu, Tenasser.
4886. *unicolor*, *Bl.* Sikkim.
4887. *rufigula*, *Wall.* Celebes.
4888. *rufifrons*, *Wall.* Borneo.
4889. *vidua*, *Swinhoe.* I. of Formosa.
4890. *magnirostris*, *Bl.* Darjeeling.
- 1209.** *d. OCHROMELA*, *Bl.* 1847.
4891. *nigrorufa*, *Jerd.* Neilgherries.
rufula, *Lafr.* Ceylon.
- 1210.** *e. CYANOPTILA*, *Bl.* 1847.
Hypothymis, *Bp.* 1851, *nec Boie*, 1826.
4892. *cyanomelana*, *Tem. P. C.* 470; *Schl. F. J. t.* 17 D. China.
gularis, *Tem.*; *cyanomelanura*, *Bl.* Japan.
bella, *Hay*; *melanoleuca*, *Schl.*
- 1211.** *f. EUMYIAS*, *Cab.* 1850.
4893. *indigo*, *Horsf. Zool. Res. Jav.* pl. Java.
cærulea, *Bp.*
- 1212.** *g. STOPORALA*, 1847,
et Stoparola, 1849, *Bl.* *Glaucomyias*, *Cab.* 1850.
4894. *melanops*, *Vig.*; *Gould, C. B.* pl. 6. India.
4895. *thalassina*, *Sw.* "
melanops, *p., G. R. Gr.*; *lapis*, *Less.* ?
4896. *thalassoides*, *Cab.* Sumatra.
thalassina, *Bp.*
4897. *ceylonensis*, *n. sp.?* Ceylon.
melanops, *Layard.*
4898. *spilonota*, *n. sp.?* Nepal.
4899. *albicaudata*, *Jerd. I. Ind. Orn.* pl. 14. Madras.
- 1213.** *h. SIPHIA*, 1837,
et Dimorpha, 1841, *Hodgs. Menetica*, *Cab.* 1866.
4900. *strophhiata*, *Hodgs.* Nepal, Bootan.
4901. *hyperythra*, *Cab.* Ceylon.
- 1214.** *i. ANTHIPES*, *Bl.* 1847.
4902. *moniliger*, *Hodgs.* Nepal.
fuligiventer, *Hodgs.*; *gularis*, *Bl.*

1215. *j. NITIDULA, Bl. 1861.*

4903. *Hodgsoni, Moore, Pr. Z. S. 1854, pl. 62.*
Campbellii, Jerd. & Bl.

Darjeeling.
 Sikkim.

1216. *k. DIGENEA, Hodgs. 1844.*

4904. *superciliaris, Bl.*
hyperythra et rubecula, Bl.
rubrocyanea et leucocyanea, Hodgs.

Darjeeling.
 Nepal.

4905. — ?
tricolor, Hodgs.

Nep., Mussooree.

4906. *leucomelanura, Hodgs.*

Beng., Nep., Darj.

4907. *tricolor, Kuhl.*
rupestris, Müll.

Timor.

4908. *erythaca, Bl. & Jerd.*

Sikkim, Darjeel.

4909. *innexa, Swinhoe.*

I. of Formosa.

Subfam. II. **Myiagrinae, Cab. 1850.**

Muscicapinae, p., Sw. 1837.

1217. SEISURA, Vig. & Horsf. 1826.

Sisura, Strickl. 1841.
G. of B. i. p. 260.

a. SEISURA.

4910. *inquieta, Lath.; Sw. Flyc. pl. 12; Gould, B. A. ii. pl. 87.* Australia.
muscicola et dubius, Lath.
volitans, Lath.

1218. *b. PIEZORHYNCHUS, Gould, 1840.*

Peizorhynchus, Aliq.
G. of B. i. pl. 63. f. 3; Reich. S. A. t. 64. f. .

4911. *nitida, Gould, B. A. ii. pl. 88.*

Port Essington.

4912. *rufolateralis, G. R. Gr.*

Waig., Mys., Aru.

4913. *chalybeocephala, Garn. Voy. Coqu. t. 15. 2.*
lucida, G. R. Gr.

New Ireland.
 New Guinea.

4914. *nitens, G. R. Gr.*

Batch., Tern., Gil.

1219. MYIAGRA, Vig. & Horsf. 1826.

Myiagra, Agass.
Sw. C. of B. f. 229, b, c, d, e; G. of B. i. p. 261, pl. 63. f. 2;
Reich. S. A. t. 67. f. .

a. MYIAGRA.

4915. *rubecula, Lath.; Gould, B. A. ii. pl. 89.*
rubeculoides et plumbea, Vig. & H.

New S. Wales.

leucogaster, *Bl.*
 ruficollis et rubecula, *V.?*

- 9843 4916. **nitida**, *Gould, B. A. ii. pl. 91; Voy. Pôle Sud, t. 12*. 4.* New S. Wales.
 9843 cyanoleuca, *V.?*; rubecula, *G. R. Gr.* Tasmania.
- 5696 4917. **concinna**, *Gould, B. A. ii. pl. 90.* N. Australia.
 grisea, *Pucher. Voy. Pôle Sud, t. 12*. 3.*
4918. **latirostris**, *Gould, B. A. ii. pl. 92.* A. Austr., Aru.
4919. **rufigula**, *Wall.* Timor.
4920. **galeata**, *G. R. Gr.* Batchian, Amboina, Ceram.
4921. **manadensis**, *Quoy & G. Voy. Astrol. t. 3. 3.* Celebes.
4922. **viridinitens**, *G. R. Gr.* Loyalty I.
4923. **melanura**, *G. R. Gr.* New Hebrides.
4924. **caledonica**, *Bp.* New Caledonia.
 perspicillata, *G. R. Gr.*
4925. **modesta**, *G. R. Gr.* New Ireland.
- 61w 4926. **albiventris**, *Peale, U. S. Expl. Exp. pl. 27. 3.* Samoan I.
 rubecula, *Cass.*
castaneicauda
- 4879 4927. **erythroptus**, *Hartl.* Pelew I.
4928. **Tytleri**, *Beav.* Andamans.
4929. **oceanica**, *Homb. & Jacq. Voy. Pôle Sud, t. 12*. 1, 2.* Caroline I.
 albiventris, p.?, *Finsch & H.*
H. L. B.
- Buteo* 15475 1220. *agilis* 14916 *castaneicauda*
 b. —? *V. L. L.*
- Hypothymis, *Boie, 1826 & 1828, nec Tem.*
 Hypothimus!, *G. R. Gr. 1846.*
 Muscicapa, 2 div., *Sundev. 1835.*
 Muscylva, p., *Less.*
4930. **azurea**, *Bodd.; P. E. 666. 1; Lev. O. A. t. 153. 1, 2.* India.
 cærulea, *Gm.*; occipitalis, *Vig.*
 cæruleocephala, *Sykes*; torquata, *Sw.*
4931. **puella**, *Wall.* Celebes.
4932. —? Sula.
 puella, p., *Wall.*
1221. c. *ELMINIA, Bp. 1854.*
4933. **longicauda**, *Sw. Flyc. pl. 25.* W. Africa.
 cærulea, *Hartl.*
 longicauda, minor, *Heugl. Orn. N. O. Afr. t. 15.* N.E. Africa.
4934. **teresita**, *Antin.* C. Africa.
 Alexinae, *Heugl.*

1222. *d. MUSCITODUS, Homb. & J. 1844.*Platygnathus, *Hartl.* 1852.

- 61 4935. **rufiventris**, *Elliot*; *Finsch & H. F. Centralp.* t. 9. 2, 3. Feejee.
vanicorensis, Peale.

4936. *vanikorensis, Quoy & G. Voy. Astrol.* t. 5. 1. I. of Vanikoro.
castaneiventris, p. ?, Finsch & H.

1223. *e. MACHAERIRHYNCHUS, Gould, 1850.*

4937. **flaviventer**, *Gould, Pr. Z. S.* 1850, pl. 33; *id. B. A.*
 suppl. pl. Cape York.

4938. **xanthogenys**, *G. R. Gr.* Aru.

4939. **albifrons**, *G. R. Gr. Pr. Z. S.* 1861, pl. 43. 1. Mysol, Waigiou.

1224. PLATYSTEIRA, Jard. & Selby, 182 ?Platystira, *Strickl.* 1841.Platystera, *Sw.* 1837.

Sw. C. of B. f. 148, 228, e; *G. of B.* i. p. 256, pl. 63. f. 10;
Reich. S. A. t. 64. f. .

a. PLATYSTEIRA.

4940. **cyanea**, *Müll.*; *P. E.* 567. 3; *Sw. Flye.* pl. 22. W. Africa.
melanoptera, Gm.; *collaris, Lath.*
lobata, Sw.; *melanoleucus, V.*
Desmarestii, Jard. & S. I. O. pl. 9.

4941. **capensis**, *L.*; *P. E.* 572; *Lev. O. A.* t. 160. S. Africa.
pristinaria, V.; *thoracica et molitor, Licht.*; *pulsator, Steph.*
torquata, var., Lath.; *strepitans, Licht.*

4942. **senegalensis**, *L.*; *P. E.* 567. 1. W. Africa.
velatus, V.; *succincta, Licht.*
spurca, Müll.; *torquata, Antin.*
? nitida, Müll.; *P. E.* 567. 2. Abyssinia.

4943. **minima**, *Verr.* Gaboon.

4944. **peltata**, *Sundev.* Caffraria.

1225. *b. BATIS, Boie, 1831.*

4945. **pririt**, *V.*; *Lev. O. A.* t. 161. W. Africa.
strepitans, Licht.; *senegalensis, Less.*
molitor, Hahn; *melanoleuca, Licht.*

4946. ? *affinis, Wahlb.* Damaraland.

1226. *c. DYAPHOROPHYIA, Bp. 1854.*Agromiyias, *Heine*, 1860.

4947. **leucopygialis**, *Fras. Zool. Typ.* pl. 34. W. Africa.
castanea, Fras.
brevicauda, Sw. ?

4963. *diluta*, Wall. Flores.
- 550 4964. *setcsa*, Quoy & G. Voy. *Astrol.* t. 4. 4. New Ireland.
gularis, Müll. & S. N. Guin., Mysol.
4965. *rufiventris*, V.; *Arch. du Mus.* vii. t. 20. 2. Timor.
ochrogastra, Müll. & S.
4966. *caniceps*, Cass. Philippine I.
4967. *bouruensis*, Wall. Bouru.
4968. *semicollaris*, Müll. & S. Timor.
4969. *perlata*, Müll. Sumatra.
4970. *threnothorax*, Müll. & S. New Guinea.
4971. Pelzelni, G. R. Gr. Norfolk I.
assimilis, Pelz.
4972. Preissi, Cab. W. Australia.
- 43 4973. *nebulosa*, Peale, U. S. Expl. Exp. pl. 9. f. 2. Navigator's I.
4974. *pectoralis*, Homb. & Jacq. Voy. *Pôle Sud*, t. 11. 3. I. of Vanikoro,
Marian I.?
- 820 4975. *lepida*, Hartl. Pelew I.
4976. — ? New Guinea.
rufiventris, Müll. & S.
4977. *hyperythra*, G. R. Gr. Aru I.
4978. *rhombifer*, Cab. Sunda I.
4979. *squamata*, Müll. & S. Banda.
4980. *longicauda*, Wall. Sumatra.
4981. *cinerea*, Wall. Ceram.
4982. *torrida*, Wall. Pr. Z. S. 1865, pl. 38. Ternate.
4983. *collaris*, Less. Timor.
albigularis V. N. Lenz
- 1231.** b. *LEUCOCIRCA*, Sw. 1838.
Leucocerca, Strickl. 1841.
Leucocircus, Jerd.
Muscivora, Less. 1831, nec Cuv.
4984. *fuscoventris*, Frankl.; *Arch. du Mus.* t. 20. 1. Nepal, India.
sannio, Sundev.; *albugularis*, Less.
albigula, Hodgs.; *albicollis*, V.?
4985. *albofrontata*, Frankl.; *Jerd. I. Ind. Orn.* pl. 2. India.
aureola, Less.
4986. *pectoralis*, Jerd. Neilgherries.
leucogaster, Cuv.; *fuscoventris*, Sykes.
4987. *euryura*, Müll. Borneo.
4988. *compressirostris*, Bl. Ceylon.

4989. *nigritorquis*, *Vig.*; *Mém. Ac. St. Pétersb.* 1835, t. 6 ? Luzon.
bambusæ, *Kittl.*

4990. ? *ochracea*, *Sparrm. M. C. t. 22.* — ?

4991. *javanica*, *Sparrm. M. C. t. 75.* Java.
umbellata, *Sundev.*

1232. *c. MUSCULVA*, *Homb. & J.*

Monarcha, p., *Finsch & H.*

56 • 4992. *Lessoni*, *G. R. Gr.*; *Voy. Pôle Sud*, t. 11. 2. Fiji Islands.
cinerea, *Peale.*

1233. *d. SAULOPROCTA*, *Cab.* 1850.

466 • 4993. *motacilloides*, *Vig. & H.*; *Gould, B. A. ii.* pl. 86. S. Australia.

4994. *picata*, *Gould.* N. Australia.

16848. 4995. *melanoleuca*, *Quoy & G. Voy. Astrol.* t. 4. 3. New Ireland.

4996. *atripennis*, *G. R. Gr.* Aru, Waigiou,
Mysol, Salwat.

4997. *mimoides*, *Müll.* Batchian, Terna.,
Gilo, Amboin.

5578 4998. ? *tricolor*, *V.* New Ireland.
motacilloides, p., *Pucher.*

4999. *laticauda*, *Sw. Flyc.* pl. 11. — ?

1234. *e. CHELIDORYNX*, 1844,

et Chelidorhynx, 1843, *Hodgs.*

5000. *hypoxantha*, *Bl.* N. India.
chrysoschistus, *Hodgs.*

1235. *f. — ?*

Myialestes, *Reich.* 1850. *Cryptolopha*, *Sw.* 1843, *nec* 1837.
Reich. S. A. t. 67. f.

5001. *cinereocapilla*, *V.*; *Sw. Zool. Ill.* pl. 13; *id. Flyc.* pl. 23. India.
poiocephala et ceylonensis, *Sw.* Himalayas.

1236. TCHITREA, *Less.* 1831.

Muscicapa, *Less.* 1766, *nec* *Briss.* 1760.

Muscipeta, 2 div., *Cuv.* 1817.

Trepisphone, *Cab.* 1850, *nec* *Glog.* 1827.

Thiltrea, *Less.* 1837.

Sw. C. of B. f. 229, f.; *G. of B. i. p. 259, pl. 63. f. 6*; *Reich. S. A. t. 67. f.*

a. TCHITREA.

5002. *paradisi*, *L.*; *Edw. B.* pl. 113; *P. E.* 234. 2; *Lev. O. A.*
t. 144, 145, 146; *Gould, B. As.* pl.; *Jerd. Ill. I. O.* pl. 7. India.
indica, *Sykes*; *castanea*, *Tem. P. E.* 234. 1.

5003. *affinis*, *Hay*; *Schl. De Dierk.* fig. p. 147. Malacca.
paradisi, *Schl.* Java.

5004. **rufiventer**, *Sw. B. W. Afr.* pl. 4.
casamansæ, *Less.* W. Africa.
5005. **melanogastra**, *Sw.*
senegalensis, *Less.* ? ”
5006. **melampyra**, *Verr.*
melanogastra, p., *Hartl. & F.* Gaboon.
5007. **Duchaillui**, *Cass. Journ. Ac. Phil.* 1860, pl. 50. 1, 2.
melanogastra, p., *Hartl. & F.* W. Africa.
5008. **Ferreti**, *Guér.*; *Ferr. & Gal. Voy. en Abyss.* t. 8. 1, 2.
melanogastra, *Rüpp., et p. Hartl. & F.* E. Africa.
5009. **atrochalybea**, *Thoms.* W. Af., Fern. Po,
St. Thomas.
5010. **viridis**, *Müll.*; *Lev. O. A.* t. 142, 143.
cristata, *Gm.*; castanea, *Tem.*? E. Africa.
perspicillata, *Sw.* W. Africa.
5011. **flaviventris**, *Verr.*
tricolor, *Fras.* ”
5012. **princeps**, *Tem. P. C.* 584.
principalis, *Tem. & S. F. J.* t. 17, e. Japan, Korea.
5013. **Incei**, *Gould, B. As.* pl.
principalis, p., *Jerd.* N. China.
5014. **nigriceps**, *Tem.* W. Africa.
5015. ?leucogaster, *Sw. Flyc.* pl. 24.
paradisi, p., *Bl.* India.
5016. **torquata**, *Gm.*; *Lev. O. A.* t. 150.
capensis, *Kuhl.*; pectoralis, *Sw.*
? melanoleuca, *V.* S. Africa.
5017. **speciosa**, *Cass. Journ. Ac. Phil.* 1860, pl. 50. 3. W. Africa.
5018. **Smithii**, *Fras.* ”
5019. **mutata**, *Gm.*; *P. E.* 248. 2; *Lev. O. A.* t. 148; *Poll. & V.*
D. F. de Madag. t. 20, 21. Madag., I. Ma-
yotte, I. Bourb.
bicolor, *Sw.*; *Gaimardii et pretiosa*, *Less.*
5020. **caudata**, *Müll.*; *P. E.* 248. 1; *Lev. O. A.* t. 147.
viridescens, *Bodd.*; holosericea, *Tem.*
rufa, *Sw.*; mutata, p., *Newt. & Hartl. & F.* S. Africa.
Madagascar.
5021. **Spekei**, *Hartl.*
mutata, p., *Hartl. & F.* E. Africa.
5022. **bourbonnensis**, *Müll.*; *P. E.* 573. 1; *Schl. & Poll. F. de*
Madag. t. 22. Mauritius.
borbonica, *Gm.* Madagascar.
5023. **corvina**, *E. Newt.* Seychelles.

5024. *atrocaudatus*, *Eyton*.
atriceps, *Bl*. Malacca.
- 1237.** *b. XEOCEPHALUS*, *Bp.* 1854.
5025. *rufa*, *G. R. Gr. & M. G. B.* pl 64. Philippine I.
- 1238.** *c. PHILENTOMA*, *Eyton*, 1845.
5026. *pyrrhoptera*, *Tem. P. C.* 596* 1. Malacca.
plumosa, *Bl.*; *castaneum*, *Eyton*.
5027. *velata*, *Tem. P. C.* 334.
pectoralis, *Hay*; *cæsia*, *Less*. "
5028. *unicolor*, *Bl*. Borneo.
- 1239.** *d. TROCHOCERCUS*, *Cab.* 1850.
5029. *cyanomelas*, *V.*; *Lev. O. A.* t. 151. S. Africa.
scapularis, *Steph*.
5030. *nitens*, *Cass. Journ. Ac. Phil.* 1860, pl. 50. 4. W. Africa.
- 1240.** *e. TODOPSIS*, *Bp.* 1854.
5031. *cianocephala*, *Quoy & G. Voy. Astrol.* t. 5. 4; *Voy. Pôle Sud*, t. 20. 2. New Guinea.
cæruleocephala, *G. R. Gr.*
5032. *Bonapartei*, *G. R. Gr. Pr. Z. S.* 1858, pl. 134. Aru.
cianocephala, *p., G. R. Gr.*
5033. *Wallacei*, *G. R. Gr. Pr. Z. S.* 1861, pl. 43. 2. Mysol.
5034. *Grayi*, *Wall*. N.W. of N. Gui.,
Aru.
5035. ? *sericyanea*, *Rosenb*. New Guinea.

Subfam. III. **Campephaginæ**, *G. R. Gr.* 1840.

Campephagina, *Vig.* 1825. *Ceblephyrinæ*, *Sw.* 1831.

1241. PERICROCOTUS, 1826,

et Phœnicornis, 1827, *Boie*.

Acis, *Less.* 1831.

G. of B. i. p. 281, pl. 69. f. 3; *Reich. S. A.* t. 68. f.

5036. *flammeus*, *Forst.*; *P. C.* 263; *Sw. Zool. Ill.* pl. 52; *Gould, B. As.* pl. India, Ceylon.
elegans, *McClell*.
5037. *speciosus*, *Lath.*; *Gould, C. B.* pl. 7; *id. B. As.* pl. Him. to C. Ind.
princeps, *Vig*.
5038. *brevirostris*, *Vig.*; *Gould, C. B.* pl. 8. India, Him.
affinis, *Horsf.*; *miniatus*, *Sw.* Assam, Aracan.

5039. **roseus**, *V.*; *Gould, B. As. pl.* India, Aracan.
sordidus, Hodgs.; *rubricinctus, Bl.*
5040. **peregrinus**, *L.*; *Sparrm. M. C. t.* 48-50; *Gould, B. As. pl.* India, Burmah.
coccineus et malabarica, Gm. Andamans.
cinnamomea, L.; *indicus, Sparrm.*
5041. **solaris**, *Bl.*; *Gould, B. As. pl.* Sikkim.
affinis ♀, M'Clell.
5042. **erythropygius**, *Jerd.*; *Jard. Contr. Orn.* 1847, pl. India.
speciosus, var. β, Lath.
5043. **albifrons**, *Jerd.* Upper Burmah.
5044. **rutilus**, *Gould.* Pegu.
5045. **miniatus**, *Tem. P. C.* 156. 1, 2. Java.
5046. **ardens**, *Boie.* Sumatra.
5047. **xanthogaster**, *Raffl.* Sumatra, Java.
flammea, Horsf.
5048. **flagrans**, *Boie.* Sumatra, Bor.
minuta, Tem.
5049. **exul**, *Wall.* Lombock.
5050. **cinereus**, *Lafr.*; *Gould, B. As. pl.* China.
modestus, Strickl. Philippine I.
5051. **griseigularis**, *Gould, B. As. pl.* I. of Formosa.
5052. **elegans**, *M'Clell.* Assam, Burmah.
5053. **modestus**, *Boie.* Sumatra.
5054. **igneus**, *Bl. Contr. Orn.* 1849, pl. Malacca.
minutus, Strickl.
5055. **andamanensis**, *Tytl.* Andamans.
5056. **cantonensis**, *Swinhoe.* Canton.
5057. **sordidus**, *Swinhoe.* Amoy.

1242. CAMPEPHAGA, *V.* 1816.

Campophaga, Agass. *Ceblepyrus, Bp.* 1850.

Lanicterus, Less. 1838.

G. of B. i. p. 283; *Reich. S. A. t.* 68. f.

a. CAMPEPHAGA.

5058. **nigra**, *Lev. O. A. t.* 164, 165; *Sw. Zool. Ill.* pl. 179. S. & W. Africa.
flava, V.; *atrata et labrosa, Swains.*
atra, Swainsoni et xanthornoides, Less.
5059. **quiscalina**, *Finsch.* Fantee C.

1243.b. CYRTES, *Reich.* 1850.*Cercotrichas*, *Boie*, 1831.*Campephaga*, *Sw.* 1837, *et Hartl.**Sw. C. of B. f.* 204, c; *Reich. S. A. t.* 68. f .

5060. **phœnicea**, *Lath.*; *P. C.* 71; *Sw. B. W. Afr.* pl. 27, 28. S.W. & E. Afr.
phœnicopterus et flava, *Tem.*; *dubia*, *Shaw.*

5061. *melanoxantha*, *Licht.* Natal.
phœnicea, p., *Rüpp.*

1244.c. LOBOTOS, *Reich.* 1850.*Lanicterus*, p., *Less.**Reich. S. A. t.* 54. f ., ♂ ♀.

5062. *lobata*, *Tem. P. C.* 279, 280. Angola.
Temminckii, *Hartl.*

1245.d. GRAUCALUS, *Cuv.* 1817.*Ceblephyris*, *Tem.* 1820. *Ceblepyris*, *Sw.* 1837.*Coracina*, p., *V.* 1816. *Coracina*, *Cab.* 1851.*Sw. C. of B. f.* 115; *Reich. S. A. t.* 68. f .

5063. **magnirostris**, *Forst.* Gilolo.

- 5703 5064. **melanops**, *Lath.*; *Lev. O. de Par. t.* 30; *Gould, B. A.*
 ii. pl. 35. Australia.
melanotis, *Gould.*

5065. **parvirostris**, *Gould, Syn. of A. B.* pl. . 1. Van Dieman's L.

5066. **personata**, *Müll.* Timor, Flores.

- 4449 5067. **mentalis**, *Vig. & H.*; *Gould, B. A.* ii. pl. 56. New S. Wales.
robustus, *Lath.?*

5068. **rex-pineti**, *Swinhoe.* I. of Formosa.

5069. **Macei**, *Less.* India.
papuensis, *Sykes*; *nipalensis*, *Hodgs.*
Layardi, *Bl.*

5070. **Dussumieri**, *Less. Voy. Pôle Sud*, t. 8. 1. Philippine I.
fasciata, p., *Bp.*; *macei*, p., *Pucher.*

5071. **javensis**, *Horsf.* Java, Sumatra.
papuensis, *Tem.*

- 1386 5072. **Jardinii**, *Rüpp.*; *Jard. & S. Ill. Orn.* pl. 114; *Gould,*
B. A. ii. pl. 60. New S. Wales.
tenuirostris, *Jard. & Selby.* N. Australia.

5073. **ceramensis**, *Bp.* Ceram.

5074. **leucopygia**, *Bp.* Celebes.

5075. **melanolora**, *G. R. Gr.* Batch., Ternate,
 Mysol, Aru.

7596 ~~melanolora~~
 7597 ~~melanolora~~

Sclater & Salp.
Yap.

5076. **striata**, *Bodd.*; *P. E.* 629.
novæ guineæ, Gm.; *fasciata, V.*
plumbea, Wagl.; *lineatus, Less.*
5077. ? **sumatrensis**, *Müll.*
5078. **hypoleuca**, *Gould, B. A.* ii. pl. 57.
5079. **Swainsoni**, *Gould, B. A.* ii. pl. 58.
lineatus, Sw.
5080. **lagunensis**, *Bp.*
5081. **Temminckii**, *Müll. & S.*
5082. *papuensis, Gm.*; *P. E.* 630.
albiventris, Wagl.
5083. *Desgrazii, Pucher. Voy. Pôle Sud, t. 7. 1.*
papuensis, p. ?, Hartl.; *affinis, Rüpp. ?*
5084. *atriceps, Müll. & S.*
5085. *larvata, Müll. & S.*
5086. *pusilla, Bl.*
5087. *melanogenys, Homb. & J. Voy. Pôle Sud, t. 8. 2.*
5088. — ?
melanotis, G. R. Gr.
5089. *concreta, Hartl.*
- 1246.** *e. GAZZOLA*
et Gazola, 1850, Bp.
5090. **caledonica**, *Gm.*
cinereus, Forst.; *cæsius, Cuv.*
papuensis, p., G. R. Gr.
- 1247.** *f. ARTAMIDES, Hartl. 1864.*
5091. **bicolor**, *Tem. P. C.* 278.
- 1248.** *g. PTILADERA, Pucher. 1853.*
Campephaga, p., Hartl.
5092. *Boyeri, G. R. Gr.*; *Voy. Pôle Sud, t. 9. 3.*
- 1249.** *h. PTEROPODOCYS, Gould, 1846.*
Reich. S. A. t. 68. f.
5093. **phasianella**, *Gould, B. A.* ii. pl. 59.
maxima, Rüpp. Orn. Misc. t. 3.
- 1250.** *i. EDOLISOMA, Pucher. 1853.*
Eucampophaga, Fitz. 1864.
Campephaga, Bp. 1850. Edoliisoma, Sclat.

New Guinea?
 Sumatra.

„

N. Aus., N. Gui.,
 Aru ?
 N. S. W., N. Aus.
 Ceram.

Philippines.

Celebes, Sula.

New Guinea.
 Moluccas.

New Guinea.

Celebes, Ceram.

Java, New Gui.

Ceylon.

Timor.

Batch., Gilolo.
 Sula.

Borneo.

New Caledonia,
 New Hebrides.

Banda, Celebes,
 Sumatra.

New Guinea.

New S. Wales.
 S. & W. Austral.

5094. **melas**, Müll. & S.; *Voy. Pôle Sud*, t. 10. 2. New Guinea.
 cinnamomea, Müll. & S.; Marescotii, G. R. Gr. Mysol.
 melan, *Sclat.*; melæna, *Hartl.*
5095. **schisticeps**, G. R. Gr.; *Voy. Pôle Sud*, t. 10. 1. N. Guin., Mysol.
5096. **plumbea**, Müll. & S. N. Guin., Timor,
 Mysol.
5097. **morio**, Müll. & S. Celebes.
5098. **marginata**, Wall. Bouru.
5099. **melanolæma**, n. sp.? Celebes.
5100. **aterrima**, Bl. Philippines.
 cærulescens ♀, Bl.
5101. cæruleogrisea, G. R. Gr. Aru.
5102. amboinensis, *Hartl.* Amboina.
5103. analis, *Verr. & Murs.* New Caledonia.
- 1251.** j. VOLVOCIVORA, *Hodgs.* 1837.
5104. **fimbriata**, Tem. P. C. 249, 250. Java, Malacca.
 culminatus, *Hay*; javensis, p., *Rüpp.*
5105. **melaschistos**, *Hodgs.* India.
 lugubris, *Sundev.*; silens, *Tick.*
 fimbriata, Bl.; carbonarius, *Less.*
 "cinerea, Bl.," *Swinhoe*; javensis, p., *Rüpp.*
- ~~5106. Sykesii, Strickl.~~ "
 canus et fimbriatus, *Sykes.*
5107. **avensis**, Bl. Burmah.
 melanopterus, Bl.; ardosiacus, *Less.*?
5108. Schierbrandi, *Pelz. Reise Novara*, t. 2. 1. Borneo.
5109. melanura, *Hartl.* India.
5110. vidua, *Hartl.* Aracan?
5111. melanopterus, *Rüpp. Orn. Misc.* t. 2. 1. "N. Holland" (?)
 lugubris, p.?, *Hartl.*
- 1250/ *imperator* / *imperator*
 7596 *monarda*
- 1252.** k. — ?
 Micropus, *Sw.* 1837, nec Wolf & Mey. 1810.
 Microscelis, p., G. R. Gr.
 Brachypus, p., *Sw.* 1831.
 Proscusa, *Cab.* 1851, et p. *Reich.* 1850.
Sw. C. of B. f. 205, c, d, 206, c.
5112. **chalcocephala**, Tem. P. C. 453. 1. Java.
- 1253.** l. LALAGE, *Boie*, 1826.
 Erucivora, *Sw.* 1831.
Reich. S. A. t. 68. f. .

5113. **terat**, *Bodd.*; *P. E.* 273. 3.
 orientalis, *Gm.*; striga, *Horsf.*
 dominicus!, *Müll.*; leucophæa, *V.*
 humeraloides, *Less.* Java, Sumatra.
5114. **aurea**, *Tem. P. C.* 382. 2; *Voy. Pôle Sud*, t. 10. 3. Timor, Celebes,
 Moluccas.
5115. **leucomela**, *Vig. & H.*; *Gould, B. A.* ii. pl. 62. New S. Wales.
5116. **humeralis**, *Gould, B. A.* ii. pl. 63. Australia.
5117. **rufiventris**, *Pucher.*; *Gould, B. A.* ii. pl. 61.
 karu, *Gould.* N. Australia.
5118. **timorensis**, *Müll. & S.* Timor.
 Sueuri, *V.*; orientalis, *p., Less.*
5119. **karu**, *Less.*; *Voy. Coqu.* t. 12.
 leucomela, *p., Rüpp.* New Guinea.
 New Ireland.
5120. **polygrammica**, *G. R. Gr.* Aru.
5121. **atrovirens**, *G. R. Gr.* Mysol.
5122. **nævia**, *Forst. & Gm.* New Caledonia.
5123. **pacifica**, *Gm.* Tonga.
 karu, *Quoy & G.*
5124. **maculosa**, *Peale.* Feejee.
 terat, *Cass.*; orientalis, *p., Hartl.* Samoan I.
5125. **leucopygialis**, *n. sp.* Celebes.
 orientalis, *p., Müll.*
5126. *Sloetii, Schl.* New Guinea.
5127. *nycthemera, Tem.* Borneo.
5128. *Montrosieri, Verr. & Murs.* New Caledonia.
- 1254.** *m. PSEUDOLALAGE, Bl.* 1861.
 Lalage, *p., Hartl.*
5129. **melanictera**, *Bl.* Philippine I.
 "melanoleuca, *Bl.*" *Hartl.*
- 1255.** *n. SYMMORPHUS, Gould, 1837.*
5130. **leucopygia**, *Gould.* New S. Wales.
 longicaudatus, *Pelz.* Norfolk Island.
- 1256.** *o. OXYNOTUS*
et Acanthinotus, 1831, Sw.
Acanthonotus, Agass.
Schetba, Less. 1831.
Reich. S. A. t. 89. f. .
5131. **rufiventer**, *Cuv.*; *Voy. Uranic*, t. 17; *Ibis*, 1866, pl. 7. Madagascar.
 ferrugineus, *Quoy & G.*; cinereus, *Less.* Mauritius.
 typicus, *Hartl.*

5132. **Newtoni**, *Poll. Ibis*, 1866, pl. 8. Réunion.
- 1257.** *p.* **CEBLEPYRIS**, *Cuv.* 1817.
G. of B. i. pl. 69. f. 2.
5133. **cæsia**, *Licht.*; *Lev. O. A.* t. 162, 163; *Gal. des Ois.* t. 130. S. Africa.
cana, *Cuv.*; *Levaillantii*, *Tem.*
5134. **pectoralis**, *Jard. & S. I. O.* pl. 57. W. & E. Africa.
niveoventer, *Less.*; *cinerascens*, *Tem.*
5135. **cinerea**, *Müll.*; *Briss. Orn.* ii. t. 36. 1; *P. E.* 541. Madagascar.
kinki, *Bodd.*; *cana*, *Gm.*
madagascariensis, *Verr.*
5136. **frenatus**, *Heugl.* C. Africa.
- 1258.** *q.* **CYANOGRUCALUS**, *Hartl.* 1861.
5137. **azurea**, *Cass.* W. Afr., Sierra Leone.

FAM. XVII. TYRANNIDÆ, *Cab.* 1850-51.

Laniadæ, *p.*, *Vig.* 1825.

Subfam. I. **Attilinæ**, *Sclat.* 1862.

1259. ATILA, *Less.* 1831.

Dasycephala, *Sw.* 1831. *Tamnolanus*, *p.*, *Less.*

Dasycephala et Dasyopsis, *Reich.* 1850.

G. of B. i. 208, pl. 55. f. 2; *Reich. S. A.* t. 52. f. .

a. **ATILA**.

5138. **cinereus**, *Gm.*; *Briss. Orn.* app. t. 3. 3; *Spir.* *A. B.* t. 26. 2. Cayenne, Brazil.
rufus, *V.*
5139. **brasiliensis**, *Less.* Brazil.
uropygiata, *Max.*; *uropygialis*, *Bp.*
5140. **thamnophiloides**, *Spir.* *A. B.* t. 26. 1. "
5141. **spadiceus**, *Gm.* Cayenne.
rufescens, *Sw.*; *uropygialis*, *Cab.*
5142. **citrinopygus**, *Bp.* Mexico.
citreopygia, *Sclat.* Guatemala.
5143. **citriniventris**, *Sclat.* E. Peru.
5144. **bolivianus**, *Lafr.* Bolivia.
rufescens, *Lafr.*
5145. **Sclateri**, *Lawr.* Veragua.
spadicea, *Lawr.*

5146. **torridus**, *Sclat.*
flammulatus, *Lafr.* ? Ecuador.
5147. **validus**, *Pelz.* Brazil.
5148. **rufigularis**, *Pelz.* "
5149. **phoenicurus**, *Natt. & Pelz.* "
5150. ? **unirufus**, *Cuv.* Cayenne.

1260. *b. CASIORNIS*, *Bp.* 1855.

5151. **rubra**, *V.*; *Casteln. Voy.* t. 18. 1. Brazil.
hæmatodes, *Licht.*; *thamnophiloides*, *Nordm.*
rufula, *Hartl.*; *typus*, *Des Murs.*
rutilus, *p.*, *G. R. Gr.*; *rufus*, *V. & D'Orb.*
5152. **rutilus**, *Less.* Guiana.

Subfam. II. **Tæniopterinae**, *G. R. Gr.* 1841.

Tyranninae, *p.*, *Vig.* 1825.

Fluvicolinae, *Sw.* 1837.

Alectrurinae, 1847, *et Motacillinae*, *G. R. Gr.*

1261. AGRIORNIS, *Gould*, 1838.

Tamnolanus, *Less.* 1839. *Dasycephala*, *p.*, *G. R. Gr.* 1841.

Thamnolanus, *Agass.*

Reich. S. A. t. 64. f. .

a. AGRIORNIS.

5153. **livida**, *Kittl. Vög. v. Chili*, t. 1. Chili.
gutturalis, *Geru. Voy. Fav.* t. 11.
chilensis, *Less.*
5154. **microptera**, *Gould, Voy. Beagle*, pl. 12. Patagonia.
striata, *Gould.*
5155. **maritima**, *Lafr.*; *Voy. Beagle*, pl. 13. Bolivia.
leucura, *Gould.* Patag., C. Chili.
5156. **insolens**, *Sclat. & S.* Tinta, Peru.
5157. **andecola**, *D'Orb.* Bolivia.
gutturalis, *p.*, *Lafr.* Chimborazo.
5158. **solitaria**, *Sclat.* Ecuador.
5159. **albicauda**, *Ph. & L.* Perú.
5160. **montana**, *Lafr.* Bolivia.
5161. — ? Ecuador.
andicola, *Sclat.*

1262. *b. MYIOTHERETES*, *Reich.*

Ixoreus (*Bp.*), *Sclat.*

Reich. S. A. t. 64. f. .

5162. *rufiventris*, *V.*; *Voy. Beagle*, pl. 11; *D' Orb. Voy.* t. 39. 2. La Plata.
variegata, *Lafr.* Chili.
ferrugineus, *Less.* Patagonia.
5163. *erythropygia*, *Sclat. Pr. Z. S.* 1851, pl. 41. Chimborazo.
5164. *striaticollis*, *Sclat. Pr. Z. S.* 1851, pl. 42. Ecuador.
rufiventris, *Lafr. & D' Orb. Voy. A. M.* t. 32. 3. Bolivia, Peru.
"erythropygius, Lafr. & D' Orb.," *Sclat.*
5165. *rubetra*, *Burm.* Bolivia, Pampa.

1263. TÆNIOPTERA, *Bp.* 1825.

Tyrannus, 3 div., *V.* 1816.

Peposaza, 1826, *et* *Xolmis*, 1828, *Boie.*

Nengetus, 1827, *et* *Blechropus*, 1837, *Sw.*

Orsipus, *Nordm.* 1835. *Pepoasa*, *Less.* 1837.

Pepoaza, *Lafr.* 1838. *Pepoaza et Pepoazoa*, *Stein.* 1839.

G. of B. i. p. 241, pl. 61. f. 1; *Reich. S. A.* t. 64. f. .

a. TÆNIOPTERA.

5166. *nengeta*, *L.*; *Edw. B.* pl. 318; *Spix, A. B.* t. 24; *Sw.* Braz., R. Grande,
Flyc. pl. 8. Boliv., Argent.
cinereus et pepoaza, V. La Plata.
polyglotta, Licht.; *tænioptera, Bp.*
5167. *velata*, *Licht.*; *Spix, A. B.* t. 22. Brazil, Bolivia.
5168. *dominicana, V.*; *Voy. Beagle*, pl. 10. Braz., Argentina.
Azaræ, Gould; *picata, Cuv.* Urug., La Plata.
5169. *coronata, V.* Paraguay.
vittigera, Licht. Santa Fé.
5170. *albogrisea, Less.* Brazil.
dominicana, p., Lafr. New Granada.
5171. *murina, Lafr.* Patagonia.

1264. b. HEMIPENTHICA, *Cab. & H.* 1859.

5172. *irupero, V.*; *Spix, A. B.* t. 29. 1. Paraguay, Brazil.
mesta, Licht.; *nivea, Spix.* Argent., Urug.
5173. *niveicolor*, n. sp.? — ?
irupero, juv. ?
5174. *albirostris*, n. sp.? Chili.

1265. c. PYROPE, *Cab. & H.* 1859.

5175. *pyrope, Kittl. Vög. Chili*, t. 10. Chili, Chiloe.
Kittlitz, Cab. Terra del Fuego.

1266. d. OCHTHOËCA, *Cab.* 1847.

Ochthæca, *Bp.* 1850. *Ochthoeca*!, *G. R. Gr.*

Reich. S. A. t. 64. f. .

5176. *cœnanthoides, Lafr.*; *D' Orb. Voy. A. M.* t. 38. 2. Bolivia.
5177. *fumicolor, Sclat. Pr. Z. S.* 1856, pl. 117. Bogota.

5178. **Lessoni**, *Sclat.*
rufipectus, *Less.* New Granada.
 Ecuador.
5179. **citrinifrons**, *Sclat.* Rio Napo.
5180. *albidinema*, *Lafr.* Bogota.
5181. *cinnamomeiventris*, *Lafr.* „
- 1267.** *e. OCHTHODIETA*, *Cab. & H.* 1859.
5182. **fumigata**, *Boie.* New Granada.
Boissoneauui, *Bp.* Ecuador.
- 1268.** *f. MECOCERCULUS*, *Sclat.* 1862.
5183. **stictoptera**, *Sclat. Pr. Z. S.* 1858, pl. 146. 2. „
5184. **rufipectoralis**, *Lafr.*; *D'Orb. Voy. A. M. t.* 37. 2. Bolivia.
5185. **leucophrys**, *Lafr.*; *D'Orb. Voy. A. M. t.* 38. 1. Bolivia, Peru.
5186. **diadema**, *Hartl.* New Granada.
fuscicapilla, *Lafr.*
5187. *gratiosa*, *Sclat.* Ecuador.
5188. *setophagoïdes*, *Bp.* Venezuela.
leucophrys, *p., Sclat.*
5189. *rufipectus*, *Lafr.* New Granada.
- 1269.** *g. SAYORNIS*, *Bp.* 1854.
Theromyias, *Cab. & H.* 1859.
- 07 5190. **pallida**, *Sw. B. Br.* pl. 70; *Faun. B. Amer.* pl. 45; *Aud.*
B. A. i. pl. 59. Arctic America.
Saya, *Bp.*; *Sayii*, *Sw.*; *Sayi*, *Cab. & H.* Mex., Rocky Ms.
- 1270.** *h. AULANAX*, *Cab.* 1856.
Sayornis, *p., Sclat.*
5191. **nigricans**, *Sw. B. Br.* pl. 69; *Aud. B. A. i.* pl. 60. Mexico, Calif.
semiatra, *Vig.*
5192. **aquatica**, *Sclat. & S.* Guatemala.
5193. *latirostris*, *Cab. & H.* C. America.
 ? *nigricans*, *p., Cab. & S.*
 ? *cineracea*, *Sclat.*
5194. *cineracea*, *Lafr.* Ecu., Venezuela,
 S. Martha.
- 1271. FLUVICOLA**, *Sw.* 1827.
Entomophagus, *Max.* 1831.
Xolmis, *Sundev.* 1836. *Xolmus*, *Sw.*
Suiriri, *Des Murs*, 1853.
Myiophila, *Reich.* 1850.
G. of B. i. p. 242, pl. 61. f. 3; *Reich. S. A. t.* 64. f.

a. FLUVICOLA.

5195. **climazura**, *V.*; *Spix*, *A. B.* t. 31, a; *Sw. Z. I.* pl. 47. Brazil.
nengeta, *Licht.*; *mystacea*, *Max.*
mystax, *Spix*; *cursoria*, *Sw.*
pseudogilla, *Less.*; *climacura*, *Cab. & H.*
5196. **pica**, *Bodd.*; *Edw. B.* pl. 348. 1; *P. E.* 566. 3. Cayenne.
bicolor et var. β, *Gm.*; *P. E.* 675. 1. Guiana.
5197. **albiventer**, *Spix*, *A. B.* t. 30. 1. Brazil, Bolivia.
albiventris, *Sclat.*; *bicolor*, *Lafr.*
pica, p., *G. R. Gr.*
5198. **atripennis**, *Sclat.* Ecuador.

1272. b. SUIRIRI, *Lafr.* 1837.

Satrapa, *Strickl.* 1844. *Suiriria*, *Reich.* 1850.
Sisopygis, *Cab. & H.* 1859.
Reich. S. A. t. 65. f.

5199. **icterophrys**, *V.*; *Tsh. F. P.* t. 8. 2. Para., R. Grande.
chrysochloris, *Max.*; *Cinchoneti*, *Tsch.* Boliv. Argentina,
 Peru.

1273. c. KNIPOLEGUS, *Boie*, 1826.

Cnipolegus, *Strickl.* 1841. *Blechropus*, *Sw.* 1843.
Reich. S. A. t. 64. f.

5200. **comata**, *Licht.*; *Spix*, *A. B.* t. 27; *Sw. Flyc.* pl. 7. Brazil.
galeata, *Spix*; *lophotes*, *Boie.*
cristatus, *Sw.*

1274. d. ADA, *Less.* 1831.

5201. **nigerrima**, *V.*; *Spix*, *A. B.* t. 28. 1, ♀. "
galeata ♀, *Spix*; *rufogularis*, *Less.*
Lafresnayi, *Kaup.*

1275. e. SERICOPTILA

et Sericoptilia, *Schiff.* 1854.
Cnipolegus, p., *Kaup.*

5202. **cyanirostris**, *V.*; *G. R. Gr. & M. G. B.* pl. 61. Brazil, Paraguay.
ruficapilla, *V.*; *analis et ater*, *Licht.*
hypoleucoptera, *Ménétr.*
5203. **unicolor**, *Kaup.* Argentine Rep.
cyanirostris, *Lafr.*
5204. **aterrima**, *Kaup.* Bolivia.
nigerrima, *Lafr.*
5205. **anthracina**, *Cab.* "

1276. ARUNDINICOLA, *Lafr.* 1839.

Platyrrhynchus, *Glog.* 1842.
Dixiphia, *Reich.* 1850.
G. of B. i. p. 243, pl. 61. f. 2; *Reich. S. A.* t. 64. f.

5206. **leucocephala**, *L.*; *Spix*, *A. B.* t. 29. 2. Brazil, Argent.
dominicana, *p.*, *Spix*; *leucocapilla*, *Less.* Bolivia.
monacha, *Sw.*; *Lev. O. A.* t. 159.

5207. **dominicana**, *Spix*, *A. B.* t. 30. 2. Brazil.
leucocephala, *Mar.*

1277. ALECTRURUS, *V.* 1816.

Xenurus, *Boie*, 1826.
Gallita, *V.* 1818. *Alecturus*!, *Sw.* 1837.
Alectorurus, *Glog.* 1842. *Alectrura*, *Reich.* 1850.
G. of B. i. p. 243, pl. 61. f. 5; *Reich. S. A.* t. 64. f. .

a. ALECTRURUS.

5208. **tricolor**, *V. Gal. des Ois.* t. 132; *Sw. Flyc.* pl. 6; *P. C.* 155. Brazil, Bolivia.
alector, *Licht.*; *alectrura*, *V.* Argentina.
gallus, *Glog.*; *Azaræ*, *Sw.*

1278. *b.* YETAPA, *Less.* 1831.

Psolidura, *Glog.* 1842. *Alecturus et Alectura*, *Sw.* 1837.

5209. **guirayetapa**, *V. Gal. des Ois.* t. 131; *P. C.* 286, 296. Brazil, Parag.
psalura, *Mar.*; *risora*, *V.* Arg., La Plata.

1279. LICHENOPS, *Comm.* 17 ?

Perspicilla, *Sw.* 1837. *Ada*, *p.*, *Less.*
Sw. C. of B. f. 11; *G. of B. i.* p. 242, pl. 61. f. 7; *Reich. S. A.*
t. 64. f. .

5210. **perspicillata**, *Gm.*; *Sw. Flyc.* pl. 9; *Voy. Beagle*, pl. 9. S. Brazil.
nigricans, *V.*; *Commersonii*, *Less.* Boliv., Argent.
leucoptera, *Sw.*; *erythroptera*, *Gould.* La Plata, Patag.

1280. GUBERNETES, *Such.* 1825.

Cybertes, *Agass.* *Cybernetes*, *Selat.*
G. of B. i. p. 243, pl. 61. f. 4; *Reich. S. A.* t. 70. f. .

a. GUBERNETES.

5211. **yetapa**, *V.*; *Spix*, *A. B.* t. 17; *Zool. Journ.* ii. pl. 4. Brazil, Bolivia.
bellulus, *V.*; *yiperu*, *Licht.*
Cunninghami, *Such.*
forficatus, *Sw. Flyc.* pl. 5; *longicauda*, *Spix.*

1281. *b.* MUSCIPRA, *Less.* 1831.

Milvulus, *Reich.* 1850.
Ictiniscus, *Cab.* 1859.
Reich. S. A. t. 68. f. .

5212. **vetula**, *v. Olf.*; *Jard. & S. I. O.* pl. 42; *Spix*, *A. B.* t. 18. Brazil.
longipes et longipennis, *Sw.*; *pullata*, *Bp.*; "longicauda,
Spix," *Selat.*

1282. COPURUS, *Strickl.* 1841.

Coparus, *Agass.*
Sw. C. of B. f. 149; *G. of B. i.* p. 244, pl. 61. f. 6; *Reich. S. A.*
t. 64. f.

5213. **colonus**, *V.*; *Spix*, *A. B.* t. 14; *Lath. Hist. B.* vi. pl. 102. Brazil.
platurus, *V.*; *colon*, *Steph.*
leucocilla, *Hahn*; *monachus*, *Licht.*
filicauda, *Spix.*
5214. **leuconotus**, *Lafr.* New Granada.
fuscicapillus, *Sclat.* "
5215. *pæcilonotus*, *Cab.* Guiana.
leuconotus, *p.*, *Sclat.*
5216. *funebri*, *Cab.* Minas Geraes.
- 1283. MACHETORNIS**, *G. R. Gr.* 1841.
Chrysolophus, *Sw.* 1837, *nec Gr.* 1833.
G. of B. i. p. 245, pl. 60. f. 4.
5217. **rixosa**, *V.*; *Spix*, *A. B.* t. 23. Braz., Argentina.
joazeiro, *Spix*; *miles*, *Max.* Bolivia.
ambulans, *Sw.*
- 1284. MUSCISAXICOLA**, *Lafr.* 1837.
Ptionura, *Gould*, 1841.
Ptyonura, *Reich.* 1850.
G. of B. i. p. 202, pl. 54. f. 7; *Reich. S. A.* t. 59. f. .
5218. **rufivertex**, *Lafr.*; *D'Orb. Voy. A. M.* t. 40. 2. Bolivia, Peru.
5219. **flavinucha**, *Lafr.* Chili.
flavivertex, *Phil. & L.*
5220. **mentalis**, *Lafr.*; *D'Orb. Voy.* t. 40. 1. Bolivia, Chili,
chilensis, *Hartl.* Peru, Patago.
5221. **Macloviana**, *Garn.* Falkland I.
5222. **fluviatilis**, *Sclat. & S.* R. Ucayali.
5223. **albifrons**, *Tsch. F. P.* t. 12. 2. Peru.
5224. **cinerea**, *Phil. & L.* Chili.
5225. **nigrifrons**, *Phil. & L.* "
5226. **maculirostris**, *Lafr.*; *D'Orb. Voy. A. M.* t. 41. 2. Boli., Chili, Ecua.
5227. *alpina*, *Jard. Contr. Orn.* 1849, pl. 21. Chimborazo.
albifrons, *p.*, *Sclat.*
5228. *rubricapilla*, *Ph. & L. Pr. Z. S.* 1867, pl. 46. Chili.
5229. *albilora*, *Lafr.* Chili, Peru.
rubricapilla, *p. ?*, *Sclat. & S.*
5230. *albimentum*, *Lafr.*
5231. *brunnea*, *Gould.* Patagonia.
5232. *frontalis*, *Burm.* Mendoza.
5233. *capistrata*, *Burm.* Ebenda, Mendoz.

1285. LESSONIA, Sw. 1831.

Centrites, 1841, *et* Centrophanes, 1845, Cab.
 Auchmalea, Reich. 1850.

G. of B. i. p. 201, pl. 54. f. 4; *Reich. S. A. t.* 59. f. , *et* pl. 64. f.

5234. **nigra**, Bodd.; *P. E.* 738. 2; *Mag. de Zool.* 1836, t. 67. Paraguay.
 rufa, Gm.; *fulva*, Lath.; *erythronotus*, Merr. W. Peru.
 dorsalis, King; *variegatus*, Edy. & Gerv.

5235. **orcas**, Sclat. & S. Tinta.

1286. MUSCIGRALLA, Lafr. 1837.

Ochthites, Cab. 1844.

Lepturus, Peale.

G. of B. i. p. 202, pl. 54. f. 8; *Reich. S. A. t.* 59. f. .

a. MUSCIGRALLA.

5236. **brevicauda**, Lafr.; *D'Orb. Voy. A. M. t.* 39. 1. Peru.

1287. *b.* PHILOTHERUS, Kaup, 1851.

"Hydrozetetes, Schiff.," Bp. 1854?

5237. **rivularis**, Max. Brazil.

Subfam. III. **Platyrhynchinae**, Sclat. 1862.

Todinæ, p., Cab. 1847. Muscicapinæ, p., *G. R. Gr.* 1840.

1288. PLATYRHYNCHUS, Desm. 1805.

Platyrhynchus, V. 1816.

Sw. C. of B. f. 147, 228, *b*; *G. of B. i. p.* 255, pl. 63. f. 15;

Reich. S. A. t. 67. f. .

5238. **mystaceus**, V.; *P. C.* 12. 2; *Sw. Zool. Ill.* pl. 17. ,
 5239. **albogularis**, Sclat. Ecuador.
 5240. **cancrominus**, Sclat. Vera Paz.
 canceroma, Sclat.
 5241. **coronatus**, Sclat. *Cat. of A. B.* pl. 17. Ecuador.
 5242. **superciliaris**, Lawr. Panama.
 canceroma, Lawr.
 5243. **rostratus**, Lath.; *Pall. Spic. t.* 3, *c*; *Gal. des Ois. t.* 126. Brazil.
 platyrhynchus, Pall.; *fuscus*, V.
 leucoryphus, Max.
 5244. **flavigularis**, Sclat. Bogota.

1289. TODIROSTRUM, Less. 1831.

Muscipeta, Tem. 1820. Triccus, Cab. 1845.

Todirhamphus, Kaup, 1851.

G. of B. i. p. 257, pl. 63. f. 12; *Reich. S. A. t.* 67. f. .

a. TODIROSTRUM.

5245. **cinereum**, L.; *Edw. B.* pl. 262; *Desm. Tod. t.* 68. Brazil, Trinidad.
 melanoxantha, Sparrm. *M. C. t.* 97. V. Paz, N. Gran.
 melanocephalus, Spix, *A. B. t.* 9. 2; *Sw. Flyc.* pl. 18. Bolivia.

5246. **maculatum**, *Desm. Tod.* t. 80. Mexico, Cayenne.
cinereus, *Spir.* A. B. t. 10. 1.
5247. **poliocephalum**, *Max.* Brazil.
flavifrons, *Lafr.*
5248. **nigriceps**, *Sclat. Pr. Z. S.* 1855, pl. 84. 1. S. Martha.
5249. **picatum**, *Sclat.* Rio Napo.
5250. **schistaceiceps**, *Sclat. Cat. of A. B.* pl. 18. 2. Oaxaca.
5251. **chrysocrotaphum**, *Strickl.; Contr. Orn.* 1850, pl. 49. E. Peru.
5252. **ruficeps**, *Kaup; Contr. Orn.* 1850, pl. 85. 2. Bogota.
multicolor, *Strickl.*
5253. **capitale**, *Sclat. Pr. Z. S.* 1857, pl. 125. Rio Napo.
5254. *Sclateri*, *Cab. & H.* Peru.
5255. *Illigeri*, *Cab. & H.* Para.
nigriceps, *Ill.*
5256. *calopterum*, *Sclat. Pr. Z. S.* 1857, pl. 125. 1. R. Napo.
5257. *griseum*, *Desm. Tod.* t.
5258. *guttatum*, *Pelz.* Brazil.
- 1290.** *b. ONCOSTOMA*, *Sclat.* 1862.
5259. **cinereigulare**, *Sclat. Cat. of A. B.* pl. 18. 1. Cordova, Oaxaca.
5260. *olivaceum*, *Lawr.* Panama.
- 1291.** *c. —?*
- Euscarthmus*, p.
Reich. S. A. t. 66. f. ?
5261. **gularis**, *Tem. P. C.* 167. 1. Brazil.
rufilatum, *Hartl.; plumbeiceps*, *Lafr.* Bolivia.
5262. **granadense**, *Hartl. Contr. Orn.* 1850, pl. 85. Bogota.
pectorale, *Kaup.*
5263. **squamicristatum**, *Lafr.* "
squamæcrista, *Lafr.* Ecuador.
5264. **gracilipes**, *Sclat.* Bogota.
5265. *nidipendulum*, *Max.* Brazil.
5266. *fumifrons*, *Hartl.* "
crinitus, *Burm.*
5267. *limbatum*, *Cab. & H.* "
5268. *furcatum*, *Lafr.* "
5269. *orbitatum*, *Max.* "
palpebrosum, *Lafr.*

5270. *cinereum*, *Burm.* Mendoza.
5271. ? *sylvia*, *Desm. Tod.* t. 69.
5272. *striaticollis*, *Lafr.* Bahia.
orbitatus, p. ?
5273. ? *margaritaceiventer*, *Lafr.*; *D' Orb. Voy. A. M.* t. 33. 3, 4.
5274. *latirostris*, *Pelz.* Brazil.
5275. *senex*, *Pelz.* "
5276. *inornatum*, *Pelz.* "
5277. *zosterops*, *Pelz.* "
5278. *impigrum*, *Sclat. & S. Pr. Z. S.* 1868, pl. 13. 1. Venezu., Bogota.
- 1292.** *d. MUSCULVA*, *Less.* 1831.
5279. *leucogaster* (*Less. ex Mus. Par.*). Cayenne.
- 1293.** *e. ORCHEILUS*, *Cab.* 1845.
Orchilus, *Reich.* 1850.
Reich. S. A. t. 65. f. .
5280. *auricularis*, *V.*; *Sw. Flyc.* pl. 19. Brazil.
cinereicollis, *Maw.*; *melanotis*, *Cuv.*; *megacephalus*, *Sw.*
5281. *pileatum*, *Tsch. F. P.* t. 9. 1. Peru.
5282. *rufipes*, *Tsch.* "
5283. *ecaudatus*, *Lafr.*; *D' Orb. Voy. A. M.* t. 33. 2. Bolivia.
- 1294.** *f. COLOPTERUS*, *Cab.* 1845.
Reich. S. A. t. 66. f. .
5284. *pilaris*, *Cab. Not. Orn.* t. 5. 4; *Pr. Z. S.* 1857, pl. 125. 2. Carthagena.
exile, *Sclat.* New Granada.
5285. *cristatum*, *Cab. Not. Orn.* t. 5. 2. Guiana.
- 1295.** *g. — ?*
Vermivora, *Less.* 1831, *nec Meyer*, 1822.
Todirostrum, p., *et Colopterus*, p., *Sclat.*
5286. *galeatum*, *Bodd.* Amazons.
cristatus, *Müll.*; *P. E.* 391. 1; *Pr. Z. S.* 1855, pl. 84. 2. Cayenne.
spicifer, *Lafr.*
- 1296.** *h. MUSCIPHAGA*, *Less.* 1831.
Dumecola, *Sw.* 1831. *Dumicola*, *Agass.*
Hemitriceus, *Cab. & H.* 1859.
Sw. C. of B. f. 213, c, d.
5287. *diops*, *Tem P. C.* 144. 1. Brazil.
vilis, *Burm.*

5288. *ruficauda*, Sw.

5289. *caniceps*, Sw. *B. Braz.* pl. 49.

Cayenne.

1297. *i. PHYLLOSCARTES*, Cab. & H. 1859.

5290. *ventralis*, Natt.; *P. C.* 275. 2.

Brazil, Bolivia.

5291. *flavocinereum*, Burm.

Mendoza.

1298. EUSCARTHMUS, Max. 1831.

Lepturus, Sw. 1837, nec Moehr. 1752.

Leptocercus, Cab. 1845, nec Hübn. 1816.

Hapalocercus, Cab. 1847.

Sw. C. of B. f. 228, d; *G. of B. i.* p. 251; *Reich. S. A. t.* 67. f.

a. EUSCARTHMUS.

5292. *meloryphus*, Max.; *Sw. Flyc.* pl. 20.

Bahia.

ruficeps et fulviceps, Sw.

5293. *ruficapillus*, V.

Antilles.

5294. *helviverter*, Cab.

"

helvivertris!, *G. R. Gr.*

1299. *b. — ?*

Myiosympotes, Reich. 1850.

Hapalocercus, p., Cab.

Reich. S. A. t. 65. f.

5295. *flavivertris*, Lafr.; *D' Orb. Voy. A. M. t.* 36. 1.

Paraguay, Monte
Video, Chili.

5296. *citreolus*, Landb.

Chili.

5297. *rufomarginatus*, Pelz.

Brazil.

1300. *c. CULICIVORA*, Sw. 1827, nec 1837.

Hapalura, Cab. 1847.

Sternura, Cuv. 1829.

Reich. S. A. t. 67. f.

5298. *stenura*, Tem. *P. C.* 167. 3.

"

1301. *d. HABRURA*, Cab. & H. 1859.

Polystictus, Reich. 1850.

Hapalura, p., Cab.

Reich. S. A. t. 67. f.

5299. *minimus*, Gould, *Voy. Beagle*, pl. 15.

Monte Video.

1302. *e. POGONOTRICCUS*, Cab. & H. 1859.

5300. *eximius*, Tem. *P. C.* 144. 2.

Brazil.

1303. *f. LEPTOTRICCUS*, Cab. & H. 1859.

5301. *sylvicola*, Licht.

"

5302. *superciliaris*, Sclat. & S.

Veragua.

1304. *g. STIGMATURA*, Sclat. & S. 1866.

5303. *budyoides*, Lafr.; *D' Orb. Voy. A. M. t.* 36. 2.

Boliv., L. Ucaya.

1305. *h. SERPHOPHAGA, Gould, 1838.**Serphophaga, Agass.*5304. **subcristatus**, *V.*; *P. C.* 167. 2.*straminea, Natt.*; *cristata, Lafr.**albocoronata, Gould.*

Braz., R. Grande.

Boliv., Argentina.
La Plata.5305. **cinereus**, *Strickl.*

Brazil, Sta. Fé.

5306. **nigricans**, *V.*

Paraguay.

5307. **ruficeps**, *Lafr. Mag. de Zool.* 1844, t. 91.

Bogota.

5308. **parvirostris**, *Gould.*

Chili, Bolivia.

5309. **hypoleucus**, *Sclat.*

Ucayali.

5310. **pectoralis**, *V.*

Paraguay.

*superciliaris, Max.*5311. **verticatus**, *Burm.*

Parana.

5312. **Gaymardii**, *D' Orb.*

Bolivia.

"albicilla, *V.*," *Lafr.*5313. **angustirostris**, *Lafr.*

,,

1306. *i. ANAIRETES, Reich. 1850.**Anæretes, Cab. & H.* 1859.*G. of B. i. pl. 60. f. 2; Reich. S. A. t. 66. f. . et pl. 62. f. .*5314. **parulus**, *Kittl. Mém. Ac. St. Pétersb.* 1851, t. 9.

Chili, Bolivia.

Bloxhami, Gr.; *plumulosus, Peale.*Patagonia, Terra
del Fuego.5315. **fernandezensis**, n. sp. ?

Juan Fernandez.

5316. **albocristatus**, *Vigors*; *D' Orb. Voy. A. M.* t. 37. 1.

Peru, Chili.

elegans, Less.; *reguloides, Lafr.*5317. **agilis**, *Sclat. Pr. Z. S.* 1856, pl. 118.

New Granada.

1307. CYANOTIS*et Cyanotus, Sw.* 1837.*Tachuris, Lafr.* 1837.*G. of B. i. p. 175. pl. 49. f. 6; Reich. S. A. t. 62. f. .*5318. **rubrigastra**, *V.*; *Gal. des Ois.* t. 166; *Schl. De Dierk.* fig.
p. 159; *Gay, Voy. Chili.* t.

Chili.

Azaræ, Licht.; *Byronensis, Gr.*; *omnicolor, V.**Vieilloti, Leadb.*; *multicolor, Bp.*Subfam. IV. **Elaininæ**, *Cab.* 1859.*Vireoinæ*, p., 1840, *et Muscicapinæ*, 1841, *G. R. Gr.**Tyranninæ*, p., *Cab.* 1847.**1308. ELAINIA**, *Sundev.* 1835.*Elania, G. R. Gr.* 1841, *Elainia, Reich.* 1850.

Elænia, 1844, *et* Elænea, 1847, *Cab.* Paroides, *Less.* 1837, *nec Koch*, 1816.

Muscicapara, *D'Orb.* 1840.

G. of B. i. p. 250, pl. 60. f. 7; *Reich.* *S. A.* t. 65. f.

a. ELAINIA.

- | | |
|---|------------------------------------|
| 5319. pagana , <i>Licht.</i> ; <i>Spir.</i> <i>A. B.</i> t. 16. 1. brevirostris, <i>Spir</i> ; albiceps, <i>Lafr.</i> Maxmiliani, <i>Kaup.</i> | Cayenne, Brazil. Bolivia, Peru. |
| 5320. subpagana , <i>Sclat.</i> & <i>S.</i> | Guat., Costa Ric. |
| 5321. subplacens , <i>Sclat.</i> | Pallatanga. |
| 5322. griseogularis , <i>Sclat. Pr. Z. S.</i> 1858, pl. 146. 1. albiceps, p., <i>Gould.</i> | Chili. |
| 5323. pallatangæ , <i>Sclat. Pr. Z. S.</i> 1861, pl. 41. | Pallatanga. |
| 5324. placens , <i>Sclat. Ibis</i> , 1859, pl. 4. 2. implacens, <i>Sclat.</i> | Cordova. Ecuador, Peru. |
| 5325. cotta , <i>Gosse, Ill. B. of Jam.</i> pl. 45. | Jamaica. |
| 5326. fallax , <i>Sclat.</i> | " |
| 5327. <i>Rissii</i> , <i>Sclat.</i> martinica, <i>Cass.</i> | St. Thomas. Barbadoes. |
| 5328. <i>chiriquensis</i> , <i>Lawr.</i> | Chiriqui. |
| 5329. <i>Frantzii</i> , <i>Lawr.</i> | Costa Rica. |
| 5330. <i>modesta</i> , <i>Tsch.</i> albiceps, <i>Bp.</i> | Peru, Chili. |
| 5331. <i>mesoleuca</i> , <i>Cab. & H.</i> | Rio Grande. |
| 5332. <i>semipagana</i> , <i>Sclat.</i> | Bahahoyo. |
| 5333. <i>arenarum</i> , <i>Salv.</i> | Costa Rica. |
| 5334. <i>semiflava</i> , <i>Lawr.</i> | New Granada. |
| 5335. <i>incomta</i> , <i>Cab.</i> | Carthagena. |
| 5336. <i>leucophrys</i> , <i>Cab.</i> | |
| 5337. <i>brevirostris</i> , <i>Lafr.</i> | Argentina. |
| 5338. <i>stramineoventris</i> , <i>Lafr.</i> | Bolivia. |
| 5339. <i>rufiventris</i> , <i>Cab.</i> | |
| 5340. <i>rustica</i> , <i>Licht.</i> <i>obscura</i> , <i>Lafr.</i> ; Guillemini, <i>D'Orb.</i> | S. Braz., Arg. R. |
| 5341. <i>viridiflava</i> , <i>Tsch. F. P.</i> t. 9. 2. | Peru. |
| 5342. <i>elegans</i> , <i>Pelz.</i> <i>caniceps</i> , <i>Sclat.</i> | Brazil. |
| 5343. <i>spectabilis</i> , <i>Pelz.</i> | " |
| 5344. <i>cristata</i> , <i>Pelz.</i> | " |
| 5345. <i>albivertex</i> , <i>Pelz.</i> | " |

5346. *parvirostris*, *Pelz.* Brazil.
5347. *cinerea*, *Pelz.* ”
5348. *ruficeps*, *Pelz.* ”
5349. *bivittata*, *Lafr.*
5350. *affinis*, *Lund.*
5351. *littoralis*, *Nutt. & Pelz.* ”
- 1309.** *b. “MYIOZETA, Schiff.,” Bp. 1854.*
Myiozetetes, Sclat. 1859.
5352. *cayanensis*, *L. ; P. E. 569. 2.* Trinidad.
leucocephala, Müll. ; cayennensis, Tem. Cayenne.
5353. *columbianus*, *Cab. & H.* Bogota.
cayennensis, Sclat. Ecuador.
5354. *texensis*, *Giraud, B. Texas, pl. 1.* Mexico.
cayennensis, Sw. Costa Rica.
5355. *sulphurea*, *Spix, A. B. t. 20.* Upper Amazon.
peruviana, Lafr.
5356. *similis*, *Spix, A. B. t. 25.* Brazil.
trivirgata, Max. ; cayennensis, Lafr. Peru.
superciliosa, p., Bp. ; miles, Burm.
5357. *granadensis*, *Lawr.* Bogota.
5358. *guianensis*, *Cab. & H.* Bogota, Ecuador.
cayennensis, Cab.
5359. *icterophrys*, *Heine.* Porto Cabello.
5360. *marginata*, *Lawr.* Panama.
5361. *flava*, *V. O. A. S. t. 41.* Haiti.
cayanensis, p., G. R. Gr.
- 1310.** *c. LEGATUS, Sclat. 1859.*
5362. *albicollis*, *V. ; P. E. 832. 2.* Brazil, Paraguay.
legatus, Licht. ; citrina, Max. Bolivia.
circumcinctus, Sw. Dr. pl. 50.
5363. *variegata*, *Sclat.* Mex., C. Amer.,
Costa Rica.
- 1311.** *d. SUBLEGATUS, Sclat. & S. 1868.*
5364. *glabra*, *Sclat. & S. Pr. Z. S. 1868, pl. 13. 2.* Venezuela.
- 1312.** *e. EMPIDAGRA, Cab. & H. 1859.*
Suiriri, D' Orb. 1839.
5365. *suiriri*, *V. ; Voy. Beagle, pl. 14.* Paraguay.
albescens, Gould. Monte Video.
5366. *brevirostris*, *Tsch.* Peru.
2 A

1313. f. "MYIOCAPTA, Schiff.," Bp. 1854.5367. *asilus*, Schiff. *non aud.***1314.** g. RHYNCHOCYCLUS, Cab. & H. 1859.*Cyclorhynchus*, Sundev. 1835, nec Kaup, 1829.*Reich. S. A. t. 65. f. .*5368. *æquinoctialis*, Sclat.

Ecuador.

5369. *olivacea*, Tem. P. C. 12. 1.

Brazil.

sulphurescens ♀, Spix, A. B. t. 12. 2.5370. *sulphurescens*, Spix, A. B. t. 12. 1. .

,,

nuchalis, Max.5371. *brevirostris*, Cab.

Xalapa.

griseimentalis, Lawr.

Santa Fé.

5372. *cinereiceps*, Sclat.

Oaxaca, Vera Paz.

5373. *flaviventer*, Spix, A. B. t. 15. 1.

Bahia.

flaviventris, Max.5374. *fulvipectus*, Sclat.

Ecuador.

5375. *subbrunnea*, Sclat.

,,

5376. *flavo-olivacea*, Lawr.

Panama.

sulphurescens?, Sclat.5377. *mesorhyncha*, Cab.

Guatemala.

5378. *poliocephala*, Licht.

Brazil.

5379. *assimilis*, Pelz.

,,

1315. h. RAMPHOTRIGON, Bp. 1854. *Gray, 1855.**Rhynchoecylus*, p., Sclat.5380. *ruficauda*, Spix, A. B. t. 11. 2.

Cayenne.

1316. i. MYIACLEPTES, Reich. 1850.*Conopias*, Cab. & H. 1859.*Reich. S. A. t. 67. f. .*5381. *superciliosa*, Sw. Dr. 46.

Brazil.

similis, p., G. R. Gr.**1317.** j. MIONECTES, Cab. 1844.*Anomalopterus*, Schiff.?*Paroides*, Less. 1831?*Reich. S. A. t. 65. f. .*5382. *striaticollis*, Lafr.; D'Orb. Voy. A. M. t. 35. 2.

Bolivia, Bogota.

poliocephalus, Tsch. F. P. t. 10. 1.

Ecuador, Peru.

- 1318.** *k.* "PIPROMORPHA, *Schiff.*," *Bp.* 1854.
Mionectes, b, Sclat.
5383. *oleaginea, Licht.*
chloronotus, Cuv.; chloronotus, D' Orb.
 Guiana, Peru.
 Santa Fé, Bolivia.
5384. *assimilis, Sclat.*
oleaginea, Sclat.
 Coban.
 Mexico?
5385. *rufiventris, Lafr.*
 Brazil.
- 1319.** *l.* LEPTOPOGON, *Cab.* 1844.
Reich. S. A. t. 65. f.
5386. *amaurocephala, Tsch.*
 "
5387. *superciliaris, Cab.; Tsch. F. P. t. 10. 2.*
 Rio Napo.
5388. *pileata, Cab.*
amaurocephalus, Sclat.?
 Mexico, C. Amer.
 Guatemala.
5389. *poliocephala, Cab.*
 New Granada.
5390. *erythroptus, Sclat.*
 Bogota.
5391. *pæcilotis, Sclat.*
 "
5392. *flavovirens, Lawr.*
 New Granada.
5393. *peruviana, Sclat. & S.*
 E. Peru.
- 1320.** *m.* CAPSIEMPIS, *Cab. & H.* 1859.
5394. *flaveola, Licht.; Sw. Dr.* 48.
modesta, Sw.; flaviventer, p., G. R. Gr.
ranunculacea, Licht.
 Brazil.
- 1321.** *n.* PHYLLOMYIAS, *Cab. & H.* 1859.
5395. *brevirostris, Spix, A. B. t. 15. 2; P. C. 275. 3.*
asilus, Max.; virescens, Natt.
olivacea, Lafr.; boliviana, D' Orb.
 "
5396. *griseocapilla, Lafr.; Pr. Z. S. 1861, pl. 36. 2.*
 "
5397. *semifusca, Sclat.; Pr. Z. S. 1861, pl. 36. 1.*
 S. Martha.
5398. *Burmeisteri, Cab.*
brevirostris, Burm.
 Brazil.
5399. *subviridis, Natt. & Pelz.*
 "
5400. *livida, Tem. & Pelz.*
 "
- 1322.** *o.* ORNITHION, *Hartl.* 1853.
Ornithium, Cab. & H. 1859.
5401. *inermis, Hartl.*
minutus, Gm.?

1323. *p. MYIOPHANISTES, Reich. 1850.**Myiopatris, Cab. & H. 1859.**Eupsilostoma, Sclat. 1860.**Reich. S. A. t. 65. f. .*5402. *obsoleta, Tem. P. C. 275. 1.*
murina, Max.

Brazil, Bolivia.

5403. *pusilla, Cab. & H.*

Carthag., Trin.

5404. *incanescens, Max.*

Brazil.

*murinus, Spix, A. B. t. 16. 2?*5405. *—?*

Ecuador.

*pusillum, Sclat.***1324.** *q. CAMPTOSTOMA, Sclat. 1857.*5406. *imberbe, Sclat. Pr. Z. S. 1857, fig. p. 203; id. Ibis, 1859,*
pl. 14. 1.

Mexico, Trin.

5407. *flaviventre, Sclat. & S.*

Panama.

*imberbe, Lawr.***1325.** *r. TYRANNULUS, V. 1816.**Reich. S. A. t. 66. f. .*5408. *elata, Lath.; P. E. 708. 2; Spix, A. B. t. 8^a. 2; V. Gal.*
des Ois. t. 71.

Brazil.

5409. *semiflava, Sclat.*

Vera Paz.

5410. *flavifrons, Cab. & H.*

New Granada.

5411. *brunneicapilla, Lawr.*

Panama.

1326. *s. TYRANNISCUS, Cab. & H. 1859.*5412. *flavidifrons, Sclat.*5413. *chrysops, Sclat.*

Ecuador.

5414. *villissima, Sclat. & S. Ibis, 1859, pl. 4. 1.*

Vera Paz.

5415. *parva, Lawr.*

Panama.

5416. *nigricapilla, Lafr.*

New Granada.

5417. *cinereiceps, Sclat.*

Pallatanga, Sta.

5418. *gracilipes, Sclat. & S.*

Fé, Veragua.

E. Peru.

1327. PITANGUS, Sw. 1827.*Tyrannus, V. 1816, nec Cuv.**Muscicapa, Tem. 1820. Saurophagus, Sw. 1831.**Muscipeta, Flem. 1822. Apolites, Sundev. 1836.**Sw. C. of B. f. 16; G. of B. i. p. 246, pl. 60. f. 3; Reich. S. A.*
*t. 66. f. .**a. PITANGUS.*5419. *sulphuratus, L.; P. E. 249, 296; V. O. A. t. 47.*

Brazil, Bolivia.

leucogaster, Bodd.; flavus, Gm.

Argentina.

magnanimus, V.

5420. **bellicosus**, *V.*
sulphuratus, *D' Orb.* bolivianus, *Lafr* Brazil, Bolivia.
5421. **caudifasciatus**, *D' Orb. Voy. Cuba*, t. 12; *Gosse, Ill. Jam. B.* pl. 44. Cuba, Jamaica.
5422. **lictor**, *Licht.*; *G. R. Gr. & M. G. B.* pl. 62. Brazil.
flavus, *Thunb.*; cayanensis, *Max.*
pusillus, *Sw.*; Swainsoni, *Gould?*
5423. **rufipennis**, *Lafr.* Trinidad.
erythropterus, *Kaup.*
5424. **Maximiliani**, *Cab. & H.* Brazil.
pitangua, *Max.*; sulphuratus, *Burm.*
5425. **Derbianus**, *Kaup*; *Pr. Z. S.* 1851, pl. 36. Mexico.
sulphuratus, *Sw.*; guatimalensis, *Lafr.*
5426. **albovittatus**, *Lawr.* Panama.
5427. **Taylori**, *Sclat.* Porto Rico.
5428. **bahamensis**, *Bryant.* Bahamas.
caudifasciatus, *p., Bryant.*
5429. **parvus**, *Pelz.* Brazil.
- 1328.** *b. SIRSTES*, *Cab. & H.* 1859.
Tyrannula, *p., Sw.*
5430. **sibilator**, *V.* "
sibilans, *Licht.*
- 1329.** *c. MYIODYNASTES*, *Bp.* 1854.
Tyrannula, *Sw.* 1837, *nec* 1827.
5431. **luteiventris**, *Sclat.* Mexico.
audax, *Sclat.*; luteiventer, *Bp.* Costa Rica.
5432. **solitarius**, *V.* Brazil, Peru.
audax, *Sw.* Bolivia.
5433. **maculatus**, *Müll.*; *P. E.* 453. 2. Cayen., Tobago.
audax, *Gm.*; regius, *Thunb.* Venez., Trin.
5434. **nobilis**, *Sclat.* N. Gran., Ecuad.,
Veragua.
- 1330.** *d. HYPERMITRES*, *Cab.* 1861.
Myiodynastes, *p., Sclat.*
Megarhynchus, *p., Cab. & H.*
5435. **chrysocephalus**, *Tsch. F. P.* t. 8. 1. Peru, Ven., Bog.,
Pallatanga.
5436. **atrifrons**, *Sclat.* Guayaquil.
5437. **superciliosus**, *Lawr.* Costa Rica.
chrysocephalus, *p.?, Salv.*
hemichrysus, *Cab.?*

1331. *e. KAUPORNIS, Bp. 1854.**Myiarchus, p., Cab.***5438. stolidus, Gosse, Ill. Jam. B. pl. 42.**

Jamaica.

*crinitus, p., Strickl.**var. lucaysiensis, Bryant.*

Bahamas.

var. dominicensis, Bryant.

St. Domingo.

var. bahamensis, Bryant.

Bahama I.

var. Sagrae, Gundl.; Phæbe, D' Orb.

Cuba.

Subfam. V. **Tyranninæ, Sw. 1831.***Tyrannina (Sw.), Vig. 1825.***1332. MEGARHYNCHUS, Thunb. 1824.***Scaphorhynchus, Max. 1831.**Tyrannus, Cuv. 1817.**Platyrrhynchus, Tem. 1820, nec Desm. 1805.**Megastoma, Sw. 1837, nec Kirby, 1825.**G. of B. i. p. 245, pl. 60. f. 6; Reich. S. A. t. 66. f. .***5439. pitangua, L.; P. E. 212.**

Brazil.

*carnivorus, V.; sulphuratus, Max.**flaviceps, ruficeps et atriceps, Sw.***5440. mexicanus, Lafr.**

Mexico, Guat.,

Costa Rica.

5441. chrysogaster, Sclat.

Ecuador.

1333. MUSCIVORA, Cuv. 1799-1800.*Moucherolles, Cuv. 1797-98. Todus, Bonn. 1790, nec L. 1766.**Onychorhynchus, Fisch. 1814.**Muscipeta, Cuv. 1817, nec Koch, 1816.**Trepsiphone, Glog. 1827.**Megalophus, Sw. 1837.**Sw. C. of B. f. 13; G. of B. i. p. 257, pl. 63. f. 5; Reich. S. A. t. 67. f. .**a. MUSCIVORA.***5442. cristata, Bodd.; Naturf. xvii. t. 1.**

Guiana, Peru.

*Castelnaudi, Dev.***5443. Swainsoni, Pelz.; Sw. Dr. 51, 52.**

S.E. Brazil.

*regia, Max.**regius, Sw. Flyc. pl. 15.***5444. mexicana, Sclat.**

Mexico, Guat.

5445. occidentalis, Sclat.

Ecuador.

5446. coronata, Müll.; P. E. 289.

Cayenne.

*regia, Gm.***1334. b. HIRUNDINEA, Lafr. 1837.***Phoneutria, Reich. 1850.***5447. bellicosa, V.; Ibis, 1869, pl. 5. 1.**

Peru, Brazil.

ferrugineus, Cab.

Parag., Bogota.

5448. *ferruginea*, *Gm.*; *Ibis*, 1869, pl. 5. 2. Cayenne.
 5449. *rupestris*, *Max.*; *Ibis*, 1869, pl. 5. 3. S.E. Brazil.
 hirundinaceus, *Spix*, *A. B. t.* 13. 1.
 ferruginea, *Burm.*; *pyrrhophæus*, *V.?*

1335. MYIOBIUS, *G. R. Gr.* 1838.

Tyrannula, *Sw.* 1827, *nec* (us) *V.* 1816.
Platyrrhynchus, *Spix*, 1824, *nec* *Desm.* 1805.
G. of B. i. p. 248; *Reich. S. A. t.* 67. f.

a. MYIOBIUS.

5450. **xanthopygius**, *Spix*, *A. B. t.* 9. 1. Brazil.
 barbatus, *Sw. Zool. Ill.* pl. 116.
 5451. **sulphureipygius**, *Sclat.* Mexico.
 citrinopygus, *Cab. & H.*
 5452. **villosus**, *Sclat.* R. Napo.
 5453. **barbatus**, *Gm.*; *P. E.* 830. Guiana, Ecuad.
 5454. **capitalis**, *Salv.* Costa Rica.
 5455. **atricauda**, *Lawr.* Panama.
 barbatus, *Lawr.*
 5456. **rufescens**, *Salvad.*; *Pr. Z. S.* 1866, pl. 11. 1. Brazil.
 Nationi, *Sclat.* Peru, Lima.
 5457. **latirostris**, *Verr.* New Granada.

1336. b. PLANCHESIA, *Bp.* 1859.

5458. **arausiaca**, *Müll.*; *P. E.* 574. 1. Cayenne.
 fusca, *Bodd.*; *fuliginosa*, *Gm.*

1337. c. CEPHALANIUS, *Bp.* 1854.

5459. **superciliosus**, *Gm.* — ?

1338. d. CAPNIXUS, *Bp.* 1854.

5460. **fumigatus**, *Lafr.* Bolivia.

1339. e. CARIORNIS, *Bp.* 1854.

Pyrrhomyias, *Cab. & H.* 1859.
G. of B. i. pl. 60. f. 1.

5461. **cinnamomeus**, *Lafr.*; *D'Orb. Voy. A. M. t.* 34. 1. New Granada.
 Vieillotii, *Lafr.*; *pyrrhopterus*, *Hartl.* Bolivia.
 5462. **ornatus**, *Lafr. Pr. Z. S.* 1854, pl. 66. 2. Bogota.
 5463. **erythrurus**, *Licht.*; *Cab. Orn. Not. t.* 5. 1. Ecuador.
 cinnamomea, *Lawr.*
 5464. **phoenicurus**, *Sclat. Pr. Z. S.* 1854, pl. 66. 1. Rio Napo.
 5465. **vieillotoides**, *Lafr.* Venezuela.
 Heinei, *Cab. & H.*; *vieillotides*, *Sclat.*

5466. *bellus*, *Sclat.* Bogota.
 5467. *flavicans*, *Sclat.* "
 5468. *pulcher*, *Sclat. Pr. Z. S.* 1866, pl. 11. 2. Ecuador.
- 1340.** *f. MYIOPHOBUS*, *Reich.* 1850.
Reich. S. A. t. 67. f. .
5469. *fasciatus*, *Müll.*; *P. E.* 574. 3; *Spix, A. B. t.* 11. 2; *Sw. C. of B.* pl. 53. Brazil, Bolivia.
nævia, *Bodd.*; *virgata*, *Gm.*
chrysoceps, *Spix*; *flammiceps*, *Tem. P. C.* 144. 3.
auriceps, *Gould*; *ferruginea*, *Sw.*
rufolineata, *Cuv.*
5470. *crypterythrus*, *Sclat.* Esmeralda.
 5471. *cryptoxanthus*, *Sclat.* Ecuador.
 5472. *pæcilurus*, *Sclat.* Bogota.
 5473. *pæcilocercus*, *Pelz.* Brazil.
- 1341.** *g. EMPIDCHANES*, *Sclat.* 1862.
Myiophobus, *Cab. & H. nec Reich.*
5474. *pileatus*, *Müll.*; *P. E.* 574. 2. Braz., L. Amaz.
oliva, *Bodd.*; *agilis*, *Gm.*
bimaculata, *Lafr.*
5475. *fuscatus*, *Max.* Brazil.
 5476. *Euleri*, *Cab.* Cantagallo.
 5477. *albirostris*, *Cab.* Carthagenia.
 5478. *argentinus*, *Cab.* Buenos Ayres.
 5479. *fringillaris*, *Licht.* Rio Janeiro.
- 1342. PYROCEPHALUS**, *Gould*, 1838.
Tyrannus, 4 div., *Sundev.* 1836.
G. of B. i. p. 249, pl. 60. f. 8; *Reich. S. A. t.* 65. f. .
- a. PYROCEPHALUS.*
5480. *rubineus*, *Bodd.*; *P. E.* 675. 1; *Nat. Misc.* pl. 569; *Cass. B. Cal.* pl. 17. Trinidad, Braz.
coronata, *Gm.* R. Grande, Mex.
5481. *mexicanus*, *Sclat.*; *Cass. B. of Calif.* pl. 18. Mexico.
coronatus, *Sw.*; *rubineus*, *Cass.*
nanus, *Woodh.*
5482. *parvirostris*, *Gould, Voy. Beagle*, pl. 6. La Plata.
coronatus et strigilata, *Max.*
5483. *obscurus*, *Gould.* Lima, Peru.
atropurpureus, *Cab. ?*; *rubineus*, *p., Sclat. & S.*
5484. *nanus*, *Gould, Voy. Beagle*, pl. 7. Galapagos I.
 5485. *dubius*, *Gould.* "

5486. *occidentalis*, *Sclat.*
nanus, *Sclat.* W. co. of N. Am.
- 1343.** *b. MITREPHORUS*, *Sclat.* 1859.
5487. *phæocercus*, *Sclat. Ibis*, 1859, pl. 14. 2.
affinis, *Sw.*? Cordova, V. Paz.
5488. *cinnamomeus*, *Sw.*; *Giraud, B. of Texas*, pl. 2. 2.
fulvifrons, *Giraud.* Mexico.
rubicunda, *Licht.*
pallescent et pygmæus, *Coues.* Arizona.
5489. *aurantiiventris*, *Lawr.* Costa Rica.
- 1344.** *c. EMPIDONAX*, *Cab.* 1855.
5490. *pusillus*, *Sw. & Rich. Faun. B.-Am.* pl. 46. 1; *Aud. B. A.*
i. pl. 66. E. of U. States, Mexico.
5491. *minimus*, *Baird*; *Aud. B. A.* vii. pl. 491. Penns., C. Amer.
5492. *acadicus*, *Gm.*; *Wils. A. O.* pl. 13. 3; *Aud. B. A. i.* pl. 62.
querula, *Wils.*; *virescens*, *V.*? E. of U. States.
Bolivia.
5493. *flaviventris*, *Baird*; *Aud. B. A.* vii. pl. 490.
pusilla, *Penn.* E. of U. States.
difficilis, *Baird, B. N. A.* pl. 76. 2.
5494. *Bairdii*, *Sclat.* C. America.
5495. ? *hypoxanthus*, *Baird.*
flaviventris, *p.*, *Sclat.* Vera Paz.
5496. *magnirostris*, *Gould, Voy. Beagle*, pl. 8.
5497. *albigularis*, *Sclat. & Salv.* C. America.
5498. *griseigularis*, *Lawr.*
Bairdii, *Lawr.* New Granada.
5499. *Hammondii*, *De Vesey; Baird, B. N. A.* pl. 76. 1. N. W. Bound
Fort Tejon.
5500. *Wrightii*, *Baird, B. N. A.* pl. 49. 3.
obscurus, *Baird.* Calif., Texas.
5501. *obscurus*, *Sw.* Mexico.
virens, *p.?*, *G. R. Gr.*
5502. *bahamensis*, *Bryant.* Bahama.
5503. *flavescens*, *Lawr.* Costa Rica.
5504. *pectoralis*, *Lawr.* Panama.
5505. *Cabanisi*, *Léot.* Trinidad.
- 1345.** *d. CONTOPUS*, *Cab.* 1855.
- Tyrannula*, *p.*, *Sw.*
5506. *virens*, *L.*; *V. O. A. S. t.* 39; *Wils. A. O.* pl. 13. 5; *Aud.* U. States, Mex.,
B. A. i. pl. 64. Costa Rica.
querula, *V.*; *rapax*, *Wils.*; *obscura*, *Sw.* New Granada.

5507. **borealis**, *Sw.*; *Faun. B.-Am.* pl. 35; *Aud. B. A. i.* pl. 58. Calif., Mexico.
Cooperi et inornata, *Nutt.* Greenland.
5508. **mesoleucus**, *Sclat.* Rocky Mts.
Cooperi, p., *Cab.*?; borealis, p., *Sclat.*
5509. **pertinax**, *Cab. & H.*; *Elliot, B. N. A.* pl. Xalapa.
borealis, *Sclat.*
5510. **Richardsoni**, *Sw. Faun. B.-Am.* pl. 45. low. fig.; *Aud.*
B. A. i. pl. 61. Mexico, Guatem.
sordidulus, *Sclat.*; atra, p., *G. R. Gr.* New Granada.
5511. **bogotensis**, *Bp.* Bogota, Ecuador.
5512. **plebeius**, *Cab. & H.* Costa Rica.
Richardsoni, p., *Sclat.*
5513. **lugubris**, *Lawr.* "
5514. **brachytarsus**, *Sclat.* Mexico.
5515. **Traillii**, *Aud. B. A. i.* pl. 65. E. of U. States.
virens, *Aud.* S. Mexico.
- 1346.** e. **SYRICHTHA**, *Bp.* 1854.
Myiochanes, *Cab. & H.* 1859.
Contopus, p., *Cab.*
5516. **ardesiacus**, *Lafr.* Columbia.
5517. **cinereus**, *Spix, A. B. t.* 13. 2. Brazil.
curtipes, *Sw. Dr.* pl. 54; cana, *Cuv.* Ecuador.
sibilator, p., *G. R. Gr.*
- 1347.** f. **MYIONAX**, *Cab. & H.* 1859.
Myiarchus, a, *Cab. & H.* 1859.
Tyrannula, p., *Sw.*
5518. **crinitus**, *L.*; *Wils. A. O.* pl. 13. 2; *V. O. A. S. t.* 45; N. America,
Aud. B. A. i. pl. 57. Costa Rica.
virginia, *Müll.*; ludoviciana, *Gm.* Parag., Argent.
irritabilis, *V.*
- 773 5519. **mexicanus**, *Kaup*; *Baird, B. N. A.* pl. 5. Mexico.
cincrescens, *Lawr.*
5520. **validus**, *Cab.* Jamaica.
crinitus, *Gosse*; *Gossii, Bp.*
5521. **Cooperi**, *Kaup.* Mex., Guatemala.
5522. **erythrocerus**, *Sclat.* Venezuela.
crinitus, p., *Hartl.*; irritabilis, p., *Bp.* Dominica.
ferox ♂, *Burm.*
- 1348.** g. **ONYCHOPTERUS**, *Reich.* 1850.
Myopatis, *Cab.*?
Myiarchus, p., *Cab. & H.*
Reich. S. A. t. 65. f. .
5523. **tuberculifer**, *Lafr.*; *D' Orb. Voy. A. M. t.* 32. 1, 2. Bolivia.

1349. *h. MYIARCHUS, Cab. 1844.*

Despotina, *Kaup*, 1851.

5524. **Swainsoni**, *Cab. & H.*
ferox, Sw.

Bolivia, Brazil.
Peruv. Andes.

5525. **Lawrencei**, *Giraud, B. Texas*, pl. 2; *Baird, B. N. A.*
pl. 47. 3.
rufomarginatus, Cab. & H.
mexicanus, Sclat.

N.E. Mexico.
Costa Rica?

5526. **nigriceps**, *Sclat.*

Ecuador.

5527. *tyrannulus, Müll.*; *P. E.* 571. 1.
aurora, Bodd.; *ferox, Gm.*; *flaviventris, Steph.*

Para, Bogota.
Trinidad, Tobago.

5528. *gracilirostris, Pelz.*

Brazil.

5529. *nigricapillus, Cab.*
Lawrencei, Cab.

Costa Rica.

5530. *phæocephalus, Sclat.*

Ecuador.

5531. *panamensis, Lawr.*

Panama.

5532. *venezuelensis, Lawr.*

Venezuela.

5533. *fasciatus, Landb.*

Mendoza.

5534. *cantans, Pelz.*

Brazil.

5535. *tricolor, Natt. & Pelz.*

"

1350. *i. BLACICUS, Cab. 1855.*

5536. **tristis**, *Gosse, B. of Jam.* pl. 41.

Jamaica.

5537. **pallidus**, *Gosse, B. of Jam.* pl. 40.
cerviniventris, Salvad.

"

5538. *caribæus, D' Orb.*
var. hispaniolensis, Bryant.

Cuba.
Bahamas.

1351. *j. EMPIDIAS, Cab. & H. 1859.*

Tyrannula, Sw. 1831, *nec* 1827.
Myiobius, G. R. Gr. 1847, *nec* 1838.
Aulanax, p., Cab. 1856.

5539. **fuscus**, *Gm.*; *Wils. A. O.* pl. 13. 4; *V. O. A. S.* t. 40;
Catesby, Car. pl. 53; *Aud. B. A. I.* pl. 63.
nuneiola, Wils.; *Phœbe, Lath.*
atra, Gm.

E. of N. Amer.
Mexico.

1352. *k. EMPIDONOMUS, Cab. & H. 1859.*

Tyrannus, Reich. 1850.
Reich. S. A. t. 66. f. .

5540. **varius**, *V.*; *Spix, A. B.* t. 31.
rufina, Spix; *ruficauda, Max.*
leucotis, Sw.; *Tschudii, Hartl.*

Brazil.
R. Grande.

1353. TYRANNUS, *Cuv.* 1799-1800.Tyrans, *Cuv.* 1797-98. *Drymonax*, *Glog.* 1827.Tyrannus, 2 div., *Sundev.* 1837.*Muscicapa*, *Aud.* 1838.*G. of B.* i. p. 246.

a. TYRANNUS.

5541. **carolinensis**, *Gm.*; *V. O. A. S.* t. 44; *P. E.* 676; *Wils.**A. O.* pl. 13; *V. Gal. des Ois.* t. 133; *Aud. B. A.* i. pl. 56.

E. of U. States.

tyrannus, *L.*; rex, *Bartr.*; pipiri et intrepidus, *V.*

Texas, Califor.

animosa, *Licht.*; leucogaster, *Steph.*tyrannus, var. carolinensis et ludovicianus, *Gm.*5542. **aurantio-atro-cristatus**, *Lafr.*

Bolivia.

ynca, *Licht.*; inca, *Sclat.*5543. **niveigularis**, *Sclat.*

Ecuador.

5544. **antillarum**, *Bryant.*

Porto Rico.

5545. ? **auroflammus**, *Burm.*

Mendoza.

inca, p. ?, *Pelz.*5546. **Bairdi**, *Gamb.*

California.

1354. b. **DIOTES**, *Reich.* 1850.Tyrannus, p. ?, *Cab. & H.**Reich. S. A.* t. 66. f. .5547. **pyrrholæma**, *Reich.*

Mexico.

1355. c. **LAPHYCTES**, *Reich.* 1850 et *Cab. & H.* 1859.Satellus, *Reich.* 1850 ? Tyrannus, *Burm.* 1850.*Reich. S. A.* t. 66. f. .5548. **melancholicus**, *V.*; *Spix*, *A. B.* t. 19; *Baird*, *B. of N. A.* pl. 49. 2.

Paraguay.

despotes, *Licht.*; furcata, *Spix.*

Brazil, Argent.

crudelis, *Sw.*; albogularis, *Burm.*

Bolivia.

5549. **satrapa**, *Licht.*

Guiana.

melancholicus, *Cab.*

Carac., C. Rica.

5550. **vociferans**, *Sw.*; *Ann. Lyc. N. Y.* 1852, pl. 3. 2; *Baird*, *B. of N. A.* pl. 48.

Mexico.

Cassinii, *Laur.*; verticalis, p., *G. R. Gr.*5551. **verticalis**, *Say*; *Bp. A. O.* pl. 11; *Aud. B. A.* i. pl. 54.

W. of N. Amer.,

California,

5552. **Couchii**, *Baird.*

N.E. Mexico.

5553. **apolites**, *Cab.*

— ?

5554. **albogularis**, *Pelz.*

Brazil.

1356. d. ? **SATELLUS**, *Reich.* 1859.Laphyctes, p., *Cab. & H.* 1859.*Reich. S. A.* t. 66. f. .5555. ? **satelles**, *Licht.*

Mexico.

vociferans, p., *Sclat.*

1357. *e. MELITTARCHUS, Cab. 1855.*

5556. *crassirostris, Sw.* Mexico.
 5557. *dominicensis, Gm.; P. E. 537; Aud. B. A. i. pl. 55.* Haiti, Cuba.
 tyrannus, var. dominicensis, Gm.; griseus et matutinus, V. Jamaica.
 tiriri, Tem.
 5558. *magnirostris, Cab.; D'Orb. Voy. Cuba, t. 13.* Cuba.
 matutinus, p., V.; nigriceps, p., Cab.
 5559. ? *rostratus, Sclat.* Trinidad.
 magnirostris, Sclat. Guiana.
 5560. ? *sulphuraceus, Hartl.* Cuba.

1358. MILVULUS, Sw. 1827.

- Tyrannus, V. 1807, et Sundev. 1835.*
Despotes, Reich. 1850.
Muscivora, G. R. Gr. 1840, nec Cuv.
G. of B. i. p. , pl. 60. f. 5; Reich. S. A. t. 66. f. .
 5561. *tyrannus, L.; P. E. 571. 2; Bp. A. O. pl. 1. 1; V. O.* Mex., Bolivia,
 A. S. t. 43. Costa Rica.
 savana, V.; monachus, Hartl. Parag., Argent.,
 Patag., Braz.
 5562. *violentus, V.* Brazil, Para.
 tyrannus, Max.; phoenoleuca, V.; nunciolus, Steph.; savana, Sw.
 5563. *forficatus, Gm.; P. E. 677; Bp. A. O. pl. 2. 1.* Mexico, C. Rica.
 mexicanus, Steph.
 5564. *rufitorques, Hartl.*

FAM. XVIII. **AMPELIDÆ, Sw. 1831.**Subfam. I. **Ampelinæ, Sw. 1831.**

Ampelidinae, Bp. 1847.
Bombycillinae, Sw. 1831.

1359. AMPELIS, L. 1735.

- Bombycilla, V. 1816. Bombycivora, Tem. 1815.*
Bombyciphora, Mey. 1815. Corvus, p., Ill. 1811.
Sw. C. of B. f. 141, 220 a; G. of B. i. p. 278, pl. 68. f. 1; Reich.
 S. A. t. 89. f. .
 5565. *garrulus, L.; P. E. 261; Naum. Vög. t. 59; Gould, B. E.* Europe.
 pl. 160; Bp. A. O. pl. 16. 2. N. America.
 poliocælia, Mey.
 5566. *cedrorum, V. O. A. S. t. 57; id. Gal. des Ois. t. 118;* "
 Wils. A. O. pl. 7. 1. C. America.
 garrulus, var. β, L.; carolinensis, Gosse; americana, Wils.
 5567. *phoenicoptera, Tem. P. C. 450; Schl. F. J. t. 44; id. Handl.*
 Dierk. t. 3. 27; id. De Dierk. fig. p. 150. Japan.
 japonicus, Siebl.

Subfam. II. *Ptilogonydinæ*, *Sclat.* 1862.

Tyranninæ, p., *Sw.* 1837. *Campephaginæ*, p., *G. R. Gr.* 1840.
Bombycillinæ, p., *Cab.* 1847. *Ampelinæ*, p., *Bp.* 1854.

1360. PTILOGONYS, 1824,

et Ptiliogonatus, 1827, *et Ptilogonys*, 1837, *Sw.*
Ptilogonys, *G. R. Gr.* 1840. *Hypothymis*, *Licht.* 1831, *nec*
Boie, 1826.

Lepturus, *Sw.* 1838.

G. of B. i. p. 281, pl. 69. f. 1; *Reich. S. A. t.* 89. f. ; *Baird*,
Rev. Am. B. fig. p. 410.

a. PTILOGONYS.

5568. **cinereus**, *Sw. Zool. Ill.* pl. 62. 120; *P. C.* 452.
chrysorrhea, *Tem.*

Guatemala.
 Mexico.

5569. **caudatus**, *Cab.*; *Sclat. & S. Exot. Orn.* pl. 6.

Costa Rica.

1361. b. PHAINOPEPLA, *Sclat.* 1858.

Cichlopsis, p., *et Phænopepla*, *Baird.*

Baird, *Rev. Am. B.* fig. p. 415.

5570. **nitens**, *Sw.*; *Cass. B. of Calif.* pl. 29.
galeatus, *Less.*

Mexico.

1362. c. MYIADESTES, *Sw.* 1838.

Myadestes, *Lafr.* 1839.

Reich. S. A. t. 68. f. ; *Baird*, *Rev. Am. B.* fig. p. 418.

5571. **solitarius**, *Baird*; *G. R. Gr. & M. G. B.* pl. 69.
armillatus, *Gosse.*

Jamaica.

5572. **Townsendii**, *Aud. B. N. Am. i.* p. 69.

N.W. America.

5573. **unicolor**, *Sclat. & S. Exot. Orn.* pl. 25.

C. Amer., Guat.,
 Cordo., Coban.

5574. **obscurus**, *Lafr.*; *Sclat. & S. E. O.* pl. 26.

N. Amer., Mex.,
 Guat., Tres-
 Marias I.

5575. **Elizabeth**, *Lemb.*; *Sclat. & S. E. O.* pl. 28.
Elizabethæ, *Sclat. & S.*

Cuba.

5576. **melanops**, *Salv. Pr. Z. S.* 1864, pl. 35.

C. Rica, Verag.

5577. *armillatus*, *V. O. A. S. t.* 42.

Antil., Martiniqu.

5578. *ralloides*, *D'Orb.*; *Sclat. & S. Ex. Orn.* pl. 27.
armillatus, *Lafr.*; *griseiventer*, *Tsch.*
venezuelensis, *Sclat.*

Bolivia.

Ecuador, Peru.

5579. *leucotis*, *Tsch. F. P. t.* 7. 1.

Peru.

5580. *genibarbis*, *Sw. Flyc.* pl. 13.

Windward I.

1363. d. SERICOLIUS, *Bp.* 1854.

5581. ? *cinereus*, *Bp.*

1364. *e. TURDAMPELIS, Less. 1844.*

Cichlopsis, Cab. 1850. Myiaticichla, Bp. 18 .
Baird, Rev. Am. B. fig. p. 433.

5582. **leucogonys**, *Lath. ; Sclat. & S. Exot. Orn. pl. 19.* Brazil.
leucotis et ochrata, Bp.
brunneus, Freyr.
lanioides et rufococcyx, Less. ?

1365. *f. PLATYCICHLA, Baird, 1864.*

Cichlopsis?, Baird.
Baird, Rev. Am. B. fig. p. 436.

5583. **brevipes**, *Baird.*

FAM. XIX. **COTINGIDÆ, Bp. 1849.**

Pipridæ, p., Vig. 1825.

Subfam. I. **Tityrinæ, G. R. Gr. 1841.**

Tyrannina, p., Vig. 1825. Tityranæ, G. R. Gr. 1840. Psarianæ, Sw. 1837.

1366. TITYRA, V. 1816.

Psaris, Cuv. 1817. Becardia, Rafinq. 1815?
Pachyrhynchus, Wagl. 1822.
Megarhynchus, p., Thunb. 1824.
G. of B. i. p. 253 ; Reich. S. A. t. 70. f. .

a. TITYRA.

5584. **cayana**, *L. ; P. E. 304 & 377 ; V. Gal. des Ois. t. 134.* Cayenne.
cayanus, var. nævius, Gm. Surinam.
melanocephalus, Hahn. Guiana.
cinerea, V. ; virgatus, H. Smith. New Granada.
cayanensis et guianensis, Sw. Bolivia.
cayanus, var. a, Thunb.
5585. **brasiliensis**, *Sw. ; Spix, A. B. t. 44. 2.* Brazil.
cayanus, var. β, et striatus, Thunb.
cayanus, Lafr. ; maximus, Kaup.
5586. **personata**, *Jard. & S. I. O. pl. 24.* Mex., Columbia.
mexicana et tityroides, Less. Ecuæ., Cay., Peru.
5587. **semifasciata**, *Spix, A. B. t. 44. 2.* Para, Bolivia.
personata, p., G. R. Gr. Ucayali.
5588. **intermedia**, *Cab. & H.* Para.
cayanus, Spix, A. B. t. 44. 1 ?

1367. *b. ERATOR, Kaup, 1851.*

Exetastus, Bp. 1854. Exetastes, Cab. & H. 1859.
G. of B. i. pl. 60. f. 12.

5589. **inquisitor**, *Olf.*; *Sw. Flyc.* pl. 3; *id. Z. Ill.* pl. 35. Brazil, Bolivia.
 cayanus, var. γ et δ , *Thunb.*
 erythrogenys, *Selby*; inquisitrix, *Cab.*
 Jardinii, *Natterii*, et *Selbii*, *Sw.*
 New Granada.
5590. **albitorques**, *Dubus*; *Pr. Z. S.* 1851, pl. 37 & 38. E. Peru, Oaxaca.
 Fraseri, *Kaup.*
 New Granada.
5591. **albinucha**, *Cab. & H.* Brazil.
5592. **leucura**, *Natt. & Pelz.* "
- 1368.** c. **HADROSTOMUS**, *Cab. & H.* 1859.
 Pachyrhamphus, *Kaup*, 1851, nec *Gr.* 1838.
 Platypsaris, a, p., *Sclat.* 1857, nec *Bp.* 1854.
5593. **atricapilla**, *V.*; *Spir.* A. B. t. 46. 1; *Sw. Z. Ill.* pl. 41. Brazil, Bolivia.
 rufa, *V.*; *validus*, *Licht.*; *cinerascens*, *Spir.*
 cristatus, *Sw.*; *pileata*, *Jard. & S.*
 strigatus et megacephalus, *Sw.*
 roseicollis ♀, *D'Orb.*; *affinis*, *Less.*
5594. **aglaia**, *Lafr.*; *Ibis*, 1859, pl. 13; *Baird, B. N. A.* pl. 47. 1. Mexico.
 minor, *Burm.*; *affinis*, *Elliot.*
 Nicaragua.
5595. **niger**, *Gm.*; *G. R. Gr. & M. G. B.* pl. 63. Jamaica.
 aterrimus, *Lafr.*; *leuconotus*, *G. R. Gr.*
 nigrescens, *Cab.*
5596. **homochroa**, *Sclat.* Ecuador.
 ? *aglaia*, var., *Sclat.*
5597. **minor**, *Less.*; *Jard. & S. I. O.* pl. 28. Cayenne.
 roseicollis, *Jard. & S.*; *pectoralis*, *Sw.*
 New Granada.
5598. *roseicollis*, *Lafr.* Bolivia.
5599. ? *albiventris*, *Laur.* W. Mexico.
 aglaia, p., *A. Newt.*
- 1369.** d. **PLATYPSARIS**, *Bp.* 1854.
 Platypsaris, a, p., *Sclat.* 1857.
5600. **latirostris**, *Bp.* Vera Paz.
- 1370.** e. **PACHYRAMPHUS**, *G. R. Gr.* 1838.
 Pachyrhynchus, p., *Spir.* *Chloropsaris*, *Kaup*, 1852.
 Reich. S. A. t. 70. f. .
5601. **viridis**, *V.*; *Spir.* A. B. t. 45. 2; *Sw. Z. Ill.* pl. 32; *id. Flyc.* pl. 4. S.E. Brazil.
 Cuvieri, *Sw.*; *Dupontii*, *V.*; *nigriceps*, *Licht.*
 Vieillotii, *Jard. & S.*; *armiger*, *Cuv.?*
5602. **cinerea**, *Bodd.*; *P. E.* 687. 1. Cayenne.
 eques, *Bodd.*; *P. E.* 831. 1. S. Martha.
 aurantia et atricapilla, *Gm.* Trinidad.
 simplex, *Less.*; *parinus*, *Kaup?*
 griseus, *Sclat.*; *mitratus*, *Licht.*
 rufescens, *Spir.*; *leucogaster*, *Sw.*

5603. **spodiurus**, *Sclat.* Ecuador.
5604. **surinamus**, *L.*; *Jard. & S. Contr. Orn.* 1848, pl. 11. Cayenne.
melanoleucus ♂, *Cab.*
dimidiatus, *De Fil.*
5605. **cinnamomeus**, *Laur.* Panama.
- 1371.** *f.* **PLATYRHYNCHUS**, *Spix*, 1824.
Psaris, *Bp.* 1850. *Zetetes*, *Cab.* 1859.
Pachyrhamphus, *b*, *Sclat.*, et *P. d*, *Sclat.* 1857.
5606. **polychroptera**, *V.*; *Spix*, *A. B. t.* 43. 2. Rio Grande.
variegatus, *Spix*; *castanea*, *Jard. & S. I. O.* pl. 10. 2. Brazil.
splendens et aurantia, *Max.*
ruficeps et Spixii, *Sw.*
melanoleucus ♀, *Cab.*
rufescens, *Sclat.*
marginatus tristis, *Kaup.*
5607. **niger**, *Spix*, *A. B. t.* 45. 1. Cayenne, Brazil.
nigriventris, *Sclat.* Caraccas.
5608. **cinereiventris**, *Sclat.* Santa Martha.
- 1372.** *g.* **BATIMIDURUS**, *Cab.* 1847.
Pachyrhamphus, *c*, *Sclat.*
Reich. S. A. t. 71. f. .
5609. **major**, *Cab.*; *Baird*, *B. N. A.* pl. 47. 2. Mexico, Guatem.
marginatus major, *Kaup.*
marginatus, *Sclat.*
5610. **atricapilla**, *Gm.*; *Merr. Begtr.* t. x.; *D'Orb. Voy. A. M.* t. 31. Braz., Up. Amaz.
marginatus, *Licht.*; *Swainsoni*, *Jard. & S.* Bolivia.
albifrons, *Sw.*; *marginatus minor*, *Kaup.*
5611. **albogriseus**, *Sclat.* N. Grana., Ecua.
5612. **rufus**, *Bodd.*; *P. E.* 453. 1; *Jard. & S. I. O.* pl. 10. 2; Brazil.
Spix, *A. B. t.* 46. 2.
rufescens, *Gm.*; "castanea, *Jard. & S.*" *Cab.*
aurantia, *Max.*; *ruficeps*, *Sw.*; *melanoleucus*, *p.*, *Cab.*
5613. **dorsalis**, *Sclat.* Bogota.
dorsocinereus, *Sclat.*? Quito.
leucopygius, *Kaup.*
- 1373.** *h.* **CALLOPSARIS**, *Bp.* 1854.
Pachyrhamphus, *d*, *Sclat.*
5614. **versicolor**, *Hartl.* Bogota.
squamatus, *Lafr.*

Subfam. II. **Cotinginæ**, Bp. 1849.

Ampelinæ et Bombycillinæ, Sw. 1837.

1374. PHIBALURA, V. 1816.Chelidis, *Glog.* 1827. Amphibolura, *Cab.* 1847.*Sw. C. of B. f.* 142, 219, 220, c; *G. of B. i. p.* 277, pl. 68. f. 3;*Reich. S. A. t.* 89. f. .5615. **flavirostris**, V.; *P. C.* 118; *V. Gal. des Ois. t.* 74; *Sw. Zool. Ill. pl.* 31.

Brazil.

cristata, *Sw.*; chrysopogon, *Wagl.*forficata, *Thunb.***1375. COTINGA**, Briss. 1760.Ampelis, p., *Ill.* Ampelis, 1 sect., *Sw.* 1837.*Sw. C. of B. f.* 143, 223; *G. of B. i. p.* 278, pl. 68. f. 4; *Reich.**S. A. t.* 89. f. .

a. COTINGA.

5616. **cærulea**, V.; *Gal. des Ois. t.* 116; *P. C.* 186; *Lev. O. Amer. t.* 34, 35, 36.

Cayenne.

cotinga, *L.*; cœlestis, *G. R. Gr.*5617. **cincta**, Bodd.; *Edw. B. pl.* 340; *P. E.* 188; *Lev. O. Amer. t.* 41.

S.E. Brazil.

superba, *Shaw, Nat. Misc. pl.* 817, 821; cotinga, *V.*5618. **amabilis**, Gould, *Pr. Z. S.* 1857, pl. 123.

Guatemala.

5619. **cayana**, *L.*; *P. E.* 624; *Lev. O. Amer. t.* 27, 28, 29, 30.

Cayenne.

cayennensis, *D'Orb.*

Bolivia.

cinereus et americanus, *Müll.?*5620. **maynana**, *L.*; *P. E.* 229; *Lev. O. Amer. t.* 43.

Cayenne, Peru.

mayana!, *G. R. Gr.*5621. *Nattererii*, *Boiss.*5622. — ? , *P. E.* 515.cayennensis, *Gm.*; cayana, *Lath.***1376.** b. XIPHOLENA, *Glog.* 1842.Ampelis, *Ill.* 1811.*Reich. S. A. t.* 89. f. .5623. **pompadora**, *L.*; *Edw. B. pl.* 341; *P. E.* 279; *Lev. O. Amer. t.* 31, 32, 33.

Cayenne.

5624. **lamellipennis**, *Lafr. Mag. de Zool.* 1839, t. 9.

R. Amazon.

leucura, *Tem.*5625. **atropurpurea**, *Max.*; *Sclat. & S. Ex. Orn. pl.* 5.

Brazil.

purpurea, *Licht.*; porphyrio, *Less.*

- 1377.** c. CARPODECTES, *Salv.* 1864.
5626. nitidus, *Salv. Pr. Z. S.* 1864, pl. 35. Costa Rica.
- 1378.** d. ORBIGNESIUS, *Bp.* 1854. *n. mud*
5627. ? typus, *Bp.* —?
- 1379.** e. PORPHYROLÆMA, *Bp.* 1854.
5628. porphyrolæma, *Sclat. Contr. Orn.* 1850, pl. 96. Maynas.
phygas, *Bp.* Ucayali.
- 1380.** f. PIPEOLA, *Sw.* 1837.
5629. chlorolepidota, *Sw.* Peru, R. Napo.
- 1381.** g. EUCHLORNIS, *De Fil.* 1846.
Euchlorornis, *Cab.* 1859.
Pipeola, p., *Sclat.*
5630. elegans, *Tsch.*; *Mag. de Zool.* 1843, t. 39. Peru.
aureopectus, *Lafr.* Venezuela.
5631. formosa, *Hartl. Rev. Zool.* 1849, t. 14. 1.
5632. jacunda, *Sclat. Pr. Z. S.* 1860, pl. 160. Ecuador.
5633. Sclateri, *Corn.*; *Contr. Orn.* 1850, pl. ; *Rev. et M. de Zool.* 1853, t. 4.
5634. melanolæma, *Sclat.* Venez., Ecuador.
5635. frontalis, *Sclat.* Bolivia.
- 1382.** h. PYRRHORHYNCHUS, *Lafr.* 1849.
Pyrrohynchus, *Bp.* 1854.
Euchlorornis, p., *Cab. & H.*
Pipeola, p., *Sclat.*
5636. Riefferi, *Boiss.* New Granada.
5637. arcuata, *Lafr.*; *Sclat. & S. Ex. Orn.* pl. N. Gran., Ecuad.
5638. viridis, *Lafr.*; *D' Orb. Voy. A. M.* t. 30. 2. Bolivia, Peru.
- 1383. AMPELION**, *Cab.* 1845.
Carpornis, *G. R. Gr.* 1846. Ampelio, *Cab. & H.* 1859.
Ampelioides, *Verr.* 1867. Ampelis, 2 sect., *Sw.* 1837.
Sw. C. of B. f. 222, b; *G. of B. i. p.* 279, pl. 68. f. 5; *Reich.*
S. A. t. 89. f. .
- a. AMPELION.
5639. melanocephala, *Sw. Zool. Ill.* pl. 25. Brazil.
5640. cucullata, *Sw. P. C.* 363. "
5641. cinctus, *Tsch.*; *Pr. Z. S.* 1855, pl. 104. Ecuador.
Tschudii, *G. R. Gr.* New Granada.
flavitorques, *J. Verr. N. Arch. du Mus.* 1867, t. 2. 1. Rio Napo.
2 B 2

1384. *b. HELIOCHERA, De Fil. 1846.*Ampelion, *Reich. 1850.**Reich. S. A. t. 89. f. .*

5642. **rubrocristata**, *Lafr. ; D'Orb. Voy. A. M. t. 31. 1.*
 rufocristata, Boiss.

New Granada.
 Ecuador, Boliv.

5643. *rufaxilla, Tsch. F. P. t. 7. 2.*

Peru.

1385. *c. TIJUCA, Less. 1829.*Chrysopteryx, *Sw. 1831.**Sw. C. of B. f. 221 ; Reich. S. A. t. 72. f. .*

5644. **nigra**, *Less. Cent. Zool. t. 6 ; Ermann, Reise, t. 10. 1.*
 erythrorhynchus, Sw. ; chrysoptera, Nordm.

Brazil.

Subfam. III. **Lipanginae, Sclat. 1862.**

Querulinae, p., Sw. 1837. Lipanginae!, Sclat.
Ampelinae, p., Cab. 1847.

1386. LIPANGUS, Boie, 1828.Lipaugus, *Cab. 1847. Rhytipterna, Reich. 1850.*Lipaugus, 3 div., *Sclat. & S.**Sw. C. of B. f. 61 ; G. of B. i. p. 240.**a. LIPANGUS.*

5645. **holerythrus**, *Sclat.*

Vera Paz.

5646. **simplex**, *Licht. ; Jard. & S. I. O. pl. 37.*
 calcaratus, Sw. ; cinerascens, Spix.
 rustica, Max.

S.E. Brazil.

1387. *b. LANIOCERA, Less. 1840.*Aulea, *Bp. 1853. Lathriosoma, Bp.*Auleus et Aulius, *Sclat.*Aulia, *Schiff.*Lipaugus, 2 div., *Sclat. & S.*

5647. **hypopyrrhus**, *V.*
 sibilatrix, Max. ; sanguinaria, Less.

"
 Peruvian Andes.

5648. **lateralis**, *G. R. Gr. & M. G. B. pl. 60.*
 hypopyrrhus, p., Sclat.

5649. **rufescens**, *Sclat. & S. Exot. Orn. pl. 3.*
 typicum, Bp.

Guatemala.

1388. *c. LATHRIA, Sw. 1831.*Poliochrus, *Reich. 1850.*Lipaugus, 1 div., *Sclat. & S.**G. of B. i. pl. 60. f. 10 ; Reich. S. A. t. 68. f. , et t. 89. f. .*

5650. **fuscocinereus**, *Lafr.*
 unirufus, p., Cass.

New Granada.

5651. **cineraceus**, *V.*; *Lev. O. Amer.* t. 44.
cinerea, *Sw. Flyc.* pl. 2. Cayenne, Peru.
Amazon, Bolivia.
5652. **plumbea**, *Licht.*
vociferans, *Max.*; cineracea, *Burm.* S.E. Brazil.
5653. **unirufus**, *Sclat. & S. Exot. Orn.* pl. 1. Vera Paz.
5654. **subalaris**, *Sclat. & S. Exot. Orn.* pl. 2. Rio Napo.
5655. — ?
unirufus, *Cass.* I. of Darien.
5656. **Virussii**, *Natt. & Pelz.* Brazil.
plumbeus, *Sclat. ?*

1389. LANIISOMA, *Sw.* 1831.Ptilochloris, *Sw.* 1837.Collurampelis, *Less.* 1839.*G. of B.* i. p. 272, pl. 66. f. 5; *Reich. S. A.* t. 89. f. .

a. LANIISOMA.

5657. **squamata**, *Max. Mag. de Zool.* 1843, t. 40. Brazil.
lunatus, *Sw.*; arcuatus, *Lafr.*
5658. **remigialis**, *Lafr.* „
5659. **xanthothorax**, *Sclat.* R. Napo.

1390. b. HETEROPELMA, *Bp.* 1853.

5660. **turdinum**, *Max.* Brazil.
rufo-olivaceum, *Lafr.*; viridis, *Less. ?*
5661. **veræ-pacis**, *Sclat.* Vera Paz.
5662. **amazonum**, *Sclat.* Peru.
5663. **Wallacei**, *Sclat. & S.* Lower Amazon.
5664. **virescens**, *Max.*
galeata ♀, *Licht.*; unicolor, *Ménétr.*
5665. **flavicapillum**, *Sclat.* Brazil.
5666. **stenorhynchum**, *Sclat.* Venezuela.
5667. **rufum**, *Natt. & Pelz.* Brazil.
5668. **chrysocephalum**, *Pelz.* „

1391. c. ? SCHIFFORNIS, *Bp.* 1853.Heteropelma, p., *Bp.*

5669. **major**, *Bp.*; *Casteln. Voy.* t. 18. 2. Peruv. Andes.
5670. **minor**, *Schiff.* -- — ?

1392. d. NEOPELMA, *Sclat.* 1862.Heteropelma. b, *Sclat.*

5671. **aurifrons**, *Max. Mag. de Zool.* 1833, t. 13. Brazil.
luteocephala, *Lafr.*

1393. *e. HETEROCERCUS*, *Hartl.* 1862.

5672. **luteatus**, *Strickl. Contr. Orn.* 1850, pl. 63. Upper Amazon.

5673. **flavivertex**, *Pelz.* Brazil.
luteatus, ♀, ? *Selat. & S.*

Subfam. IV. **Gymnoderinæ**, *G. R. Gr.* 1847.

Coracinæ, *Sw.* 1831. *Coracininæ*, *Cab.* 1847.
Querulinæ, *Sw.* 1837.

1394. QUERULA, *V.* 1816.

Ampelis, *Cuv.* 1817. *Threncædus*, *Glog.* 1842.
G. of B. i. p. 239, pl. 60. f. 11; *Reich. S. A. t.* 89. f. .

a. QUERULA.

5674. **purpurata**, *Müll.*; *P. E.* 381; *V. Gal. des Ois.* t. 115;
Lev. O. Am. & I. t. 47, 48; *Sw. Flyc.* pl. 1. Cayenne.
cruenta, *Bodd.*; *rubricollis*, *Gm.*
porphyrobrancha, *Shaw.*

1395. *b. HEMATODERUS*, *Bp.* 1854.

5675. **militaris**, *Lath.*; *Lev. O. Amér.* t. 25, 26. "
purpurea, *Less.*; *rubra*, *V.*

1396. PYRODERUS, *G. R. Gr.* 1840.

Coracina, *Sw.* 1837.
Sw. C. of B. f. 237, *a, b*; *G. of B. ii.* p. 317, pl. 77. f. 2; *Reich.*
S. A. t. 68. f. .

5676. **scutatus**, *Shaw, Mus. Lev.* pl. p. 199; *P. C.* 40. S.E. Brazil.
rubricollis, *V.*; *sanguinicollis*, *Licht.*

5677. **orinocensis**, *Lafr.*; *G. R. Gr. & M. G. B.* pl. 77. Venezuela.

5678. **granadensis**, *Lafr.* New Granada.

1397. GYMNODERUS, *Geoffr.* 1809.

Coracina, *V.* 1816. *Coronis*, *Glog.* 1827. *Gymnoderæ*, *Less.*
 1831.

G. of B. ii. p. 319, pl. 77. f. 1; *Reich. S. A. t.* 89. f. .

5679. **foetidus**, *L.*; *P. E.* 609; *V. Gal. des Ois.* t. 112. Guiana, Brazil.
nudicollis, *Bodd.*; *gymnoderæ*, *V.* Rio Negro.
cayennensis, *Geoffr.*; *nudus*, *Gm.*

1398. GYMNOCEPHALUS, *Geoffr.* 1809.

Clavifrons, *Daud. ?*

Sw. C. of B. f. 237, *d*; *G. of B. ii.* p. 319, pl. 77. f. 4; *Reich.*
S. A. t. 89. f. .

5680. **calvus**, *Gm.*; *P. E.* 521. Cayenne.
gymnocephala, V.; *capucinus, Geoffr.*
cayanensis, Steph.

1399. CEPHALOPTERUS, *Geoffr.* 1809.

Coracina, Tem. 1820.

Sw. C. of B. f. 19. 237, c; *G. of B. ii. p.* 319, pl. 77. f. 3; *Reich.*
S. A. t. 89. f. .

5681. **ornatus**, *Geoffr. Ann. du Mus.* xiii. t. 15; *V. Gal. des Ois.* Guiana, Amaz.,
t. 113; *Schl. De Dierk.* fig. p. 154; *P. C.* 255. Bolivia.
cephaloptera, V.; *umbellata, Steph.*

5682. **penduliger**, *Sclat. Ibis*, 1859, pl. 3. Ecuador.

5683. **glabricollis**, *Gould, Pr. Z. S.* 1850, pl. 20. Costa Rica, Chir.

1400. CASMARHYNCHUS, *Tem.* 1820.

Casymorhynchus, G. R. Gr. 184 ? *Procnias, Hoffm. Ill.* 1811.

Averanus, Rafng. 1815 ? *Averano, Less.* 1831.

Averanos, Strickl. 1841. *Eulopogon, Glog.* 1842.

G. of B. i. p. 280; *Reich. S. A. t.* 89. f. .

a. CASMARHYNCHUS.

5684. **variegatus**, *Gm.*; *P. E.* 51; *Gal. des Ois. t.* 117. Brazil.

1401. b. ARAPUNGA, *Less.* 1831.

Chasmorhynchus, Glog. 1842.

Sw. C. of B. f. 222, a; *G. of B. i. p.* 68. f. 7; *Reich. S. A. t.* 89. f. .

5685. **nudicollis**, *V.*; *P. C.* 368, 383; *Spix, A. B. t.* 4. S.E. Brazil.
alba, Thunb.; *carunculata, Spix.*

5686. **niveus**, *Bodd.*; *P. E.* 793, 794. Cayenne.
carunculata, Gm.

5687. **tricarunculatus**, *Verr. Ibis*, 1865, pl. 3; *Schl. De Dierk.* Costa Rica,
fig. p. 153. Veragua.

5688. ? **priscus**, *Sclat.*

Subfam. V. **Piprinæ**, *Sw.* 1837.

1402. PIPRA, *Bonn.* 1790, *nec L.* 1766.

Chiroprion, Schiff. 1854.

G. of B. i. p. 273.

a. PIPRA.

5689. **pareola**, *L.*; *Edw. B.* pl. 261. 1; *P. E.* 687. 2. & 303. 2; Brazil.
Desm. Manak. i. 50-53; *Sw. B. Braz.* pl. 44.
superbus, Pall.; *prasinus, Sparrm.*
plumata, Müll.; *ægithaloides, Lich.*

1403. *b. CERCOPILENA, Schiff., Bp. 1854.*Chiroxiphia, *p., Cab.*

5690. **linearis**, *Bp. Voy. Sulph.* pl. 20.
fastuosa, Less.

Nicaragua.

1404. *c. CHIROXIPHIA, Cab. 1847.*Cheiroxiphia, *Reich. 1850.**Reich. S. A. t. 63. f. .*

5691. **caudata**, *Shaw, Nat. Misc.* pl. 153; *Spix, A. B. t. 6. 1, 2.* Brazil.

5692. **regina**, *Natt. & Sclat. Cat. of B.* pl. 20.

Braz., U. Amaz.

5693. **melanocephala**, *Bp.; Hahn, Vög. t. 4.*

Carth., Caracc.

pareolides, Lafr.; lanceolata, Wagl.

New Gran., Trin.

pareola, Hahn; caudata, Lawr.

5694. **ignicapilla**, *Wagl.*

Brazil.

1405. *d. — ?*Pipra, *Bp. 1854.**Reich. S. A. t. 63. f. .*

5695. **aureola**, *L.; Edw. B. pl. 261. 2; P. E. 343 & 302. 2;*
Desm. Manak. t. 54-57.

Cayenne.

5696. **flavicollis**, *Sclat.*

Rio Negro.

5697. **fasciata**, *Lafr.; D' Orb. Voy. A. M. t. 30. 1.*

Bolivia.

5698. **aurantia**, *Wagl.; Edw. B. pl. 32. low. fig.*

5699. **heterocerca**, *Sclat.*

R. Amazon.

1406. *e. CIRRIPIPRA, Bp. 1850.*Teleonema, *Reich. 1850. Cirripipra, Bp. 1854.**Reich. S. A. t. 63. f. .*

5700. **filicauda**, *Spix, A. B. t. 8. 1, 2.*

Rio Napo.

filifera, Less.

Peru.

1407. *f. METOPIA, Sw. 1831.*Antilophia, *Reich. 1850.**Reich. S. A. t. 63. f. .*

5701. **galeata**, *Licht.; Sw. Dr. pl. 23.*

Brazil.

*Wiedii, Less.***1408.** *g. MASIUS, Bp. 1850.*Anticorys, *Cab. 1859.*

5702. **chrysoptera**, *Lajr.; Mag. de Zool. 1843, . 44; & R. Gr.*
& M. G. B. pl. 67. 1.

Bogota.

5703. **coronulata**, *Sclat. Cat. of A. B. pl. 19.*

Ecuador.

1409. *h. MACHÆROPTERUS, Schiff., Bp. 1854.*Pipra, *Sw. 1837.**Sw. C. of B. f. 225.*

5704. **striolata**, *Bp.*; *G. R. Gr. & M. G. B.* pl. 67. 2. New Granada.
strigilatus, *Wagl.*
5705. **pyrocephala**, *Sclat.*; *Jard. Contr. Orn.* pl. Ecuador.
5706. **deliciosa**, *Sclat. Ibis*, 1862, pl. 6.
5707. **regulus**, *Hahn, Vög. Lief.* t. 4. 1, 2; *P. C.* 54; *Sw. B. Braz.* pl. 25. Brazil.
strigilata, *Max.*; *lineata*, *Thunb.*
- 1410.** *i. LEPIDOTHRIX*, *Schiff., Bp.* 1854.
5708. **cyaneocapilla**, *Wagl.*; *Spix, A. B.* t. 7. 1 et t. 8^a. 1; Hahn, *Vög.* t. 3. 2. "
herbacea et coronata, *Spix.*
cyanocephala, *Bp.*
5709. **Isidorii**, *Sclat.*; *Jard. Contr. Orn.* 1852, pl. 100. 1. Bogota.
5710. **Nattereri**, *Sclat. Pr. Z. S.* 1864, pl. 39. Brazil.
5711. **opalizen**, *Pelz.* "
5712. **virescens**, *Pelz.* "
- 1411.** *j. XENOPIPO*, *Cab.* 1847.
5713. **atronitens**, *Cab.* British Guiana.
- 1412.** *k. DIXIPHIA*, *Reich.* 1850.
- Pithys*, *Boie*, 1826.
G. of B. i. pl. 67. f. 2; *Reich. S. A.* t. 63. f. .
5714. **leucocilla**, *L.*; *P. E.* 34. 2; *Desm. Manak.* t. 59. Cayenne.
leucocapilla, *Gm.* Amazon.
5715. **coracina**, *Sclat.* Bogota, Peru.
leucocilla, *p., Sclat.*
5716. **rubricapilla**, *Tem. P. C.* 54. 3; *Hahn, Vög.* t. 3. Brazil, Bolivia.
erythrocephala, β , *L.*; *torquata*, *Gm.?*
erythrocephala, *Licht.*
5717. **erythrocephala**, *L.*; *P. E.* 34. 1; *Desm. Manak.* t. 60, 61. Cayenne.
auricapilla, *Licht.*; *cristata*, *L.?*
purpurea, *V.!*; *rubra*, *Müll.*
5718. **mentalis**, *Sclat. Pr. Z. S.* 1856, pl. 121. Vera Paz.
5719. **chloromeros**, *Tsch.* Bolivia, Peru.
5720. **cæruleocapilla**, *Tsch.* Peru.
- 1413.** *l. CERATOPIPIRA*, *Bp.* 1854.
5721. **cornuta**, *Spix, A. B.* t. 7. 2. Gui., R. Negro, Ecuador.
- 1414.** *m. CORAPIPO*, *Schiff., Bp.* 1854.
Coropipo, *Sclat.* 1867.

5722. **gutturalis**, L.; *P. E.* 324. 1; *Desm. Manak.* t. 63, 65
perspicillata, *Wagl.* Cayenne.
5723. **leucorrhœa**, *Sclat. Pr. Z. S.* 1863, pl. 10. N. Gra., C. Rica,
Santa Fé.
- 1415.** n. **DASYNCETOPE**, *Schiff., Bp.* 1854.
5724. **serena**, L.; *P. E.* 324. 2; *Desm. Manak.* t. 62; *V. Gal.*
des Ois. t. 72. Cayenne.
- 1416.** o. **MANACUS**, *Briss.* 1760.
Chiromachæris, *Cab.* 1847.
Reich. S. A. t. 63. f. .
5725. **manacus**, L.; *P. E.* 302. 1; *Desm. Manak.* t. 59. Guiana, Trin.
Edwardsii, *Bp.* Ecuador.
5726. **melanocephala**, *Müll.*; *P. E.* 303. 1; *Desm. Manak.*
t. 58. Brazil.
manacus, β , *Gm.*; *gutturosa*, *Desm.*
manacus, *Max.*
5727. **flaveola**, *Cass.*; *Pr. Z. S.* 1852, pl. 48. New Granada.
flavotincta, *Sclat.*
5728. **Candei**, *Parzud. Mag. de Zool.* 1843, t. 45. Honduras.
Candæi, *Cab. & H.*
5729. **vitellina**, *Gould, Voy. Sulph.* pl. 21. C. America.
- 1417.** p. **CHLOROPIPO**, *Cab.* 1859.
Piprites, p., *Bp.* 1854.
5730. **flavicapilla**, *Sclat. Contr. Orn.* 1852, pl. 97. 2. Bogota.
plumosa, *Licht.*; *flavicollis*, *Cab.*
5731. **griseiceps**, *Salv.* Costa Rica.
- 1418.** q. **HEMIPIPO**, *Cab.* 1847.
Piprites, p., *Bp.* 1850.
Reich. S. A. t. 63. f. .
5732. **chloris**, *Natt.*; *P. C.* 172. 2. Brazil, Peru.
5733. **chlorion**, *Cab.* Cayenne, Bogo.,
Rio Napo.
- 1419.** r. **PIPRITES**, *Cab.* 1847.
Reich. S. A. t. 63. f. .
5734. **pileata**, *Natt.*; *P. C.* 172. 1. Brazil.
- 1420.** s. **NEOPIPO**, *Sclat. & S.* 1869.
5735. **rubicunda**, *Sclat. & S.* E. Peru.
- 1421.** t. **METOPOTHRIX**, *Sclat. & S.* 1866.
5736. **aurantiaca**, *Sclat. & S. Pr. Z. S.* 1866, pl. 18. Sarayacu.

- 1422.** *u. ILICURA, Reich. 1850.*
Hicura!, *Bp. 1854.*
Reich. S. A. t. 63. f. .
5737. **militaris**, *Shaw, Natt. Misc. pl. 849; Erm. Reis. t. 9.* Brazil.
rubrifrons, V.; oxyura, Nordm.
- 1423.** *v. IODOPLEURA, Less. 1839.*
Iodopleurus, Parz. 1847.
Reich. S. A. t. 63. f. .
5738. **pipra**, *Less. Cent. de Zool. t. 26; Des Murs, I. O. t. 71. 2;*
K. Vet. Akad. Handl. 1833, t. 11. 5. "
aurora, Sundev.; modesta, Licht.
5739. **Isabellæ**, *Parz.; Des Murs, I. O. t. 71. 1.* E. Peru.
Emiliæ, Des Murs; Isabellinæ!, G. R. Gr. Venezuela.
guttata, Less.
5740. **fusca**, *V. Mag. de Zool. 1837, t. 68.* Brazil.
Laplacei, Eyd. & G. Para.
- 1424.** *w. CALYPTURA, Sw. 1831.*
Calypturus, Bp. 1854.
G. of B. i. p. 271, pl. 66. f. 7; Reich. S. A. t. 63. f. .
5741. **cristata**, *V.; Sw. Dr. pl. 24.* Brazil.
tyrannulus, (Licht.) Wagl.
- Subfam. VI. **Rupicolinæ, Sclat. 1862.**
Ampelinæ, p., Sw. 1837. Piprinæ, p., Cab. 1847.
Calyptomeninæ, Bp. 1850.
- 1425. PHOENICIRCUS, Sw. 1831.**
Cotinga, Merr. 1786. Ampelis, p., V. 1816.
Carnifex, Sundev. 1835. Phœnicercus, Strickl. 1841.
Phœnicocercus, Cab. 1847. Phœnicocercus, Bp. 1850.
Sw. C. of B. f. 224; G. of B. p. 273, pl. 67. f. 4; Reich. S. A. t. 63. f. .
5742. **carnifex**, *L.; Edw. B. pl. 39; P. E. 378; Lev. O. Amér. t. 37, 38.* Cayenne.
coccinea, Gm.; cuprea, V. New Granada.
5743. **nigricollis**, *Sw.; Spix, A. B. t. 5; Merr. Beytr. t. 2;*
Kittl. Kupf. Vög. t. 18. 3. Para.
atrococcineus, Lafr.; carnifex, Spix.
Merremii, Less.; coccinea, Wagl.
cuprea, Merr.
- 1426. RUPICOLA, Briss. 1760.**
Pipra, L. 1766, & Ill. 1811.
Orinus, Nitzsch, 1840.
G. of B. i. p. 275, pl. 67. f. 3; Reich. S. A. t. 63. f. .

5744. **crocea**, *V.*; *P. E.* 39. 747; *Edw. B.* pl. 264; *Lev. Roll.* t. 51, 52, 53. Cayenne.
rupicola, *L.*; *elegans*, *Steph.*
aurantia, *V.*; *cayana*, *Sw.*
5745. **peruviana**, *Lath.*; *P. E.* 745; *Lev. Roll.* t. 54. Bogota, Bolivia.
rupicola, var., *Gm.*; *peruana*, *Tsch.* Peru.
5746. **sanguinolenta**, *Gould*; *Sclat. & S. Exot. Orn.* pl. 15. Ecuador.
saturata, *Cab.*

Subfam. VII. **Phytotominæ**, *Sw.* 1837.

Fringillinæ, p., *Bp.* 1831.

1427. PHYTOTOMA, *Mol.* 1789.

Phytotoma, *Boie*, 1826.

G. of B. ii. p. 390, pl. 94. f. 4; *Reich. S. A.* t. 86. f.

5747. **rara**, *Mol.*; *Jard. & S. I. O.* pl. 4. Chili.
Bloxhami, *Childr.*; *silens*, *Kittl.*
Molinæ, *Less.*; *rufescens*, *Sw.*
5748. **angustirostris**, *Lafr.*; *D' Orb. Voy. A. M.* t. 29. 2. Bolivia, Peru.
5749. **rutila**, *V.*; *D' Orb. Voy. A. M.* t. 29. 1. Monte Video.

FAM. XX. **VIREONIDÆ**, *Sclat.* 1862.

Ampelidæ, p., *Sw.* 1837. *Laniadæ*, p., *Cab.* 1847.

Subfam. I. **Vireoninæ**, *Sw.* 1837.

Muscicapinæ, p., *Bp.* 1831. *Brachypodinæ*, p., *Sw.* 1837. *Vireoninæ*, *Cab.* 1847.

1428. VIREO, *V.* 1807.

Muscicapa, *V.* 1807.

Sw. C. of B. f. 217, a; *G. of B.* i. p. 267; *Baird, Rev. Am. B.* fig. p. 351.

a. **VIREO**.

5750. **noveboracensis**, *Gm.*; *V. O. A. S.* t. 52; *Wils. A. O.* pl. 18. 6.
musicus, *V.*; *cantatrix*, *Wils.*
5751. **Huttoni**, *Cass. Pr. Ac. Phil.* 1852, pl. 1. 1; *Baird, B. N. A.* pl. 78. 2. California.
5752. **Carmioli**, *Baird*. Costa Rica.
5753. **atricapillus**, *Woodh.*; *Cass. Ill.* pl. 24. W. Texas.
5754. **Bellii**, *Aud. B. A.* vii. pl. 485. U. St., W. Mex.

5755. *vicinior*, *Coues*; *Elliot*, *B. N. A.* pl. Arizona.
5756. *pusillus*, *Coues*; *Elliot*, *B. N. A.* pl. California.
Bellii, *Coop.* Arizona.
- 1429.** *b. LANIOVIREO*, *Baird*, 1858.
Vireo, p., *Auct.* *Vireosylva*, p., *Baird*.
Baird, *Rev. Am. B.* fig. p. 346.
5757. *flavifrons*, *V. O. A. S.* t. 54; *Wils. A. O.* pl. 7. 3. E. of U. States.
sylvicola, *Wils.* C. America.
5758. *solitarius*, *Wils. A. O.* pl. 17. 6. U. States.
Cassini, *Xantus*; *Baird*, *B. N. A.* pl. 78. 1. Mexico, Guatem.,
Cuba.
5759. *propinquus*, *Baird*. Coban, Guatem.
5760. *plumbeus*, *Coues*; *Elliot*, *B. N. A.* pl. Arizona, S. Rocky
M., Mexico.
- 1430.** *c. VIREOSYLVA*, *Bp.* 1838.
Phyllomanes, *Cab.* 1847. *Vireosylva*, *G. R. Gr.* 1848.
Sw. C. of B. f. 217, b; *G. of B. i.* pl. 63. f. 7; *Reich. S. A.*
t. 70. f. ; *Baird*, *Rev. Am. B.* fig. p. 327.
5761. *calidris*, *L.*; *Edw. B.* pl. 121. 2. Jamaica.
? *olivacea*, *L.*; *Edw. B.* pl. 253.
? *virens*, *Bodd.*; *P. E.* 273. 1; *dominica*, *Müll.* St. Domingo.
? *hispaniolensis*, *Gm.*
altiloqua, *V. O. A. S.* t. 31.
longirostris, *Sw.*; *mystacalis*, *Cab.*
olivacea, *Gosse*; *atripennis*, *Lawr.* Jam., W. Indies.
Porto Rico.
5762. *olivacea*, *L.*; *Edw. B.* pl. 253; *Wils. A. O.* pl. 12. 3. E. of N. Amer.
virescens, *V. O. A. S.* t. 53? Mexico, Bogota.
bogotensis, *Bryant.* Cuba.
5763. *agilis*, *Licht.*; *Spix*, *A. B.* t. 34. 1. C. & S. of S. Amer.
Bartramii, *Sw.*; *virescens*, *Cass.*; *chivi*, p., *Cab.*
5764. *Swainsoni*, *Baird*; *Elliot*, *B. N. A.* pl. Pacific coast.
Bartramii, p., *Sw.*
5765. *Josephæ*, *Selat. Pr. Z. S.* 1859, pl. 154. Ecua. to Co. Ric.
5766. *gilvus*, *V. O. A. S.* t. 34; *Wils. A. O.* pl. 42. 2. U. States.
melodia, *Wils.*
5767. *barbatulus*, *Cab.*; *Cass. Ill.* pl. 37. Cuba, Florida.
altiloquus, *Gamb.* Bahamas.
5768. *philadelphia*, *Cass. Pr. Ac. Phil.* vi. pl. 1. 1; *Baird*,
B. N. A. pl. 73. 3. Philadelphia.
cobanensis, *Selat.*
5769. *flavoviridis*, *Cass. Pr. Ac. Phil.* vi. pl. 2. Mex., Guat., Cos.
Ric., I. of Pan.
5770. *chivi*, *V.* La Plata to Bahia.

1431. *d. VIREONELLA, Baird, 1866.**Vireo, p., Baird.**Baird, Rev. Am. B. fig. p. 369.*5771. *Gundlachi, Lemb.; Voy. Cuba, t. 5. 1.*

Cuba.

5772. *modestus, Sclat. Pr. Z. S. 1861, pl. 14. 1.*
noveboracensis, Gosse.

Jamaica.

5773. *Latimeri, Baird.*

Porto Rico.

5774. *pallens, Salv.*

W. co. of C. Am.

5775. *ochraceus, Salv.*

Guatemala.

5776. *semiflavus, Salv.*
ochraceus, p. ?, Baird.

"

5777. *crassirostris, Bryant.*

Bahamas.

5778. *hypochryseus, Sclat. Pr. Z. S. 1862, pl. 46.*Mexico, Tres-
Marias I.**1432.** *e. NEOCHLOË, Sclat. 1857.**Baird, Rev. Am. B. fig. p. 371.*5779. *brevipennis, Sclat.*

Orizaba.

1433. *f. VIREOLANIUS, Dubus, 185 ?**Baird, Rev. Am. B. fig. p. 395.*5780. *melitophrys, Dubus; Sclat. & S. Exot. Orn. pl. 7.*
chrysophrys, Licht.

Jalapa.

5781. *chlorogaster, Bp.*
Dubusi, Verr.

E. Peru.

5782. *pulchellus, Sclat. & S. Exot. Orn. pl. 8.*

Guatemala.

5783. *icterophrys, Bp.*
*icterocephalus!, Sclat. & Salv.*Cayen., R. Negro.
E. Peru.5784. *eximius, Baird; Pr. Z. S. 1855, pl. 103.*
icterophrys, Sclat.

Bogota.

1434. *g. CHLOROCHROA, Sclat. 1862.*5785. ? *vireonina, Sclat.*

— ?

1435. HYLOPHILUS, Tem. 1823 ?*Sw. C. of B. f. 214, c, d; G. of B. i. p. 199, pl. 53. f. 6; Reich.*
*S. A. t. 61. f. ; Baird, Rev. Am. B. fig. p. 373.**a. HYLOPHILUS.*5786. *poicilotis, Tem. P. C. 173. 2.*
ruficeps, Licht.; pœcilotis, Aliq.

E. Brazil.

5787. *semibrunneus, Lafr.*

Bogota.

5788. **ochraceiceps**, *Sclat. Cat. of A. B.* pl. 5. W. Mexico, Costa Rica.
 5789. **thoracicus**, *Tem. P. C.* 173. 1. Cayenne, Brazil.
 5790. **pectoralis**, *Sclat.* Sapatiba, Rio Am.
 5791. **flaveolus**, *Burm.* Brazil, Bahia.
 5792. **cinerascens**, *Max.* Brazil.
 5793. **olivaceus**, *Tsch.* E. Peru.
 5794. **frontalis**, *Tsch. F. P.* t. 13. 1. "
 5795. **leucophrys**, *Lafr.* "
 5796. **flavipes**, *Lafr.* Bogota.
 5797. **castaneiceps**, *Verr.* "
 5798. **ferrugineifrons**, *Sclat.* N. Gran., R. Neg.
 5799. **insularis**, *Sclat.* Tobago.
 5800. **hypoxanthus**, *Pelz.* Rio Icauna, R. Vaupe.
 insularis, p., *Léot.* Trinidad.
 5801. **brunneiceps**, *Sclat.* S. Braz., R. Vaupe
 5802. **acuticaudus**, *Lawr.* Venezuela.
 acuticauda, *Baird.* "
 5803. **semicinereus**, *Sclat. & S. Pr. Z. S.* 1867, pl. 30. 2. Lower Amazon.
 5804. **aurantiifrons**, *Lawr.* Panama.
 5805. **viridiflavus**, *Lawr.* "
 5806. ? **brevipennis**, *Giraud.* "
1436. *b. PACHYSYLVA*, *Bp.* 1850.
 5807. **decurtatus**, *Bp.* Mexico, Veragua.
 cinereiceps, *Sclat. & S.* Panama.
 pusillus, *Lawr.* Guatemala.

1437. CYCLARHIS, 1824,

Cyclorhis, 1827, *et Cyclaris*, 1837, *Sw.*
Laniagra, *Lafr.* 1837. *Falcunculus*, p., *Sw.* 1837.
Lanius, 2 div., *Cuv.* 1817. *Thamnophilus*, 2 div., *Tem.* 1820.
Cyclorhis, *Reich.* 1850. *Cycloris*, *Bp.* 1850.
Cyclaris, *Bl.* 1849.
Sw. C. of B. f. 200, b; *G. of B.* i. p. 293, pl. 71. f. 5; *Reich.*
S. A. t. 70. f. ; *Baird, Rev. Am. B.* fig. p. 384.

a. CYCLARHIS.

5808. **guianensis**, *Gm.* Cayenne.
 poliocephala, *Tsch.* Ucayali.
 5809. **cearensis**, *Baird.* Brazil.
 5810. **flaviventris**, *Lafr.* Guat., S. Mexico.

5811. **ochrocephala**, *Tsch.*; *Sw. Orn. Dr.* pl. 58. S. Brazil.
viridis, Cab.; *guianensis, Sw.*
5812. **flavipectus**, *Sclat.* N. Gran., Carac.,
 Trinidad.
5813. **subflavescens**, *Cab.* Costa Rica.
5814. **virenticeps**, *Sclat. Pr. Z. S.* 1860, pl. 164. Ecuador.
5815. **nigrirostris**, *Lafr. Mag. de Z.* 1834, t. 33. Bogota.
5816. **viridis**, *V.* Parag., La Plata,
 Bolivia?
5817. **Wiedii**, *Pelz.* Brazil.
guianensis, Max.; *viridis, Baird?*
- 1438.** *b. LALETES, Sclat.* 1861.
Baird, Rev. Am. B. fig. p. 383.
5818. **Osburnii**, *Sclat. Pr. Z. S.* 1861, pl. 14. 2. Jamaica.

Subfam. II. **Icteriinæ.**Icterianæ, *Baird*, 1865.**1439. ICTERIA, V.** 1807.*Peteria, Hoy*, 1853.*Sw. C. of B.* f. 206, b, 208, b; *G. of B.* i. p. 229, pl. 57. f. 10;
Reich. S. A. t. 70. f. .*a. ICTERIA.*

5819. **virens**, *L.*; *V. O. A. S. t.* 55. E. of U. States.
viridis, Gm.; *luteus, Sparrm.*; *polyglotta, Wils.* Guatemala.
dumicola, V. Costa Rica?
Velasquezii, Bp.?; *auricollis, Licht.?*
5820. **longicauda**, *Lawr.*; *Baird, B. N. A.* pl. 34. 2. Cen. U. S. to Pac.
viridis, p., Cab. Mexico.

1440. *b. GRANATELLUS, Dubus*, 1850.

5821. **venustus**, *Dubus, E. O. t.* 44; *Pr. Z. S.* 1864, pl. 37. 2. „
5822. **Sallæi**, *Sclat. Pr. Z. S.* 1856, pl. 120. S. Mexico.
5823. **Pelzelni**, *Sclat. Pr. Z. S.* 1864, pl. 37. 1. Amaz., Madei.R.
5824. **Francescæ**, *Baird.* Tres-Marias I.

1441. *c. TERETISTRIS, Cab.* 1855.

5825. **Fernandinæ**, *Lemb. Cuba*, t. 5. 2. Cuba.
blanda, Bp. nec Licht.
5826. **Fornsii**, *Gundl.* E. Cuba.

Subfam. III. **Dulinæ**, *Sclat.* 1862.Oriolinæ, p., *Sw.***1442. DULUS**, *V.* 1816.Oriolus, p., *Sw.**Baird, Rev. Am. B.* fig. p. 402.

5827. **dominicus**, *L.*; *P. E.* 156. 2; *V. Gal. des Ois.* t. 146. St. Domingo.
palmarum, V.

FAM. XXI. **LANIIDÆ**, *Sw.* 1824.Laniadæ, *Vig.* 1825.Subfam. I. **Pachycephalinæ**, *G. R. Gr.* 1840.Vireoninæ, p. Piprinæ, p., *et* Thamnophilinæ, p., *Sw.* 1837.**1443. COLLURICINCLA**, *Vig. & H.* 1825.Collurisoma, *Sw.* 183 ? Colluriocincla!, *G. R. Gr.* 1840.Pnigocichla, *Cab.* 1850. Colluricisoma, *Bp.* 1853.

Sw. C. of B. f. 202; *G. of B.* i. p. 295, pl. 71. f. 3; *Reich. S. A.*
 t. 69. f.

a. COLLURICINCLA.

5828. **harmonica**, *Lath.*; *Jard. & S. I. O.* pl. 71; *Gould, B. A.*
 ii. pl. 74.

New S. Wales.

cinerea, *Vig. & H.*; saturninus, *Nordm.*dilutus, badius *et* canescens, *Lath.* ?5829. **rufiventris**, *Gould, B. A.* ii. pl. 75.

S. & W. Aust.

5830. **brunnea**, *Gould, B. A.* ii. pl. 76.

Port Essington.

5831. **Selbii**, *Jard. & S. I. O.* pl. 32; *Gould, B. A.* ii. pl. 77.

Tasmania.

rectirostris, *Jard.*; strigata, *Sw.*bourouensis, p., *Cuv.*5832. ? **sandwichensis**, *Gm.*

Sandwich I.

otaitensis, p., *Cass.***1444.** b. RECTES, *Reich.* 1850.Pitohui!, *Less.* 1831.*Reich. S. A.* t. 65. f.5833. **kirrocephala**, *Less. Voy. Coqu.* t. 11.

New Guinea.

5834. **dichroa**, *Bp.*New Guin., *Aru.*bicolor, *Müll.*5835. **cerviniventris**, *G. R. Gr.*

Waigiou.

5836. **uropygialis**, *G. R. Gr.*

Mysol.

5837. **strepitans**, *Jacq. & Pucher. Voy. Pôle Sud*, t. 6. 1.

New Guinea.

ferruginea, *Bp.*

Aru, Mysol.

5838. **leucorhyncha**, *G. R. Gr.* Waigiou.
- 4875 • 5839. ? **tenebrosa**, *Hartl.* *Rufes* Pelew I.
- 1445.** c. — ?
- Myiolestes*, *Müll.* 1850, *nec Cab.* 1847.
- Napothera*, *Tem.* *nec Boie.*
- Myiophila*, *Fitz.* 1864, *nec Reich.* 1850.
5840. **megarhyncha**, *Quoy & G. Voy. Astrol.* t. 3. 1. New Guinea.
5841. **aruensis**, *G. R. Gr.* Aru, Mysol.
- 5702 • 5842. **rufogaster**, *Gould.* Albany Bay.
5843. **parvula**, *Gould, B. A.* ii. pl. 78. N. Australia.
5844. **pulverulentus**, *Müll.* New Guinea.
5845. **affinis**, *G. R. Gr.* Waigiou.
- 2226 • 5846. **vitiensis**, *Hartl. Faun. Centralpol.* t. 8. 1. Feejee I.
- 7321 • *Heimii Hartl. = Delaportensis?* *nigrogularis?* *maculigaster?* *V. B. 1849*
- 1446. CRACTICUS**, *V.* 1816. *nigrogularis?* *maculigaster?*
- Barita*, *Cuv.* 1817. *Sparactes*, p., *Ill.* 1811.
- Vanga*, *Sw.* 1837. *Craticus*, *Eyton*, 1842.
- G. of B. i.* p. 300, pl. 72. f. 3; *Reich. S. A.* t. 71. f. .
- a. CRACTICUS.
5847. **personatus**, *Tem.* New Guin., Aru, Waig., Mysol.
- 9836 • 5848. **robustus**, *Lath.*; *Gould, B. A.* ii. pl. 49. New S. Wales.
- varius*, *Vig. & H.*; *nigrogularis*, *Gould.* 7836. S. Australia.
- 2499 • 5849. **picatus**, *Gould, B. A.* ii. pl. 50. Port Essington.
- 6998 • 5850. **Quoyi**, *Less. Voy. Coqu.* t. 14; *Gould, B. A.* ii. pl. 53. New Guin., Aru, Mys., C. York.
5851. **cassicus**, *Bodd.*; *P. E.* 628. New Guinea.
- varia*, *Gm.*; *Sonneratii*, *Less.*
- 7276 • 5852. **argenteus**, *Gould, B. A.* ii. pl. 51. N. Australia.
- 1447.** b. BULESTES, *Cab.* 1850.
- 8365 • 5853. **torquatus**, *Lath.*; *Gould, B. A.* ii. pl. 52. New S. Wales.
- curvirostris*, *Lath.*; *australis*, *Steph.* S. Australia.
- destructor*, *Tem.* 7276
5854. **leucopterus**, *Gould.* W. Australia.
- 7364 • 5855. **cinereus**, *Gould, Syn. B. of A.* pl. . f. Tasmania.
- 1448. OREOICA**, *Gould*, 1837.
- Oreocca*, *Aliq.*
- G. of B. i.* p. 294, pl. 71. f. 7; *Reich. S. A.* t. 70. f. .
- 7371 • 5856. **cristata**, *Lewin, B. N. H.* pl. 9; *Gould, B. A.* ii. pl. 81. New S. Wales.
- gutturalis*, *Vig. & H.* S. Australia.
- Var.

1449. FALCUNCULUS, V. 1816.Lanius, *Tem.* 1820.*G. of B. i.* p. 293, pl. 71. f. 1; *Reich. S. A. t.* 70. f. .5857. **frontatus**, *Lath.*; *Lew. B. N. H.* pl. 26; *V. Gal. des Ois.* t. 137; *Gould, B. A. ii.* pl. 79.

New S. Wales.

flavigulus, *Gould*; *Gouldi, Cab.*

S. Australia.

5858. **leucogaster**, *Gould, B. A. ii.* pl. 80.

W. Australia.

1450. PARDALOTUS, V. 1816.*Sw. C. of B. f.* 227; *G. of B. i.* p. 270, pl. 66. f. 6; *Reich. S. A. t.* 70. f. .*a.* PARDALOTUS.5859. **punctatus**, *Lath.*; *Shaw, Nat. Misc.* pl. 111; *V. Gal. des Ois. t.* 73; *Gould, B. A. ii.* pl. 35.

Australia.

australis, *Steph.?*

N. S. Wales, Tas.

5860. **quadrangulus**, *Gould, B. A. ii.* pl. 36.

New S. Wales?

5861. **striatus**, *Lath.*; *Shaw, Nat. Misc.* pl. 174; *Gould, B. A. ii.* pl. 38.

Australia.

ornatus, *Tem. P. C.* 394. 1.5862. **affinis**, *Gould, B. A. ii.* pl. 39.

Tasmania.

5863. **xanthopygus**, *McCoy*; *Gould, B. A. suppl.* pl.

S.E. Australia.

Leadbeateri, *Rams.*5864. **uropygialis**, *Gould, B. A. ii.* pl. 41.

N. Australia.

5865. **melanocephalus**, *Gould, B. A. ii.* pl. 40.

New S. Wales.

5866. **rubricatus**, *Gould, B. A. ii.* pl. 35.

Austral., Tasm.

1451. b. SMICRORNIS, Gould, 1843.*Reich. S. A. t.* 59. f. .5867. **brevirostris**, *Gould, B. A. ii.* pl. 103.

N. S. Wales, S. &

W. Australia.

5868. **flavescens**, *Gould, B. A. ii.* pl. 104.

N. Australia.

1452. c. PARMOPTILA, Cass. 1859.5869. **Woodhousei**, *Cass.*

W. Africa.

1453. PACHYCEPHALA, Sw. 1826.Timixos, p., *Bl.**Sw. C. of B. f.* 217, c, d; *G. of B. i.* p. 271, pl. 66. f. 4; *Reich. S. A. t.* 70. f.*a.* PACHYCEPHALA.5870. **gutturalis**, *Lath.*; *Lev. O. A. t.* 115; *Gould, B. A. ii.* pl. 64.

Australia

pectoralis, *Lath.*; dubia, *Shaw, Nat. Misc.* pl. 949.lunularis, *Steph.*; albicollis, *V.*fusca et fuliginosa, *Vig. & H.*meruloides, *Bl.*5871. **melanura**, *Gould, B. A. ii.* pl. 65.

Tasmania.

5872. **rufiventris**, Lath.; Lewin, B. N. H. pl. 8; Gould, B. A. ii. pl. 67. Australia.
 pectoralis, Lewin; striata, Vig. & H.
 macularius, Quoy & G. Voy. de l'Astrol. t. 13. 1.
 rubrigaster, V.
5873. **falcata**, Gould, B. A. ii. pl. 68. N. Australia.
5874. **Gilberti**, Gould, B. A. ii. pl. 71. S. & W. Austral.
 inornata, Gould.
5875. **simplex**, Gould, B. A. ii. pl. 72. N. Australia.
5876. **griseiceps**, G. R. Gr. Aru, Mys., Wai.
5877. **griseonota**, G. R. Gr. Mysol.
5878. **rufipennis**, G. R. Gr. Ké.
5879. **monacha**, G. R. Gr. Aru.
5880. **nigritimentum**, G. R. Gr. Moluccas.
 melanura, Bp.; armillata, Tem.
 cucullatus, Licht. Timor.
5881. **clio**, Wall. Sula, Bouru.
5882. **calliope**, Müll. Timor.
5883. **fulvotincta**, Wall. Flores.
5884. **chlorurus**, G. R. Gr. New Hebrides.
5885. **vitiensis**, G. R. Gr.; Faun. Centralpol. t. 8. 3. Feejee I.
 optata, Hartl.
5886. **orioloides**, Pucher. Voy. Pôle Sud, t. 5. 3. Solomon I.
 Astrolabi, Bp.
5887. **icteroides**, Peale, U. S. Expl. Exped. pl. 10. 3. Samoan I.
 diademata, Pucher. Voy. Pôle Sud, t. 5. 1.
 Hombroni, Bp.
5888. **flavifrons**, Peale, U. S. Expl. Exp. pl. 10. 1. "
5889. **xanthetræa**, Forst. New Caledonia.
5890. **assimilis**, Verr. & M. "
5891. **glaucura**, Gould, B. A. ii. pl. 65. Tasmania.
5892. **lanoïdes**, Gould, B. A. ii. pl. 69. N. Australia.
5893. **rufogularis**, Gould, B. A. ii. pl. 70. S. Australia.
5894. **xanthoprocta**, Gould. Norfolk I.
5895. **longirostris**, Gould. "
5896. ? **lugubris**, Müll. New Guinea.
5897. ? **virescens**, Müll. "
5898. **macrorhyncha**, Strickl. Contr. Orn. 1849, pl. Amboina.
 albicollaris, Verr.

13476. *herquata* Lazard

5899. *xanthonemis*, *G. R. Gr.* Amboina.
5900. *rufescens*, *Wall.* Sula, Bouru.
5901. *lineolata*, *Wall.* "
5902. *mentalis*, *Wall.* Ternate, Batch.
- melanura*, *G. R. Gr.* Gilolo.
5903. *brunnea*, *Wall.* Banda, Salvatti.
5904. *albifrons*, *Peale, U. S. Expl. Exped.* pl. 10. 2. Samoan I.
5905. *Gräffei*, *Hartl. Faun. Centralpol.* t. 8. 2. Feejee I.
5906. *morariensis*, *Verr. & Murs.* New Caledonia.
- 1454.** *b. PSALTRICEPHUS*, *Bp.* 1854.
5907. *melanops*, *Pucher. Voy. Pôle Sud*, t. 5. 2. Tonga I.
 Jacquenoti, *Bp.*
- 1455.** *c. TIMIXOS*, *Bl.* 1842.
5908. *olivacea*, *Vig. & H.; Gould, B. A.* ii. pl. 73. New S. Wal., Tas.
- 1456.** *d. PUCHERANIA*, *Bp.* 1854.
5909. *spinicauda*, *Pucher. Voy. Pôle Sud*, t. 6. 2. Warrior's I.,
 Torres Straits.
- 1457.** *e. CALICALICUS*, *Bp.* 1854.
- Hylophorba*, *Selat.* 1865. *Lanius*, *p., Poll. & V. D.*
5910. *madagascariensis*, *L.; P. E.* 299. 1, 2. Madagascar.
- ruticilla*, *Selat. Pr. Z. S.* 1865, pl. 13 (♀).
- 1458.** *f. HYLOCHARIS*, *Boie*, 1827.
- Hyloterpe*, 1847, *et Hylocharis*, 1847, *Cab.*
- Tephrodornis*, *p., Bl.*
5911. *philomela*, *Boie.* Java, Sumatra,
 griseola, *Bl.* Arakan, Anda.
5912. *orpheus*, *Verr.; Contr. Orn.* 1849, pl. Timor.
- 1459. EOPSALTRIA**, *Sw.* 1831.
- Eupsaltria*, *Alig.*
- Sw. C. of B.* f. 218; *G. of B.* i. p. 272, pl. 66. f. 1; *Reich. S. A.*
 t. 70. f. .
- a. EOPSALTRIA.*
5913. *australis*, *Lath.; White, Journ.* pl. p. 239; *Voy. Thetis*, New S. Wales.
 t. 41. 1.
 flavigastra, *Lath.; parvula*, *Gould.*
- flavicollis*, *Sw.; griseocapilla*, *V.*
5914. *gularis*, *Quoy & G. Voy. Astrol.* t. 10. 4. W. Australia.
 leucogaster, *Gould, B. A.* iii. pl. 13.
5915. *capito*, *Gould, B. A.* suppl. pl. E. Australia.

5916. **caledonica**, *Gm.* New Caledonia.
olivacea, *Forst.*; *variegata*, *G. R. Gr.*
5917. **cucullata**, *G. R. Gr.* New Hebrides.
5918. **flavigastra**, *Verr. & Murs.* New Caledonia.
5919. **georgiana**, *Quoy & G. Voy. Astrol.* t. 3, 4; *Gould, B. A.*
 iii. pl. 12.
griseogularis, *Gould.*
5920. **gambierana**, *Less.* Low Islands.
5921. **magnirostris**, *Rams.* Rockingham
 Bay, Australia.
5922. **leucura**, *Gould.* Cape York distr.
5923. **chrysorrhous**, *Gould, B. A.* iii. pl. 11. E. of N. S. Wales,
australis, *p., Gould.* S. of Queensl.
- 1460.** *b. CHASIEMPIS, Cab. 1847.*
Chasiempis, Des Murs, 1853.
Reich. S. A. t. 67. f. .
5924. **sandwichensis**, *Lath.* Sandwich I.
5925. ? **maculata**, *Gm.* "
- 1461.** *c. PHÆORNIS, Sclat. 1859.*
Chasiempsis, p., Hartl.
Tenioptera, p., Cass.
5926. **obscura**, *Gm.*; *U. S. Expl. Exped.* pl. 9. 3. "

Subfam. II. **Laniinæ**, *Sw. 1831.**Lanianæ, Sw. 1824.***1462. COLLYRIO**, *Moehr. 1752.*

Lanius, Briss. 1760, et Ill. 1811.
Falco, p., 1735, et Ampelis, p., 1748, L.
Collurio, Vig. 1831.
Sw. C. of B. f. 200, a, h, i; G. of B. i. p. 290, pl. 71. f. 10; Reich.
S. A. t. 69. f. ; Baird, Rev. Am. B. fig. p. 437.

a. COLLYRIO.

5927. **excubitor**, *L.*; *P. E.* 445; *Naum. Vög.* t. 49; *Gould, B.*
E. pl. 66. Europe.
cinereus, Leach.
major, Pall. Russia.
5928. **meridionalis**, *Tem. P. C.* 143; *Gould, B. E.* pl. 67. S. Europe.
5929. **excubitorius**, *Des Murs*; *Lefebvr. Voy. Abyss.* t. 8. E. & C. Africa.
princeps, Cab.; *macrocerus, De Fil.*
5930. **algeriensis**, *Less.* N. Africa.

5931. **pallidirostris**, *Cass.* E. & C. Africa.
pallidus, *Antin.*; assimilis, *Brehm.*
5932. **pallens**, *Cass.* "
dealbatus, *De Fil.*; leuconotus, *Brehm.*
5933. **Lathora**, *Sykes*; *Gr. Ill. Ind. Zool.* pl. 32. 2, & 33. 3. India.
burra, *Gr.*; excubitor, var., *Lath.*
excubitor, *Frankl.*; magnirostris, *Less.*
minor, p., *Rüpp.*; orbitalis, p., *Hempr. & Eh.*
5934. **borealis**, *V. O. A. S. t.* 50; *Wils. A. O.* pl. 5. 1. N. America.
excubitor, *Wils.*; septentrionalis, *Bp.*
5935. **ludovicianus**, *L.*; *V. O. A. S. t.* 51; *Wils. A. O.* pl. 22. 5. South Atlantic.
ardosiacus, *V.*; carolinensis, *Wils.* Gulf States.
5936. **elegans**, *Sw.*; *Baird, B. N. A.* pl. 75. 1. Fur-countries.
5937. pallidus, *Antin.* C. Africa.
5938. Aucheri, *Pucher.* Persia.
5939. septentrionalis, *Gm.*
5940. excubitorides, *Sw. Faun. B.-Am.* pl. 34; *Baird, B. N. A.* pl. 72. 2. Fur-countries.
ludovicianus, p., *Bp.*
5941. hemileucurus, *Hartl. & F.* Algiers.
- 1463.** b. **Fiscus**, *Bp.* 1853.
Lanius, p., *auct.*
5942. **collaris**, *L.*; *P. E.* 477. 1; *Lev. O. A. t.* 61, 62. S. Africa.
5943. **subcoronatus**, *Smith, Ill. S. A. Z.* pl. 68. "
collaris, var., *Verr.*
5944. **Smithii**, *Fras. Zool. Typ.* pl. W. Africa.
5945. **fiscus**, *Cab.* E. Africa.
collaris, *Rüpp.*; Arnaudi, *Des Murs.*
5946. caudatus, *Cab.*; *Decken, Orn. Ost-Afr. t.* 5. "
- 1464.** c. **LEUCOMETOPON**, *Bp.* 1853.
5947. **nubicus**, *Licht.*; *P. C.* 216. S.E. Europe
brubru, *Sibth.*; personatus, *Tem.* W. Africa.
leucometopon, *V. d. Mühl.* E. Africa.
albicollis, *Wirt.*
- 1465.** d. **Laniellus**, *Sw.* 1831 (suppressed in 1837).
Crocias, Tem. *Telephonus*, p., *Sw.*
Sw. C. of B. f. 200, d; *Reich. S. A. t.* 71. f.
5948. **leucogrammicus**, *Tem. P. C.* 592. Java.
guttata, *Tem.*; albonotatus, *Less.*

1466.

e. — ?

Collurio, *Bp.* 1853, *nec Kaup*, 1829.5949. **shach**, *L.*

China.

chinensis, *Gr.*macrourus, *Cuv.*5950. **erythronotus**, *Vig.*; *Gould, C. B.* pl. 12. 2.

India, Ceylon.

superciliosus, *Sw.*; *jounotus, Hodgs.*5951. **caniceps**, *Bl.*

India.

erythronotus, *p., Jerd.*

Cashmere.

5952. **pyrrhonotus**, *V. Gal. des Ois.* t. 135.

India.

5953. **bentet**, *Horsf.*; *Less. Cent. Zool.* t. 72.

Java, Borneo.

5954. **tephronotus**, *Vig.*Lower Bengal to
Himalayas.nipalensis et obscurior, *Hodgs.*5955. **nigriceps**, *Frankl.*; *G. R. Gr. & M. G. B.* pl. 71; *Jerd.*

India.

Ill. Ind. Orn. pl. 17.tricolor, *Hodgs.*

Assam, Arakan.

5956. **vittatus**, *Dum.*; *Gould, C. B.* pl. 12. 1.

India.

Hardwickii, Gr.; *margaritaceus, Less.* ?5957. **hypoleucus**, *Bl.*

Tenasserim.

collurioides, *Less.* ?

Pegu.

5958. ? **nasutus**, *Scop.*; *Sonn. Voy.* t. 70.

Philippine I.

antiguanus, Lath.; *nigriceps, p., Jerd.*

China.

5959. ? **cephalomelas**, *Bp.*

Manilla.

*nasutus, p., Wald.*5960. **quadricolor**, *Bp.*

Africa!

5961. **fuscatus**, *Less.*

Amoy.

melanthes, Swinh.; *lugubris, Hartl.***1467.**f. **HYPOCOLIUS**, *Bp.* 1850.*Ceblephyris, p., Heugl.*5962. **ampelinus**, *Bp.*; *Ibis*, 1868, pl. 5.

White Nile.

isabellina, Heugl.

Massow., Abyss.

1468.g. **CORVINELLA**, *Less.* 1831.*Reich. S. A. t.* 69. f. .5963. **corvinus**, *Shaw, Lev. O. A.* t. 78.

S. & W. Africa.

cissoides, V.; *mellivorus, Licht.***1469.**h. **UROLESTES**, *Cab.* 1850*Basanistes, Licht.* 1842, *nec Burm.* 1836.*Corvinella, p., Bp.**Reich. S. A. t.* 69, f. .5964. **melanoleucus**, *Smith, Mag. de Zool.* 1837, t. ; *Jard*

S. Africa.

& *S. I. O.* pl. 115.*melanurus et cissoides, Licht.*

1470. ENNEOCTONUS, Boie, 1826.Collurio, *Kaup*, 1829.*G. of B. i. p.* 291, pl. 71. f. ; *Reich. S. A. t.* 69. f. .5965. **collurio**, *L.* ; *P. E.* 31. 2 ; *Naum. Vög. t.* 52 ; *Gould, B. E.* pl. 69.

Europe.

spinitorques, *Bechst.*

Afr., Palestine.

5966. **minor**, *Gm.*italicus, *Lath.* ; vigil, *Pall.*

Russia.

longipennis, *Bl.*

Persia.

5967. **somalicus**, *Hartl.*

Somali.

1471. LANIUS, *L.* 1758.Otomela, *Bp.* 1853.

a. LANIUS.

5968. **cristatus**, *L.* ; *Edw. B.* pl. 54.

India, Ceylon.

phœnicurus, *Sundev.* ; ferrugiceps, *Hodgs.*superciliosus, *Jerd.*5969. **phœnicurus**, *Pall.* ; *Ibis*, 1867, pl. 5. 2.E. Europe, Asia,
Heligoland.5970. **lucionensis**, *L.* ; *Briss. Orn.* ii. pl. 18. 1.

Philippine I.

phœnicurus, *v. Pelz.*

China.

5971. **superciliosus**, *Lath.* ; *Lev. O. A. t.* 66. 2.

Java, Sumatra.

crassirostris, *Licht. ?*

Malay peninsula.

5972. **magnirostris**, *Less.* ; *Ibis*, 1867, pl. 6.

Java.

crassirostris, *Kuhl* ; ferox, *Drap.*

Malacca.

strigatus, *Eyton* ; tigrinus, *Bl.*5973. **arenarius**, *Bl.*

Upper Sindh.

cristatus, *var.*

S.W. Afghanist.

superciliosus, *p., Bl.*5974. **Schwaneri**, *Bp.*

Borneo.

5975. **Anderssoni**, *Strickl.*

Damaraland.

5976. **ieracopsis**, *De Fil.*juv. of **superciliosus**, ? *Wald.*5977. **isabellinus**, *Ehr.* ; *Ibis*, 1867, pl. 5. 1.

Arab., Kordofan.

1472. b. PHONEUS, *Kaup*, 1829.Enneoctonus, *p., Bp.*5978. **senator**, *L.* ; *Mus. Carls. t.* 1 ; *Naum. Vög. t.* 51 ; *Gould, B. E.* pl. 70.

C. S. Europe.

rufus, *Bp.* ; pomeranus, *Sparrm.* ; rufus, *Bechst. nec L.*

W. & N. Africa.

rutilus, *Lath.* ; ruficollis, *Shaw* ; collurio, *var. rufus, Gm.*

Persia.

5979. **rutilans**, *Tem.*

W. Africa.

superciliosus, *Licht.* ; erythropterus, *Rüpp.*collurio, *var. senegalensis, Gm.*rufus, *var., Lath.*5980. **niloticus**, *Bp.*

White Nile.

1473. c. CEPHALOPHONEUS, *Fitz.* 1864.Phoneus, *Bp.* 1853, *nec Kaup*, 1829.5981. **bucephalus**, *Tem. & Schl. F. J. t.* 14.

Japan.

ruficapillus, *Tem.*Subfam. III. **Malaconotinæ**, *Cab.* 1850.**1474. TEPHRODORNIS**, *Sw.* 1831.Tephrolanius, *Bp.* 1853.*G. of B. i. p.* 289.

a. TEPHRODORNIS.

5982. **gularis**, *Raffl.*; *P. C.* 256. 1.

Java.

virgata, *Tem.*

Malacca.

1475. b. KEROUULA, *Gr.* 1833-34.Kerula, *Cab.* 1850. Tephrodornis, *Sw.* 1837.Tenthaca, 1837, *et* Creurgus, 1841, *Hodgs.*Tentheca, 1841, *et* Tenthera, 1847, *G. R. Gr.**Sw. C. of B. f.* 3; *G. of B. i. pl.* 71. f. 6; *Reich. S. A. t.* 69. f. .5983. **pondiceriana**, *Gm.*; *Gr. Ill. Ind. Zool. pl.* 23. 1, 2.

India.

superciliosus, *Sw.*; griseus, *Tick.*indica, *Gr.*; muscicapoides, *Frankl.*leucurus, *Hodgs.*; sordidus, *Less.*philippensis, *Ind. auct.*Upper Burmah.
Assam.5984. **affinis**, *Bl.*

Ceylon.

1476. c. TEPHROLANIUS, *Bp.*5985. **pelvica**, *Hodgs.*Nepal, Sikkim,
Arakan, Burm.
Malabar Coast.5986. **sylvicola**, *Jerd.*pelvica, *p.*, *G. R. Gr.***1477.** d. MYIOLESTES, *Cab.* 1850.Cabanisia, *Bp.* 1854.5987. **obscura**, *Horsf.*; *P. C.* 119.

Java.

hirundinacea, *Tem.***1478.** e. FRASERIA, *Bp.* 1854.Eucnemidia, *Heine*, 1860.5988. **ochreata**, *Strickl.*

W. Africa.

5989. **cinerascens**, *Tem.*

Ashanti.

1479. f. HYPODES, *Cass.* 1859.Eomelpusa, *Heine*, 1860.Eopsaltria, *p.*, *Cass.*5990. **cinerea**, *Cass.*

W. Africa.

1480. *g. CUPHOPTERUS, Harth. 1866.*5991. **Dohrni**, *Harth.*; *Pr. Z. S.* 1866, pl. 34.

Prince's I.

1481. NILAUS, Sw. 1827.Entomovorus, *Less.* 1839.Entomophagus, *Agass. nec Horsf.**Sw. C. of B. f.* 121; *G. of B. i. p.* 291, pl. 71. f. 2; *Reich. S. A. t.* 69. f. .5992. **brubru**, *Lath.*; *Lev. O. A. t.* 71.

S. & W. Africa.

capensis, *Shaw*; *frontalis, Forst.*afer, p., *Shaw.*var. niloticus, *Sundev.***1482. PRIONOPS, V. 1816.***G. of B. i. p.* 292, pl. 71. f. 9; *Reich. S. A. t.* 70. f. .*a. PRIONOPS.*5993. **plumatus**, *Shaw*; *Lev. O. A. t.* 80, 81; *V. Gal. des Ois. t.* 142.

W. Africa.

*Geoffroii, V.*5994. **talacoma**, *Smith, I. S. A. Z.* pl. 5.

S. Africa.

5995. **Retzii**, *Wahlb.*

Damara.

tricolor, *G. R. Gr. ?*5996. **poliocephalus**, *Stanl.*; *Rüpp. F. A. t.* 12. 2.

N. Africa.

cristata, *Rüpp.*5997. **concinatus**, *Sundev.*

"Rozeres ad Nilum."

5998. **graculinus**, *Cab.*; *Decken, Orn. Ost-Afr. t.* 3.

E. Africa.

1483. *b. SIGMODUS, Tem. 1850.*5999. **caniceps**, *Tem.*; *Schl. Handl. Dierk. t.* 2. 17; *Jard. Contr. Orn.* 1850, pl. .

W. Africa.

6000. **rufiventris**, *Bp.*

Gaboos.

6001. **scopifrons**, *Peters.*

E. Africa.

1484. EUROCEPHALUS, Smith, 1836.Chætolemma, *Sw.* 1837.Eurycephalus, *Agass.*Chatoblemma, *Bp.* 1853.*Sw. C. of B. f.* 201; *G. of B. i. p.* 293, pl. 71. f. 4; *Reich. S. A. t.* 69. f. .6002. **anguitimens**, *Smith, I. S. A. Z.* pl.

S. Africa.

leucocephala, *Sw.*6003. **Rüppellii**, *Bp.*; *Rüpp. S. U. t.* 27.

Schoa.

anguitimens, *Rüpp.*

White Nile.

1485. CHAUNONOTUS, G. R. Gr. 1837.*G. of B. i. p.* 299, pl. 72. f. 5; *Reich. S. A. t.* 69. f. .

6004. **Sabinei**, *G. R. Gr.*; *Jard. & S. I. O.* pl. 28. W. Africa.
melanoleucus, *Verr.*

1486. VANGA, *V.* 1816 (suppr. in 1818).

Spasornis, *Van der Hoev.* 1856.

G. of B. i. p. 299, pl. 72. f. 4; *Reich. S. A. t.* 71. f. .

a. **VANGA.**

6005. **curvirostris**, *Gm.*; *P. E.* 228. N., W., & E. Ma-
leucocephalus, *V.* dagascar.

1487. *b.* **XENOPIROSTRIS**, *Bp.* 1850.

6006. *xenopirostris*, *Lafr.*; *Rev. et M. de Zool.* 1850, t. 1. Madagascar.
Lafresnayi, *Bp.*

6007. *Damii*, *Schl. & Poll. F. de Madag.* t. 30. N.E. Madag.
albifrons, *Poll.*

6008. *Polleni*, *Schl.* ,

1488. LANIARIUS, *V.* 1816.

Pelicius, *Boie*, 1826.

Malacnotus, *Cab.* 1850.

G. of B. i. p. 298; *Reich. S. A. t.* 69. f. .

a. **LANIARIUS.**

6009. **barbarus**, *L.*; *P. E.* 56; *Lev. O. A. t.* 69; *Sw. Zool. Ill.* S. & W. Africa.
n. s. pl. 71.

6010. **cruentus**, *Hempr. & Ehr.*; *Rüpp. Atl. t.* 29; *Jard. & S.* Abyssinia.
I. O. pl. 30.
roseus, *Jard.*; *erythrogaster*, *Cuv.*
cruentatus!, *G. R. Gr.*

6011. **atrococcineus**, *Burch.*; *Sw. Zool. Ill. n. s.* pl. 76. S. Africa.

6012. *erythrogaster*, *Rüpp.* Sennaar.
Wernei, *Cab.* Nile.

6013. *modestus*, *Bocage.* Benguella.

1489. *b.* **MERISTES**, *Bp.* 1854.

6014. **chloris**, *Valenc.* W. Africa.
Peli, *Tem.*; *lepidus*, *Cass.*

6015. —, *n. sp.*? Tette.

1490. *c.* **MALACONOTUS**, *Sw.* 1824.

Archolestes, *Cab.* 1850.

Meristes, *Reich.* 1850. *Vanga*, *Less.* 1831.

Harcolestes, *Verr.* 1855.

Reich. S. A. t. 70. f. .

6016. **icterus**, *Cuv.*; *Lev. O. A.* t. 285; *V. Gal. des Ois.* t. 139. S. & W. Africa.
olivaceus, V.; *poliocephalus, Licht.*
Blanchoti, Steph.; *hypopyrrhus, Hartl.*
6017. **hypopyrrhus**, *Verr.*; *Less. Cent. Zool.* t. 65. W. Africa.
cruentus, Less.
- 1491.** *d. DRYOSCOPIUS, Boie, 1826.*
Hapalolophus, G. R. Gr. 1837.
Hapalophus et Hapalolophus, Agass.
Malaconotus, Sundev. 1835.
6018. **cubla**, *Shaw*; *Lev. O. A.* t. 72. S. & N. Africa.
Var. Tette.
6019. **affinis**, *G. R. Gr.* W. Afr., Zanzib.
sublacteus, Verr.; *Verreauxii, Cab.*
6020. **gambensis**, *Licht.*; *Sw. B. W. Afr.* pl. 23. W. Africa.
mollissimus, Sw.
6021. **sublacteus**, *Cass.* Gaboon.
6022. **æthiopicus**, *Lath.*; *Rüpp. S. U.* t. 23; *Ferr. & Gal. Voy.*
en Abyss. t. 4. Abyssinia.
silens, Rüpp.
6023. **orientalis**, *Sw.* S. Africa.
similis, Sw. Zanzibar.
6024. **atrialatus**, *Cass.* E. Africa.
6025. **cucullatus**, *Tem. & Hartl.* Senegal.
6026. **bicolor**, *Verr.* Gaboon.
6027. **angolensis**, *Hartl.* W. Africa.
6028. **hamatus**, *Hartl.* E. Africa.
6029. **Turatii**, *Verr.*; *R. et M. de Z.* 1858, t. 7. Senegal.
6030. **guttatus**, *Hartl.* Angola.
6031. **Bojeri**, *Pelz.* Madagascar.
6032. **picatus**, *Hartl.* Gaboon.
6033. **Salimæ**, *Hartl. & F.* Zanzibar, Tette.
affinis, Hartl.
6034. **leucopsis**, *Decken.* E. Africa.
6035. **thamnophilus**, *Decken, Orn. Ost-Afric.* t. 8. "
- 1492.** *e. RHYNCHASTATUS, Bp. 1853.*
6036. **leucorhynchus**, *Hartl. Abh. d. naturw. Ver. in Hamb.*
ii. t. 6. W. Africa.
6037. **carbonarius**, *Cass.* "
leucorhynchus, p.

6038. *funnebris*, *Hartl.* E. Africa.
 6039. *lugubris*, *Cab.*; *Decken, Orn. Ost-Afr.* t. 7. N.E. Africa.

1493. f. *TCHAGRA*, *Less.* 1831.

Tschagra, *G. R. Gr.* 1855.

6040. *boulboul*, *Shaw*; *Lev. O. A.* t. 68; *Rüpp. S. U.* t. 23. S. Africa.
cafer, *Forst.*; *rufiventris*, *Sw.* Natal.
æthiopicus, p., *Lath.*
ferrugineus, *Sundev.* ?
 6041. *major*, *Hartl. Abh. d. natur. Ver. in Hamb.* ii. t. 5. Ashanti.
 6042. *sticturus*, *Hartl. & F.* Zambesi.
maculicauda, *G. R. Gr. MS.* Tette.

1494. TELOPHORUS, 1831,

et *Telephonus*, 1837, *Sw.* *Laniarius*, *Boie*, 1826, *nec V.* 1816.
Sw. C. of B. f. 200, f; *G. of B.* i. p. 293, pl. 72. f. 1.

a. *TELOPHORUS.*

6043. *gutturalis*, *Müll.*; *Edw. B.* pl. 321; *P. E.* 272; *Lev. O. A.* t. 67. S. Africa.
zeylonus!, *L.*; *bachakiri*, *Shaw.*
ornatus, *Licht.*; *collaris*, *Sw.*
 6044. *viridis*, *V.*; *Lev. O. A.* t. 286; *Gal. des Ois.* t. 143. „
gutturalis, *Daud.*; *torquatus*, *Sw.* Port Natal.
 6045. *quadricolor*, *Cass.* Natal.

1495. b. *CHLOROPHONEUS*, *Cab.* 1850.

6046. *rubiginosus*, *Sundev.*; *Lev. O. A.* t. 75. 2. S. Africa.
oleagineus, p., *Licht.*
 6047. *similis*, *Smith, I. S. A. Z.* pl. 46. S. & W. Africa.
aurantiopectus et sulfureopectus et affinis, *Less.*; *chrysogaster*, *Sw.* Tette.
 6048. *multicolor*, *G. R. Gr. & M. G. B.* pl. 72. W. Africa.
 6049. *olivaceus*, *Shaw*; *Lev. O. A.* t. 75. 1, and 76. 1. S. Africa.
oleaginus, *Licht.*
 6050. *superciliosus*, *Sw.* W. Africa.

1496. c. *POMATORHYNCHUS*, *Boie*, 1826.

Podobes, *Less.* 1831. *Tchagra*, *Less.*


Turdoides et Ixos, *Cuv.* 1817. *Pomatorhynchus*, *Cab.* 1850.

Telophorus, *G. R. Gr.* 1847. *Telephonus*, p., *Sw.*

Sw. C. of B. f. 200, e; *G. of B.* i. pl. 71. f.; *Reich. S. A.* t. 69. f.

6051. *cucullatus*, *Tem.*; *P. C.* 297. 1; *Susemihl, Eur. Vög.* t. 17. 2. N. Africa.
tschagra, *Boie*; *senegalus*, *Licht.* S. Europe.
erythropterus, p., *Hartl. & F.*

6052. **erythropterus**, *Shaw*; *P. E.* 479. 1; *Lev. O. A.* t. 70. W. Africa.
collurio, var. *melanocephalus*, *Gm.*
melanocephalus, *Tem.*; *coronatus*, *V.*
tschagra, *V.*; *Lev. O. A.* t. 70.
senegalensis, *Less.*
6053. **trivirgatus**, *Smith*, *I. S. A. Z.* pl. 94. S. & W. Africa.
australis, *Smith.*
6054. **minutus**, *Hartl.* Ashanti.
Hartlaubi, *G. R. Gr. MS.*
6055. **remigialis**, *Hartl. & F.* White Nile.
Galtoni, *G. R. Gr. MS.*
6056. *senegalus*, *L.*; *Briss. Orn.* ii. t. 17. 1; *P. E.* 477. 2. W. Africa.
collurio, var. *senegalensis*, *Gm.*
erythropterus, p., *Hartl. & F.*
- 1497.** *d. PSALTER, Reich.* 1850.
Harpolestes, *Cab.* 1850.
Sw. C. of B. f. 200, g; *Reich. S. A.* t. 57. f.
6057. **longirostris**, *Sw.* E. Africa.
tschagra, *Rüpp.*



ERRATA AND APPENDIX.

11. *chaugoun non changou.*
64. *infulatus non infuscatus.*
85. *B. M. Coll.*
247. *ægyptius non ægyptius.*
252. *cayennensis non cayanensis (Lath.).*
282. *Sclat. & S. Exot. Orn.* pl. 90; *nitida, Cass.*
- 282^a. *polionotus, Cab.* Costa Rica.
288. *Sclat. & S. Exot. Orn.* pl. 89.
- 288^a. *Nattereri, Sclat. & S. Exot. Orn.* pl. 87. S.E. Brazil.
magnirostris, Max. & Pelz.
- 288^b. *ruficauda, Sclat. & S. Exot. Orn.* pl. 88. Mex., Guat.
magnirostris, Sclat. & Lawr. Veragua.
316. *Sclat. & S. Exot. Orn.* pl. 85; *Azaræ, Sclat. MS.*
371. *superciliosus non superciliaris.*
- 379^a. *spilogastra, Heugl.* N.E. Africa.
trogodytes, Hartl. MS.
408. *Wall. non Müll.*
459. *javanensis non javensis.*
513. *fuscescens non fulvescens.*
520. *B. M. Coll.*
522. *erase Spix, A. B. t. 10^a.*
531. *cayennense non cayanense (Lath.).*
606. *longicaudus non longicaudatus.*
639. *B. M. Coll.*
- 648^a. *inornatus, Heugl.* Abyssinia.
665. *sericeo-caudatus non serico-caudatus.*
- 680^a. *candicans, Natt. & Pelz.* S. Brazil.
leucurus, p., V.
728. }
729. } *B. M. Coll.*
737. *cayennensis non cayanensis (Lath.).*
744. = 741.
789. }
792. } *B. M. Coll.*
- 794^a. *æthiopica, Blanf.* Abyssinia.
tigrensis, Blanf. MS.; albigularis, Heugl.

808. *B. M. Coll.*

821. = *fusicapillus*, *Heugl.*; *velocissima*, *Würt.*

826. = 833.

223^a. *i**. *WALDENIA*, *Sharpe*, 1869.

829 is the type.

833. = 826.

837. = *fulva*, *V. apud Sclat.*

845. *albilinea non albilineata.*

871. = 870, *apud Sclat.*

907^a. *crassirostris*, *Sclat.*

Solomon I.

916. *javanicus*, *Horsf.*; *javanus*, *Cuv.*

917. *ochromalus*, *Raffl.*; *ochromelas*, *Reich.*

261^a. *c**. *UROSPATHA*, *Salvad.* 1868.

939 is the type.

967^a. *Bairdi*, *Laur.*

Costa Rica.

1036. *peruana non peruviana.*

1052. *Rev. Zool.* 1850, t. 3.

1053^a. *poliopis*, *Sclat. Pr. Z. S.* 1862, pl. 8.

Ecuador.

1089^a. *cyanoleuca*, *V.*; *Sharpe, Alced.* pl.

Angola.

senegalensis, *Mont.*

1090. = *chelucutensis*, *Hartl. & F.*; *tschelicutensis*, *Heugl.*

1091. = *tschelicutensis*, var. *major*, *Heugl.*

1092. *albiventris*, *Scop.*; *Sonn. Voy.* t. 31 = *fusicapilla*.

1093. = *striolata*, var., *Sharpe.*

1094. *Sharpe, Alced.* pl.

1106. *incinctus non unicinctus.*

1110. ♀ = 1106, *apud Finsch & H.*

316^a. *CEYCOPSIS*, *Salvad.* 1868.

1150^a. *fallax*, *Schl.*; *Sharpe, Alced.* pl.

Celebes.

1154. *asiatica*, *Sw.*

meningting, *Horsf. &c.*

1159. = *coronatus*, *Smith, apud Sharpe.*

1160. *Sharpe, Alced.* pl.

1161. An *Alcyone*, *apud Jard. & Aliq.*

1171. *natalensis non coronata.*

1173. *Sharpe, Alced.* pl.; *Lecontei*, p., *Schl.*

1176^a. *Lessonii*, *Cass.*

New Guinea.

azurea, var. *Lessonii*, *G. R. Gr.*

Aru.

1177. = *diemensis*, *Cab.*

1185^a. *Sharpii*, *Gould*; *Sharpe, Alced.* pl.

Gaboon.

1245. *Pr. Z. S.* 1869, pl. 18.

1276. *G. read* Gilolo.
1302. *Hartl.* non *Newt.*
- 1319^a. *fantensis*, *Sharpe.* Fantee.
1361. *B. M. Coll.* = 1390, *apud Walden.*
1363. to be erased, = 1987?
1384. = 1354, *apud Walden.*
1390. = 1361, *apud Walden.*
- 1454^a. *brevirostris*, *Cab.* Porto Cabello.
- 1733^a. *lyrura*, *Gould.* Bahamas.
2016. = *squameus*, *V.*; *Lev. O. A. t.* 116.
2022. = *melanodera*, *Quoy & G. Voy. Astrol. t.* 8. 1.
- 2279^a. *arequipæ*, *Selat. & S.* Bolivia.
- 2439^a. *notatus*, *Eyton.* — ?
2473. *gutturatus non gutturalis.*
2488. *cinnamoventris non cinnamomeoventris (Cab.).*
- 2506^a. *striata*, *Gould.* Cape York.
2574. *Voy. Pôle Sud*, t. 19. 6.
2755. *Strangei non Strangeri.*
2775.)
2776.)
2777.) *B. M. Coll.*
2778.)
2780.)
2827. *textrix non tetrrix.*
2833. *Heugl. Orn. N. O. Afr. t.* 9.
2858. *B. M. Coll.*
2874. *cautus non cantus.*
2918. *abnormis non abornis.*
- 2941 (2841). *babæcula non beaticula.*
2958. = 2833, *apud Hartl.*
3040. *B. M. Coll.*
- 3062^a. **habessinica**, *Blanf.* Abyssinia.
- 3173^a. **fuscicaudata**, *Blanf.* Bogosland.
3181.)
3225.) *B. M. Coll.*
3246.)
- 3288^a. **semitorquata**, *Heugl.* Abyssinia.
abyssinica, *Blanf.*

3394. *flaviceps non flavifrons*.
 3531. *Giraud, B. Texas*, pl. 7. 1.
 3569. *maderaspatensis non maderaspatana (Bl.)*.
 3598. = *fuliginosus, Hodgs.*
 3647. *roseaceus non rosaceus*.
 3767. = *xanthosceles, Sclat.*
 3881^a. *subrufescens, Bocage*. W. Africa.
 3895. = 4003.
 3918. A *Hypsipetes*, = 3991.
987. MEROPIXUS non MEROPIZUS.
 3990. *Holti non Holki*.
 3992^a. *Cantori, Moore*. Tenasserim.
 4016. = 4059, *apud Cab.*
 4192^a. *Delesserti, Jerd. Ill. Ind. Orn.* pl. 13. Neilgherries.
 griseiceps, Deless.
 4217^a. *cineraceus, Horsf.* Java.
 cinerascens, Hartl.
 4239. = *galeata, Bodd.*; *drongo, Shaw.*
 4283. *B. M. Coll.*
 4402^a. *princeps, Sclat. & S.* Veragua.
 guatemalensis, Salv.
 4811. *grisola non griseola*.
 4820. = *mugimaki, Tem. & S. F. J. t. 17, B*; *hylocharis, Swinh.*;
 erythraca, Bl.
 4870^a. *Finschi, Sharpe*. Fantee.
 5361^a. *luteiventris, Sclat.* Rio Napo.
 5372^a. ***megacephala, Sw. B. Bras.*** pl. 47. Brazil.
 5515^a. *ochraceus, Sclat. & S.* Costa Rica.
 5667^a. ? = 5669, *apud Sclat. & S.*
 5691^a. *longicauda, V.*; *Kittl. Kupf. t. 18. 2.* Paraguay.
 5735. *B. M. Coll.*
 5735^a. *cinnamomea, Lawr.*; ? = 5735, *apud Sclat. & S.*
 5806^a. *rubrifrons, Sclat. & S. Pr. Z. S. 1867, pl. 30. 1.* Lower Amazons.
 6034. ? = 6023, *apud Cab.*



5-
 Paul Levetzoff

14 DAY USE
RETURN TO DESK FROM WHICH BORROWED

Biology Library

This book is due on the last date stamped below, or
on the date to which renewed.

Renewed books are subject to immediate recall.

Due end of FALL quarter
Subject to recall after —

NOV 16 1972

NOV 2 1972

LD 21-40m-4,'64
(E4555s10)476

General Library
University of California
Berkeley

U.C. BERKELEY LIBRARIES



C026327225

8021 8 894

859548

QL677
B69
v.1

BIOLOGY
LIBRARY
S

THE UNIVERSITY OF CALIFORNIA LIBRARY

